

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

5. Lease Serial No.  
NMNM0384628

6. If Indian, Allottee or Tribe Name

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

7. If Unit or CA/Agreement, Name and/or No.  
NMNM130964

1. Type of Well  
 Oil Well  Gas Well  Other

8. Well Name and No.  
INDIAN BASIN 23 FED COM 1H

2. Name of Operator  
OXY USA WTP LP  
Contact: STEPHEN C JANACEK  
E-Mail: Stephen\_janacek@oxy.com

9. API Well No.  
30-015-41048-00-S1

3a. Address  
HOUSTON, TX 77210  
3b. Phone No. (include area code)  
Ph: 713-497-2417

10. Field and Pool or Exploratory Area  
INDIAN BASIN-STRAWN

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Sec 23 T21S R23E SWSW 350FSL 407FWL

11. County or Parish, State  
EDDY COUNTY, NM

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA WTP LP respectfully requests approval to plug and abandon the subject well. Due to COVID and the economic environment, we request approval with an estimated date of work of August 2021. The plan is as follows:

10# MLF between plugs. Utilize above ground steel tanks.

POOH with production equipment.  
RIH and set CIBP at 2570. Spot 60 sx Class C from 2570-2120. Tag.  
Spot 20 sx Class C from 860-668.  
Spot 40 sx Class C from 300 to surface.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #525941 verified by the BLM Well Information System  
For OXY USA WTP LP, sent to the Carlsbad**

**Committed to AFMSS for processing by PRISCILLA PEREZ on 08/17/2020 (20PP3765SE)**

Name (Printed/Typed) STEPHEN C JANACEK

Title REGULATORY ENGINEER

Signature (Electronic Submission)

Date 08/17/2020

gc 8/26/2020

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

**Accepted for record – NMOCD**

Approved By LONG VO

Title PETROLEUM ENGINEER

Date 08/20/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

## Revisions to Operator-Submitted EC Data for Sundry Notice #525941


	<b>Operator Submitted</b>	<b>BLM Revised (AFMSS)</b>
Sundry Type:	ABD NOI	ABD NOI
Lease:	NMNM104633	NMNM0384628
Agreement:		NMNM130964 (NMNM130964)
Operator:	OXY USA WTP LP 5 GREENWAY PLAZA, SUITE 110 HOUSTON, TX 77046-0521 Ph: 713-215-7000	OXY USA WTP LP  HOUSTON, TX 77210 Ph: 713.366.5360
Admin Contact:	STEPHEN C JANACEK REGULATORY ENGINEER E-Mail: Stephen_janacek@oxy.com  Ph: 713-497-2417	STEPHEN C JANACEK REGULATORY ENGINEER E-Mail: Stephen_janacek@oxy.com  Ph: 713-497-2417
Tech Contact:	STEPHEN C JANACEK REGULATORY ENGINEER E-Mail: Stephen_janacek@oxy.com  Ph: 713-497-2417	STEPHEN C JANACEK REGULATORY ENGINEER E-Mail: Stephen_janacek@oxy.com  Ph: 713-497-2417
Location: State: County:	NM EDDY COUNTY	NM EDDY
Field/Pool:	INDIAN BASIN; YESO	INDIAN BASIN-STRAWN
Well/Facility:	INDIAN BASIN 23 FED COM 1H Sec 23 T21S R23E Mer NMP SWSW 350FSL 530FWL	INDIAN BASIN 23 FED COM 1H Sec 23 T21S R23E SWSW 350FSL 407FWL

Stephen Janacek  
7/23/2020

Proposed Wellbore  
**Indian Basin 23 Federal Com #001H**  
30-015-41048-0000  
Eddy

String 1  
OD 8.625 in  
TD 810 ft  
TOC 0 ft

String 2  
OD 5.5 in  
TOC 0 ft  
TD 6626 / TVD 2392  
KOP TVD 1540



Spot 40 sx Class C 300-surf.

Spot 25 sx Class C 860-668.

Set CIBP at 2570. Spot 60 sx Class C  
2570-2120. Tag.

Perfs\_10 Stages 2620-6400

Stephen Janacek  
7/23/2020

Current Wellbore  
**Indian Basin 23 Federal Com #001H**  
30-015-41048-0000  
Eddy

String 1  
OD 8.625 in  
TD 810 ft  
TOC 0 ft

String 2  
OD 5.5 in  
TOC 0 ft  
TD 6626 / TVD 2392  
KOP TVD 1540

