

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

EMNRD-OCD ARTESIA
REC'D: 6/1/2020

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-45974	² Pool Code 98220	³ Pool Name Purple Sage; Wolfcamp (Gas)
⁴ Property Code 321482	⁵ Property Name RIVERBEND 12-13 FEDERAL COM	⁶ Well Number 33H
⁷ OGRID No. 215099	⁸ Operator Name CIMAREX ENERGY CO.	⁹ Elevation 2938.2


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	1	25S	28E		1439	SOUTH	1277	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	13	25S	28E		331	SOUTH	711	WEST	EDDY
¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



- = SURFACE HOLE LOCATION
- ◆ = LANDING POINT/FIRST TAKE POINT
- = BOTTOM HOLE LOCATION/ LAST TAKE POINT
- ▲ = SECTION CORNER LOCATED

NAD 83 (SURFACE HOLE LOCATION)
LATITUDE = 32°09'21.63" (32.156007°)
LONGITUDE = 104°02'43.16" (104.045322°)
NAD 27 (SURFACE HOLE LOCATION)
LATITUDE = 32°09'21.18" (32.155884°)
LONGITUDE = 104°02'41.40" (104.044833°)
STATE PLANE NAD 83 (N.M. EAST)
N: 420609.89' E: 630466.17'
STATE PLANE NAD 27 (N.M. EAST)
N: 420551.61' E: 589282.02'

LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S88°49'54"E	2665.14'



DRAWN BY: D.J.S. 11-07-18
REV: 1 06-26-19 C.M.T. (BHL MOVE)

¹⁷ OPERATOR
CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Fatima Vasquez 04/09/2020
Signature Date

Fatima Vasquez

Printed Name

fvasquez@cimarex.com

E-mail Address

¹⁸ SURVEYOR
CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

December 12, 2017

Date of Survey

Signature and Seal of Professional Surveyor:





Certificate Number:

Borehole: Riverbend 12-13 Federal Com #33H	Well: Riverbend 12-13 Federal Com #33H	Field: NM Eddy County (NAD 83)	Structure: Cimarex Riverbend 12-13 Federal Com #33H
---	---	---	--

Gravity & Magnetic Parameters				Surface Location				NAD83 New Mexico State Plane, Eastern Zone, US Feet				Miscellaneous			
Model:	HJGM 2019	Dip:	59.859°	Date:	29-Aug-2019	Lat:	N 32 9 21.63	Northing:	420609.89ftUS	Grid Conv:	0.1533°	Slot:	New Slot	TVD Ref:	RKB(2961.2ft above MSL)
MagDec:	6.995°	FS:	47853.895nT	Gravity FS:	998.46mg (9.80665 Based)	Lon:	W 104 2 43.16	Easting:	630466.17ftUS	Scale Fact:	0.99991819	Plan:	Final Surveys - Cimarex Riverbend 12-13 Federal Com #33H Off-20967ft (Surcon Corrected)		

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
SHL [1439, FSL, 1277' FWL]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
First SLB Survey	9255.00	5.29	169.80	9203.17	275.36	-278.68	-586.39	5.17
KOP	9255.94	5.45	169.63	9204.11	275.45	-278.77	-586.37	17.46
Section 1-12 Line Crossing [712' FWL]	10658.90	89.82	183.02	9705.69	1426.40	-1429.66	-573.37	2.42
First Legal Take Point [330' From Section 1-22 Line, 699' FWL]	10989.00	90.31	181.21	9705.85	1756.24	-1759.57	-584.38	2.71
Section 12-13 Line Crossing [705' FWL]	15983.80	89.60	180.70	9707.98	6749.17	-6752.36	-545.30	0.32
Final Survey	20934.00	89.28	181.02	9714.55	11698.37	-11701.47	-515.52	0.54
TD, PTB [331' FSL, 711' FWL]	20967.00	89.80	181.00	9714.82	11731.36	-11734.47	-516.10	1.58





**Final Surveys - Cimarex Riverbend 12-13 Federal Com #33H 0ft-20967ft
(Surcon Corrected) Survey Geodetic Report
(Def Survey)**



Report Date:	October 09, 2019 - 03:53 PM	Survey / DLS Computation:	Minimum Curvature / Lubinski
Client:	Cimarex Energy Co.	Vertical Section Azimuth:	179.676 ° (Grid North)
Field:	NM Eddy County (NAD 83)	Vertical Section Origin:	0.000 ft, 0.000 ft
Structure / Slot:	Cimarex Riverbend 12-13 Federal Com #33H / New Slot	TVD Reference Datum:	RKB
Well:	Riverbend 12-13 Federal Com #33H	TVD Reference Elevation:	2961.200 ft above MSL
Borehole:	Riverbend 12-13 Federal Com #33H	Seabed / Ground Elevation:	2938.200 ft above MSL
UWI / API#:	Unknown / Unknown	Magnetic Declination:	6.995 °
Survey Name:	Final Surveys - Cimarex Riverbend 12-13 Federal Com #33H 0ft-20967ft (Surcon Corrected)	Total Gravity Field Strength:	998.4600mgn (9.80665 Based)
Survey Date:	July 17, 2019	Gravity Model:	GARM
Tort / AHD / DDI / ERD Ratio:	248.779 ° / 12171.554 ft / 6.815 / 1.253	Total Magnetic Field Strength:	47853.895 nT
Coordinate Reference System:	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Magnetic Dip Angle:	59.859 °
Location Lat / Long:	N 32° 9' 21.62587", W 104° 2' 43.16000"	Declination Date:	August 29, 2019
Location Grid N/E Y/X:	N 420609.890 ftUS, E 630466.170 ftUS	Magnetic Declination Model:	HDGM 2019
CRS Grid Convergence Angle:	0.1533 °	North Reference:	Grid North
Grid Scale Factor:	0.99991819	Grid Convergence Used:	0.1533 °
Version / Patch:	2.10.782.0	Total Corr Mag North->Grid North:	6.8416 °
		Local Coord Referenced To:	Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')	Closure Azimuth (°)	Closure (ft)
SHL [1439, FSL, 1277' FWL]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	420609.89	630466.17	N 32 9 21.63	W 104 2 43.16	0.00	0.00
201.00	0.62	341.56	201.00	-1.03	1.03	-0.34	0.31	420610.92	630465.83	N 32 9 21.64	W 104 2 43.16		341.56	1.09
302.00	1.15	332.60	301.98	-2.46	2.45	-0.98	0.54	420612.34	630465.19	N 32 9 21.65	W 104 2 43.17		338.13	2.64
573.00	0.29	193.25	572.97	-4.21	4.20	-2.39	0.51	420614.09	630463.78	N 32 9 21.67	W 104 2 43.19		330.32	4.83
663.00	0.44	206.03	662.97	-3.68	3.66	-2.60	0.19	420613.55	630463.57	N 32 9 21.66	W 104 2 43.19		324.69	4.49
753.00	0.06	26.98	752.97	-3.41	3.40	-2.73	0.56	420613.29	630463.44	N 32 9 21.66	W 104 2 43.19		321.24	4.35
845.00	0.57	261.51	844.96	-3.39	3.37	-3.16	0.66	420613.26	630463.01	N 32 9 21.66	W 104 2 43.20		316.88	4.62
1029.00	0.97	86.31	1028.96	-3.35	3.34	-2.51	0.84	420613.23	630463.66	N 32 9 21.66	W 104 2 43.19		323.07	4.17
1124.00	1.11	79.86	1123.94	-3.55	3.55	-0.80	0.19	420613.44	630465.37	N 32 9 21.66	W 104 2 43.17		347.31	3.64
1218.00	0.84	73.45	1217.93	-3.90	3.91	0.76	0.31	420613.80	630466.93	N 32 9 21.66	W 104 2 43.15		10.97	3.98
1313.00	0.51	91.12	1312.92	-4.09	4.10	1.85	0.41	420613.99	630468.02	N 32 9 21.67	W 104 2 43.14		24.27	4.49
1502.00	0.21	55.96	1501.92	-4.26	4.27	2.98	0.19	420614.16	630469.15	N 32 9 21.67	W 104 2 43.13		34.84	5.21
1597.00	0.34	36.44	1596.92	-4.58	4.60	3.29	0.17	420614.49	630469.46	N 32 9 21.67	W 104 2 43.12		35.56	5.65
1691.00	0.10	47.75	1690.92	-4.86	4.88	3.51	0.26	420614.77	630469.68	N 32 9 21.67	W 104 2 43.12		35.76	6.01
1881.00	0.70	170.09	1880.91	-3.82	3.85	3.84	0.40	420613.74	630470.01	N 32 9 21.66	W 104 2 43.12		44.92	5.43
1975.00	1.62	211.78	1974.89	-2.13	2.15	3.23	1.27	420612.04	630469.40	N 32 9 21.65	W 104 2 43.12		56.38	3.88
2069.00	2.29	220.51	2068.84	0.41	-0.41	1.32	0.78	420609.48	630467.49	N 32 9 21.62	W 104 2 43.14		107.17	1.38
2164.00	4.76	249.43	2163.66	3.21	-3.23	-3.61	3.13	420606.66	630462.56	N 32 9 21.59	W 104 2 43.20		228.13	4.85
2258.00	6.93	249.49	2257.16	6.52	-6.59	-12.57	2.31	420603.30	630453.60	N 32 9 21.56	W 104 2 43.31		242.33	14.20
2354.00	6.54	240.26	2352.50	11.21	-11.33	-22.74	1.20	420598.56	630443.43	N 32 9 21.51	W 104 2 43.42		243.51	25.41
2448.00	6.19	230.99	2445.93	17.00	-17.18	-31.33	1.15	420592.71	630434.84	N 32 9 21.46	W 104 2 43.52		241.26	35.73
2543.00	9.48	242.87	2540.03	23.73	-23.97	-42.28	3.84	420585.92	630423.90	N 32 9 21.39	W 104 2 43.65		240.44	48.60
2552.00	9.54	244.37	2548.91	24.39	-24.63	-43.61	2.83	420585.26	630422.56	N 32 9 21.38	W 104 2 43.67		240.54	50.09
2631.00	9.38	247.74	2626.83	29.59	-29.90	-55.47	0.73	420579.99	630410.71	N 32 9 21.33	W 104 2 43.81		241.67	63.02
2726.00	9.16	245.30	2720.59	35.60	-36.00	-69.50	0.47	420573.90	630396.67	N 32 9 21.27	W 104 2 43.97		242.62	78.27
2821.00	9.31	244.97	2814.36	41.94	-42.41	-83.34	0.17	420567.49	630382.84	N 32 9 21.21	W 104 2 44.13		243.03	93.51
3009.00	11.28	247.19	2999.33	55.33	-55.97	-114.07	1.07	420553.92	630352.11	N 32 9 21.08	W 104 2 44.49		243.86	127.06
3104.00	11.87	246.36	3092.39	62.75	-63.49	-131.58	0.65	420546.40	630334.60	N 32 9 21.00	W 104 2 44.69		244.24	146.10
3198.00	11.64	246.49	3184.42	70.31	-71.15	-149.13	0.25	420538.75	630317.05	N 32 9 20.93	W 104 2 44.90		244.49	165.24
3388.00	11.97	245.19	3370.41	86.02	-87.06	-184.60	0.22	420522.83	630281.59	N 32 9 20.77	W 104 2 45.31		244.75	204.10

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
	3481.00	10.60	248.94	3461.61	93.04	-94.18	-201.33	1.67	420515.71	630264.85	N 32 9 20.70	W 104 2 45.50	244.93	222.27
	3575.00	9.62	247.07	3554.15	99.13	-100.35	-216.64	1.10	420509.55	630249.55	N 32 9 20.64	W 104 2 45.68	245.14	238.75
	3764.00	9.47	247.38	3740.53	111.09	-112.48	-245.53	0.08	420497.41	630220.66	N 32 9 20.52	W 104 2 46.02	245.39	270.07
	3859.00	9.58	248.28	3834.22	116.94	-118.42	-260.09	0.19	420491.48	630206.10	N 32 9 20.46	W 104 2 46.19	245.52	285.78
	3953.00	9.55	247.41	3926.91	122.75	-124.31	-274.56	0.16	420485.59	630191.64	N 32 9 20.40	W 104 2 46.36	245.64	301.38
	4142.00	9.38	247.69	4113.34	134.46	-136.18	-303.28	0.09	420473.73	630162.92	N 32 9 20.29	W 104 2 46.69	245.82	332.45
	4331.00	9.41	245.40	4299.80	146.58	-148.45	-331.58	0.20	420461.45	630134.62	N 32 9 20.17	W 104 2 47.02	245.88	363.29
	4519.00	9.31	246.40	4485.30	158.90	-160.94	-359.49	0.10	420448.96	630106.71	N 32 9 20.04	W 104 2 47.35	245.88	393.87
	4613.00	9.41	244.65	4578.05	165.16	-167.27	-373.40	0.32	420442.63	630092.80	N 32 9 19.98	W 104 2 47.51	245.87	409.15
	4707.00	9.47	244.68	4670.78	171.68	-173.87	-387.33	0.06	420436.03	630078.87	N 32 9 19.92	W 104 2 47.67	245.82	424.57
	4801.00	9.50	245.32	4763.49	178.15	-180.42	-401.37	0.12	420429.49	630064.83	N 32 9 19.85	W 104 2 47.83	245.80	440.06
	4895.00	9.57	244.98	4856.19	184.61	-186.96	-415.50	0.10	420422.94	630050.70	N 32 9 19.79	W 104 2 48.00	245.77	455.63
	5084.00	9.19	243.19	5042.67	197.90	-200.41	-443.21	0.25	420409.49	630023.00	N 32 9 19.65	W 104 2 48.32	245.67	486.41
	5179.00	8.96	242.36	5136.48	204.68	-207.27	-456.53	0.28	420402.64	630009.68	N 32 9 19.59	W 104 2 48.48	245.58	501.38
	5274.00	8.66	240.64	5230.36	211.55	-214.21	-469.32	0.42	420395.70	629996.89	N 32 9 19.52	W 104 2 48.63	245.47	515.89
	5368.00	8.54	240.16	5323.30	218.42	-221.15	-481.54	0.15	420388.76	629984.67	N 32 9 19.45	W 104 2 48.77	245.33	529.89
	5461.00	8.46	239.33	5415.28	225.28	-228.07	-493.41	0.16	420381.84	629972.80	N 32 9 19.38	W 104 2 48.91	245.19	543.58
	5555.00	7.92	240.36	5508.32	231.94	-234.80	-504.99	0.60	420375.11	629961.22	N 32 9 19.32	W 104 2 49.04	245.06	556.91
	5744.00	7.48	238.71	5695.62	244.65	-247.63	-526.82	0.26	420362.28	629939.39	N 32 9 19.19	W 104 2 49.30	244.82	582.12
	5838.00	7.28	236.47	5788.84	251.06	-254.10	-537.01	0.37	420355.81	629929.20	N 32 9 19.13	W 104 2 49.41	244.68	594.10
	5933.00	6.53	234.00	5883.15	257.51	-260.60	-546.40	0.85	420349.31	629919.81	N 32 9 19.06	W 104 2 49.52	244.50	605.37
	6026.00	5.50	236.70	5975.63	263.02	-266.16	-554.41	1.15	420343.76	629911.81	N 32 9 19.01	W 104 2 49.62	244.36	614.98
	6120.00	5.13	238.35	6069.23	267.65	-270.83	-561.75	0.43	420339.08	629904.47	N 32 9 18.96	W 104 2 49.70	244.26	623.63
	6215.00	2.96	245.34	6163.99	270.87	-274.09	-567.59	2.34	420335.83	629898.62	N 32 9 18.93	W 104 2 49.77	244.22	630.31
	6308.00	3.05	242.50	6256.86	272.99	-276.23	-571.97	0.19	420333.68	629894.25	N 32 9 18.91	W 104 2 49.82	244.22	635.18
	6402.00	2.83	246.14	6350.74	275.06	-278.32	-576.31	0.31	420331.59	629889.91	N 32 9 18.89	W 104 2 49.87	244.22	640.00
	6496.00	0.92	280.71	6444.68	275.84	-279.12	-579.18	2.27	420330.79	629887.04	N 32 9 18.88	W 104 2 49.91	244.27	642.93
	6684.00	0.41	339.45	6632.67	274.92	-278.21	-580.89	0.42	420331.70	629885.32	N 32 9 18.89	W 104 2 49.93	244.41	644.08
	6779.00	0.42	333.85	6727.67	274.29	-277.58	-581.17	0.04	420332.33	629885.05	N 32 9 18.89	W 104 2 49.93	244.47	644.05
	6873.00	0.21	41.54	6821.67	273.85	-277.14	-581.20	0.42	420332.77	629885.01	N 32 9 18.90	W 104 2 49.93	244.51	643.90
	6967.00	0.39	70.81	6915.67	273.62	-276.91	-580.79	0.25	420333.00	629885.43	N 32 9 18.90	W 104 2 49.92	244.51	643.42
	7062.00	0.70	69.25	7010.66	273.31	-276.60	-579.94	0.33	420333.32	629886.28	N 32 9 18.90	W 104 2 49.91	244.50	642.52
	7251.00	0.73	63.82	7199.65	272.39	-275.66	-577.78	0.04	420334.26	629888.44	N 32 9 18.91	W 104 2 49.89	244.49	640.17
	7345.00	0.66	73.78	7293.64	271.98	-275.24	-576.72	0.15	420334.67	629889.50	N 32 9 18.92	W 104 2 49.88	244.49	639.04
	7439.00	0.96	86.10	7387.63	271.78	-275.04	-575.42	0.37	420334.88	629890.80	N 32 9 18.92	W 104 2 49.86	244.45	637.77
	7533.00	0.67	94.77	7481.62	271.78	-275.03	-574.08	0.33	420334.88	629892.13	N 32 9 18.92	W 104 2 49.85	244.40	636.56
	7627.00	0.48	93.53	7575.62	271.85	-275.10	-573.14	0.20	420334.81	629893.07	N 32 9 18.92	W 104 2 49.84	244.36	635.75
	7722.00	0.37	96.21	7670.62	271.92	-275.16	-572.44	0.12	420334.76	629893.78	N 32 9 18.92	W 104 2 49.83	244.33	635.14
	7911.00	1.94	9.45	7859.58	268.83	-272.07	-571.31	1.03	420337.85	629894.91	N 32 9 18.95	W 104 2 49.81	244.54	632.78
	8004.00	2.04	352.91	7952.52	265.64	-268.87	-571.26	0.62	420341.04	629894.96	N 32 9 18.98	W 104 2 49.81	244.80	631.37
	8098.00	0.64	305.20	8046.50	263.67	-266.91	-571.89	1.78	420343.00	629894.33	N 32 9 19.00	W 104 2 49.82	244.98	631.11
	8192.00	0.13	308.81	8140.49	263.30	-266.54	-572.40	0.54	420343.37	629893.82	N 32 9 19.00	W 104 2 49.83	245.03	631.42
	8287.00	0.40	167.89	8235.49	263.55	-266.80	-572.42	0.53	420343.12	629893.80	N 32 9 19.00	W 104 2 49.83	245.01	631.54
	8382.00	0.59	195.87	8330.49	264.35	-267.59	-572.48	0.32	420342.32	629893.74	N 32 9 18.99	W 104 2 49.83	244.95	631.93
	8477.00	0.55	253.37	8425.49	264.95	-268.19	-573.05	0.58	420341.72	629893.17	N 32 9 18.99	W 104 2 49.83	244.92	632.70
	8571.00	0.91	259.45	8519.48	265.21	-268.46	-574.22	0.39	420341.46	629892.00	N 32 9 18.98	W 104 2 49.85	244.94	633.87
	8665.00	1.50	258.63	8613.46	265.57	-268.84	-576.16	0.63	420341.08	629890.06	N 32 9 18.98	W 104 2 49.87	244.99	635.79
	8853.00	1.29	226.42	8801.40	267.50	-270.78	-580.10	0.43	420339.13	629886.11	N 32 9 18.96	W 104 2 49.92	244.98	640.19
	8947.00	1.32	244.42	8895.38	268.68	-271.98	-581.85	0.44	420337.94	629884.37	N 32 9 18.95	W 104 2 49.94	244.95	642.28
	9041.00	1.35	247.13	8989.35	269.57	-272.87	-583.84	0.07	420337.04	629882.38	N 32 9 18.94	W 104 2 49.96	244.95	644.46
	9135.00	1.09	251.86	9083.33	270.27	-273.58	-585.71	0.30	420336.33	629880.51	N 32 9 18.93	W 104 2 49.98	244.96	646.46
	9150.00	1.36	258.31	9098.33	270.35	-273.66	-586.02	2.02	420336.25	629880.20	N 32 9 18.93	W 104 2 49.99	244.97	646.77
First SLB Survey	9255.00	5.29	169.80	9203.17	275.36	-278.68	-586.39	5.17	420331.23	629879.83	N 32 9 18.88	W 104 2 49.99	244.58	649.24
KOP	9255.94	5.45	169.63	9204.11	275.45	-278.77	-586.37	17.46	420331.14	629879.85	N 32 9 18.88	W 104 2 49.99	244.57	649.26
	9286.00	10.69	167.00	9233.86	279.58	-282.90	-585.49	17.46	420327.02	629880.73	N 32 9 18.84	W 104 2 49.98	244.21	650.25
	9318.00	15.51	163.24	9265.02	286.58	-289.89	-583.58	15.29	420320.03	629882.64	N 32 9 18.77	W 104 2 49.96	243.58	651.62
	9349.00	19.07	169.11	9294.61	295.54	-298.83	-581.43	12.77	420311.08	629884.79	N 32 9 18.68	W 104 2 49.93	242.80	653.73
	9381.00	22.52	165.90	9324.52	306.64	-309.91	-578.95	11.35	420300.00	629887.27	N 32 9 18.57	W 104 2 49.90	241.84	656.68
	9444.00	28.70	171.50	9381.32	333.36	-336.61	-573.77	10.53	420273.31	629892.45	N 32 9 18.31	W 104 2 49.84	239.60	665.22
	9491.00	33.99	178.07	9421.45	357.68	-360.92	-571.66	13.39	420249.00	629894.56	N 32 9 18.07	W 104 2 49.82	237.73	676.06
	9538.00	37.41	186.13	9459.64	385.03	-388.27	-572.74	12.36	420221.65	629893.48	N 32 9 17.80	W 104 2 49.83	235.87	691.94

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure Azimuth (°)	Closure (ft)
	9585.00	42.72	184.95	9495.59	415.11	-418.37	-575.64	11.41	420191.55	629890.58	N 32 9 17.50	W 104 2 49.87	233.99	711.62
	9632.00	45.25	179.54	9529.42	447.69	-450.96	-576.88	9.63	420158.97	629889.33	N 32 9 17.18	W 104 2 49.88	231.98	732.23
	9679.00	49.97	177.61	9561.10	482.38	-485.65	-576.00	10.49	420124.28	629890.22	N 32 9 16.84	W 104 2 49.88	229.86	753.41
	9727.00	52.91	174.52	9591.02	519.83	-523.08	-573.40	7.93	420086.85	629892.81	N 32 9 16.47	W 104 2 49.85	227.63	776.15
	9774.00	57.82	172.32	9617.73	558.25	-561.48	-568.95	11.13	420048.46	629897.27	N 32 9 16.08	W 104 2 49.80	225.38	799.35
	9821.00	63.21	172.48	9640.85	598.82	-602.02	-563.54	11.47	420007.92	629902.67	N 32 9 15.68	W 104 2 49.73	223.11	824.63
	9871.00	71.06	173.22	9660.27	644.53	-647.69	-557.82	15.76	419962.25	629908.39	N 32 9 15.23	W 104 2 49.67	220.74	854.80
	10010.00	82.31	177.61	9692.24	779.18	-782.28	-547.15	8.66	419827.67	629919.06	N 32 9 13.90	W 104 2 49.55	214.97	954.64
	10104.00	86.51	179.18	9701.40	872.68	-875.77	-544.54	4.77	419734.19	629921.68	N 32 9 12.97	W 104 2 49.52	211.87	1031.26
	10199.00	89.35	181.72	9704.83	967.59	-970.69	-545.28	4.01	419639.28	629920.93	N 32 9 12.04	W 104 2 49.53	209.32	1113.36
	10293.00	91.55	183.31	9704.09	1061.47	-1064.59	-549.41	2.89	419545.39	629916.81	N 32 9 11.11	W 104 2 49.58	207.30	1198.00
	10387.00	89.92	183.82	9702.88	1155.24	-1158.40	-555.25	1.82	419451.59	629910.96	N 32 9 10.18	W 104 2 49.65	205.61	1284.60
	10482.00	89.94	183.63	9703.00	1250.00	-1253.20	-561.42	0.20	419356.80	629904.79	N 32 9 9.24	W 104 2 49.73	204.13	1373.21
	10576.00	88.37	184.40	9704.39	1343.72	-1346.95	-568.00	1.86	419263.05	629898.21	N 32 9 8.31	W 104 2 49.81	202.86	1461.82
Section 1-12 Line Crossing [712' FWL]	10658.90	89.82	183.02	9705.69	1426.40	-1429.66	-573.37	2.42	419180.35	629892.85	N 32 9 7.49	W 104 2 49.87	201.85	1540.35
	10669.00	90.00	182.85	9705.71	1436.48	-1439.75	-573.88	2.42	419170.26	629892.34	N 32 9 7.39	W 104 2 49.88	201.73	1549.91
	10764.00	89.75	181.70	9705.92	1531.38	-1534.67	-577.65	1.24	419075.35	629888.56	N 32 9 6.46	W 104 2 49.93	200.63	1639.79
	10858.00	90.20	181.54	9705.96	1625.33	-1628.64	-580.31	0.51	418981.39	629885.91	N 32 9 5.53	W 104 2 49.96	199.61	1728.93
	10952.00	89.86	182.11	9705.91	1719.26	-1722.59	-583.31	0.71	418887.45	629882.91	N 32 9 4.60	W 104 2 50.00	198.71	1818.67
First Legal Take Point [330' From Section 1-22 Line, 699' FWL]	10989.00	90.31	181.21	9705.85	1756.24	-1759.57	-584.38	2.71	418850.47	629881.84	N 32 9 4.23	W 104 2 50.01	198.37	1854.07
	11047.00	91.02	179.81	9705.18	1814.23	-1817.56	-584.90	2.71	418792.48	629881.32	N 32 9 3.66	W 104 2 50.02	197.84	1909.36
	11140.00	91.03	175.97	9703.51	1907.15	-1910.47	-581.47	4.13	418699.58	629884.74	N 32 9 2.74	W 104 2 49.98	196.93	1997.00
	11234.00	90.95	175.68	9701.89	2000.92	-2004.20	-574.63	0.32	418605.85	629891.59	N 32 9 1.81	W 104 2 49.91	196.00	2084.95
	11329.00	90.99	177.69	9700.28	2095.77	-2099.03	-569.14	2.12	418511.04	629897.08	N 32 9 0.87	W 104 2 49.85	195.17	2174.82
	11423.00	91.08	178.02	9698.58	2189.71	-2192.95	-565.62	0.36	418417.13	629900.60	N 32 8 59.94	W 104 2 49.81	194.46	2264.72
	11517.00	90.20	177.85	9697.53	2283.66	-2286.88	-562.23	0.95	418323.20	629903.98	N 32 8 59.01	W 104 2 49.77	193.81	2354.98
	11611.00	89.57	178.59	9697.72	2377.63	-2380.83	-559.31	1.03	418229.26	629906.90	N 32 8 58.08	W 104 2 49.74	193.22	2445.65
	11705.00	89.18	179.46	9698.75	2471.62	-2474.81	-557.72	1.01	418135.29	629908.50	N 32 8 57.15	W 104 2 49.72	192.70	2536.87
	11800.00	90.19	179.28	9699.27	2566.61	-2569.80	-556.67	1.08	418040.30	629909.55	N 32 8 56.21	W 104 2 49.71	192.22	2629.40
	11894.00	91.15	178.94	9698.17	2660.60	-2663.78	-555.21	1.08	417946.33	629911.01	N 32 8 55.28	W 104 2 49.70	191.77	2721.03
	11988.00	90.48	179.43	9696.83	2754.59	-2757.76	-553.87	0.88	417852.36	629912.34	N 32 8 54.35	W 104 2 49.69	191.36	2812.83
	12082.00	89.99	178.86	9696.45	2848.58	-2851.75	-552.47	0.80	417758.38	629913.75	N 32 8 53.42	W 104 2 49.67	190.96	2904.77
	12176.00	90.29	177.49	9696.22	2942.55	-2945.70	-549.48	1.49	417664.44	629916.74	N 32 8 52.49	W 104 2 49.64	190.57	2996.51
	12271.00	90.35	178.54	9695.69	3037.50	-3040.64	-546.19	1.11	417569.50	629920.03	N 32 8 51.55	W 104 2 49.61	190.18	3089.31
	12365.00	89.11	178.70	9696.13	3131.49	-3134.61	-543.92	1.33	417475.54	629922.29	N 32 8 50.62	W 104 2 49.58	189.84	3181.45
	12459.00	88.09	178.80	9698.43	3225.44	-3228.56	-541.87	1.09	417381.60	629924.34	N 32 8 49.69	W 104 2 49.56	189.53	3273.72
	12553.00	88.30	179.24	9701.39	3319.39	-3322.50	-540.27	0.52	417287.67	629925.95	N 32 8 48.76	W 104 2 49.55	189.24	3366.14
	12647.00	88.18	181.07	9704.28	3413.34	-3416.45	-540.52	1.95	417193.73	629925.69	N 32 8 47.83	W 104 2 49.55	188.99	3458.94
	12740.00	88.45	181.38	9707.01	3506.26	-3509.39	-542.51	0.44	417100.80	629923.71	N 32 8 46.91	W 104 2 49.58	188.79	3551.07
	12835.00	88.43	181.59	9709.60	3601.18	-3604.32	-544.97	0.22	417005.87	629921.25	N 32 8 45.97	W 104 2 49.61	188.60	3645.29
	12929.00	89.28	181.50	9711.48	3695.11	-3698.27	-547.50	0.91	416911.93	629918.71	N 32 8 45.05	W 104 2 49.64	188.42	3738.57
	13024.00	90.28	181.59	9711.84	3790.06	-3793.23	-550.06	1.06	416816.98	629916.15	N 32 8 44.11	W 104 2 49.68	188.25	3832.91
	13119.00	90.78	181.43	9710.96	3885.01	-3888.19	-552.57	0.55	416722.02	629913.65	N 32 8 43.17	W 104 2 49.71	188.09	3927.26
	13214.00	90.56	181.32	9709.85	3979.96	-3983.16	-554.85	0.26	416627.06	629911.07	N 32 8 42.23	W 104 2 49.74	187.93	4021.62
	13308.00	89.86	180.99	9709.51	4073.93	-4077.14	-556.74	0.82	416533.09	629909.47	N 32 8 41.30	W 104 2 49.76	187.78	4114.98
	13402.00	90.90	180.52	9708.88	4167.91	-4171.13	-557.98	1.21	416439.11	629908.24	N 32 8 40.37	W 104 2 49.78	187.62	4208.28
	13496.00	89.76	179.47	9708.34	4261.90	-4265.12	-557.97	1.65	416345.12	629908.24	N 32 8 39.44	W 104 2 49.78	187.45	4301.47
	13591.00	89.25	178.92	9709.16	4356.89	-4360.11	-556.64	0.79	416250.15	629909.58	N 32 8 38.50	W 104 2 49.77	187.28	4395.50
	13686.00	89.33	178.79	9710.34	4451.88	-4455.08	-554.74	0.16	416155.18	629911.48	N 32 8 37.56	W 104 2 49.75	187.10	4489.49
	13781.00	89.68	178.54	9711.16	4546.86	-4550.05	-552.53	0.45	416060.22	629913.69	N 32 8 36.62	W 104 2 49.73	186.92	4583.48
	13875.00	90.69	178.86	9710.86	4640.84	-4644.03	-550.39	1.13	415966.25	629915.82	N 32 8 35.69	W 104 2 49.71	186.76	4676.53
	13969.00	90.33	178.98	9710.02	4734.83	-4738.01	-548.62	0.40	415872.28	629917.59	N 32 8 34.76	W 104 2 49.69	186.60	4769.66
	14063.00	90.21	178.79	9709.58	4828.82	-4831.99	-546.79	0.24	415778.31	629919.42	N 32 8 33.83	W 104 2 49.67	186.46	4862.83
	14158.00	88.80	178.42	9710.40	4923.80	-4926.95	-544.48	1.53	415683.35	629921.74	N 32 8 32.89	W 104 2 49.65	186.31	4956.95
	14253.00	90.09	178.21	9711.32	5018.76	-5021.91	-541.69	1.38	415588.40	629924.53	N 32 8 31.95	W 104 2 49.62	186.16	5051.04

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')	Closure Azimuth (°)	Closure (ft)
	14347.00	90.51	178.46	9710.83	5112.74	-5115.87	-538.96	0.52	415494.45	629927.26	N 32 8 31.02	W 104 2 49.59	186.01	5144.18
	14441.00	90.70	178.92	9709.83	5206.72	-5209.83	-536.81	0.53	415400.49	629929.41	N 32 8 30.09	W 104 2 49.57	185.88	5237.42
	14536.00	90.17	179.03	9709.11	5301.71	-5304.82	-535.11	0.57	415305.52	629931.11	N 32 8 29.15	W 104 2 49.55	185.76	5331.74
	14631.00	90.38	179.35	9708.66	5396.70	-5399.81	-533.76	0.40	415210.54	629932.45	N 32 8 28.21	W 104 2 49.54	185.65	5426.12
	14725.00	88.13	179.27	9709.88	5490.69	-5493.79	-532.63	2.40	415116.57	629933.58	N 32 8 27.28	W 104 2 49.53	185.54	5519.54
	14815.00	88.29	179.47	9712.69	5580.64	-5583.74	-531.64	0.28	415026.62	629934.57	N 32 8 26.39	W 104 2 49.52	185.44	5608.99
	14910.00	91.21	180.60	9713.10	5675.63	-5678.72	-531.70	3.30	414931.64	629934.51	N 32 8 25.45	W 104 2 49.52	185.35	5703.56
	15004.00	90.92	180.48	9711.36	5769.60	-5772.70	-532.59	0.33	414837.67	629933.63	N 32 8 24.52	W 104 2 49.53	185.27	5797.22
	15099.00	90.27	180.73	9710.37	5864.58	-5867.69	-533.59	0.73	414742.69	629932.62	N 32 8 23.58	W 104 2 49.55	185.20	5891.90
	15193.00	90.90	180.70	9709.41	5958.56	-5961.68	-534.76	0.67	414648.71	629931.45	N 32 8 22.65	W 104 2 49.56	185.13	5985.61
	15288.00	90.29	180.78	9708.42	6053.54	-6056.67	-535.99	0.65	414553.73	629930.22	N 32 8 21.71	W 104 2 49.58	185.06	6080.34
	15383.00	90.52	180.93	9707.75	6148.51	-6151.65	-537.41	0.29	414458.75	629928.81	N 32 8 20.77	W 104 2 49.60	184.99	6175.08
	15477.00	90.57	180.55	9706.86	6242.49	-6245.64	-538.62	0.41	414364.77	629927.59	N 32 8 19.84	W 104 2 49.62	184.93	6268.82
	15572.00	90.04	180.60	9706.35	6337.48	-6340.63	-539.58	0.56	414269.79	629926.64	N 32 8 18.90	W 104 2 49.63	184.86	6363.55
	15667.00	89.93	182.01	9706.38	6432.44	-6435.61	-541.74	1.49	414174.82	629924.48	N 32 8 17.96	W 104 2 49.66	184.81	6458.37
	15762.00	90.23	180.61	9706.24	6527.40	-6530.58	-543.91	1.51	414079.86	629922.31	N 32 8 17.02	W 104 2 49.69	184.76	6553.19
	15856.00	89.24	179.93	9706.68	6621.39	-6624.58	-544.35	1.28	413985.87	629921.86	N 32 8 16.09	W 104 2 49.70	184.70	6646.90
	15951.00	89.50	180.72	9707.72	6716.38	-6719.57	-544.89	0.88	413890.89	629921.32	N 32 8 15.15	W 104 2 49.71	184.64	6741.62
Section 12-13 Line Crossing [705' FWL]	15983.80	89.60	180.70	9707.98	6749.17	-6752.36	-545.30	0.32	413858.09	629920.92	N 32 8 14.82	W 104 2 49.71	184.62	6774.35
	16045.00	89.80	180.67	9708.30	6810.36	-6813.56	-546.03	0.32	413796.90	629920.18	N 32 8 14.22	W 104 2 49.72	184.58	6835.40
	16234.00	90.09	180.63	9708.48	6999.33	-7002.55	-548.18	0.15	413607.93	629918.04	N 32 8 12.35	W 104 2 49.75	184.48	7023.97
	16328.00	89.96	180.51	9708.44	7093.32	-7096.54	-549.11	0.19	413513.94	629917.10	N 32 8 11.42	W 104 2 49.77	184.42	7117.75
	16422.00	90.15	180.77	9708.35	7187.31	-7190.54	-550.16	0.34	413419.96	629916.05	N 32 8 10.49	W 104 2 49.78	184.38	7211.55
	16516.00	89.87	180.75	9708.33	7281.29	-7284.53	-551.41	0.30	413325.97	629914.81	N 32 8 9.56	W 104 2 49.80	184.33	7305.37
	16611.00	90.56	179.81	9707.97	7376.28	-7379.52	-551.87	1.23	413230.99	629914.34	N 32 8 8.62	W 104 2 49.81	184.28	7400.13
	16705.00	90.39	178.77	9707.20	7470.28	-7473.51	-550.71	1.12	413137.00	629915.51	N 32 8 7.69	W 104 2 49.80	184.21	7493.77
	16895.00	90.16	178.24	9706.28	7663.44	-7663.44	-545.75	0.30	412947.09	629920.46	N 32 8 5.81	W 104 2 49.75	184.07	7682.85
	16987.00	90.13	178.52	9706.05	7752.21	-7755.41	-543.15	0.31	412855.13	629923.07	N 32 8 4.90	W 104 2 49.72	184.01	7774.40
	17082.00	90.67	178.55	9705.39	7847.19	-7850.37	-540.72	0.57	412760.17	629925.49	N 32 8 3.96	W 104 2 49.69	183.94	7868.97
	17176.00	89.20	178.94	9705.49	7941.17	-7944.35	-538.66	1.62	412666.21	629927.55	N 32 8 3.03	W 104 2 49.67	183.88	7962.59
	17364.00	90.21	178.63	9706.46	8129.15	-8132.30	-534.68	0.56	412478.27	629931.54	N 32 8 1.17	W 104 2 49.63	183.76	8149.86
	17458.00	90.05	178.59	9706.25	8223.13	-8226.27	-532.40	0.18	412384.31	629933.82	N 32 8 0.24	W 104 2 49.61	183.70	8243.48
	17554.00	90.16	179.08	9706.07	8319.12	-8322.25	-530.44	0.52	412288.34	629935.77	N 32 7 59.29	W 104 2 49.59	183.65	8339.14
	17648.00	90.60	180.98	9705.45	8413.11	-8416.25	-530.49	2.07	412194.35	629935.72	N 32 7 58.36	W 104 2 49.59	183.61	8432.95
	17742.00	89.75	181.11	9705.16	8507.08	-8510.23	-532.21	0.91	412100.37	629934.01	N 32 7 57.43	W 104 2 49.61	183.58	8526.85
	17931.00	91.04	180.93	9703.86	8696.02	-8699.19	-535.57	0.69	411911.43	629930.64	N 32 7 55.56	W 104 2 49.66	183.52	8715.66
	18025.00	91.16	181.24	9702.05	8789.98	-8793.16	-537.35	0.35	411817.47	629928.86	N 32 7 54.63	W 104 2 49.68	183.50	8809.56
	18119.00	90.29	180.62	9700.87	8883.94	-8887.13	-538.88	1.14	411723.50	629927.34	N 32 7 53.70	W 104 2 49.70	183.47	8903.46
	18213.00	90.25	180.24	9700.42	8977.94	-8981.13	-539.58	0.41	411629.51	629926.63	N 32 7 52.77	W 104 2 49.71	183.44	8997.32
	18307.00	89.76	180.43	9700.41	9071.93	-9075.13	-540.13	0.56	411535.52	629926.08	N 32 7 51.84	W 104 2 49.72	183.41	9091.19
	18401.00	89.18	179.54	9701.28	9165.92	-9169.12	-540.11	1.13	411441.54	629926.11	N 32 7 50.91	W 104 2 49.73	183.37	9185.02
	18495.00	90.03	178.42	9701.93	9259.91	-9263.10	-538.43	1.50	411347.56	629927.78	N 32 7 49.98	W 104 2 49.71	183.33	9278.74
	18684.00	89.87	178.49	9702.10	9448.87	-9452.03	-533.34	0.09	411158.65	629932.88	N 32 7 48.11	W 104 2 49.66	183.23	9467.07
	18777.00	90.81	179.32	9701.54	9541.86	-9545.01	-531.56	1.35	411065.68	629934.65	N 32 7 47.19	W 104 2 49.64	183.19	9559.80
	18872.00	90.61	179.38	9700.37	9636.85	-9640.00	-530.48	0.22	410970.70	629935.73	N 32 7 46.25	W 104 2 49.63	183.15	9654.59
	18966.00	90.17	178.62	9699.73	9730.84	-9733.98	-528.84	0.93	410876.72	629937.37	N 32 7 45.32	W 104 2 49.61	183.11	9748.34
	19060.00	90.05	178.59	9699.55	9824.82	-9827.96	-526.55	0.13	410782.76	629939.66	N 32 7 44.39	W 104 2 49.59	183.07	9842.05
	19154.00	88.92	178.74	9700.39	9918.80	-9921.92	-524.36	1.21	410688.80	629941.85	N 32 7 43.46	W 104 2 49.57	183.03	9935.77
	19248.00	89.12	178.76	9702.00	10012.77	-10015.89	-522.31	0.21	410594.84	629943.90	N 32 7 42.53	W 104 2 49.55	182.99	10029.50
	19342.00	88.51	179.18	9703.94	10106.75	-10109.85	-520.63	0.79	410500.88	629945.59	N 32 7 41.60	W 104 2 49.53	182.95	10123.25
	19436.00	89.01	179.13	9705.98	10200.72	-10203.82	-519.24	0.53	410406.93	629946.97	N 32 7 40.67	W 104 2 49.52	182.91	10217.02
	19530.00	89.32	178.98	9707.35	10294.70	-10297.80	-517.69	0.37	410312.96	629948.52	N 32 7 39.74	W 104 2 49.50	182.88	10310.80
	19624.00	90.01	179.07	9707.90	10388.70	-10391.78	-516.09	0.74	410218.98	629950.12	N 32 7 38.81	W 104 2 49.48	182.84	10404.59
	19719.00	89.67	179.02	9708.16	10483.69	-10486.77	-514.51	0.36	410124.00	629951.71	N 32 7 37.87	W 104 2 49.47	182.81	10499.38
	19813.00	89.58	179.04	9708.78	10577.68	-10580.75	-512.92	0.10	410030.02	629953.30	N 32 7 36.94	W 104 2 49.45	182.78	10593.18
	19907.00	89.99	179.21	9709.13	10671.68	-10674.74	-511.48	0.47	409936.04	629954.73	N 32 7 36.01	W 104 2 49.44	182.74	10686.99
	20001.00	88.51	179.01	9710.36	10765.66	-10768.72	-510.02	1.59	409842.07	629956.19	N 32 7 35.08	W 104 2 49.43	182.71	10780.79
	20096.00	89.75	179.10	9711.80	10860.64	-10863.69	-508.45	1.31	409747.11	629957.76	N 32 7 34.14	W 104 2 49.41	182.68	10875.58
	20190.00	89.38	178.98	9712.52	10954.63	-10957.68	-506.88	0.41	409653.13	629959.33	N 32 7 33.21	W 104 2 49.39	182.65	10969.39
	20284.00	89.45	178.71	9713.48	11048.62	-11051.65	-504.98	0.30	409559.16	629961.23	N 32 7 32.28	W 104 2 49.38	182.62	11063.18

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')	Closure Azimuth (°)	Closure (ft)
	20378.00	89.11	180.07	9714.66	11142.61	-11145.64	-503.98	1.49	409465.19	629962.23	N 32 7 31.35	W 104 2 49.37	182.59	11157.03
	20473.00	89.92	181.13	9715.46	11237.59	-11240.63	-504.98	1.40	409370.21	629961.23	N 32 7 30.41	W 104 2 49.38	182.57	11251.96
	20567.00	89.79	181.60	9715.70	11331.55	-11334.60	-507.22	0.52	409276.24	629959.00	N 32 7 29.48	W 104 2 49.41	182.56	11345.94
	20661.00	91.44	181.64	9714.69	11425.49	-11428.55	-509.87	1.76	409182.30	629956.34	N 32 7 28.55	W 104 2 49.44	182.55	11439.92
	20756.00	90.09	181.51	9713.42	11520.42	-11523.51	-512.48	1.43	409087.35	629953.73	N 32 7 27.61	W 104 2 49.48	182.55	11534.90
	20851.00	89.56	180.67	9713.71	11615.39	-11618.49	-514.29	1.05	408992.38	629951.92	N 32 7 26.67	W 104 2 49.50	182.53	11629.86
Final Survey TD, PTB [331' FSL, 711' FWL]	20934.00	89.28	181.02	9714.55	11698.37	-11701.47	-515.52	0.54	408909.40	629950.70	N 32 7 25.85	W 104 2 49.52	182.52	11712.82
	20967.00	89.80	181.00	9714.82	11731.36	-11734.47	-516.10	1.58	408876.41	629950.12	N 32 7 25.52	W 104 2 49.53	182.52	11745.81

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 0 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	23.000	1/98.425	17.500	13.375	NAL_MWD_IFR1+MS-Depth Only	Riverbend 12-13 Federal Com #33H / Final Surveys - Cimarex
	1	23.000	23.000	Act Stns	17.500	13.375	NAL_MWD_IFR1+MS-Depth Only	Riverbend 12-13 Federal Com #33H / Final Surveys - Cimarex
	1	23.000	20967.000	Act Stns	17.500	13.375	NAL_MWD_IFR1+MS	Riverbend 12-13 Federal Com #33H / Final Surveys - Cimarex