


NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION



Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease  
State  Fee

5. State Oil & Gas Lease No.

**SUNDRY NOTICES AND REPORTS ON WELLS**

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- _____	7. Unit Agreement Name
2. Name of Operator <b>Odessa Natural Corporation</b>	8. Farm or Lease Name <b>Odessa Natural Corp-Maguire Oil Co. W.S. Ranch</b>
3. Address of Operator <b>Box 2010, Hobbs, New Mexico 88240</b>	9. Well No. <b>2</b>
4. Location of Well UNIT LETTER <b>E</b> <b>380</b> FEET FROM THE <b>West</b> LINE AND <b>1829</b> FEET FROM THE <b>North</b> LINE, SECTION <b>30</b> TOWNSHIP <b>30 N</b> RANGE <b>20E</b> NMPM.	10. Field and Pool, or Wildcat <b>Wildcat</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>GR 7079' KB 7089'</b>	12. County <b>Colfax</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER _____ <input type="checkbox"/>	OTHER _____ <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Shoot and recover approximately 2500' of 7" casing.
2. Spot a 35 sx. plug in and out of casing stub.
3. Spot a 50 sx. plug in and out of base of 9-5/8" casing set at 1561'.
4. Shoot and recover approximately 1000' of 9-5/8" casing.
5. Spot a 50 sack plug in and out of stub of 9-5/8"
6. Spot a 50 sack plug in and out of 13-3/8" shoe set at 143'
7. Spot a 10 sack top hole plug and erect a regulation marker.

(All plugs are cement)

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Stanley Siskin TITLE Agent DATE 5/16/73

APPROVED BY J. Kastner TITLE Oil & Gas Inspector DATE 5/17/73

CONDITIONS OF APPROVAL, IF ANY: