

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION  
P. O. BOX 2088  
SANTA FE, NEW MEXICO 87501

Form C-103  
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	1/1
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease  
State  Fee

3. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	7. Unit Agreement Name
2. Name of Operator Perma Energy Management Corporation	8. Form of Lease Name Kaiser
3. Address of Operator 2200 NW 50th, Suite 200, Oklahoma City, Oklahoma 73112	9. Well No. Edson #1
4. Location of Well UNIT LETTER <u>P</u> <u>120</u> FEET FROM THE <u>East</u> LINE AND <u>583</u> FEET FROM THE <u>South</u> LINE, SECTION <u>13</u> TOWNSHIP <u>29N</u> RANGE <u>21E</u> NMPM.	10. Field and Pool, or Wildcat Wildcat
11. Elevation (Show whether DF, RT, GR, etc.) 6791' KB 6777 GL	12. County Colfax

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

8 5/8" 24# J-55 Set at 317'. Halliburton cemented w/250 sx Class C w/3% CG.  
Cement to Surface. Plug down at 2 PM 11/7/84.

4 1/2" 10.5# J-55 ST&C set at 3198'. Halliburton cemented w/400 sx 50-50 Poz-Mix.  
Plug down at 9 PM 11/23/84.

2 7/8" 6.5# J-55 set at 3500'. Halliburton cemented w/125 sx 50-50 Poz-Mix.  
Plug down at 10 AM 11/27/84.

CBL run 12/4/84. Good bond TD-3000'.  
TOC 2000'

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Robert Bradbed TITLE Petroleum Engineer DATE 2-25-85

APPROVED BY [Signature] TITLE [Signature] DATE 3-15-85

CONDITIONS OF APPROVAL, IF ANY: