

Submit 3 Copies To Appropriate District Office  
 District I  
 1625 N. French Dr., Hebbs, NM 87240  
 District II  
 811 South First, Artesia, NM 87210  
 District III  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV  
 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised March 25, 1999

OIL CONSERVATION DIVISION  
 2040 South Pacheco  
 Santa Fe, NM 87505

WELL API NO. <b>30-007-20095</b>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: <b>VPR D</b>
8. Well No. <b>18</b>
9. Pool name or Wildcat
10. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>8568' (GR)</b>

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
 Oil Well  Gas Well  Other COALBED METHANE

2. Name of Operator  
**EL PASO ENERGY RATON, L.L.C.**

3. Address of Operator  
**P.O. BOX 190; RATON, NM 87740**

4. Well Location  
 Unit Letter M : 747' feet from the SOUTH line and 990' feet from the WEST line  
 Section 31 Township 31N Range 18E NMPM COLFAX County

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b>	<b>SUBSEQUENT REPORT OF:</b>
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
MULTIPLE COMPLETION <input type="checkbox"/>	OTHER: RE-ENTER & COMPLETE <input checked="" type="checkbox"/>
OTHER: <input type="checkbox"/>	

- 12.
- 1/29-31/00 Drill out cement plug 0'-75', CIBP and cement 1415'-1535', & CIBP and cement 1760'-1774'.
  - 6/20-21/00 Set CIBP @ 1610'. Cement sqzd perms 1548'-1560' & 1566'-1580' with 50 sxs.
  - 7/04-05/00 Clean out to 2000'.
  - 7/12/00 Perforate: 1892'-1902', 1865'-1870', 1846'-1850', 1822'-1825', 1754'-1796'. All 4spf.
  - 7/15/00 Stimulate: 50000# 20/40 & 200000# 12/20 Sand with 138,217 gals 20# Delta 140 / Sandwedge.
  - 7/17/00 Perforate: 1660'-1664' & 1620'-1627'. All 4 spf.
  - 7/18/00 Stimulate: 25000# 20/40 & 50000# 12/20 Sand with 47185 gals 20# Delta 140 / Sandwedge.
  - 7/19/00 Clean out to 1991'. Ran After frac Log ( Patterson ). Ran tubing & rods. Well ready for production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Joel L. Pettit TITLE WELL SITE SUPERVISOR DATE 08/17/00

Type or print name: JOEL L. PETTIT Telephone No.: (505) 445-4620

APPROVED BY [Signature] TITLE DISTRICT SUPERVISOR DATE 8/30/00

Conditions of approval, if any: