

DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

C-102 and C-103
Effective 1-1-85

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL GAS WELL OTHER- Plugged and Converted to Water Well

2. Name of Operator
Service Drilling Company

3. Address of Operator
1800 Fourth National Bank Building, Tulsa, Oklahoma

4. Location of Well
UNIT LETTER M 660 FEET FROM THE South LINE AND 660 FEET FROM
THE West LINE, SECTION 24 TOWNSHIP 21N RANGE 21E NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)
6204 GL

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.

7. Unit Agreement Name

8. Farm or Lease Name
Gonzales-Pitman

9. Well No.
1

10. Field and Pool, or Wildcat

12. County
Mora

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
		OTHER _____	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On March 28, 1977 Bruce Drilling of Liberal, Kansas commenced plugging operations by drilling out the existing cement plug found at 945'. On Thursday, March 31, 1977, after drilling solid cement to 1064', the Oil Commissioners agreed that the well was satisfactorily plugged from 1064' down. On April 1, 1977 Halliburton moved in and cemented the 7" casing from 1064' to 490' with 95 sacks of class H cement. The 7", 23# casing set at 1040' was left in the hole and per the Oil Commissioner's approval the well will be used as a water well from the Dakota to the surface by Mr. Gruenerwald (landowner). Due to the water well conversion of the Gonzales-Pitman #1, Mr. Ulvog informed us that no permanent plugging marks are required.

All pits have been filled with the location leveled and cleared of refuse.

- 21 - 1977

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ray W. Reese TITLE Vice President DATE 4/11/77

APPROVED BY Carl Ulvog TITLE _____ DATE 11-3-77

CONDITIONS OF APPROVAL, IF ANY:

WILLIAM GRUENERWALD & ASSOCIATES, INC.

Exploration Office

ANTLERS PLAZA — POST OFFICE BOX 909
COLORADO SPRINGS, COLORADO 80901

April 13, 1977

Oil Conservation Commission
P. O. Box 2088
Santa Fe, New Mexico 87501

Attention: Mr. Carl Ulvog

Re: Gonzales-Pittman #1
SW SW Section 24-T21N-R21E
Mora County, New Mexico
Water Well Conversion

Gentlemen:

Regarding paragraph 4 of the affidavit of Water Well Conversion filed by myself as an individual and Service Drilling Company, Tulsa, Oklahoma, please be advised that the subject well has been satisfactorily plugged back to a depth of 490 feet. In addition, all pits are filled and the location has been leveled and cleared. The 7", 23# casing has been left in the hole as described under paragraph 4.

With the provisions of paragraph 4 being complied with, I accept the above described well for the use as a water well. I assume all responsibility for the well, the location and the conversion of the well to a water well.

Very truly yours,


William Gruenerwald

WG:lj

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

AFFIDAVIT OF RESPONSIBILITY
CONVERSION TO WATER-WELL

2-1977

STATE OF Texas)
County of Hutchinson) ss.

Mr. Roy W. Reese, being first duly sworn according to law, upon his oath deposes and says:

1. That he is Vice President of Service Drilling Company
(Title) (Operator)

whose address is 1800 Fourth National Bank Building, Tulsa, Oklahoma

2. That Service Drilling Co. is the operator of a well drilled on land be-
(Operator) P. O. Box 909

longing to William Gruenerwald, whose address is Colorado Springs, CO. 80901
P. O. Box 126 (Landowner)

Wagon Mound, New Mexico, said well being drilled to test for hydrocarbons and/or carbon dioxide gas and described as the Gonzales-Pittman No. 1, being located 660 feet from the South line and 660 feet from the West line of Section 24, Township 21N, Range 21E, NMPM, Mora County, New Mexico.

3. That said well was drilled to a total depth of 2916 feet, and that casing has been set and cemented as follows: On October 12, 1975, 7" casing was set at 1040' and cemented with 300 sacks common cement. On October 26, 1975, well was re-cemented with 300 sacks of flow-seal cement with good bond to 218'.

4. That operator and landowner have made an agreement whereby operator (is) ~~(is)~~ to back fill pits, level location, and clear it of all junk. The agreement further provides that operator is to plug said well back to a plugged-back total depth of