

GW - 114

REPORTS

**Quarterly
Groundwater**

2nd Quarter 2009

Deuell Environmental, LLC

May 7, 2009

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NM 87505

RE: Second Quarter Monitoring Results - 2009
Schlumberger Technology Corporation Facility – Artesia, New Mexico (GW-114)

Dear Mr. Hansen:

Deuell Environmental, LLC conducted quarterly monitoring activities at the Schlumberger Technology Corporation (Dowell) facility in Artesia, New Mexico on April 6 -7, 2009.

The environmental data results are enclosed for your review.

Static water elevation data, measured in the 33 wells located in the vicinity of the Dowell facility are summarized in Table 1. The data were used to generate a potentiometric surface map as shown on Figure 1. Water levels across the site were lower. There were decreases up to 2.6 feet in the eastern portion of the site. Decreases were smaller in the western portion of the site except for a decrease of 2.66 feet at MW-30 located near the pumping wells. This has decreased the gradient across the site, with the overall gradient to the northeast. The zone of capture from the pumped wells evident.

The laboratory analytical results for water quality monitoring are summarized in Table 2. The laboratory reports will be provided in hard copy with the annual report. Since the first three quarters are only partial sampling events, it is not possible to construct iso-concentration map. This will be constructed for the annual report. All down gradient wells have shown improvement or are stable for this quarter. Wells in the source areas were stable and are near or below MCL's. The only exception is MW-12 which increased in concentrations as the water level dropped.

At this time the effects of the groundwater containment system are being noticed. The potentiometric surface shows a depression in the ground water surface at the pumped wells with a zone of capture. Wells MW-18, MW-22, MW-25, MW-26, and MW-30, within the center of the area of concern, have all shown a small decrease in concentrations. Concentrations in the surge tank are lower than those measured at MW-30 indicating some removal of chlorinated

compounds through aeration. Also, MW-31 directly down gradient of the infiltration trench, has shown a decrease in concentrations since the system was started indicating an improvement in groundwater quality.

Since drawdown at the pumped wells is only 2.66 feet at 7 gpm it is planned to increase the pump rate to 10 gpm to increase the zone of capture and circulate more water.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: D. Renee Romero, NMPST Bureau
Du'Bois Ferguson, Schlumberger Technology Corporation
Janice Barber, Dow

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30 00	Protective Casing	100 56	17 41	83 15	
	09/13/91				16 04	84 52	1 37
	11/22/91				14 50	86 06	1 54
	03/16/93				13 72	86 84	0 78
	01/09/94				14 62	85 94	-0 90
	04/19/94				14 48	86 08	0 14
	07/20/94				14 38	86 18	0 10
	10/24/94				14 73	85 83	-0 35
	01/24/95				14 20	86 36	0 53
	04/02/95				14 37	86 19	-0 17
	07/31/95				14 76	85 80	-0 39
	10/16/95				14 64	85 92	0 12
	01/10/96				14 59	85 97	0 05
	04/09/96				14 77	85 79	-0 18
	07/20/96				15 84	84 72	-1 07
	10/21/96				14 07	86 49	1 77
	01/21/97				13 24	87 32	0 83
	04/08/97				12 97	87 59	0 27
	07/29/97				13 87	86 69	-0 90
	10/16/97				12 26	88 30	1 61
	02/09/99				14 34	86 22	-2 08
	04/21/99				13 91	86 65	0 43
	07/13/99				11 70	88 86	2 21
	10/19/99				13 22	87 34	-1 52
	01/26/00				13 50	87 06	-0 28
	04/18/00				13 74	86 82	-0 24
	07/26/00				14 04	86 52	-0 30
	10/19/00				12 48	88 08	1 56
	01/18/01				9 72	90 84	2 76
	04/12/01				9 58	90 98	0 14
	07/19/01				12 02	88 54	-2 44
	10/17/01				10 70	89 86	1 32
	01/12/02				9 19	91 37	1 51
	04/20/02				9 37	91 19	-0 18
	07/24/02				12 13	88 43	-2 76
	10/15/02				10 86	89 70	1 27
	01/22/03				11 79	88 77	-0 93
	04/24/03				12 32	88 24	-0 53
	07/16/03				13 60	86 96	-1 28
	10/15/03				11 15	89 41	2 45
	01/29/04				11 07	89 49	0 08
	04/19/04				9 49	91 07	1 58
	07/16/04				10 69	89 87	-1 20
	10/29/04				8 44	92 12	2 25
	01/14/05				7 74	92 82	0 70
	04/15/05				7 25	93 31	0 49
	07/08/05				7 76	92 80	-0 51
	10/08/05				10 32	90 24	-2 56
	01/18/06				9 47	91 09	0 85
	04/18/06				10 88	89 68	-1 41
	07/11/06				11 50	89 06	-0 62
	10/10/06				10 91	89 65	0 59
	01/16/07				10 19	90 37	0 72
	04/17/07				9 27	91 29	0 92
	07/18/07				10 30	90 26	-1 03
	10/17/07				10 55	90 01	-0 25
	01/16/08				11 96	88 60	-1 41
	04/28/08				10 41	90 15	1 55
	07/15/08				9 66	90 90	0 75
	10/14/08				8 33	92 23	1 33
	01/13/09				8 64	91 92	-0 31
	04/06/09				10 78	89 78	-2 14

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2	01/23/91	30.00	Protective Casing	99.56	16.95	82.61	
	09/13/91				15.01	84.55	1.94
	11/22/91				13.76	85.80	1.25
	03/16/93				13.16	86.40	0.60
	01/09/94				13.91	85.65	-0.75
	04/19/94				13.80	85.76	0.11
	07/20/94				13.65	85.91	0.15
	10/24/94				13.88	85.68	-0.23
	01/24/95				13.41	86.15	0.47
	04/02/95				13.67	85.89	-0.26
	07/31/95				13.81	85.75	-0.14
	10/16/95				13.78	85.78	0.03
	01/10/96				13.80	85.76	-0.02
	04/09/96				13.98	85.58	-0.18
	07/20/96				14.92	84.64	-0.94
	10/21/96				13.15	86.41	1.77
	01/21/97				12.41	87.15	0.74
	04/08/97				12.21	87.35	0.20
	07/29/97				13.15	86.41	-0.94
	10/16/97				11.63	87.93	1.52
	01/06/98				10.92	88.64	0.71
	04/14/98				11.02	88.54	-0.10
	07/17/98				13.03	86.53	-2.01
	10/27/98				13.61	85.95	-0.58
	02/09/99				13.69	85.87	-0.08
	04/21/99				13.24	86.32	0.45
	07/13/99				11.05	88.51	2.19
	10/20/99				12.59	86.97	-1.54
	01/26/00				12.83	86.73	-0.24
	04/18/00				13.00	86.56	-0.17
	07/26/00				13.36	86.20	-0.36
	10/19/00				11.42	88.14	1.94
	01/18/01				8.41	91.15	3.01
	04/12/01				8.60	90.96	-0.19
	07/19/01				11.23	88.33	-2.63
	10/17/01				9.60	89.96	1.63
	01/12/02				7.80	91.76	1.80
	04/20/02				8.67	90.89	-0.87
	07/24/02				11.38	88.18	-2.71
	10/15/02				10.02	89.54	1.36
	01/22/03				11.08	88.48	-1.06
	04/24/03				11.61	87.95	-0.53
	07/16/03				12.93	86.63	-1.32
	10/15/03				9.90	89.66	3.03
	01/29/04				10.25	89.31	-0.35
	04/19/04				8.64	90.92	1.61
	07/16/04				9.76	89.80	-1.12
	10/29/04				7.33	92.23	2.43
	01/14/05				6.97	92.59	0.36
	04/15/05				6.21	93.35	0.76
	07/08/05				9.17	90.39	-2.96
	10/08/05				9.70	89.86	-0.53
	01/18/06				8.69	90.87	1.01
	04/18/06				10.22	89.34	-1.53
	07/11/06				10.94	88.62	-0.72
	10/10/06				10.12	89.44	0.82
	01/16/07				9.44	90.12	0.68
	04/17/07				8.22	91.34	1.22
	07/18/07				9.57	89.99	-1.35
	10/17/07				9.69	89.87	-0.12
	01/16/08				11.39	88.17	-1.70
	04/28/08				9.54	90.02	1.85
	07/15/08				8.51	91.05	1.03
	10/14/08				7.07	92.49	1.44
	01/13/09				7.61	91.95	-0.54
	04/06/09				9.96	89.60	-2.35

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-3	01/23/91	30 00	Protective Casing	98 33	17 28	81 05	
	09/13/91				14 66	83 67	2 62
	11/22/91				13 63	84 70	1 03
	03/16/93				12 89	85 44	0 74
	01/09/94				13 66	84 67	-0 77
	04/19/94				Not Measured		NM
	07/20/94				13 18	85 15	na
	10/24/94				13 27	85 06	-0 09
	01/24/95				13 23	85 10	0 04
	04/02/95				13 60	84 73	-0 37
	07/31/95				13 34	84 99	0 26
	10/16/95				13 38	84 95	-0 04
	01/10/96				13 85	84 48	-0 47
	04/09/96				13 91	84 42	-0 06
	07/20/96				14 55	83 78	-0 64
	10/21/96				12 90	85 43	1 65
	01/21/97				12 42	85 91	0 48
	04/08/97				12 43	85 90	-0 01
	07/29/97				13 18	85 15	-0 75
	10/16/97				11 83	86 50	1 35
	01/06/98				11 45	86 88	0 38
	04/14/98				11 44	86 89	0 01
	07/17/98				12 81	85 52	-1 37
	10/27/98				12 60	85 73	0 21
	02/09/99				13 44	84 89	-0 84
	04/21/99				12 75	85 58	0 69
	07/13/99				10 57	87 76	2 18
	10/20/99				12 15	86 18	-1 58
	01/26/00				12 64	85 69	-0 49
	04/18/00				12 70	85 63	-0 06
	07/26/00				12 88	85 45	-0 18
10/19/00	11 53	86 80	1 35				
01/18/01	9 21	89 12	2 32				
04/12/01	9 22	89 11	-0 01				
07/19/01	11 22	87 11	-2 00				
MW-4	01/23/91	50 00	Protective Casing	103 18	20 17	83 01	
	09/13/91				18 54	84 64	1 63
	11/22/91				17 15	86 03	1 39
	03/16/93				16 49	86 69	0 66
	01/09/94				17 28	85 90	-0 79
	04/19/94				17 15	86 03	0 13
	07/20/94				16 99	86 19	0 16
	10/24/94				17 25	85 93	-0 26
	01/24/95				16 78	86 40	0 47
	04/02/95				16 98	86 20	-0 20
	07/31/95				17 26	85 92	-0 28
	10/16/95				17 01	86 17	0 25
	01/10/96				16 95	86 23	0 06
	04/09/96				17 15	86 03	-0 20
	07/20/96				18 08	85 10	-0 93
	10/21/96				16 28	86 90	1 80
	01/21/97				15 37	87 81	0 91
	04/08/97				15 14	88 04	0 23
	07/29/97				16 05	87 13	-0 91
	10/16/97				14 44	88 74	1 61
	01/06/98				13 59	89 59	0 85
	04/14/98				13 91	89 27	-0 32
	07/17/98				16 40	86 78	-2 49
	10/27/98				17 05	86 13	-0 65
	02/09/99				17 08	86 10	-0 03
	04/21/99				16 67	86 51	0 41
	07/13/99				14 49	88 69	2 18
	10/20/99				15 98	87 20	-1 49
	01/26/00				16 27	86 91	-0 29
	04/18/00				16 47	86 71	-0 20
	07/26/00				16 81	86 37	-0 34

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont)	10/19/00				15 01	88 17	1 80
	01/18/01				12 08	91 10	2 93
	04/12/01				12 12	91 06	-0 04
	07/19/01				14 68	88 50	-2 56
	10/17/01			99 66	9 65	90 01	1 51
	01/12/02				7 97	91 69	1 68
	04/20/02				8 63	91 03	-0 66
	07/24/02				11 33	88 33	-2 70
	10/15/02				9 97	89 69	1 36
	01/22/03				10 98	88 68	-1 01
	04/24/03				11 53	88 13	-0 55
	07/16/03				12 63	87 03	-1 10
	10/15/03				10 01	89 65	2 62
	01/29/04			99 71	10 15	89 56	-0 09
	04/19/04				8 56	91 15	1 59
	07/16/04				9 70	90 01	-1 14
	10/29/04				7 32	92 39	2 38
	01/14/05				6 83	92 88	0 49
	04/15/05				6 23	93 48	0 60
	07/08/05				7 98	91 73	-1 75
	10/08/05				9 50	90 21	-1 52
	01/18/06				8 54	91 17	0 96
	04/18/06				10 04	89 67	-1 50
	07/11/06				10 68	89 03	-0 64
	10/10/06				9 97	89 74	0 71
	01/16/07				9 27	90 44	0 70
	04/17/07				8 19	91 52	1 08
	07/18/07				9 47	90 24	-1 28
	10/17/07				9 58	90 13	-0 11
	01/16/08				10 15	89 56	-0 57
	04/28/08				9 42	90 29	0 73
	07/15/08				8 53	91 18	0 89
	10/14/08				7 05	92 66	1 48
	01/13/09				7 61	92 10	-0 56
	04/06/09				9 84	89 87	-2 23
MW-5	01/23/91	30 00	Protective Casing	99 87	17 20	82 67	
	09/13/91				15 52	84 35	1 68
	11/22/91				14 19	85 68	1 33
	03/16/93				13 47	86 40	0 72
	01/09/94				14 31	85 56	-0 84
	04/19/94				14 17	85 70	0 14
	07/20/94				13 97	85 90	0 20
	10/24/94				14 21	85 66	-0 24
	01/24/95				13 78	86 09	0 43
	04/02/95				14 05	85 82	-0 27
	07/31/95				14 17	85 70	-0 12
	10/16/95				14 07	85 80	0 10
	01/10/96				14 11	85 76	-0 04
	04/09/96				14 31	85 56	-0 20
	07/20/96				15 20	84 67	-0 89
	10/21/96				13 44	86 43	1 76
	01/21/97				12 69	87 18	0 75
	04/08/97				12 52	87 35	0 17
	07/29/97				13 37	86 50	-0 85
	10/16/97				11 82	88 05	1 55
	01/06/98				11 09	88 78	0 73
	04/14/98				12 30	87 57	-1 21
	07/17/98				13 32	86 55	-1 02
	10/27/98				13 93	85 94	-0 61
	02/09/99				14 04	85 83	-0 11
	04/21/99				13 54	86 33	0 50
	07/13/99				11 37	88 50	2 17
	10/20/99				12 89	86 98	-1 52
	01/26/00				13 18	86 69	-0 29
	04/18/00				13 35	86 52	-0 17
	07/26/00				13 65	86 22	-0 30

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont)	10/19/00				11 96	87 91	1 69
	01/18/01				9 22	90 65	2 74
	04/12/01				9 16	90 71	0 06
	07/19/01				11 63	88 24	-2 47
	10/17/01				10 26	89 61	1 37
	01/12/02				8 58	91 29	1 68
	04/20/02				9 19	90 68	-0 61
	07/24/02				11 75	88 12	-2 56
	10/15/02				10 56	89 31	1 19
	01/22/03				11 51	88 36	-0 95
	04/24/03				12 07	87 80	-0 56
	07/16/03				13 27	86 60	-1 20
	10/15/03				10 64	89 23	2 63
	01/29/04			99 50	10 95	88 55	-0 68
	04/19/04				8 88	90 62	2 07
	07/16/04				10 04	89 46	-1 16
	10/29/04				7 75	91 75	2 29
	01/14/05				7 18	92 32	0 57
	04/15/05				6 53	92 97	0 65
	07/08/05				9 23	90 27	-2 70
	10/08/05				9 84	89 66	-0 61
	01/18/06				8 95	90 55	0 89
	04/18/06				10 36	89 14	-1 41
	07/11/06				11 11	88 39	-0 75
	10/10/06				10 48	89 02	0 63
	01/16/07				9 72	89 78	0 76
	04/17/07				8 62	90 88	1 10
	07/18/07				9 88	89 62	-1 26
	10/17/07				10 04	89 46	-0 16
	01/16/08				11 57	87 93	-1 53
	04/28/08				9 93	89 57	1 64
	07/15/08				9 09	90 41	0 84
	10/14/08				7 73	91 77	1 36
	01/13/09				8 01	91 49	-0 28
	04/06/09				10 18	89 32	-2 17
MW-6	01/23/91	35 00	Protective Casing	100 84	19 59	81 25	
	09/13/91				17 43	83 41	2 16
	11/21/91				16 30	84 54	1 13
	03/16/93				15 57	85 27	0 73
	01/09/94				16 42	84 42	-0 85
	04/19/94				16 29	84 55	0 13
	07/19/94				15 79	85 05	0 50
	10/24/94				15 83	85 01	-0 04
	01/24/95				15 94	84 90	-0 11
	04/02/95				16 38	84 46	-0 44
	07/31/95				15 88	84 96	0 50
	10/16/95				16 01	84 83	-0 13
	01/10/96				16 52	84 32	-0 51
	04/09/96				16 70	84 14	-0 18
	07/21/96				17 26	83 58	-0 56
	10/21/96				15 62	85 22	1 64
	01/21/97				15 21	85 63	0 41
	04/08/97				15 30	85 54	-0 09
	07/29/97				16 01	84 83	-0 71
	10/16/97				15 01	85 83	1 00
	01/06/98				14 69	86 15	0 32
	04/14/98				14 45	86 39	0 24
	07/17/98				15 62	85 22	-1 17
	10/27/98				15 77	85 07	-0 15
	02/09/99				16 34	84 50	-0 57
	04/21/99				15 57	85 27	0 77
	07/13/99				13 66	87 18	1 91
	10/19/99				15 04	85 80	-1 38
	01/26/00				15 51	85 33	-0 47
	04/18/00				15 46	85 38	0 05
	07/26/00				15 68	85 16	-0 22

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont)	10/19/00				14 32	86 52	1 36
	01/18/01				11 78	89 06	2 54
	04/12/01				12 03	88 81	-0 25
	07/19/01				14 13	86 71	-2 10
	10/17/01				13 21	87 63	0 92
	01/12/02				11 74	89 10	1 47
	04/20/02				12 02	88 82	-0 28
	07/24/02				13 92	86 92	-1 90
	10/15/02				13 23	87 61	0 69
	01/22/03				13 94	86 90	-0 71
	04/23/03				14 28	86 56	-0 34
	07/16/03				15 60	85 24	-1 32
	10/15/03				13 01	87 83	2 59
	01/28/04				13 58	87 26	-0 57
	04/19/04				11 79	89 05	1 79
	07/16/04				13 76	87 08	-1 97
	10/29/04				11 30	89 54	2 46
	01/14/05				10 43	90 41	0 87
	05/16/05				9 95	90 89	0 48
	07/08/05				12 62	88 22	-2 67
	10/08/05				13 23	87 61	-0 61
	01/19/06				12 52	88 32	0 71
	04/18/06				13 59	87 25	-1 07
	07/11/06				14 92	85 92	-1 33
	10/10/06				14 36	86 48	0 56
	01/16/07				13 50	87 34	0 86
	04/17/07				12 27	88 57	1 23
	07/17/07				13 71	87 13	-1 44
	10/17/07				14 04	86 80	-0 33
	01/16/08				15 16	85 68	-1 12
	04/28/08				14 03	86 81	1 13
	07/15/08				12 58	88 26	1 45
	10/14/08				11 65	89 19	0 93
	01/13/09				11 86	88 98	-0 21
MW-7	01/23/91	35 00	Protective Casing	100 23	19 01	81 22	
	09/13/91				17 43	82 80	1 58
	11/21/91				16 00	84 23	1 43
	03/16/93				14 91	85 32	1 09
	01/09/94				15 99	84 24	-1 08
	04/19/94				15 83	84 40	0 16
	07/19/94				15 24	84 99	0 59
	10/24/94				15 32	84 91	-0 08
	01/24/95				15 54	84 69	-0 22
	04/02/95				16 00	84 23	-0 46
	07/31/95				15 57	84 66	0 43
	10/16/95				15 61	84 62	-0 04
	01/10/96				16 13	84 10	-0 52
	04/09/96				16 30	83 93	-0 17
	07/21/96				16 81	83 42	-0 51
	10/21/96				15 15	85 08	1 66
	01/21/97				14 81	85 42	0 34
	04/08/97				14 91	85 32	-0 10
	07/29/97				15 48	84 75	-0 57
	10/16/97				14 52	85 71	0 96
	01/06/98				13 27	86 96	1 25
	04/14/98				14 02	86 21	-0 75
	07/17/98				15 10	85 13	-1 08
	10/27/98				15 21	85 02	-0 11
	02/09/99				15 86	84 37	-0 65
	04/21/99				14 96	85 27	0 90
	07/13/99				13 03	87 20	1 93
	10/19/99				14 43	85 80	-1 40
	01/26/00				15 02	85 21	-0 59
	04/18/00				14 99	85 24	0 03
	07/26/00				15 12	85 11	-0 13
	10/19/00				14 22	86 01	0 90

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-7 (Cont)	01/18/01				12 12	88 11	2 10
	04/12/01				12 10	88 13	0 02
	07/19/01				13 74	86 49	-1 64
	10/17/01				13 24	86 99	0 50
	01/12/02				12 22	88 01	1 02
	04/20/02				11 93	88 30	0 29
	07/24/02				13 48	86 75	-1 55
	10/15/02				13 00	87 23	0 48
	01/22/03				13 58	86 65	-0 58
	04/23/03				13 88	86 35	-0 30
	07/16/03				15 08	85 15	-1 20
	10/15/03				13 32	86 91	1 76
	01/28/04				13 52	86 71	-0 20
	04/19/04				11 85	88 38	1 67
	07/16/04				13 90	86 33	-2 05
	10/29/04				11 74	88 49	2 16
	01/14/05				10 50	89 73	1 24
	04/15/05				10 13	90 10	0 37
	07/08/05				12 31	87 92	-2 18
	10/08/05				13 03	87 20	-0 72
	01/19/06				12 50	87 73	0 53
	04/18/06				13 37	86 86	-0 87
	07/11/06				14 81	85 42	-1 44
	10/10/06				14 56	85 67	0 25
	01/16/07				13 68	86 55	0 88
	04/17/07				12 69	87 54	0 99
	07/17/07				13 96	86 27	-1 27
	10/17/07				14 39	85 84	-0 43
	01/16/08				15 11	85 12	-0 72
	04/28/08				14 40	85 83	0 71
	07/15/08				13 45	86 78	0 95
	10/14/08				12 73	87 50	0 72
	01/13/09				12 32	87 91	0 41
	04/06/09				13 24	86 99	-0 92
MW-8	01/23/91	35 00	Protective Casing	101 47	20 16	81 31	
	09/13/91				18 80	82 67	1 36
	11/21/91				17 29	84 18	1 51
	03/16/93				16 03	85 44	1 26
	01/09/94				17 23	84 24	-1 20
	04/19/94				17 05	84 42	0 18
	07/19/94				16 50	84 97	0 55
	10/24/94				16 56	84 91	-0 06
	01/24/95				16 79	84 68	-0 23
	04/02/95				17 24	84 23	-0 45
	07/31/95				16 94	84 53	0 30
	10/16/95				16 88	84 59	0 06
	01/10/96				17 38	84 09	-0 50
	04/09/96				17 54	83 93	-0 16
	07/21/96				18 10	83 37	-0 56
	10/21/96				16 40	85 07	1 70
	11/22/96				16 42	85 05	-0 02
	01/21/97				16 05	85 42	0 37
	04/08/97				16 11	85 36	-0 06
	07/29/97				16 69	84 78	-0 58
	10/16/97				15 69	85 78	1 00
	01/06/98				15 38	86 09	0 31
	04/14/98				15 15	86 32	0 23
	07/17/98				16 29	85 18	-1 14
	10/27/98				16 39	85 08	-0 10
	02/09/99				17 02	84 45	-0 63
	04/21/99				16 08	85 39	0 94
	07/13/99				14 13	87 34	1 95
	10/19/99				15 56	85 91	-1 43
	01/26/00				16 19	85 28	-0 63
	04/18/00				16 19	85 28	0 00
	07/26/00				16 30	85 17	-0 11

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8 (Cont)	10/19/00				15 55	85 92	0 75
	01/18/01				13 54	87 93	2 01
	04/12/01				13 42	88 05	0 12
	07/19/01				14 98	86 49	-1 56
	10/17/01				14 58	86 89	0 40
	01/12/02				13 67	87 80	0 91
	04/20/02				13 22	88 25	0 45
	07/24/02				14 72	86 75	-1 50
	10/15/02				14 23	87 24	0 49
	01/22/03				14 80	86 67	-0 57
	04/23/03				15 08	86 39	-0 28
	07/16/03				16 28	85 19	-1 20
	10/15/03				14 03	87 44	2 25
	01/28/04				14 84	86 63	-0 81
	04/19/04				13 25	88 22	1 59
	07/16/04				15 30	86 17	-2 05
	10/29/04				13 15	88 32	2 15
	01/14/05				11 81	89 66	1 34
	04/15/05				11 42	90 05	0 39
	07/08/05				13 53	87 94	-2 11
	10/08/05				14 26	87 21	-0 73
	01/19/06				13 83	87 64	0 43
	04/18/06				14 67	86 80	-0 84
	07/11/06				16 40	85 07	-1 73
	10/10/06				15 92	85 55	0 48
	01/16/07				15 03	86 44	0 89
	04/17/07				14 12	87 35	0 91
	07/17/07				15 33	86 14	-1 21
	10/17/07				15 79	85 68	-0 46
	01/16/08				16 38	85 09	-0 59
	04/28/08				15 79	85 68	0 59
	07/15/08				15 07	86 40	0 72
	10/14/08				14 35	87 12	0 72
	01/13/09				13 79	87 68	0 56
	04/06/09				14 62	86 85	-0 83
MW-9	01/26/91	30 00	Protective Casing	102 18	20 08	82 10	
	09/13/91				18 93	83 25	1 15
	11/21/91				17 35	84 83	1 58
	03/16/93				16 19	85 99	1 16
	01/09/94				17 31	84 87	-1 12
	04/19/94				17 33	84 85	-0 02
	07/19/94				16 85	85 33	0 48
	10/24/94				17 05	85 13	-0 20
	01/24/95				16 92	85 26	0 13
	04/02/95				17 23	84 95	-0 31
	07/31/95				17 30	84 88	-0 07
	10/16/95				17 16	85 02	0 14
	01/10/96				17 39	84 79	-0 23
	04/09/96				17 58	84 60	-0 19
	07/21/96				18 38	83 80	-0 80
	10/21/96				16 65	85 53	1 73
	01/21/97				16 12	86 06	0 53
	04/08/97				16 04	86 14	0 08
	07/29/97				16 67	85 51	-0 63
	10/16/97				15 29	86 89	1 38
	01/06/98				14 78	87 40	0 51
	04/14/98				14 89	87 29	-0 11
	07/17/98				16 30	85 88	-1 41
	10/27/98				16 62	85 56	-0 32
	02/09/99				17 14	85 04	-0 52
	04/21/99				16 38	85 80	0 76
	07/13/99				14 27	87 91	2 11
	10/19/99				15 75	86 43	-1 48
	01/26/00				16 30	85 88	-0 55
	04/18/00				16 40	85 78	-0 10
	07/26/00				16 53	85 65	-0 13

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont)	10/19/00				15.70	86.48	0.83
	01/18/01			99.59	10.82	88.77	2.29
	04/12/01				10.49	89.10	0.33
	07/19/01				12.36	87.23	-1.87
	10/17/01				11.70	87.89	0.66
	01/12/02				10.50	89.09	1.20
	04/20/02				10.33	89.26	0.17
	07/24/02				12.14	87.45	-1.81
	10/15/02				11.49	88.10	0.65
	01/22/03				12.18	87.41	-0.69
	04/24/03				12.58	87.01	-0.40
	07/16/03				13.67	85.92	-1.09
	10/15/03				12.20	87.39	1.47
	01/29/04			99.33	11.65	87.68	0.29
	04/19/04				10.09	89.24	1.56
	07/16/04				11.69	87.64	-1.60
	10/29/04				9.57	89.76	2.12
	01/14/05				8.47	90.86	1.10
	04/15/05				7.94	91.39	0.53
	07/08/05				10.07	89.26	-2.13
	10/08/05				10.88	88.45	-0.81
	01/18/06				10.32	89.01	0.56
	04/18/06				11.31	88.02	-0.99
	07/11/06				12.47	86.86	-1.16
	10/10/06				12.18	87.15	0.29
	01/16/07				11.36	87.97	0.82
	04/17/07				10.48	88.85	0.88
	07/18/07				11.58	87.75	-1.10
	10/17/07				11.91	87.42	-0.33
	01/16/08				12.80	86.53	-0.89
	04/28/08				11.96	87.37	0.84
	07/15/08				11.36	87.97	0.60
	10/14/08				10.43	88.90	0.93
	01/13/09				10.02	89.31	0.41
	04/06/09				11.41	87.92	-1.39
MW-10	01/26/91	30.00	Protective Casing	101.34	19.68	81.66	
	09/13/91				18.56	82.78	1.12
	11/21/91				16.96	84.38	1.60
	03/16/93				15.64	85.70	1.32
	01/09/94				16.89	84.45	-1.25
	04/19/94				16.73	84.61	0.16
	07/19/94				16.29	85.05	0.44
	10/24/94				16.39	84.95	-0.10
	01/24/95				16.48	84.86	-0.09
	04/02/95				16.88	84.46	-0.40
	07/31/95				16.82	84.52	0.06
	10/16/95				16.65	84.69	0.17
	01/10/96				17.01	84.33	-0.36
	04/09/96				17.20	84.14	-0.19
	07/21/96				17.85	83.49	-0.65
	10/21/96				16.13	85.21	1.72
	01/21/97				15.73	85.61	0.40
	04/08/97				15.70	85.64	0.03
	07/29/97				16.28	85.06	-0.58
	10/16/97				15.16	86.18	1.12
	01/06/98				14.74	86.60	0.42
	04/14/98				14.65	86.69	0.09
	07/17/98				15.90	85.44	-1.25
	10/27/98				16.04	85.30	-0.14
	02/09/99				16.61	84.73	-0.57
	04/21/99				15.68	85.66	0.93
	07/13/99				13.68	87.66	2.00
	10/19/99				15.15	86.19	-1.47
	01/26/00				15.76	85.58	-0.61
	04/18/00				15.82	85.52	-0.06
	07/26/00				15.92	85.42	-0.10

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont)	10/19/00				15 30	86 04	0 62
	01/18/01			99 84	10 80	89 04	3 00
	04/12/01				10 58	89 26	0 22
	07/19/01				12 08	87 76	-1 50
	10/17/01				11 75	88 09	0 33
	01/12/02				10 75	89 09	1 00
	04/20/02				10 31	89 53	0 44
	07/24/02				11 81	88 03	-1 50
	10/15/02				11 33	88 51	0 48
	01/22/03				11 93	87 91	-0 60
	04/24/03				12 21	87 63	-0 28
	07/16/03				13 29	86 55	-1 08
	10/15/03				12 18	87 66	1 11
	01/29/04				11 95	87 89	0 23
	04/19/04				10 39	89 45	1 56
	07/16/04				12 32	87 52	-1 93
	10/29/04				10 24	89 60	2 08
	01/14/05				8 88	90 96	1 36
	04/15/05				8 43	91 41	0 45
	07/08/05				10 45	89 39	-2 02
	10/08/05				11 26	88 58	-0 81
	01/18/06				10 79	89 05	0 47
	04/18/06				11 64	88 20	-0 85
	07/11/06				13 02	86 82	-1 38
	10/10/06				12 89	86 95	0 13
	01/16/07				11 78	88 06	1 11
	04/17/07				11 17	88 67	0 61
	07/18/07				12 89	86 95	-1 72
	10/17/07				12 76	87 08	0 13
	01/16/08				13 30	86 54	-0 54
	04/28/08				12 79	87 05	0 51
	07/15/08				12 28	87 56	0 51
	10/14/08				11 51	88 33	0 77
	01/13/09				10 82	89 02	0 69
	04/06/09				11 84	88 00	-1 02
MW-11	01/26/91	30 00	Protective Casing	100 60	19 27	81 33	
	09/13/91				17 81	82 79	1 46
	11/21/91				16 35	84 25	1 46
	03/16/93				15 20	85 40	1 15
	01/09/94				16 31	84 29	-1 11
	04/19/94				16 17	84 43	0 14
	07/19/94				15 63	84 97	0 54
	10/24/94				15 72	84 88	-0 09
	01/24/95				15 89	84 71	-0 17
	04/02/95				16 33	84 27	-0 44
	07/31/95				16 03	84 57	0 30
	10/16/95				16 00	84 60	0 03
	01/10/96				16 45	84 15	-0 45
	04/09/96				16 62	83 98	-0 17
	07/21/96				17 21	83 39	-0 59
	10/21/96				15 52	85 08	1 69
	01/21/97				15 15	85 45	0 37
	04/08/97				15 19	85 41	-0 04
	07/29/97				15 78	84 82	-0 59
	10/16/97				14 75	85 85	1 03
	01/06/98				14 44	86 16	0 31
	04/14/98				14 22	86 38	0 22
	07/17/98				15 41	85 19	-1 19
	10/27/98				15 50	85 10	-0 09
	02/09/99				16 11	84 49	-0 61
	04/21/99				15 21	85 39	0 90
	07/13/99				13 25	87 35	1 96
	10/19/99				14 68	85 92	-1 43
	01/26/00				15 28	85 32	-0 60
	04/18/00				15 29	85 31	-0 01
	07/26/00				15 42	85 18	-0 13

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont)	10/19/00				14 58	86 02	0 84
	01/18/01			98 20	10 08	88 12	2 10
	04/12/01				10 07	88 13	0 01
	07/19/01				11 67	86 53	-1 60
	10/17/01				11 15	87 05	0 52
	01/12/02				10 14	88 06	1 01
	04/20/02				9 83	88 37	0 31
	07/24/02				11 39	86 81	-1 56
	10/15/02				10 87	87 33	0 52
	01/22/03				11 47	86 73	-0 60
	04/23/03				11 77	86 43	-0 30
	07/16/03				12 97	85 23	-1 20
	10/15/03				11 37	86 83	1 60
	01/28/04				11 43	86 77	-0 06
	04/19/04				9 77	88 43	1 66
	07/16/04				11 79	86 41	-2 02
	10/29/04				9 60	88 60	2 19
	01/14/05				8 34	89 86	1 26
	04/15/05				7 93	90 27	0 41
	07/08/05				10 12	88 08	-2 19
	10/08/05				10 84	87 36	-0 72
	01/19/06				10 36	87 84	0 48
	04/18/06				11 21	86 99	-0 85
	07/11/06				12 63	85 57	-1 42
	10/10/06				12 39	85 81	0 24
	01/16/07				11 53	86 67	0 86
	04/17/07				10 20	88 00	1 33
	07/17/07				11 08	87 12	-0 88
	10/17/07				12 22	85 98	-1 14
	01/16/08				12 91	85 29	-0 69
	04/28/08				12 22	85 98	0 69
	07/15/08				11 38	86 82	0 84
	10/14/08				10 63	87 57	0 75
	01/13/09				10 21	87 99	0 42
	04/06/09				11 18	87 02	-0 97
MW-12	01/26/91	34 00	Protective Casing	100 69	19 24	81 45	
	09/13/91				17 59	83 10	1 65
	11/21/91				16 21	84 48	1 38
	03/16/93				15 22	85 47	0 99
	01/09/94				16 25	84 44	-1 03
	04/19/94				16 13	84 56	0 12
	07/19/94				15 63	85 06	0 50
	10/24/94				15 73	84 96	-0 10
	01/24/95				15 80	84 89	-0 07
	04/02/95				16 23	84 46	-0 43
	07/31/95				15 96	84 73	0 27
	10/16/95				15 93	84 76	0 03
	01/10/96				16 35	84 34	-0 42
	04/09/96				16 52	84 17	-0 17
	07/21/96				17 15	83 54	-0 63
	10/21/96				15 48	85 21	1 67
	01/21/97				15 04	85 65	0 44
	04/08/97				15 10	85 59	-0 06
	07/29/97				15 73	84 96	-0 63
	10/16/97				14 57	86 12	1 16
	01/06/98				14 22	86 47	0 35
	04/14/98				14 09	86 60	0 13
	07/17/98				15 35	85 34	-1 26
	10/27/98				15 36	85 33	-0 01
	02/09/99				16 00	84 69	-0 64
	04/21/99				15 19	85 50	0 81
	07/13/99				13 12	87 57	2 07
	10/19/99				14 63	86 06	-1 51
	01/26/00				15 18	85 51	-0 55
	04/18/00				15 22	85 47	-0 04
	07/26/00				15 38	85 31	-0 16

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont)	10/19/00				14 35	86 34	1 03
	01/18/01			99 21	10 62	88 59	2 25
	04/12/01				10 61	88 60	0 01
	07/19/01				12 41	86 80	-1 80
	10/17/01				10 95	88 26	1 46
	04/20/02				9 88	89 33	1 07
	07/24/02				11 57	87 64	-1 69
	10/15/02				10 94	88 27	0 63
	01/22/03				11 70	87 51	-0 76
	04/24/03				12 04	87 17	-0 34
	07/16/03				13 19	86 02	-1 15
	10/15/03				11 40	87 81	1 79
	01/29/04			98 49	11 33	87 16	-0 65
	04/19/04				9 62	88 87	1 71
	07/16/04				11 51	86 98	-1 89
	10/29/04				9 26	89 23	2 25
	01/14/05				8 16	90 33	1 10
	04/15/05				7 68	90 81	0 48
	07/08/05				9 98	88 51	-2 30
	10/08/05				10 74	87 75	-0 76
	01/18/06				10 09	88 40	0 65
	04/18/06				11 15	87 34	-1 06
	07/11/06				12 39	86 10	-1 24
	10/10/06				12 03	86 46	0 36
	01/16/07				11 20	87 29	0 83
	04/17/07				10 57	87 92	0 63
	07/18/07				11 52	86 97	-0 95
	10/17/07				11 82	86 67	-0 30
	01/16/08				12 71	85 78	-0 89
	04/28/08				11 82	86 67	0 89
	07/15/08				10 96	87 53	0 86
	10/14/08				10 10	88 39	0 86
	01/13/09				9 78	88 71	0 32
	04/06/09				11 03	87 46	-1 25
MW-13	09/13/91	45 00	Protective Casing	99 25	15 10	84 15	
	11/21/91				13 95	85 30	1 15
	03/16/93				13 22	86 03	0 73
	01/09/94				14 03	85 22	-0 81
	04/19/94				13 90	85 35	0 13
	07/20/94				13 70	85 55	0 20
	10/24/94				13 86	85 39	-0 16
	01/24/95				13 56	85 69	0 30
	04/02/95				13 87	85 38	-0 31
	07/31/95				13 84	85 41	0 03
	10/16/95				13 83	85 42	0 01
	01/10/96				14 02	85 23	-0 19
	04/09/96				14 20	85 05	-0 18
	07/20/96				15 04	84 21	-0 84
	10/21/96				13 31	85 94	1 73
	01/21/97				12 70	86 55	0 61
	04/08/97				12 48	86 77	0 22
	07/29/97				13 43	85 82	-0 95
	10/16/97				12 02	87 23	1 41
	01/06/98				11 44	87 81	0 58
	04/14/98				11 50	87 75	-0 06
	07/17/98				13 10	86 15	-1 60
	10/27/98				13 58	85 67	-0 48
	02/09/99				13 81	85 44	-0 23
	04/21/99				13 22	86 03	0 59
	07/13/99				11 08	88 17	2 14
	10/20/99				12 64	86 61	-1 56
	01/26/00				12 96	86 29	-0 32
	04/18/00				13 08	86 17	-0 12
	07/26/00				12 88	86 37	0 20
	10/19/00				11 68	87 57	1 20
	01/18/01				8 88	90 37	2 80

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont)	04/12/01				9 09	90 16	-0 21
	07/19/01				11 47	87 78	-2 38
	10/17/01				10 15	89 10	1 32
	01/12/02				8 48	90 77	1 67
	04/20/02				9 07	90 18	-0 59
	07/24/02				11 42	87 83	-2 35
	10/15/02				10 38	88 87	1 04
	01/22/03				11 28	87 97	-0 90
	04/24/03				11 80	87 45	-0 52
	07/16/03				12 98	86 27	-1 18
	10/15/03				10 48	88 77	2 50
	01/29/04			99 25	10 68	88 57	-0 20
	04/19/04				9 06	90 19	1 62
	07/16/04				10 40	88 85	-1 34
	10/29/04				8 03	91 22	2 37
	01/14/05				7 44	91 81	0 59
	04/15/05				6 76	92 49	0 68
	07/08/05				9 47	89 78	-2 71
	10/08/05				10 13	89 12	-0 66
	01/18/06				9 28	89 97	0 85
	04/18/06				10 63	88 62	-1 35
	07/11/06				11 55	87 70	-0 92
	10/10/06				10 97	88 28	0 58
	01/16/07				10 16	89 09	0 81
	04/17/07				8 98	90 27	1 18
	07/18/07				10 31	88 94	-1 33
	10/17/07				10 47	88 78	-0 16
	01/16/08				11 97	87 28	-1 50
	04/28/08				10 42	88 83	1 55
	07/15/08				9 44	89 81	0 98
	10/14/08				8 26	90 99	1 18
	01/13/09				8 44	90 81	-0 18
	04/06/09				10 44	88 81	-2 00
MW-14	09/13/91	35 00	Protective Casing	98 74	14 60	84 14	
	11/21/91				13 61	85 13	0 99
	03/16/93				13 00	85 74	0 61
	01/09/94				13 71	85 03	-0 71
	04/19/94				13 63	85 11	0 08
	07/20/94				13 39	85 35	0 24
	10/24/94				13 48	85 26	-0 09
	01/25/95				13 26	85 48	0 22
	04/02/95				13 61	85 13	-0 35
	07/31/95				13 44	85 30	0 17
	10/16/95				13 52	85 22	-0 08
	01/10/96				13 76	84 98	-0 24
	04/09/96				13 96	84 78	-0 20
	07/20/96				14 74	84 00	-0 78
	10/21/96				13 03	85 71	1 71
	01/21/97				12 47	86 27	0 56
	04/08/97				12 44	86 30	0 03
	07/29/97				13 30	85 44	-0 86
	10/16/97				11 93	86 81	1 37
	01/06/98				11 46	87 28	0 47
	04/14/98				11 48	87 26	-0 02
	07/17/98				12 94	85 80	-1 46
	10/27/98				13 25	85 49	-0 31
	02/09/99				13 59	85 15	-0 34
	04/21/99				12 96	85 78	0 63
	07/13/99				10 85	87 89	2 11
	10/20/99				12 42	86 32	-1 57
	01/26/00				12 73	86 01	-0 31
	04/18/00				12 82	85 92	-0 09
	07/26/00				13 08	85 66	-0 26
	10/19/00				11 32	87 42	1 76
	01/18/01				8 48	90 26	2 84
	04/12/01				8 83	89 91	-0 35

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont)	04/20/02				8 84	89 90	-0 01
	07/24/02				11 21	87 53	-2 37
	10/15/02				10 12	88 62	1 09
	04/24/03				11 54	87 20	-1 42
	07/16/03				12 74	86 00	-1 20
	10/15/03				10 07	88 67	2 67
	01/29/04				10 45	88 29	-0 38
	04/19/04				8 76	89 98	1 69
	07/16/04				10 20	88 54	-1 44
	10/29/04				7 69	91 05	2 51
	01/14/05				7 23	91 51	0 46
	04/15/05				6 46	92 28	0 77
	07/08/05				9 37	89 37	-2 91
	10/08/05				9 99	88 75	-0 62
	01/18/06				9 09	89 65	0 90
	04/18/06				10 42	88 32	-1 33
	07/11/06				11 44	87 30	-1 02
	10/10/06				10 70	88 04	0 74
	01/16/07				9 95	88 79	0 75
	04/17/07				8 70	90 04	1 25
	07/18/07				10 18	88 56	-1 48
	10/17/07				10 30	88 44	-0 12
	01/16/08				11 83	86 91	-1 53
	04/28/08				10 26	88 48	1 57
	07/15/08				9 11	89 63	1 15
	10/15/08				7 96	90 78	1 15
	01/13/09				8 20	90 54	-0 24
	04/06/09				10 19	88 55	-1 99
MW-15	09/13/91	34 00	Protective Casing	100 05	16 30	83 75	
	11/21/91				15 01	85 04	1 29
	03/16/93				13 95	86 10	1 06
	01/09/94				14 91	85 14	-0 96
	04/19/94				14 80	85 25	0 11
	07/20/94				14 56	85 49	0 24
	10/24/94				14 73	85 32	-0 17
**	01/24/95				16 00	84 05	-1 27
	04/02/95				14 80	85 25	1 20
	07/31/95				14 82	85 23	-0 02
	10/16/95				14 74	85 31	0 08
	01/10/96				14 95	85 10	-0 21
	04/09/96				15 11	84 94	-0 16
	07/20/96				15 96	84 09	-0 85
	10/21/96				14 22	85 83	1 74
	01/21/97				13 64	86 41	0 58
	04/08/97				13 53	86 52	0 11
	07/29/97				14 32	85 73	-0 79
	10/16/97				12 90	87 15	1 42
	01/06/98				12 30	87 75	0 60
	04/14/98				12 38	87 67	-0 08
	07/17/98				13 93	86 12	-1 55
	10/27/98				14 38	85 67	-0 45
	02/09/99				14 68	85 37	-0 30
	04/21/99				14 03	86 02	0 65
	07/13/99				11 90	88 15	2 13
	10/20/99				13 42	86 63	-1 52
	01/26/00				13 83	86 22	-0 41
	04/18/00				13 96	86 09	-0 13
	07/26/00				14 14	85 91	-0 18
	10/19/00				12 90	87 15	1 24
	01/18/01				9 39	90 66	3 51
	04/12/01				12 38	87 67	-2 99
	07/19/01				12 44	87 61	-0 06
	01/12/02				10 10	89 95	2 34
	07/24/02				12 38	87 67	-2 28
	10/15/02				11 52	88 53	0 86
	01/22/03				12 30	87 75	-0 78

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont)	04/24/03				12.74	87.31	-0.44
	07/16/03				13.89	86.16	-1.15
	10/15/03				11.96	88.09	1.93
	01/29/04			99.69	11.50	88.19	0.10
	04/19/04				9.92	89.77	1.58
	07/16/04				11.37	88.32	-1.45
	10/29/04				9.19	90.50	2.18
	01/14/05				8.30	91.39	0.89
	04/15/05				7.73	91.96	0.57
	07/08/05				10.08	89.61	-2.35
	10/08/05				10.82	88.87	-0.74
	01/18/06				10.13	89.56	0.69
	04/18/06				11.30	88.39	-1.17
	07/11/06				12.32	87.37	-1.02
	10/10/06				11.87	87.82	0.45
	01/16/07				11.11	88.58	0.76
	04/17/07				10.11	89.58	1.00
	07/18/07				11.28	88.41	-1.17
	10/17/07				11.52	88.17	-0.24
	01/16/08				12.72	86.97	-1.20
	04/28/08				11.55	88.14	1.17
	07/15/08				10.85	88.84	0.70
	10/14/08				9.78	89.91	1.07
	01/13/09				9.60	90.09	0.18
	04/06/09				11.27	88.42	-1.67
MW-16	01/13/09				8.27		
	04/06/09				10.50		
MW-17D	04/02/95	19.00	Protective Casing	101.29	16.80	84.49	
	07/31/95				16.48	84.81	0.32
	10/16/95				16.51	84.78	-0.03
	01/10/96				16.90	84.39	-0.39
	04/09/96				17.10	84.19	-0.20
	07/21/96				17.70	83.59	-0.60
	10/21/96				16.02	85.27	1.68
	01/21/97				15.60	85.69	0.42
	04/08/97				15.64	85.65	-0.04
	07/29/97				16.32	84.97	-0.68
	10/16/97				15.11	86.18	1.21
	01/06/98				14.80	86.49	0.31
	04/14/98				14.68	86.61	0.12
	07/17/98				15.92	85.37	-1.24
	10/27/98				15.95	85.34	-0.03
	02/09/99				16.63	84.66	-0.68
	04/21/99				15.82	85.47	0.81
	07/13/99				13.77	87.52	2.05
	10/19/99				15.32	85.97	-1.55
	01/26/00				15.79	85.50	-0.47
	04/18/00				15.80	85.49	-0.01
	07/26/00				15.98	85.31	-0.18
	10/19/00				14.89	86.40	1.09
	01/18/01			99.00	10.33	88.67	2.27
	04/12/01				10.35	88.65	-0.02
	07/19/01				12.22	86.78	-1.87
	10/17/01				11.48	87.52	0.74
	01/12/02				10.19	88.81	1.29
	04/20/02				10.25	88.75	-0.06
	07/24/02				11.98	87.02	-1.73
	10/15/02				11.33	87.67	0.65
	01/22/03				12.09	86.91	-0.76
	04/24/03				12.43	86.57	-0.34
	07/16/03				13.59	85.41	-1.16
	10/15/03				11.74	87.26	1.85
	01/29/04			98.46	11.30	87.16	-0.10
	04/19/04				9.55	88.91	1.75
	07/16/04				11.45	87.29	-1.62

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17D (Cont)	10/29/04				9 19	89 55	2 26
	01/14/05				8 16	90 58	1 03
	04/15/05				7 66	91 08	0 50
	07/08/05				10 01	88 73	-2 35
	10/08/05				10 76	87 98	-0 75
	01/18/06				10 10	88 64	0 66
	04/18/06				11 13	87 61	-1 03
	07/11/06				12 40	86 34	-1 27
	10/10/06				12 02	86 72	0 38
	01/16/07				11 17	87 57	0 85
	04/17/07				10 14	88 60	1 03
	07/18/07				11 50	87 24	-1 36
	10/17/07				11 79	86 95	-0 29
	01/16/08				12 08	86 66	-0 29
	04/28/08				11 79	86 95	0 29
	07/15/08				10 84	87 90	0 95
	10/15/08				10 10	88 64	0 74
	01/13/09				9 72	89 02	0 38
	04/06/09				11 03	87 71	-1 31
MW-17A	04/02/95	26 00	Protective Casing	100 57	16 05	84 52	
	07/31/95				15 75	84 82	0 30
	10/16/95				15 77	84 80	-0 02
	01/10/96				16 18	84 39	-0 41
	04/09/96				16 37	84 20	-0 19
	07/21/96				16 98	83 59	-0 61
	10/21/96				15 30	85 27	1 68
	01/21/97				14 88	85 69	0 42
	04/08/97				14 92	85 65	-0 04
	07/29/97				15 59	84 98	-0 67
	10/16/97				14 41	86 16	1 18
	01/06/98				14 09	86 48	0 32
	04/14/98				13 95	86 62	0 14
	07/17/98				15 20	85 37	-1 25
	10/27/98				15 23	85 34	-0 03
	02/09/99				15 88	84 69	-0 65
	04/21/99				15 10	85 47	0 78
	07/13/99				13 02	87 55	2 08
	10/19/99				14 54	86 03	-1 52
	01/26/00				15 05	85 52	-0 51
	04/18/00				15 08	85 49	-0 03
	07/26/00				15 25	85 32	-0 17
	10/19/00				14 17	86 40	1 08
	01/18/01			98 77	10 09	88 68	2 28
	04/12/01				10 11	88 66	-0 02
	07/19/01				11 98	86 79	-1 87
	10/17/01				11 24	87 53	0 74
	01/12/02				9 94	88 83	1 30
	04/20/02				10 00	88 77	-0 06
	07/24/02				11 75	87 02	-1 75
	10/15/02				11 22	87 55	0 53
	01/22/03				11 85	86 92	-0 63
	04/24/03				12 18	86 59	-0 33
	07/16/03				13 36	85 41	-1 18
	10/15/03				11 49	87 28	1 87
	01/29/04			98 29	11 13	87 16	-0 12
	04/19/04				9 38	88 91	1 75
	07/16/04				11 30	86 99	-1 92
	10/29/04				9 06	89 23	2 24
	01/14/05				7 98	90 31	1 08
	04/15/05				7 50	90 79	0 48
	07/08/05				9 84	88 45	-2 34
	10/08/05				10 57	87 72	-0 73
	01/18/06				9 93	88 36	0 64
	04/18/06				10 98	87 31	-1 05
	07/11/06				12 22	86 07	-1 24
	10/10/06				11 85	86 44	0 37

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT	
MW-17A (Cont)	01/16/07				11 00	87 29	0 85	
	04/17/07				9 95	88 34	1 05	
	07/18/07				11 30	86 99	-1 35	
	10/17/07				11 61	86 68	-0 31	
	01/16/08				12 52	85 77	-0 91	
	04/28/08				11 62	86 67	0 90	
	07/15/08				10 66	87 63	0 96	
	10/15/08				9 89	88 40	0 77	
	01/13/09				9 52	88 77	0 37	
04/06/09				10 85	87 44	-1 33		
MW-17B	04/02/95	34 00	Protective Casing	101 28	16 79	84 49		
	07/31/95				16 50	84 78	0 29	
	10/16/95				16 51	84 77	-0 01	
	01/10/96				16 92	84 36	-0 41	
	04/09/96				17 10	84 18	-0 18	
	07/21/96				17 71	83 57	-0 61	
	10/21/96				16 02	85 26	1 69	
	01/21/97				15 64	85 64	0 38	
	04/08/97				15 67	85 61	-0 03	
	07/29/97				16 30	84 98	-0 63	
	10/16/97				15 16	86 12	1 14	
	01/06/98				14 84	86 44	0 32	
	04/14/98				14 70	86 58	0 14	
	07/17/98				15 92	85 36	-1 22	
	10/27/98				16 00	85 28	-0 08	
	02/09/99				16 62	84 66	-0 62	
	04/21/99				15 79	85 49	0 83	
	07/13/99				13 77	87 51	2 02	
	10/19/99				15 26	86 02	-1 49	
	01/26/00				15 81	85 47	-0 55	
	04/18/00				15 81	85 47	0 00	
	07/26/00				15 98	85 30	-0 17	
	10/19/00				14 94	86 34	1 04	
	01/18/01				99 04	10 44	88 60	2 26
	04/12/01					10 44	88 60	0 00
	07/19/01					12 27	86 77	-1 83
	10/17/01					11 62	87 42	0 65
	01/12/02					10 32	88 72	1 30
	04/20/02					10 33	88 71	-0 01
	07/24/02					12 04	87 00	-1 71
	10/15/02					11 40	87 64	0 64
	01/22/03					12 17	86 87	-0 77
	04/24/03					12 48	86 56	-0 31
	07/16/03					13 64	85 40	-1 16
	10/15/03					11 83	87 21	1 81
	01/29/04				98 54	11 43	87 11	-0 10
	04/19/04					9 69	88 85	1 74
	07/16/04					11 62	86 92	-1 93
	10/29/04					9 37	89 17	2 25
	01/14/05					8 29	90 25	1 08
04/15/05					7 80	90 74	0 49	
07/08/05					10 11	88 43	-2 31	
10/08/05					10 89	87 65	-0 78	
01/18/06					10 22	88 32	0 67	
04/18/06					11 26	87 28	-1 04	
07/11/06					12 56	85 98	-1 30	
10/10/06					12 18	86 36	0 38	
01/16/07					11 31	87 23	0 87	
04/17/07					10 28	88 26	1 03	
07/18/07					11 67	86 87	-1 39	
10/17/07					11 95	86 59	-0 28	
01/16/08					12 83	85 71	-0 88	
04/28/08					11 77	86 77	1 06	
07/15/08					11 03	87 51	0 74	

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B (Cont)	10/15/08				10 23	88 31	0 80
	01/13/09				9 89	88 65	0 34
	04/06/09				11 16	87 38	-1 27
MW-17C	04/02/95	61 00	Protective Casing	101 33	16 93	84 40	
	07/31/95				16 66	84 67	0 27
	10/16/95				16 64	84 69	0 02
	01/10/96				17 08	84 25	-0 44
	04/09/96				17 25	84 08	-0 17
	07/21/96				17 85	83 48	-0 60
	10/21/96				16 17	85 16	1 68
	01/21/97				15 75	85 58	0 42
	04/08/97				15 80	85 53	-0 05
	07/29/97				16 46	84 87	-0 66
	10/16/97				15 33	86 00	1 13
	01/06/98				15 00	86 33	0 33
	04/14/98				14 85	86 48	0 15
	07/17/98				16 09	85 24	-1 24
	10/27/98				16 17	85 16	-0 08
	02/09/99				16 77	84 56	-0 60
	04/21/99				15 95	85 38	0 82
	07/13/99				13 94	87 39	2 01
	10/19/99				15 43	85 90	-1 49
	01/26/00				15 94	85 39	-0 51
	04/18/00				15 95	85 38	-0 01
	07/26/00				16 11	85 22	-0 16
	10/19/00				15 03	86 30	1 08
	01/18/01			99 01	10 37	88 64	2 34
	04/12/01				10 37	88 64	0 00
	07/19/01				12 22	86 79	-1 85
	10/17/01				11 46	87 55	0 76
	01/12/02				10 22	88 79	1 24
	04/20/02				10 25	88 76	-0 03
	07/24/02				11 98	87 03	-1 73
	10/15/02				11 33	87 68	0 65
	01/22/03				12 09	86 92	-0 76
	04/24/03				12 43	86 58	-0 34
	07/16/03				13 59	85 42	-1 16
	10/15/03				11 70	87 31	1 89
	01/29/04			98 53	11 37	87 16	-0 15
	04/19/04				9 61	88 92	1 76
	07/16/04				11 55	86 98	-1 94
	10/29/04				9 27	89 26	2 28
	01/14/05				8 19	90 34	1 08
	04/15/05				7 71	90 82	0 48
	07/08/05				10 08	88 45	-2 37
	10/08/05				10 84	87 69	-0 76
	01/18/06				10 16	88 37	0 68
	04/18/06				11 21	87 32	-1 05
	07/11/06				12 50	86 03	-1 29
	10/10/06				12 12	86 41	0 38
	01/16/07				11 21	87 32	0 91
	04/17/07				10 19	88 34	1 02
	07/18/07				11 57	86 96	-1 38
	10/17/07				11 87	86 66	-0 30
	01/16/08				12 77	85 76	-0 90
	04/28/08				11 88	86 65	0 89
	07/15/08				10 91	87 62	0 97
	10/15/08				10 12	88 41	0 79
	01/13/09				9 79	88 74	0 33
	04/06/09				11 08	87 45	-1 29

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-18	04/02/95	28 00	Protective Casing	98 72	14 77	83 95	
	07/31/95				14 21	84 51	0 56
	10/16/95				14 25	84 47	-0 04
	01/10/96				14 90	83 82	-0 65
	04/09/96				15 05	83 67	-0 15
	07/21/96				15 44	83 28	-0 39
	10/21/96				13 78	84 94	1 66
	11/22/96				13 84	84 88	-0 06
	01/21/97				13 54	85 18	0 30
	04/08/97				13 66	85 06	-0 12
	07/29/97				14 13	84 59	-0 47
	10/16/97				13 34	85 38	0 79
	01/06/98				13 13	85 59	0 21
	04/14/98				12 79	85 93	0 34
	07/17/98				13 75	84 97	-0 96
	10/27/98				13 82	84 90	-0 07
	02/09/99				14 58	84 14	-0 76
	04/21/99				13 58	85 14	1 00
	07/13/99				11 66	87 06	1 92
	10/19/99				13 01	85 71	-1 35
	01/26/00				13 73	84 99	-0 72
	04/18/00				13 65	85 07	0 08
	07/26/00				13 71	85 01	-0 06
	10/19/00				13 03	85 69	0 68
	01/18/01				11 23	87 49	1 80
	04/12/01				11 18	87 54	0 05
	07/19/01				12 43	86 29	-1 25
	10/17/01				12 17	86 55	0 26
	01/12/02				11 44	87 28	0 73
	04/20/02				10 59	88 13	0 85
	07/24/02				12 22	86 50	-1 63
	10/15/02				11 88	86 84	0 34
	01/22/03				12 40	86 32	-0 52
	04/23/04				12 64	86 08	-0 24
	07/16/03				13 79	84 93	-1 15
	10/15/03				12 38	86 34	1 41
	01/28/04				12 52	86 20	-0 14
	04/19/04				10 88	87 84	1 64
	07/16/04				13 03	85 69	-2 15
	10/29/04				10 95	87 77	2 08
	01/14/05				9 55	89 17	1 40
	04/15/05				9 21	89 51	0 34
	07/08/05				11 22	87 50	-2 01
	10/08/05				11 94	86 78	-0 72
	01/19/06				11 57	87 15	0 37
	04/18/06				12 33	86 39	-0 76
	07/11/06				13 82	84 90	-1 49
	10/10/06				13 71	85 01	0 11
	01/16/07				12 85	85 87	0 86
	04/17/07				11 96	86 76	0 89
	07/17/07				13 18	85 54	-1 22
	10/17/07				13 63	85 09	-0 45
	01/16/08				14 17	84 55	-0 54
	04/28/08				13 68	85 04	0 49
	07/15/08				12 97	85 75	0 71
	10/14/08				12 36	86 36	0 61
	01/13/09				11 65	87 07	0 71
	04/06/09				12 07	86 65	-0 42
MW-19	04/02/95	28 00	Protective Casing	99 08	14 86	84 22	
	07/31/95				14 29	84 79	0 57
	10/16/95				14 39	84 69	-0 10
	01/10/96				14 98	84 10	-0 59
	04/09/96				15 14	83 94	-0 16
	07/21/96				15 62	83 46	-0 48
	10/21/96				14 00	85 08	1 62
	11/22/96				14 03	85 05	-0 03

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont)	01/21/97				13 69	85 39	0 34
	04/08/97				13 76	85 32	-0 07
	07/29/97				14 37	84 71	-0 61
	10/16/97				13 47	85 61	0 90
	01/06/98				13 21	85 87	0 26
	04/14/98				12 90	86 18	0 31
	07/17/98				13 96	85 12	-1 06
	10/27/98				14 11	84 97	-0 15
	02/09/99				14 74	84 34	-0 63
	04/21/99				13 91	85 17	0 83
	07/13/99				11 99	87 09	1 92
	10/19/99				13 35	85 73	-1 36
	01/26/00				13 92	85 16	-0 57
	04/18/00				13 84	85 24	0 08
	07/26/00				14 00	85 08	-0 16
	10/19/00				12 92	86 16	1 08
	01/18/01				10 66	88 42	2 26
	04/12/01				10 75	88 33	-0 09
	07/19/01				12 59	86 49	-1 84
	10/17/01				11 93	87 15	0 66
	01/12/02				10 78	88 30	1 15
	04/20/02				10 70	88 38	0 08
	07/24/02				12 35	86 73	-1 65
	10/15/02				11 82	87 26	0 53
	01/22/03				12 43	86 65	-0 61
	04/23/03				12 73	86 35	-0 30
	07/16/03				13 99	85 09	-1 26
	10/15/03				11 89	87 19	2 10
	01/28/04				12 29	86 79	-0 40
	04/19/04				10 50	88 58	1 79
	07/16/04				12 59	86 49	-2 09
	10/29/04				10 28	88 80	2 31
	01/14/05				9 20	89 88	1 08
	04/15/05				8 85	90 23	0 35
	07/08/05				11 23	87 85	-2 38
	10/08/05				11 90	87 18	-0 67
	01/19/06				11 30	87 78	0 60
	04/18/06				12 27	86 81	-0 97
	07/11/06				13 69	85 39	-1 42
	10/10/06				13 29	85 79	0 40
	01/16/07				12 36	86 72	0 93
	04/17/07				11 28	87 80	1 08
	07/17/07				12 64	86 44	-1 36
	10/17/07				13 00	86 08	-0 36
	01/16/08				13 87	85 21	-0 87
	04/28/08				12 99	86 09	0 88
	07/15/08				11 92	87 16	1 07
	10/14/08				11 12	87 96	0 80
	01/13/09				10 85	88 23	0 27
	04/06/09				11 95	87 13	-1 10
MW-20	11/22/96	28 00	Protective Casing	101 09	16 28	84 81	
	01/21/97				16 08	85 01	0 20
	04/08/97				16 04	85 05	0 04
	07/29/97				16 46	84 63	-0 42
	10/16/97				15 76	85 33	0 70
	01/06/98				15 61	85 48	0 15
	04/14/98				15 13	85 96	0 48
	07/17/98				16 15	84 94	-1 02
	10/27/98				16 07	85 02	0 08
	02/09/99				16 94	84 15	-0 87
	04/21/99				15 48	85 61	1 46
	07/13/99				13 50	87 59	1 98
	10/19/99				15 25	85 84	-1 75
	01/26/00				16 08	85 01	-0 83
	04/18/00				15 97	85 12	0 11
	07/26/00				15 84	85 25	0 13

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-20 (Cont)	10/19/00				15 80	85 29	0 04
	01/18/01				14 37	86 72	1 43
	04/12/01				14 16	86 93	0 21
	07/19/01				14 66	86 43	-0 50
	10/17/01				15 07	86 02	-0 41
	01/12/02				14 70	86 39	0 37
	04/20/02				13 54	87 55	1 16
	07/24/02				14 59	86 50	-1 05
	10/15/02				14 42	86 67	0 17
	01/22/03				14 91	86 18	-0 49
	04/23/03				14 87	86 22	0 04
	07/16/03				15 93	85 16	-1 06
	10/15/03				15 69	85 40	0 24
	01/28/04				15 38	85 71	0 31
	04/19/04				14 20	86 89	1 18
	07/16/04				16 25	84 84	-2 05
	10/29/04				14 25	86 84	2 00
	01/14/05				12 57	88 52	1 68
	04/15/05				12 14	88 95	0 43
	07/08/05				13 85	87 24	-1 71
	10/08/05				14 59	86 50	-0 74
	01/18/06				14 40	86 69	0 19
	04/18/06				15 08	86 01	-0 68
	07/11/06				16 73	84 36	-1 65
	10/10/06				16 97	84 12	-0 24
	01/16/07				16 08	85 01	0 89
	04/17/07				15 39	85 70	0 69
	07/17/07				16 68	84 41	-1 29
	10/17/07				17 19	83 90	-0 51
	01/16/08				17 26	83 83	-0 07
	04/28/08				17 21	83 88	0 05
	07/15/08				17 22	83 87	-0 01
	10/14/08				16 49	84 60	0 73
	01/13/09				15 38	85 71	1 11
	04/06/09				15 73	85 36	-0 35
MW-21	11/22/96	25 00	Protective Casing	98 88	14 36	84 52	
	01/21/97				14 26	84 62	0 10
	04/08/97			98 89	14 41	84 48	-0 14
	07/29/97				14 54	84 35	-0 13
	10/16/97				14 18	84 71	0 36
	01/06/98				14 17	84 72	0 01
	04/14/98				13 60	85 29	0 57
	07/17/98				14 21	84 68	-0 61
	10/27/98				14 22	84 67	-0 01
	02/09/99				15 29	83 60	-1 07
	04/21/99				13 94	84 95	1 35
	07/13/99				12 03	86 86	1 91
	10/19/99				13 41	85 48	-1 38
	01/26/00				14 42	84 47	-1 01
	04/18/00				14 21	84 68	0 21
	07/26/00				13 97	84 92	0 24
	10/19/00				13 77	85 12	0 20
	01/18/01				12 62	86 27	1 15
	04/12/01				12 53	86 36	0 09
	07/19/01				12 89	86 00	-0 36
	10/17/01				13 23	85 66	-0 34
	01/12/02				13 10	85 79	0 13
	04/20/02				12 09	86 80	1 01
	07/24/02				12 83	86 06	-0 74
	10/15/02				12 82	86 07	0 01
	01/22/03				13 30	85 59	-0 48
	04/23/03				13 28	85 61	0 02
	07/16/03				14 27	84 62	-0 99
	10/15/03				13 73	85 16	0 54
	01/28/04				13 78	85 11	-0 05
	04/19/04				12 39	86 50	1 39

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-21 (Cont)	07/16/04				14 54	84 35	-2 15
	10/29/04				12 70	86 19	1 84
	01/14/05				11 02	87 87	1 68
	04/15/05				10 62	88 27	0 40
	07/08/05				12 30	86 59	-1 68
	10/08/05				13 00	85 89	-0 70
	01/19/06				12 96	85 93	0 04
	04/18/06				13 50	85 39	-0 54
	07/11/06				14 98	83 91	-1 48
	10/10/06				15 22	83 67	-0 24
	01/16/07				14 52	84 37	0 70
	04/17/07				13 78	85 11	0 74
	07/17/07				14 94	83 95	-1 16
	10/17/07				15 42	83 47	-0 48
	01/16/08				15 71	83 18	-0 29
	04/28/08				15 59	83 30	0 12
	07/15/08				15 50	83 39	0 09
	10/14/08				14 80	84 09	0 70
	01/13/09				13 70	85 19	1 10
	04/06/09				13 91	84 98	-0 21
MW-22	11/22/96	24 50	Protective Casing	97 16	12 88	84 28	
	01/21/97				12 94	84 22	-0 06
	04/08/97			97 14	13 42	83 72	-0 50
	07/29/97				13 16	83 98	0 26
	10/16/97				13 23	83 91	-0 07
	01/06/98				13 46	83 68	-0 23
	04/14/98				12 80	84 34	0 66
	07/17/98				12 65	84 49	0 15
	10/27/98				12 90	84 24	-0 25
	02/09/99				14 35	82 79	-1 45
	04/21/99				13 15	83 99	1 20
	07/13/99				11 45	85 69	1 70
	10/19/99				12 22	84 92	-0 77
	01/26/00				13 52	83 62	-1 30
	04/18/00				12 99	84 15	0 53
	07/26/00				12 63	84 51	0 36
	10/19/00				12 10	85 04	0 53
	01/18/01				11 19	85 95	0 91
	04/12/01				11 35	85 79	-0 16
	07/19/01				11 69	85 45	-0 34
	10/17/01				11 77	85 37	-0 08
	01/12/02				12 14	85 00	-0 37
	04/20/02				11 16	85 98	0 98
	07/24/02				11 53	85 61	-0 37
	10/15/02				11 83	85 31	-0 30
	01/22/03				12 36	84 78	-0 53
	04/23/03				12 35	84 79	0 01
	07/16/03				13 14	84 00	-0 79
	10/15/03				11 78	85 36	1 36
	01/28/04				12 74	84 40	-0 96
	04/19/04				11 01	86 13	1 73
	07/16/04				13 09	84 05	-2 08
	10/29/04				11 52	85 62	1 57
	01/14/05				9 97	87 17	1 55
	04/15/05				9 72	87 42	0 25
	07/08/05				11 39	85 75	-1 67
	10/08/05				12 00	85 14	-0 61
	01/19/06				12 15	84 99	-0 15
	04/18/06				12 52	84 62	-0 37
	07/11/06				13 59	83 55	-1 07
	10/10/06				13 72	83 42	-0 13
	01/16/07				13 32	83 82	0 40
	04/17/07				12 39	84 75	0 93
	07/17/07				13 25	83 89	-0 86
	10/17/07				13 61	83 53	-0 36
	01/16/08				14 56	82 58	-0 95

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-22 (Cont)	04/28/08				14 17	82 97	0 39
	07/15/08				14 11	83 03	0 06
	10/14/08				13 12	84 02	0 99
	01/13/09				12 15	84 99	0 97
	04/06/09				12 80	84 34	-0 65
MW-23	11/22/96	25 00	Protective Casing	97 33	12 72	84 61	
	01/21/97				12 59	84 74	0 13
	04/08/97			97 30	13 07	84 23	-0 51
	07/29/97				13 14	84 16	-0 07
	10/16/97				13 06	84 24	0 08
	01/06/98				13 13	84 17	-0 07
	04/14/98				12 52	84 78	0 61
	07/17/98				12 64	84 66	-0 12
	10/27/98				12 84	84 46	-0 20
	02/09/99				14 16	83 14	-1 32
	04/21/99				13 25	84 05	0 91
	07/13/99				11 55	85 75	1 70
	10/19/99				12 39	84 91	-0 84
	01/26/00				13 33	83 97	-0 94
	04/18/00				12 81	84 49	0 52
	07/26/00				12 70	84 60	0 11
	10/19/00				11 54	85 76	1 16
	01/18/01				9 86	87 44	1 68
	04/12/01				10 19	87 11	-0 33
	07/19/01				11 54	85 76	-1 35
	10/17/01				11 24	86 06	0 30
	01/12/02				10 72	86 58	0 52
	04/20/02				10 30	87 00	0 42
	07/24/02				11 24	86 06	-0 94
	10/15/02				11 42	85 88	-0 18
	01/22/03				11 89	85 41	-0 47
	04/23/03				12 01	85 29	-0 12
	07/16/03				12 97	84 33	-0 96
	10/15/03				10 96	86 34	2 01
	01/28/04				12 82	84 48	-1 86
	04/19/04				10 06	87 24	2 76
07/16/04				12 04	85 26	-1 98	
10/29/04				9 97	87 33	2 07	
01/14/05				8 69	88 61	1 28	
04/15/05				8 45	88 85	0 24	
07/08/05				10 89	86 41	-2 44	
10/08/05				11 50	85 80	-0 61	
01/18/06				11 09	86 21	0 41	
04/18/06				11 85	85 45	-0 76	
07/11/06				13 00	84 30	-1 15	
10/10/06				12 68	84 62	0 32	
01/16/07				11 43	85 87	1 25	
04/17/07				10 77	86 53	0 66	
07/17/07				12 06	85 24	-1 29	
10/17/07				12 16	85 14	-0 10	
01/16/08				13 49	83 81	-1 33	
04/28/08				12 56	84 74	0 93	
07/15/08				12 48	84 82	0 08	
10/14/08				10 89	86 41	1 59	
01/13/09				10 19	87 11	0 70	
04/06/09				11 39	85 91	-1 20	
MW-24	11/22/96	27 00	Protective Casing	103 42	17 91	85 51	
	01/21/97				17 56	85 86	0 35
	04/08/97			103 41	17 40	86 01	0 15
	07/29/97				17 72	85 69	-0 32
	10/16/97				16 58	86 83	1 14
	01/06/98				16 01	87 40	0 57
	04/14/98				16 17	87 24	-0 16
	07/17/98				17 49	85 92	-1 32
	10/27/98				17 40	86 01	0 09

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-24 (Cont)	02/09/99				18 09	85 32	-0 69
	04/21/99				16 98	86 43	1 11
	07/13/99				14 88	88 53	2 10
	10/19/99				16 51	86 90	-1 63
	01/26/00				17 27	86 14	-0 76
	04/18/00				17 37	86 04	-0 10
	07/26/00				17 40	86 01	-0 03
	10/19/00				17 61	85 80	-0 21
	01/18/01				15 88	87 53	1 73
	04/12/01				15 42	87 99	0 46
	07/19/01				16 38	87 03	-0 96
	10/17/01				16 64	86 77	-0 26
	01/12/02				15 99	87 42	0 65
	04/20/02				14 81	88 60	1 18
	07/24/02				16 14	87 27	-1 33
	10/15/02				15 75	87 66	0 39
	01/22/03				16 13	87 28	-0 38
	04/23/03				16 53	86 88	-0 40
	07/16/03				17 24	86 17	-0 71
	10/15/03				17 31	86 10	-0 07
	01/28/04				16 57	86 84	0 74
	04/19/04				15 52	87 89	1 05
	07/16/04				17 16	86 25	-1 64
	10/29/04				15 30	88 11	1 86
	01/14/05				13 68	89 73	1 62
	04/15/05				13 25	90 16	0 43
	07/08/05				14 73	88 68	-1 48
	10/08/05				15 60	87 81	-0 87
	01/18/06				15 47	87 94	0 13
	04/18/06				16 12	87 29	-0 65
	07/11/06				17 67	85 74	-1 55
	10/10/06				17 76	85 65	-0 09
	01/16/07				16 88	86 53	0 88
	04/17/07				16 37	87 04	0 51
	07/17/07				17 28	86 13	-0 91
	10/17/07				17 83	85 58	-0 55
	01/16/08				17 78	85 63	0 05
	04/28/08				17 93	85 48	-0 15
	07/15/08				17 98	85 43	-0 05
	10/14/08				17 26	86 15	0 72
	01/13/09				16 29	87 12	0 97
	04/06/09				16 90	86 51	-0 61
MW-25	04/08/97	25 00	Protective Casing	97 64	14 23	83 41	-
	07/29/97				13 77	83 87	0 46
	10/16/97				13 99	83 65	-0 22
	01/06/98				14 37	83 27	-0 38
	04/14/98				13 65	83 99	0 72
	07/17/98				13 26	84 38	0 39
	10/27/98				13 57	84 07	-0 31
	02/09/99				15 17	82 47	-1 60
	04/21/99				13 75	83 89	1 42
	07/13/99				12 16	85 48	1 59
	10/19/99				12 81	84 83	-0 65
	01/26/00				14 33	83 31	-1 52
	04/18/00				13 69	83 95	0 64
	07/26/00				13 25	84 39	0 44
	10/19/00				12 83	84 81	0 42
	01/18/01				12 26	85 38	0 57
	04/12/01				12 44	85 20	-0 18
	07/19/01				12 36	85 28	0 08
	10/17/01				12 60	85 04	-0 24
	01/12/02				13 26	84 38	-0 66
	04/20/02				12 12	85 52	1 14
	07/24/02				12 28	85 36	-0 16
	10/15/02				12 66	84 98	-0 38
	01/22/03				13 22	84 42	-0 56

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-25 (Cont)	04/23/03				13 10	84 54	0 12
	07/16/03				13 82	83 82	-0 72
	10/15/03				12 72	84 92	1 10
	01/28/04				13 72	83 92	-1 00
	04/19/04				12 11	85 53	1 61
	07/16/04				14 08	83 56	-1 97
	10/29/04				12 64	85 00	1 44
	01/14/05				11 07	86 57	1 57
	04/15/05				10 75	86 89	0 32
	07/08/05				12 31	85 33	-1 56
	10/08/05				12 82	84 82	-0 51
	01/19/06				13 17	84 47	-0 35
	04/18/06				13 43	84 21	-0 26
	07/11/06				14 40	83 24	-0 97
	10/10/06				14 67	82 97	-0 27
	01/16/07				14 44	83 20	0 23
	04/17/07				13 52	84 12	0 92
	07/17/07				14 23	83 41	-0 71
	10/17/07				14 65	82 99	-0 42
	01/16/08				15 62	82 02	-0 97
	04/28/08				15 33	82 31	0 29
	07/15/08				16 35	81 29	-1 02
	10/14/08				14 41	83 23	1 94
	01/13/09				13 40	84 24	1 01
	04/06/09				14 24	83 40	-0 84
MW-26	04/08/97	25 00	Protective Casing	96 11	13 06	83 05	-
	07/29/97				12 23	83 88	0 83
	10/16/97				12 75	83 36	-0 52
	01/06/98				13 40	82 71	-0 65
	04/14/98				12 61	83 50	0 79
	07/17/98				11 64	84 47	0 97
	10/27/98				12 16	83 95	-0 52
	02/09/99				14 13	81 98	-1 97
	04/21/99				12 41	83 70	1 72
	07/13/99				11 11	85 00	1 30
	10/19/99				11 40	84 71	-0 29
	01/26/00				13 29	82 82	-1 89
	04/18/00				12 27	83 84	1 02
	07/26/00				11 75	84 36	0 52
	10/19/00				11 30	84 81	0 45
	01/18/01				11 12	84 99	0 18
	04/12/01				11 44	84 67	-0 32
	07/19/01				10 98	85 13	0 46
	10/17/01				11 12	84 99	-0 14
	01/12/02				12 42	83 69	-1 30
	04/20/02				11 04	85 07	1 38
	07/24/02				11 03	85 08	0 01
	10/15/02				11 59	84 52	-0 56
	01/22/03				12 26	83 85	-0 67
	04/23/03				12 01	84 10	0 25
	07/16/03				12 53	83 58	-0 52
	10/15/03				11 19	84 92	1 34
	01/28/04				12 79	83 32	-1 60
	04/19/04				11 08	85 03	1 71
	07/16/04				12 63	83 48	-1 55
	10/29/04				11 64	84 47	0 99
	01/14/05				10 15	85 96	1 49
	04/15/05				9 92	86 19	0 23
	07/08/05				11 35	84 76	-1 43
	10/08/05				11 66	84 45	-0 31
	01/18/06				12 35	83 76	-0 69
	04/18/06				12 48	83 63	-0 13
	07/11/06				13 14	82 97	-0 66
	10/10/06				13 33	82 78	-0 19
	01/16/07				13 44	82 67	-0 11
	04/17/07				12 42	83 69	1 02

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont)	07/17/07				12.79	83.32	-0.37
	10/17/07				13.17	82.94	-0.38
	01/16/08				14.64	81.47	-1.47
	04/28/08				14.26	81.85	0.38
	07/15/08				14.22	81.89	0.04
	10/14/08				13.18	82.93	1.04
	01/13/09				12.25	83.86	0.93
	04/06/09				13.39	82.72	-1.14
MW-27	04/08/97	25.00	Protective Casing	96.17	13.06	83.11	-
	07/29/97				12.21	83.96	0.85
	10/16/97				12.79	83.38	-0.58
	01/06/98				13.56	82.61	-0.77
	04/14/98				12.75	83.42	0.81
	07/17/98				11.53	84.64	1.22
	10/27/98				12.09	84.08	-0.56
	02/09/99				14.29	81.88	-2.20
	04/21/99				12.53	83.64	1.76
	07/13/99				11.41	84.76	1.12
	10/19/99				11.48	84.69	-0.07
	01/26/00				13.52	82.65	-2.04
	04/18/00				12.25	83.92	1.27
	07/26/00				11.75	84.42	0.50
	10/19/00				11.06	85.11	0.69
	01/18/01				10.83	85.34	0.23
	04/12/01				11.34	84.83	-0.51
	07/19/01				11.00	85.17	0.34
	10/17/01				11.03	85.14	-0.03
	01/12/02				12.33	83.84	-1.30
	04/20/02				10.85	85.32	1.48
	07/24/02				10.91	85.26	-0.06
	10/15/02				11.64	84.53	-0.73
	01/22/03				12.30	83.87	-0.66
	04/23/03				11.94	84.23	0.36
	07/16/03				12.50	83.67	-0.56
	10/15/03				10.73	85.44	1.77
	01/28/04				12.69	83.48	-1.96
	04/19/04				10.87	85.30	1.82
	07/16/04				12.73	83.44	-1.86
	10/29/04				11.30	84.87	1.43
	01/14/05				9.93	86.24	1.37
	04/15/05				9.73	86.44	0.20
	07/08/05				11.34	84.83	-1.61
	10/08/05				11.51	84.66	-0.17
	01/18/06				12.29	83.88	-0.78
	04/18/06				12.37	83.80	-0.08
	07/11/06				12.84	83.33	-0.47
	10/10/06				12.85	83.32	-0.01
	01/16/07				13.14	83.03	-0.29
	04/17/07				11.94	84.23	1.20
	07/17/07				12.22	83.95	-0.28
	10/17/07				12.48	83.69	-0.26
	01/16/08				14.45	81.72	-1.97
	04/28/08				13.79	82.38	0.66
	07/15/08				13.69	82.48	0.10
	10/14/08				12.39	83.78	1.30
	01/13/09				11.58	84.59	0.81
	04/06/09				12.77	83.40	-1.19
MW-28	07/17/98	25.00	Protective Casing	97.93	14.32	83.61	-
	10/27/98				14.43	83.50	-0.11
	02/09/99				15.71	82.22	-1.28
	04/21/99				14.28	83.65	1.43
	07/13/99				12.41	85.52	1.87
	10/19/99				13.48	84.45	-1.07
	01/26/00				14.78	83.15	-1.30
	04/18/00				14.49	83.44	0.29

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-28 (Cont)	07/26/00				13 98	83 95	0 51
	10/19/00				13 92	84 01	0 06
	01/18/01				13 49	84 44	0 43
	04/12/01				13 57	84 36	-0 08
	07/19/01				13 16	84 77	0 41
	10/17/01				13 72	84 21	-0 56
	01/12/02				14 32	83 61	-0 60
	04/20/02				13 27	84 66	1 05
	07/24/02				13 18	84 75	0 09
	10/15/02				13 40	84 53	-0 22
	01/22/03				13 95	83 98	-0 55
	04/23/03				13 79	84 14	0 16
	07/16/03				14 36	83 57	-0 57
	10/15/03				14 20	83 73	0 16
	01/28/04				14 68	83 25	-0 48
	04/19/04				13 63	84 30	1 05
	07/16/04				15 26	82 67	-1 63
	10/29/04				13 87	84 06	1 39
	01/14/05				12 17	85 76	1 70
	04/15/05				11 72	86 21	0 45
	07/08/05				13 04	84 89	-1 32
	10/08/05				13 68	84 25	-0 64
	01/18/06				14 06	83 87	-0 38
	04/18/06				14 36	83 57	-0 30
	07/11/06				15 56	82 37	-1 20
	10/10/06				16 03	81 90	-0 47
	01/16/07				15 80	82 13	0 23
	04/17/07				15 10	82 83	0 70
	07/17/07				15 92	82 01	-0 82
	10/17/07				16 52	81 41	-0 60
	01/16/08				16 92	81 01	-0 40
	04/28/08				16 94	80 99	-0 02
	07/15/08				17 35	80 58	-0 41
	10/14/08				16 66	81 27	0 69
	01/13/09				15 50	82 43	1 16
	04/06/09				16 11	81 82	-0 61
MW-29	07/17/98	25 00	Protective Casing	97 04	14 07	82 97	-
	10/27/98				14 36	82 68	-0 29
	02/09/99				15 83	81 21	-1 47
	04/21/99				14 48	82 56	1 35
	07/13/99				12 84	84 20	1 64
	10/19/99				13 35	83 69	-0 51
	01/26/00				14 87	82 17	-1 52
	04/18/00				14 37	82 67	0 50
	07/26/00				13 72	83 32	0 65
	10/19/00				13 61	83 43	0 11
	01/18/01				13 51	83 53	0 10
	04/12/01				13 75	83 29	-0 24
	07/19/01				13 14	83 90	0 61
	10/17/01				13 48	83 56	-0 34
	01/12/02				14 52	82 52	-1 04
	04/20/02				13 58	83 46	0 94
	07/24/02				13 18	83 86	0 40
	10/15/02				13 52	83 52	-0 34
	01/22/03				14 14	82 90	-0 62
	04/23/03				14 00	83 04	0 14
	07/16/03				14 44	82 60	-0 44
	10/15/03				13 93	83 11	0 51
	01/28/04				14 84	82 20	-0 91
	04/19/04				13 72	83 32	1 12
	07/16/04				15 19	81 85	-1 47
	10/29/04				14 13	82 91	1 06
	01/14/05				12 43	84 61	1 70
	04/15/05				11 99	85 05	0 44
	07/08/05				13 20	83 84	-1 21
	10/08/05				13 78	83 26	-0 58

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont)	01/18/06				14 37	82 67	-0 59
	04/18/06				14 56	82 48	-0 19
	07/11/06				15 11	81 93	-0 55
	10/10/06				15 87	81 17	-0 76
	01/16/07				15 98	81 06	-0 11
	04/17/07				15 19	81 85	0 79
	07/17/07				15 76	81 28	-0 57
	10/17/07				16 24	80 80	-0 48
	01/16/08				17 06	79 98	-0 82
	04/28/08				17 00	80 04	0 06
	07/15/08				17 34	79 70	-0 34
	10/14/08				16 63	80 41	0 71
	01/13/09				15 60	81 44	1 03
	04/06/09				16 49	80 55	-0 89
MW-30	07/17/98	25 00	Protective Casing	96 58	12 68	83 90	-
	10/27/98				13 12	83 46	-0 44
	02/09/99				14 88	81 70	-1 76
	04/21/99				13 38	83 20	1 50
	07/13/99				11 85	84 73	1 53
	10/19/99				12 28	84 30	-0 43
	01/26/00				14 00	82 58	-1 72
	04/18/00				13 21	83 37	0 79
	07/26/00				12 62	83 96	0 59
	10/19/00				12 32	84 26	0 30
	01/18/01				12 18	84 40	0 14
	04/12/01				12 44	84 14	-0 26
	07/19/01				11 91	84 67	0 53
	10/17/01				12 09	84 49	-0 18
	01/12/02				13 32	83 26	-1 23
	04/20/02				12 15	84 43	1 17
	07/24/02				11 92	84 66	0 23
	10/15/02				12 40	84 18	-0 48
	01/22/03				13 05	83 53	-0 65
	04/23/03				12 84	83 74	0 21
	07/16/03				13 35	83 23	-0 51
	10/15/03				12 40	84 18	0 95
	01/28/04				13 69	82 89	-1 29
	04/19/04				12 14	84 44	1 55
	07/16/04				14 42	82 16	-2 28
	10/29/04				12 77	83 81	1 65
	01/14/05				11 15	85 43	1 62
	04/15/05				10 83	85 75	0 32
	07/08/05				12 13	84 45	-1 30
	10/08/05				12 61	83 97	-0 48
	01/18/06				13 25	83 33	-0 64
	04/18/06				13 35	83 23	-0 10
	07/11/06				14 08	82 50	-0 73
	10/10/06				14 43	82 15	-0 35
	01/16/07				14 56	82 02	-0 13
	04/17/07				13 63	82 95	0 93
	07/17/07				14 04	82 54	-0 41
	10/17/07				14 52	82 06	-0 48
	01/16/08				15 69	80 89	-1 17
	04/28/08				15 47	81 11	0 22
	07/15/08				15 62	80 96	-0 15
	10/14/08				14 69	81 89	0 93
	01/13/09				13 73	82 85	0 96
	04/06/09				16 39	80 19	-2 66

**Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico**

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-31	10/14/08				13.24		
	01/13/09				12.32		
	04/06/09				11.70		

NOTES

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100.00 feet

Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
					BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)										
MWL-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.000
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000
10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000	
10/19/99	ND(0.001)	0.002	0.004	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	
10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	
10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000	
10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000	
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MWL-2	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	2.571	0.158
	Dup.	0.190	0.450	0.062	1.300	0.043	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	2.002	0.121
	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	0.005	ND(0.005)	0.150	0.023	ND(0.005)	0.150	0.023	ND(0.005)	0.866	0.278
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	0.007	ND(0.001)	0.064	0.016	ND(0.001)	0.064	0.016	ND(0.001)	0.123	0.197
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	0.002	ND(0.001)	0.028	0.003	ND(0.001)	0.028	0.003	ND(0.001)	0.019	0.093
01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.079	ND(0.001)	0.001	0.079	ND(0.001)	0.025	0.119	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOTAL XYLENES		1,1-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-2 (Cont.) Dup.	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.048	0.049	0.077			
	04/19/94	0.043	0.005	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.052	0.048	0.083			
	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.022	0.047			
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.037	0.053	0.068			
	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.079	0.103			
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.035	0.050	0.061			
	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	0.033	0.053	0.060			
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.088	0.088	0.118	0.105			
	Dup. *	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.097	0.126	0.117		
	*	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	0.260	0.420	0.270		
*	04/13/96	0.095	0.130	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.140	0.335	0.140			
#	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.061	0.171	0.061			
	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	0.026	0.018			
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.024	0.030	0.029			
	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.034	0.044	0.043			
	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.050	0.055	0.061			
	10/17/97	0.004	0.024	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.031	0.028	0.040			
	10/28/98	0.002	0.035	ND(0.002)	0.031	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	0.054	0.068	0.065			
	10/28/98	ND(0.005)	0.043	ND(0.005)	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.061	0.043	0.073			
	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.036	0.027	0.048			
	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	0.040	0.054	0.064		
Dup.	10/20/99	ND(0.005)	0.035	0.002	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.054	0.037	0.069			
	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.013	0.002	0.015			
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.000	0.018			
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.016	0.000	0.021			
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.016			
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.006			
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.000	0.009			
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.089	0.000	0.107			
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.072	0.000	0.087			
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020			
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020			
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.020			
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.009	0.000	0.011				
MW-3	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000			
	09/15/91	0.200	1.200	1.200	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.330	ND(0.2)	ND(0.2)	16.600	0.330			
	11/22/91	0.110	0.680	0.530	6.800	0.094	0.004	0.190	0.004	0.110	0.150	0.057	0.057	8.120	0.605				

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
					BENZENE (mg/L)	TOLUENE (mg/L)										
MW-3 (Cont.) Dup.	03/16/93	ND(0.001)	1.000	0.650	8.600	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.260	ND(0.001)	ND(0.001)	ND(0.001)	10.250	0.260	
	03/16/93	0.130	0.780	0.540	9.000	ND(0.001)	ND(0.001)	0.044	0.260	0.037	0.330	0.330	0.330	10.450	0.671	
Dup.	07/01/93	0.140	1.000	0.520	9.100	0.140	ND(0.05)	ND(0.05)	ND(0.05)	0.160	ND(0.05)	ND(0.05)	ND(0.05)	10.760	0.300	
	01/10/94	0.140	1.000	0.700	11.000	0.190	ND(0.1)	ND(0.1)	ND(0.1)	0.210	ND(0.1)	ND(0.1)	ND(0.1)	12.840	0.400	
	04/19/94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	
	07/20/94	0.092	0.460	0.160	3.000	0.077	0.002	0.036	0.069	0.064	0.011	0.011	0.011	3.712	0.259	
Dup.	10/25/94	0.130	0.960	0.250	4.200	0.200	ND(0.05)	0.064	ND(0.05)	0.130	0.210	0.210	0.210	5.540	0.604	
	10/25/94	0.110	0.830	0.300	4.700	0.180	ND(0.05)	0.051	ND(0.05)	0.100	0.024	0.024	0.024	5.940	0.355	
	01/25/95	ND(1)	0.810	ND(1)	7.100	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	7.910	0.000	
	04/03/95	0.047	0.450	ND(0.025)	1.300	0.100	ND(0.025)	0.110	ND(0.025)	0.150	ND(0.025)	ND(0.025)	ND(0.025)	1.797	0.360	
Dup.	04/03/95	0.047	0.450	ND(0.025)	1.200	0.100	ND(0.025)	0.120	ND(0.025)	0.150	ND(0.025)	ND(0.025)	ND(0.025)	1.697	0.370	
	08/01/95	0.088	0.950	0.190	6.500	0.230	ND(0.05)	0.089	ND(0.05)	0.081	0.081	0.081	0.081	7.728	0.400	
*	10/18/95	0.100	1.100	0.240	8.200	0.280	ND(0.05)	0.066	ND(0.05)	0.049	0.089	0.042	0.042	9.640	0.526	
*	01/11/96	0.054	0.620	0.081	4.990	0.150	ND(0.05)	0.076	ND(0.05)	0.100	ND(0.05)	ND(0.05)	ND(0.05)	5.745	0.326	
*	04/13/96	0.039	0.480	ND(0.005)	3.900	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	4.419	0.051	
#	07/22/96	0.060	0.190	0.056	0.890	0.130	ND(0.005)	0.009	0.009	0.054	0.014	0.014	0.014	1.196	0.216	
	10/22/96	ND(0.1)	0.580	ND(0.1)	3.500	0.150	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.080	0.150	
	01/24/97	0.048	0.269	0.012	0.886	0.077	0.004	0.043	0.043	0.070	0.007	0.007	0.007	1.215	0.201	
	04/09/97	0.034	0.137	ND(0.010)	0.146	0.065	ND(0.010)	0.064	ND(0.010)	0.107	0.013	0.013	0.013	0.318	0.249	
	07/30/97	0.019	0.177	ND(0.010)	0.644	0.057	ND(0.010)	0.043	ND(0.010)	0.103	0.035	0.035	0.035	0.840	0.238	
	10/17/97	0.044	0.464	0.041	3.300	0.069	ND(0.020)	0.016	ND(0.020)	0.018	0.016	0.016	0.016	3.849	0.119	
	01/07/98	0.042	0.503	0.051	3.720	0.086	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.316	0.086	
	04/15/98	0.018	0.078	ND(0.020)	0.431	0.055	ND(0.020)	0.044	ND(0.020)	0.080	ND(0.020)	ND(0.020)	ND(0.020)	0.527	0.179	
	Dup.	04/15/98	0.018	0.077	ND(0.020)	0.416	0.052	ND(0.020)	0.044	ND(0.020)	0.079	ND(0.020)	ND(0.020)	ND(0.020)	0.511	0.175
		07/18/98	0.009	0.036	ND(0.005)	0.027	0.050	ND(0.005)	0.052	ND(0.005)	0.083	0.022	0.022	0.022	0.072	0.207
Dup.	10/28/98	0.016	0.187	ND(0.020)	1.239	0.053	ND(0.020)	0.029	ND(0.020)	0.056	0.029	0.029	0.029	1.442	0.167	
	02/09/99	0.016	0.117	0.012	0.763	0.051	0.002	0.036	ND(0.001)	0.051	0.024	0.024	0.024	0.908	0.164	
	04/22/99	0.009	0.054	ND(0.0025)	0.084	0.049	ND(0.0025)	0.040	ND(0.0025)	0.061	0.026	0.026	0.026	0.147	0.176	
	07/13/99	0.038	0.406	0.026	2.147	0.042	ND(0.0025)	0.009	ND(0.0025)	0.005	0.014	0.014	0.014	2.617	0.070	
	10/20/99	0.013	0.576	0.024	4.460	0.044	ND(0.0025)	0.005	ND(0.0025)	0.007	0.027	0.027	0.027	5.073	0.083	
	01/26/00	0.013	0.153	ND(0.010)	0.365	0.052	ND(0.010)	0.023	ND(0.010)	0.041	0.041	0.041	0.041	0.531	0.141	
	04/21/00	0.005	0.027	ND(0.0025)	0.024	0.046	ND(0.0025)	0.027	ND(0.0025)	0.046	0.030	0.030	0.030	0.056	0.149	
	04/21/00	0.005	0.027	ND(0.0025)	0.021	0.046	ND(0.0025)	0.027	ND(0.0025)	0.046	0.030	0.030	0.030	0.053	0.149	
	07/27/00	0.019	0.549	0.014	2.720	0.040	ND(0.005)	0.007	0.006	ND(0.005)	0.009	0.026	0.026	ND(0.005)	0.088	
	10/19/00	0.003	0.012	ND(0.0025)	0.024	0.031	ND(0.0025)	0.018	0.005	ND(0.0025)	0.021	0.020	0.020	ND(0.0025)	0.095	
Dup.	01/18/01	0.010	0.020	ND(0.005)	0.016	0.046	ND(0.005)	0.017	ND(0.005)	0.022	0.044	0.044	0.044	0.046	0.129	
	04/12/01	0.013	ND(0.005)	ND(0.005)	0.019	0.050	ND(0.005)	0.011	ND(0.005)	0.017	0.023	0.023	0.023	0.032	0.101	
Dup.	04/12/01	0.016	0.005	ND(0.005)	0.022	0.019	ND(0.005)	0.013	ND(0.005)	0.018	0.024	0.024	0.024	0.043	0.074	
	07/19/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.042	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.011	0.012	ND(0.01)	0.000	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)									
MW-4	01/26/91	0.098	0.011	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	09/15/91	0.260	ND(0.002)	ND(0.002)	0.015	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.100	0.001	0.037	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.051	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001
	01/10/94	0.064	0.074	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000
	04/19/94	0.074	0.085	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.404	0.404	0.005
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.639	0.639	0.005
	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	0.110	0.110	0.000
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000
	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000	
01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-5	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.002	0.001	ND(0.001)	0.010	0.014	0.014	0.017
	09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.001	0.001	0.023
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000	0.000	0.023

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)										
MW-5 (Cont.)	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.026	ND(0.001)	0.085	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	0.034
	04/19/94	0.070	0.011	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.015	ND(0.005)	0.081	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	ND(0.005)	0.261	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.006	0.039	0.039	0.397	0.073
	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.008	0.043	0.043	0.299	0.073
	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.018	0.093	0.093	0.590	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	0.062	0.477	0.077
	08/01/95	0.170	0.082	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.049	0.049	0.252	0.080
	10/18/95	0.200	0.093	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.054	0.054	0.293	0.086
	01/11/96	0.078	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	0.025	0.090	0.033
	04/13/96	0.068	0.037	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.025	0.132	0.025
	07/21/96	0.092	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.025	0.149	0.025
	10/22/96	0.066	0.023	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.020	0.089	0.020
	01/24/97	0.031	0.025	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.019	0.019	0.056	0.024
	04/09/97	0.040	0.040	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.028	0.028	0.080	0.035
07/30/97	0.018	0.044	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.029	0.029	0.062	0.034	
10/17/97	0.016	0.048	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.033	0.033	0.064	0.038	
10/28/98	0.006	0.009	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	0.027	0.015	0.033	
10/20/99	0.012	0.008	0.002	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.034	0.034	0.022	0.044	
10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.006	ND(0.001)	0.000	
10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	0.004	ND(0.001)	0.000	
10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	0.011	ND(0.001)	0.000	
10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	
MW-6	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	0.170	ND(0.001)	0.007	ND(0.001)	0.063	ND(0.001)	0.000	0.267
	08/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	0.084	ND(0.001)	ND(0.001)	ND(0.001)	0.043	ND(0.001)	0.000	0.133
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.064	ND(0.001)	ND(0.001)	ND(0.001)	0.035	ND(0.001)	0.000	0.104
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	0.098	0.001	0.001	ND(0.001)	0.056	0.001	0.000	0.162
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.140	0.002	0.002	ND(0.001)	0.120	0.000	0.000	0.279
Dup.	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.070	0.002	0.002	ND(0.005)	0.072	0.000	0.000	0.157
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.098	0.001	0.001	ND(0.005)	0.065	0.000	0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.110	0.001	0.001	ND(0.005)	0.073	0.000	0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.079	ND(0.005)	ND(0.005)	ND(0.005)	0.059	0.000	0.000	0.150

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)	
MW-6 (Cont.)	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.065	ND(0.005)	ND(0.005)	ND(0.005)	0.057	ND(0.001)	0.000	0.134	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.074	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.001)	0.000	0.137	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.060	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.001)	0.000	0.103	
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	0.000	0.093	
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	0.000	0.075	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	0.047	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.001)	0.000	0.080	
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.001)	0.000	0.064	
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.041	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.001)	0.000	0.070	
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.041	
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.025	ND(0.002)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	0.000	0.044	
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.006	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	0.000	0.030	
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	0.023	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.001)	0.000	0.041	
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.007	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	0.000	0.031	
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.044	
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.031	
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MW-7	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.005)	0.021	ND(0.001)	0.260	ND(0.001)	0.010	0.068	0.200	ND(0.001)	0.006	0.559	
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.005)	0.038	ND(0.001)	0.320	ND(0.001)	0.005	0.069	0.270	ND(0.001)	0.009	0.702	
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.005)	0.034	ND(0.001)	0.310	ND(0.001)	0.006	0.069	0.280	ND(0.001)	0.009	0.699	
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.025)	0.035	ND(0.005)	0.360	ND(0.005)	ND(0.005)	0.053	0.310	ND(0.001)	0.009	0.758	
	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.005)	0.027	ND(0.001)	0.280	ND(0.001)	0.002	0.050	0.160	ND(0.001)	0.007	0.519	
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.023	ND(0.001)	0.210	ND(0.001)	0.004	0.046	0.160	ND(0.001)	0.005	0.443	
	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.120	ND(0.005)	0.003	0.038	0.120	ND(0.001)	0.007	0.302	
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.220	ND(0.005)	0.003	0.040	0.160	ND(0.001)	0.006	0.441	
	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	ND(0.005)	0.050	0.240	ND(0.001)	0.007	0.553	
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	0.200	ND(0.025)	ND(0.025)	0.045	0.230	ND(0.001)	0.006	0.501	
Dup.	01/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.210	ND(0.005)	0.002	0.041	0.330	ND(0.001)	0.005	0.610	
	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.290	ND(0.005)	ND(0.005)	0.038	0.260	ND(0.001)	0.006	0.617	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	0.300	ND(0.005)	ND(0.005)	0.051	0.250	ND(0.001)	0.000	0.639	
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300	ND(0.005)	0.002	0.045	0.300	ND(0.001)	0.005	0.671	
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260	ND(0.005)	ND(0.005)	0.035	0.250	ND(0.001)	0.006	0.572	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)	
					BENZENE (mg/L)	ETHYL-BENZENE (mg/L)											
MW-7 (Cont.)	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.370	ND(0.005)	ND(0.005)	0.030	0.260	ND(0.005)	0.006	0.687	
	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.280	ND(0.005)	ND(0.005)	0.026	0.220	ND(0.005)	0.006	0.555	
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350	ND(0.010)	ND(0.010)	0.023	0.260	ND(0.010)	0.000	0.661	
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.021	0.001	0.244	0.002	0.002	0.019	0.203	0.002	0.005	0.490	
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.022	ND(0.002)	0.186	ND(0.002)	ND(0.002)	0.017	0.148	ND(0.002)	0.005	0.373	
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.023	ND(0.010)	0.236	0.236	ND(0.010)	0.019	0.255	ND(0.010)	0.005	0.533	
	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.029	ND(0.010)	0.255	0.255	ND(0.010)	0.020	0.153	ND(0.010)	0.005	0.457	
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.020)	0.024	ND(0.010)	0.193	0.193	ND(0.010)	0.031	0.251	ND(0.010)	0.004	0.499	
	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.034	ND(0.005)	0.255	0.255	ND(0.005)	0.043	0.275	ND(0.005)	0.005	0.607	
	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.034	ND(0.005)	0.184	0.184	ND(0.005)	0.045	0.198	ND(0.005)	0.000	0.461	
dup.	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)	0.003	0.487	
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)	0.003	0.506	
	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)	0.003	0.373	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)	0.000	0.295	
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	0.006	ND(0.0025)	0.074	ND(0.0025)	0.000	0.196	
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	0.120	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.001	0.264	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	0.089	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)	0.000	0.185
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	0.024	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)	0.000	0.058
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	0.014	ND(0.001)	ND(0.001)	0.001	0.015	ND(0.001)	0.000	0.034
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.020	0.020	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.047
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039	
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.013	
	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.015	0.004	0.001	0.003	0.004	0.005	0.023	
	09/15/91	0.007	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.017	ND(0.001)	0.101	0.101	0.007	0.039	0.050	0.071	0.007	0.214	
	11/22/91	0.004	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.020	ND(0.001)	0.087	0.087	0.003	0.045	0.063	0.071	0.004	0.218	
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.004	ND(0.001)	0.054	0.054	0.005	0.006	0.009	0.071	0.000	0.078	
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.004	ND(0.001)	0.054	0.054	0.004	0.006	0.006	0.071	0.000	0.074	
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.005	ND(0.001)	0.073	0.073	0.004	0.008	0.010	0.071	0.000	0.100	
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.039	0.039	0.004	0.004	0.007	0.071	0.000	0.058	
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.069	0.069	0.005	0.006	0.011	0.071	0.000	0.095	
Dup.	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.082	ND(0.005)	ND(0.005)	0.010	0.019	ND(0.005)	0.000	0.119	
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.076	ND(0.005)	0.006	0.011	0.022	0.000	0.000	0.122	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.074	ND(0.005)	0.008	0.008	0.017	0.000	0.000	0.105	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.110	ND(0.005)	0.023	0.023	0.053	0.071	0.000	0.201	
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.081	0.002	0.015	0.015	0.044	0.071	0.000	0.151	
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	0.069	ND(0.005)	0.006	0.019	0.071	0.000	0.094	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.099	ND(0.005)	ND(0.005)	0.011	0.036	0.071	0.000	0.153	
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.087	ND(0.005)	ND(0.005)	0.010	0.035	0.071	0.000	0.138	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE			TOTAL XYLENES			TOTAL 1,1-DCA			TOTAL 1,2-DCE			TOTAL 1,1,1-TCA			TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)					
MW-8 (Cont.) Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.150	ND(0.005)	0.035	0.089	0.000	0.296							
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.140	ND(0.005)	0.030	0.072	0.000	0.262							
Dup.	01/24/97	0.001	ND(0.001)	ND(0.002)	ND(0.002)	0.019	0.001	0.081	0.002	0.017	0.018	0.001	0.138								
	01/24/97	0.001	ND(0.001)	ND(0.002)	ND(0.002)	0.017	0.001	0.088	0.002	0.014	0.017	0.001	0.139								
Dup.	04/09/97	0.001	ND(0.002)	ND(0.004)	ND(0.004)	0.015	ND(0.002)	0.097	ND(0.002)	0.019	0.028	0.001	0.158								
	07/30/97	0.001	ND(0.002)	ND(0.004)	ND(0.004)	0.012	ND(0.002)	0.105	ND(0.002)	0.015	0.048	0.001	0.180								
Dup.	07/30/97	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.011	ND(0.002)	0.106	0.002	0.015	0.055	0.000	0.189								
	10/17/97	0.001	ND(0.002)	ND(0.004)	ND(0.004)	0.010	ND(0.002)	0.104	ND(0.002)	0.010	0.026	0.001	0.150								
Dup.	10/28/98	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.003	ND(0.005)	0.111	ND(0.005)	ND(0.005)	0.010	0.000	0.124								
	10/28/98	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.003	ND(0.01)	0.128	ND(0.01)	ND(0.01)	0.009	0.000	0.140								
Dup.	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.003	ND(0.0025)	0.152	0.002	ND(0.0025)	0.007	0.000	0.164								
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.006	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.002	0.000	0.137								
Dup.	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.018	ND(0.0025)	0.104	ND(0.0025)	0.004	0.008	0.000	0.122								
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.020	0.002	ND(0.001)	0.012	0.018	0.000	0.070							
Dup.	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.045	0.005	ND(0.001)	0.025	0.041	0.001	0.161							
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.036	0.004	ND(0.001)	0.015	0.034	0.000	0.117							
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.039	0.003	ND(0.001)	0.017	0.046	0.000	0.132							
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.038	0.002	ND(0.001)	0.014	0.038	0.000	0.116							
Dup.	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	0.003	ND(0.001)	0.015	0.023	0.000	0.092							
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.024	0.006	ND(0.001)	0.016	0.031	0.000	0.106							
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.024	0.006	ND(0.001)	0.016	0.028	0.000	0.101							
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	0.005	ND(0.001)	0.014	0.019	0.000	0.076							
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.019	0.005	ND(0.001)	0.013	0.024	0.000	0.082							
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.013	0.004	ND(0.001)	0.011	0.011	0.000	0.054							
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.012	0.005	ND(0.001)	0.010	0.008	0.000	0.050							
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.012	0.005	ND(0.001)	0.010	0.008	0.000	0.052							
Dup.	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.014	0.004	ND(0.001)	0.011	0.007	0.000	0.054							
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.013	0.002	ND(0.001)	0.008	0.005	0.000	0.039							
Dup.	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.011	0.002	ND(0.001)	0.007	0.005	0.000	0.034							
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.010	0.003	ND(0.001)	0.006	0.004	0.000	0.037							
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.009	0.004	ND(0.001)	0.006	0.004	0.000	0.038							
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.007	0.002	ND(0.001)	0.004	0.003	0.000	0.024							
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.007	0.002	ND(0.001)	0.005	0.004	0.000	0.025							
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.007	ND(0.001)	0.003	0.003	0.003	0.000	0.019							
MW-9	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.006	0.001	ND(0.001)	0.004	0.003	0.000	0.019							
	01/26/91	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.001	0.000	0.025							
Dup.	09/15/91	0.002	0.032	0.170	0.170	0.035	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.037							
	11/22/91	0.004	0.170	0.170	0.170	0.029	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.001	0.174	0.032							

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOTAL XYLENES		1,1-DCA		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-9 (Cont.)	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.012	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.013		
	01/10/94	ND(0.001)	ND(0.001)	0.002	ND(0.005)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.012		
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010		
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.017		
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014		
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.014		
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.015		
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.022		
	10/18/95	ND(0.005)	0.016	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.017		
	01/10/96	ND(0.005)	0.032	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.020		
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020		
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.021		
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.024		
01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.019	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	0.001	0.024			
04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.022	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.001	0.001	0.027			
07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.020	ND(0.002)	ND(0.002)	0.001	ND(0.002)	ND(0.002)	0.001	ND(0.002)	0.000	0.022			
10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.018	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.020			
10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.005	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.005			
10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.005			
10/19/00	ND(0.001)	0.001	ND(0.001)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.008			
10/18/01	0.009	0.290	ND(0.001)	0.173	0.030	ND(0.001)	0.003	0.001	ND(0.001)	ND(0.001)	0.003	0.004	0.041	0.024			
04/20/02	0.002	0.059	0.003	0.070	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	0.134	0.024			
07/24/02	0.001	0.034	0.001	0.044	0.011	ND(0.001)	0.002	0.001	ND(0.001)	ND(0.001)	0.009	0.011	0.080	0.034			
10/16/02	0.002	0.050	0.002	0.069	0.012	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.008	0.010	0.123	0.034			
01/23/03	0.001	0.047	0.003	0.072	0.013	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.007	0.011	0.123	0.035			
04/24/03	0.002	0.120	0.006	0.250	0.012	ND(0.001)	0.002	0.002	ND(0.001)	ND(0.001)	0.005	0.010	0.378	0.031			
07/18/03	0.008	0.360	0.028	0.550	0.026	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.008	0.946	0.041			
10/16/03	0.003	0.240	0.015	0.630	0.018	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.012	0.888	0.037			
10/16/03	0.003	0.260	0.015	0.650	0.018	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	0.928	0.033			
01/29/04	ND(0.0025)	0.110	0.004	0.240	0.011	ND(0.0025)	0.002	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.013	0.354	0.028			
04/19/04	ND(0.0025)	0.051	ND(0.0025)	0.070	0.009	ND(0.0025)	0.002	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.012	0.121	0.027			
10/29/04	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	0.002	0.017			
10/29/04	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	0.007	0.003	0.019			
01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.005	0.000	0.016			
04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.005	0.002	0.020			
07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.010	0.004	0.000	0.021			
10/08/05	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.001	0.014			
01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.010	0.003	0.000	0.022			
01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.009	0.003	0.000	0.020			

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOTAL XYLENES		1,1-DCA		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-9 (Cont.)	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.013	0.003	ND(0.001)	ND(0.001)	0.025		
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.007	0.002	ND(0.001)	ND(0.001)	0.019		
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.006	0.002	ND(0.001)	ND(0.001)	0.016		
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.008	0.002	ND(0.001)	ND(0.001)	0.016		
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.018	0.002	ND(0.001)	ND(0.001)	0.025		
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	0.003	ND(0.001)	ND(0.001)	0.027		
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.018	0.003	ND(0.001)	ND(0.001)	0.026		
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	0.003	ND(0.001)	ND(0.001)	0.027		
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.016	0.002	ND(0.001)	ND(0.001)	0.022		
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.015		
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.020		
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.018		
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.019	0.001	ND(0.001)	ND(0.001)	0.023		
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.021	0.001	ND(0.001)	ND(0.001)	0.025		
	MW-10	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	
09/15/91		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014		
11/22/91		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034		
03/16/93		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026		
01/10/94		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021		
04/19/94		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023		
07/20/94		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056		
10/25/94		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051		
01/25/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042		
01/25/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062		
04/03/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070		
08/01/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.137		
10/18/95		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.136		
01/10/96		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063		
04/13/96		ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170		
07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170			
10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.250			
01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.181	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.187			
04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	ND(0.002)	ND(0.002)	0.158	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.163			
07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.156	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.160			
10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.196	0.004	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.200			
10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.111	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.111			
04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.098	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.099			
10/19/99	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080			

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE (mg/L)		TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)		TOTAL 1,2-DCE (mg/L)		1,1,1-TCA (mg/L)		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)		TOTAL HALO-CARBONS (mg/L)	
		BENZENE	BENZENE	TOLUENE	XYLENES	1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	1,1,1-TCA	1,1,1-TCA			ETHANE	ETHANE	BTEX	TOTAL
MW-10 (Cont.)	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	0.082	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.038
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.037
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.037
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.018
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.001	ND(0.001)	0.000	0.012	
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.010	
MW-11	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.025)	0.045	ND(0.005)	0.310	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.360	0.360	0.010	0.855	
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.005)	0.068	ND(0.001)	0.470	ND(0.001)	ND(0.001)	ND(0.001)	0.120	0.330	0.330	0.056	1.005	
	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.005)	0.052	ND(0.001)	0.390	ND(0.001)	ND(0.001)	ND(0.001)	0.110	0.320	0.320	0.048	0.890	
	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.040	ND(0.001)	0.220	ND(0.001)	ND(0.001)	ND(0.001)	0.074	0.160	0.160	0.005	0.498	
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.042	ND(0.001)	0.250	ND(0.001)	ND(0.001)	ND(0.001)	0.083	0.320	0.320	0.005	0.695	
	04/19/94	0.009	ND(0.005)	0.002	ND(0.005)	0.042	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.170	0.170	0.011	0.467	
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.460	ND(0.025)	ND(0.025)	ND(0.025)	0.120	0.360	0.360	0.000	1.007	
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.067	0.001	0.220	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.300	0.300	0.009	0.698	
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.240	ND(0.005)	ND(0.005)	ND(0.005)	0.120	0.360	0.360	0.012	0.806	
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.410	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.430	0.430	0.009	1.015	
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.360	ND(0.005)	ND(0.005)	ND(0.005)	0.063	0.330	0.330	0.007	0.817	
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.310	ND(0.005)	ND(0.005)	ND(0.005)	0.071	0.340	0.340	0.007	0.787	
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.270	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.330	0.330	0.005	0.710	
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.310	0.310	0.000	0.627	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.230	0.230	0.000	0.490	
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.200	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.260	0.260	0.000	0.539	
10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	0.230	ND(0.010)	ND(0.010)	ND(0.010)	0.029	0.260	0.260	0.000	0.553		
01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.029	0.001	0.157	ND(0.002)	ND(0.002)	ND(0.002)	0.026	0.212	0.212	0.002	0.433		
04/09/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.033	ND(0.002)	0.128	ND(0.002)	ND(0.002)	ND(0.002)	0.027	0.180	0.180	0.002	0.375		
07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.032	ND(0.005)	0.102	ND(0.005)	ND(0.005)	ND(0.005)	0.032	0.170	0.170	0.000	0.342		
10/17/97	0.003	ND(0.010)	ND(0.010)	ND(0.020)	0.048	ND(0.010)	0.142	ND(0.010)	ND(0.010)	ND(0.010)	0.031	0.063	0.063	0.003	0.289		
01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.054	ND(0.010)	0.145	ND(0.010)	ND(0.010)	ND(0.010)	0.049	0.176	0.176	0.004	0.429		
01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.061	ND(0.010)	0.155	ND(0.010)	ND(0.010)	ND(0.010)	0.053	0.200	0.200	0.004	0.475		
04/15/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.059	ND(0.010)	0.130	ND(0.010)	ND(0.010)	ND(0.010)	0.057	0.151	0.151	0.000	0.397		
07/18/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.071	ND(0.010)	0.120	ND(0.010)	ND(0.010)	ND(0.010)	0.064	0.143	0.143	0.000	0.398		
10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.072	ND(0.010)	0.110	ND(0.010)	ND(0.010)	ND(0.010)	0.065	0.129	0.129	0.000	0.376		
02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.070	0.001	0.130	ND(0.002)	ND(0.002)	ND(0.002)	0.070	0.157	0.157	0.004	0.430		
02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.083	0.001	0.143	ND(0.002)	ND(0.002)	ND(0.002)	0.071	0.149	0.149	0.004	0.449		

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)						
MW-11 (Cont.)	04/22/89	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.090	ND(0.0025)	0.123	0.067	ND(0.0025)	0.117	0.004	0.397						
	07/13/89	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.069	ND(0.0025)	0.116	0.058	ND(0.0025)	0.130	0.004	0.373						
	10/19/89	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.059	ND(0.0025)	0.094	0.047	ND(0.0025)	0.112	0.003	0.312						
	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.068	ND(0.005)	0.121	0.058	ND(0.005)	0.127	0.003	0.374						
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.081	ND(0.005)	0.123	0.065	ND(0.005)	0.145	0.000	0.414						
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.067	ND(0.005)	0.093	0.054	ND(0.005)	0.104	0.000	0.326						
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.073	ND(0.005)	0.096	0.055	ND(0.001)	0.096	0.002	0.329						
	10/19/00	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.079	ND(0.0025)	0.143	0.061	0.003	0.117	0.004	0.406						
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.066	0.040	ND(0.005)	0.099	0.000	0.277						
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.066	0.040	ND(0.005)	0.097	0.000	0.276						
Dup.	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.047	0.038	ND(0.005)	0.076	0.000	0.222						
	07/19/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.088	ND(0.001)	0.037	0.027	ND(0.001)	0.047	0.000	0.179						
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	0.036	0.037	ND(0.0025)	0.048	0.000	0.194						
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.038	0.036	ND(0.005)	0.050	0.000	0.200						
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.039	0.030	ND(0.001)	0.054	0.000	0.192						
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.030	0.026	0.001	0.043	0.001	0.162						
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.0025)	0.029	0.031	ND(0.0025)	0.041	0.000	0.176						
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.037	0.031	ND(0.001)	0.044	0.001	0.178						
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.053	ND(0.001)	0.032	0.030	ND(0.001)	0.038	0.001	0.153						
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.030	0.021	ND(0.001)	0.041	0.000	0.140						
Dup.	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.032	0.021	ND(0.001)	0.041	0.000	0.143						
	10/15/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.041	0.039	ND(0.001)	0.034	0.002	0.179						
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.022	0.022	ND(0.001)	0.042	0.000	0.141						
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.027	0.032	ND(0.001)	0.029	0.000	0.132						
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.025	0.031	ND(0.001)	0.026	0.001	0.133						
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.021	0.027	ND(0.001)	0.030	0.000	0.128						
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.019	0.021	ND(0.001)	0.013	0.000	0.087						
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.003	0.003	ND(0.001)	0.004	0.000	0.017						
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.007	0.008	ND(0.001)	0.009	0.000	0.039						
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.007	0.006	ND(0.001)	0.011	0.000	0.040						
Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.008	0.007	ND(0.001)	0.010	0.000	0.044						
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	0.006	ND(0.001)	0.011	0.000	0.036						
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	0.012	ND(0.001)	0.011	0.000	0.045						
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	0.007	ND(0.001)	0.012	0.000	0.046						
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.006	0.007	ND(0.001)	0.010	0.000	0.042						
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	0.009	ND(0.001)	0.006	0.000	0.033						
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.006	0.008	ND(0.001)	0.009	0.000	0.041						
04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	0.009	ND(0.001)	0.009	0.000	0.045							
07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.005	0.006	ND(0.001)	0.006	0.000	0.028							

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOTAL XYLENES		1,1-DCA		TOTAL 1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-11 (Cont.)	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.006	ND(0.001)	ND(0.001)	0.000	0.026
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	ND(0.001)	0.000	0.030
Dup.	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.006	ND(0.001)	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.007	ND(0.001)	ND(0.001)	0.000	0.028
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.005	ND(0.001)	ND(0.001)	0.000	0.018
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	0.000	0.014
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.013
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.000	0.012
MW-12	01/26/91	0.260	0.950	0.230	4.500	0.140	ND(0.025)	ND(0.025)	ND(0.025)	0.057	0.073	0.073	0.042	0.057	0.073	5.940	0.312
	09/15/91	0.150	0.620	0.630	2.200	0.120	ND(0.001)	0.300	0.110	0.110	0.200	0.200	0.061	0.110	0.200	3.600	0.791
*	11/22/91	0.110	0.430	0.034	0.810	0.110	0.002	0.240	0.100	0.100	0.260	0.260	0.051	0.100	0.260	1.384	0.763
	03/16/93	0.160	0.800	0.014	1.000	0.120	ND(0.001)	0.039	0.055	0.055	0.036	0.036	0.018	0.055	0.036	1.974	0.268
	01/10/94	0.160	0.870	0.026	0.990	0.150	ND(0.01)	0.075	0.053	0.053	0.070	0.070	0.024	0.053	0.070	2.046	0.372
	04/19/94	0.110	0.110	0.049	0.250	0.110	0.002	0.064	0.065	0.065	0.073	0.073	0.033	0.065	0.073	0.519	0.347
	07/20/94	0.160	0.720	0.071	0.610	0.150	ND(0.025)	0.073	0.075	0.075	0.086	0.086	0.022	0.075	0.086	1.561	0.406
	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	ND(0.025)	0.085	ND(0.025)	ND(0.025)	0.120	0.120	0.015	ND(0.025)	0.120	0.856	0.380
*	01/25/95	0.160	0.680	0.089	0.660	0.190	ND(0.005)	0.120	0.095	0.095	0.076	0.076	0.069	0.095	0.076	1.589	0.550
Dup.	01/25/95	0.140	0.850	0.075	0.860	0.150	ND(0.005)	0.090	0.075	0.075	0.062	0.062	0.053	0.075	0.062	1.925	0.430
	04/03/95	0.150	0.790	0.200	1.100	0.160	ND(0.005)	0.110	0.096	0.096	0.043	0.043	0.056	0.096	0.043	2.240	0.465
	08/01/95	0.130	0.700	0.280	1.400	0.170	ND(0.025)	0.150	0.079	0.079	0.098	0.098	0.059	0.079	0.098	2.510	0.556
*	10/18/95	0.140	0.990	0.360	2.030	0.170	ND(0.005)	0.100	0.100	0.100	0.058	0.058	0.050	0.100	0.058	3.520	0.478
	01/11/96	0.100	0.680	0.180	1.840	0.140	ND(0.005)	0.097	0.059	0.059	0.060	0.060	0.048	0.059	0.060	2.800	0.404
*	04/13/96	0.098	0.620	0.180	0.690	0.150	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	1.588	0.173
#	07/22/96	0.130	0.920	0.310	1.790	0.160	ND(0.005)	0.087	0.170	0.170	0.045	0.045	0.046	0.170	0.045	3.150	0.508
	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	2.820	0.190
	01/24/97	0.093	0.822	0.133	1.738	0.162	ND(0.010)	0.046	0.060	0.060	0.037	0.037	0.039	0.060	0.037	2.786	0.344
	04/09/97	0.086	0.920	0.138	1.869	0.159	ND(0.020)	0.040	0.051	0.051	0.046	0.046	0.039	0.051	0.046	3.013	0.334
Dup.	04/09/97	0.079	0.855	0.129	1.837	0.159	ND(0.010)	0.040	0.054	0.054	0.047	0.047	0.039	0.054	0.047	2.900	0.339
	07/30/97	0.090	0.969	0.127	2.294	0.136	ND(0.020)	0.035	0.062	0.062	0.036	0.036	0.043	0.062	0.036	3.480	0.312
	10/17/97	0.178	1.290	0.853	5.540	0.185	ND(0.050)	0.061	0.186	0.186	ND(0.050)	ND(0.050)	0.045	0.186	ND(0.050)	7.861	0.477
	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	1.959	0.141
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	ND(0.025)	0.031	0.040	0.040	0.034	0.034	0.034	0.040	0.034	1.837	0.310
	04/22/99	0.063	0.953	0.008	0.546	0.140	ND(0.005)	0.017	0.039	0.039	0.022	0.022	0.017	0.039	0.022	1.570	0.235
	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017	ND(0.025)	ND(0.025)	0.027	0.027	ND(0.025)	ND(0.025)	0.027	1.317	0.251
Dup.	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017	ND(0.025)	ND(0.025)	0.026	0.026	ND(0.025)	ND(0.025)	0.026	1.300	0.251
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.027	0.027	ND(0.025)	ND(0.025)	0.027	1.005	0.219
Dup.	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.972	0.184
	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011	ND(0.005)	0.018	0.017	0.017	0.028	0.018	0.017	0.444	0.154

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,2-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-12 (Cont.) Dup.	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020	ND(0.005)	0.024	0.021	0.037	ND(0.005)	0.497	0.185								
	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017	ND(0.005)	0.022	0.020	0.034	ND(0.005)	0.462	0.173								
Dup.	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017	ND(0.005)	0.021	0.018	0.033	ND(0.005)	0.536	0.189								
	10/16/02	0.018	0.130	ND(0.005)	0.603	0.088	ND(0.005)	0.013	ND(0.005)	0.011	0.016	0.020	ND(0.005)	0.751	0.128								
	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013	ND(0.005)	0.011	0.017	0.032	ND(0.005)	0.391	0.183								
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005	ND(0.025)	0.006	0.012	0.023	ND(0.025)	0.255	0.116								
	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005	ND(0.001)	0.006	0.012	0.021	ND(0.001)	0.081	0.112								
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009	ND(0.0025)	0.009	0.014	0.034	ND(0.0025)	0.714	0.196								
	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.011	0.018	ND(0.0025)	0.102	0.080								
	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010	ND(0.001)	0.005	0.011	0.025	ND(0.001)	0.854	0.131								
	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	ND(0.001)	0.002	0.015	0.023	ND(0.001)	0.420	0.121								
	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	ND(0.0025)	0.005	0.020	0.034	ND(0.0025)	0.993	0.205								
Dup.	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.017	0.019	ND(0.0025)	0.171	0.134								
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	ND(0.0025)	0.012	0.024	ND(0.0025)	0.480	0.157								
	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	ND(0.0025)	0.013	0.026	ND(0.0025)	0.461	0.153								
	07/08/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.013	0.044	ND(0.0025)	0.592	0.180								
	10/08/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	0.014	0.052	ND(0.0025)	1.066	0.263								
	01/18/06	0.010	0.094	ND(0.005)	ND(0.005)	0.041	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.011	0.016	ND(0.005)	0.104	0.074								
	04/18/06	0.021	0.320	ND(0.0025)	0.176	0.069	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.010	0.026	ND(0.0025)	0.517	0.110								
	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.009	0.022	ND(0.001)	0.333	0.084								
	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.010	0.031	ND(0.0025)	0.784	0.145								
	10/11/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.028	ND(0.0025)	0.608	0.131								
Dup.	01/16/07	0.028	0.320	ND(0.0025)	0.077	0.086	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.015	0.033	ND(0.0025)	0.425	0.146								
	04/17/07	0.019	0.240	ND(0.0025)	0.110	0.068	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.014	0.026	ND(0.0025)	0.369	0.114								
	07/17/07	0.010	0.130	ND(0.001)	0.067	0.059	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.017	ND(0.001)	0.207	0.099								
	10/17/07	0.016	0.220	ND(0.001)	0.079	0.060	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.010	0.020	ND(0.001)	0.315	0.106								
	10/17/07	0.013	0.170	ND(0.0025)	0.062	0.047	ND(0.0025)	0.005	ND(0.0025)	ND(0.0025)	0.008	0.015	ND(0.0025)	0.245	0.083								
	01/16/08	0.029	0.400	ND(0.001)	0.150	0.095	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.029	ND(0.001)	0.579	0.169								
	04/28/08	0.022	ND(0.001)	ND(0.001)	0.180	0.088	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.011	0.050	ND(0.001)	0.202	0.212								
	07/15/08	0.004	0.120	ND(0.001)	0.027	0.023	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.009	0.014	ND(0.001)	0.151	0.058								
	10/14/08	0.003	0.110	ND(0.001)	0.018	0.024	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.012	0.014	ND(0.001)	0.131	0.066								
	01/13/09	0.017	0.280	ND(0.001)	0.085	0.046	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.010	0.023	ND(0.001)	0.382	0.143								
04/06/09	0.025	0.350	ND(0.004)	0.120	0.083	ND(0.004)	0.007	ND(0.004)	ND(0.004)	0.010	0.021	ND(0.004)	0.495	0.221									
MW-13	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	0.002	0.038	0.002	0.005	0.004	0.240	0.000	0.319									
	11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	0.001	0.025	0.001	0.002	0.002	0.110	0.430	0.156									
	03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.062	0.033	0.091									
Dup.	03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	0.001	0.015	0.001	ND(0.001)	0.002	0.066	0.034	0.097									
	01/10/94	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.055	0.022	0.081									

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)						
MW-13 (Cont.)	04/19/94	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.001	0.003	ND(0.005)	0.003	0.032	0.013	0.050						
	07/20/94	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.001	0.005	ND(0.005)	0.004	0.034	0.016	0.060							
	10/25/94	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	ND(0.005)	0.004	0.040	0.011	0.061							
	01/22/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	ND(0.005)	0.005	0.029	0.008	0.051							
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.035							
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.025	0.000	0.049							
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020	0.003	0.043							
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.015	0.000	0.031							
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	0.000	0.011							
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013	0.000	0.029							
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.023							
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	0.001	0.001	ND(0.001)	0.003	0.003	0.001	0.013							
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.001	ND(0.001)	0.005	0.005	0.001	0.015							
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	0.006	0.005	0.002	0.017							
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.020							
	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.018							
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.016							
	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.023							
	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.019							
	07/18/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.016	0.001	0.031							
Dup.	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.015	0.001	0.027							
	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.001	ND(0.001)	0.019	0.026	0.002	0.053							
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.009	0.000	0.020							
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.008	0.000	0.017							
	10/20/99	ND(0.001)	ND(0.001)	0.001	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.005	0.001	0.014							
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.008	0.000	0.018							
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.007	0.000	0.014							
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.008	ND(0.001)	0.015							
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002							
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003							
Dup.	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.002	ND(0.001)	0.007							
	07/19/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	0.003	0.003	ND(0.002)	0.006							
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006							
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.007							
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.007							
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.009							
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.009							
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.007							

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE					TOTAL XYLENES					TOTAL 1,1-DCA 1,1-DCE 1,1,1-TCA TCE PCE					CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	o-xylene (mg/L)	m-xylene (mg/L)	p-xylene (mg/L)	1,1-DCA (mg/L)	1,1-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)			
MW-13 (Cont.) Dup.	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004		
01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005		
04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004		
07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003		
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002		
01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004		
04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004		
07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000		
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000		
Dup.	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	
04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002		
MW-14	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.002	0.300	0.014	0.002	0.460	0.022	0.908			
	11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.140	0.002	0.310	0.009	0.002	0.400	0.002	0.863				
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.110	0.002	0.320	0.010	ND(0.001)	0.440	0.000	0.862				
	03/16/93	0.020	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.080	0.001	0.180	0.004	0.002	0.210	0.020	0.477				
	01/10/94	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.057	ND(0.001)	0.100	ND(0.001)	0.002	0.300	0.011	0.459				
	04/19/94	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.056	0.001	ND(0.005)	0.160	0.005	0.275				
	07/20/94	0.010	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.072	ND(0.025)	0.110	ND(0.025)	0.210	0.010	0.010	0.392				
	10/25/94	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.001	0.094	ND(0.005)	ND(0.005)	0.230	0.010	0.404				
	01/25/95	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.005)	0.070	ND(0.005)	ND(0.005)	0.022	0.004	0.175				
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	0.058	ND(0.005)	ND(0.005)	0.130	0.000	0.251				

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)		TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
			BENZENE (mg/L)	TOLUENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)										
MW-14 (Cont.)	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	0.072	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.098	0.000	0.000	0.244
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.044	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.087	0.000	0.000	0.193
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.038	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.000	0.000	0.150
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	ND(0.005)	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.157
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.045	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.153
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.055	0.000	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	0.043	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.049	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	0.000	0.000	0.167
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.040	0.001	0.023	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.078
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.045	0.001	0.027	0.027	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.001	0.001	0.083
04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.023	0.023	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.000	0.000	0.086	
07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.036	ND(0.005)	0.021	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.000	0.000	0.100	
10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.019	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.106	
10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.045	ND(0.005)	0.019	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.074	0.000	0.000	0.138	
10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.054	ND(0.0025)	0.019	0.019	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	0.002	0.002	0.153	
10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	0.000	0.080	
04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.009	
10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.009	
10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004	
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001	
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002	
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
MW-15	09/15/91	0.002	0.010	ND(0.001)	0.006	0.026	0.001	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	0.018	0.018	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.001	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.006	0.000	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.005)	0.082	0.001	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.003	0.003	0.111
	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.005)	0.048	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.013	0.008	0.008	0.074
Dup.	01/10/94	0.001	0.009	0.002	ND(0.005)	0.054	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.015	0.012	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.008	0.000	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.005	0.000	0.000	0.065
	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.006	0.001	0.001	0.045
01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.008	0.000	0.000	0.046	
04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.020	
08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.028	
10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.002	0.000	0.000	0.022	
01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.016	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
				TOLUENE (mg/L)	ETHYLENES (mg/L)										
MW-15 (Cont.)	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.011
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.010
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.002	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014
	10/20/99	0.002	0.004	0.003	0.147	0.040	ND(0.001)	0.005	0.002	ND(0.001)	0.002	0.002	0.156	0.049	
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	0.003	0.002	ND(0.001)	0.005	0.001	ND(0.001)	0.000	0.025
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.111	0.016	ND(0.001)	0.000	0.031
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.026	0.013	ND(0.001)	0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.029	0.013	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.015	ND(0.001)	0.000	0.034
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.014	ND(0.001)	0.000	0.039
Dup.	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.014	ND(0.001)	0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.016	ND(0.001)	0.000	0.034
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.018	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.010	ND(0.001)	0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.008	ND(0.001)	0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	0.052	0.002	ND(0.001)	0.000	0.059
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.003	ND(0.001)	0.000	0.038
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	ND(0.001)	0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.003	ND(0.001)	0.000	0.030
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	0.010	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.008	ND(0.001)	0.000	0.026
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.002	ND(0.001)	0.000	0.020
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.004	ND(0.001)	0.000	0.033
	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.043
Dup.	07/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	0.002	ND(0.001)	0.000	0.040
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	0.004	ND(0.001)	0.000	0.036
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.039	0.002	ND(0.001)	0.000	0.044
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.040	0.002	ND(0.001)	0.000	0.046
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.006	ND(0.001)	0.000	0.021
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.033	0.008	ND(0.001)	0.000	0.041
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.042	0.003	ND(0.001)	0.000	0.045
Dup.	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.003	ND(0.001)	0.000	0.041
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	0.003	ND(0.001)	0.000	0.053

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-17D	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.018	0.012	0.019	0.014	0.014	0.000	0.125			0.000	0.125
*	08/01/95	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.095	ND(0.005)	0.058	0.020	0.052	0.028	0.028	0.013	0.253			0.013	0.253
*	10/18/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	0.044	0.015	0.047	0.054	0.054	0.007	0.227			0.007	0.227
Dup. *	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	0.036	0.012	0.046	0.043	0.043	0.006	0.203			0.006	0.203
#	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.032	0.009	0.036	0.039	0.039	0.006	0.166			0.006	0.166
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	ND(0.005)	0.046	0.009	0.049	0.037	0.037	0.000	0.200			0.000	0.200
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.053	0.009	0.060	0.037	0.037	0.000	0.236			0.000	0.236
	10/22/96	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	0.041	ND(0.005)	0.059	0.033	0.033	0.007	0.199			0.007	0.199
	01/24/97	0.004	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.052	0.001	0.023	0.004	0.039	0.022	0.022	0.004	0.141			0.004	0.141
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	0.020	0.003	0.026	0.022	0.022	0.003	0.101			0.003	0.101
	07/30/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.029	ND(0.002)	0.013	0.002	0.028	0.018	0.018	0.003	0.090			0.003	0.090
	10/17/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.056	ND(0.002)	0.015	0.001	0.038	0.011	0.011	0.004	0.121			0.004	0.121
	10/28/98	0.006	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.050	ND(0.005)	0.009	ND(0.005)	0.045	0.012	0.012	0.006	0.116			0.006	0.116
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.091	ND(0.0025)	0.010	ND(0.0025)	0.038	0.012	0.012	0.005	0.151			0.005	0.151
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.084	ND(0.0025)	0.010	ND(0.0025)	0.035	0.017	0.017	0.000	0.146			0.000	0.146
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.059	ND(0.0025)	0.019	ND(0.0025)	0.024	0.029	0.029	0.000	0.131			0.000	0.131
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	0.014	ND(0.001)	0.012	0.026	0.026	0.000	0.090			0.000	0.090
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	0.013	ND(0.001)	0.014	0.016	0.016	0.000	0.097			0.000	0.097
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.009	ND(0.001)	0.006	0.011	0.011	0.000	0.053			0.000	0.053
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	0.006	0.010	0.010	0.000	0.043			0.000	0.043
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.005	ND(0.001)	0.006	0.005	0.005	0.000	0.035			0.000	0.035
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	0.002	0.004	0.004	0.000	0.018			0.000	0.018
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	0.001	0.002	0.002	0.000	0.009			0.000	0.009
MW-17A	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.061	0.029	0.025	0.066	0.066	0.009	0.260			0.009	0.260
*	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	0.075	0.025	0.037	0.064	0.064	0.010	0.266			0.010	0.266
	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.059	0.019	0.041	0.090	0.090	0.009	0.282			0.009	0.282
Dup. *	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	0.059	0.019	0.042	0.086	0.086	0.010	0.284			0.010	0.284
	01/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.068	0.019	0.042	0.076	0.076	0.009	0.282			0.009	0.282
*	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	0.069	ND(0.005)	0.043	0.065	0.065	0.006	0.252			0.006	0.252
#	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.069	0.012	0.051	0.077	0.077	0.008	0.285			0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.058	ND(0.005)	0.050	0.054	0.054	0.006	0.231			0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	0.001	0.001	0.058	ND(0.001)	0.044	0.007	0.045	0.049	0.049	0.007	0.203			0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.065	0.001	0.051	0.008	0.051	0.051	0.051	0.007	0.226			0.007	0.226
	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.051	ND(0.005)	0.045	0.004	0.045	0.062	0.062	0.004	0.207			0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.079	ND(0.005)	0.050	0.003	0.052	0.053	0.053	0.006	0.237			0.006	0.237
	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.075	ND(0.005)	0.018	ND(0.005)	0.044	0.033	0.033	0.009	0.170			0.009	0.170
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.134	ND(0.0025)	0.018	ND(0.0025)	0.032	0.030	0.030	0.005	0.214			0.005	0.214

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,2-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)	
MW-17A (Cont.)	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.144	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.038	0.035	ND(0.0025)	0.000	0.243				
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.079	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.026	0.044	ND(0.0025)	0.000	0.177				
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.031	ND(0.001)	0.000	0.088				
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.007	0.025	ND(0.001)	0.000	0.085				
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.005	0.014	ND(0.001)	0.000	0.053				
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.031				
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.021				
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.013				
10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.010					
MW-17B	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	ND(0.005)	0.180	ND(0.005)	ND(0.005)	ND(0.005)	0.180	0.000	0.000	0.415				
	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	ND(0.005)	0.190	ND(0.005)	ND(0.005)	0.026	0.180	0.006	0.006	0.456				
	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.250	ND(0.005)	ND(0.005)	0.030	0.320	0.008	0.008	0.672				
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	ND(0.005)	0.210	ND(0.005)	ND(0.005)	0.034	0.370	0.006	0.006	0.684				
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.022	0.190	0.000	0.000	0.430				
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.160	ND(0.005)	ND(0.005)	0.013	0.270	0.000	0.000	0.473				
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.016	0.250	0.000	0.000	0.446				
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.016	0.280	0.000	0.000	0.491				
Dup.	10/22/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.030	0.250	0.000	0.000	0.508				
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.038	0.001	0.001	0.110	0.008	0.008	0.019	0.070	0.002	0.002	0.246				
	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.035	0.001	0.001	0.115	0.005	0.005	0.021	0.132	0.004	0.004	0.310				
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.026	ND(0.005)	ND(0.005)	0.080	ND(0.005)	ND(0.005)	0.017	0.141	0.000	0.000	0.268				
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.053	ND(0.001)	ND(0.001)	0.103	ND(0.001)	ND(0.001)	0.027	0.149	0.000	0.000	0.332				
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.073	ND(0.001)	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.045	0.178	0.000	0.000	0.368				
	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.143	ND(0.0025)	ND(0.0025)	0.053	0.005	0.005	0.051	0.059	0.017	0.017	0.311				
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.047	ND(0.005)	ND(0.005)	0.043	ND(0.005)	ND(0.005)	0.005	0.093	ND(0.005)	0.000	0.200				
MW-17C	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.005	0.055	ND(0.0025)	0.000	0.126				
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.001	0.017	ND(0.001)	0.000	0.049				
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.000	0.040				
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.015				
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007				
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003				
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000				
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000				

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA	1,2-DCA	1,1-DCE	1,2-DCE	TOTAL		1,1,1-TCA	TCE	PCE	CHLORO- ETHANE	TOTAL BTEX	TOTAL HALO- CARBONS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
MW-17C *	04/03/95	0.032	0.060	0.005	0.054	0.058	0.058	ND(0.005)	ND(0.005)	0.099	0.099	0.099	0.099	ND(0.005)	0.091	0.013	0.013	0.151	0.261
2nd *	04/03/95	0.034	0.057	ND(0.005)	0.045	0.063	0.063	ND(0.005)	ND(0.005)	0.110	0.110	0.110	0.110	ND(0.005)	0.095	0.017	0.017	0.136	0.285
*	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	0.073	0.073	ND(0.005)	ND(0.005)	0.140	0.140	0.140	0.140	ND(0.005)	0.120	0.012	0.012	0.069	0.345
*	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	0.063	0.063	0.003	0.003	0.120	0.120	0.120	0.120	ND(0.005)	0.140	0.024	0.024	0.045	0.350
*	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	ND(0.005)	0.120	0.120	0.120	0.120	ND(0.005)	0.120	0.015	0.015	0.055	0.313
*	04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	0.057	0.057	ND(0.005)	ND(0.005)	0.130	0.130	0.130	0.130	ND(0.005)	0.100	0.013	0.013	0.020	0.300
#	07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.058	0.058	ND(0.005)	ND(0.005)	0.130	0.130	0.130	0.130	ND(0.005)	0.120	0.014	0.014	0.016	0.322
	10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.045	0.045	ND(0.005)	ND(0.005)	0.120	0.120	0.120	0.120	ND(0.005)	0.100	0.012	0.012	0.015	0.277
	01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.002)	0.051	0.051	0.003	0.003	0.099	0.099	0.099	0.099	ND(0.001)	0.078	0.005	0.005	0.009	0.236
	04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.004)	0.049	0.049	0.002	0.002	0.105	0.105	0.105	0.105	ND(0.002)	0.100	0.008	0.008	0.011	0.265
	07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	0.043	0.043	0.003	0.003	0.093	0.093	0.093	0.093	ND(0.005)	0.097	0.010	0.010	0.010	0.246
	10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	0.066	0.066	0.003	0.003	0.115	0.115	0.115	0.115	ND(0.01)	0.086	0.013	0.013	0.031	0.283
	10/28/98	0.011	ND(0.01)	ND(0.01)	ND(0.02)	0.050	0.050	ND(0.01)	ND(0.01)	0.105	0.105	0.105	0.105	ND(0.01)	0.110	0.018	0.018	0.011	0.283
	10/19/99	0.023	ND(0.0025)	0.002	ND(0.005)	0.080	0.080	0.003	0.003	0.160	0.160	0.160	0.160	ND(0.0025)	0.119	0.040	0.040	0.025	0.402
	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	0.041	ND(0.0025)	ND(0.0025)	0.073	0.073	0.073	0.073	ND(0.0025)	0.071	0.007	ND(0.0025)	0.005	0.202
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	0.012	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.024	ND(0.0025)	ND(0.0025)	0.020	0.007	ND(0.0025)	0.000	0.063
Dup.	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.013	ND(0.001)	ND(0.001)	0.023	0.023	0.023	0.023	ND(0.001)	0.019	0.006	ND(0.001)	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.011	ND(0.001)	ND(0.001)	0.018	0.018	0.018	0.018	ND(0.001)	0.012	0.004	ND(0.001)	0.000	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.008	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.009	0.005	ND(0.001)	0.000	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.005	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	0.002	ND(0.001)	0.000	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	0.017	ND(0.005)	ND(0.005)	0.093	0.093	0.093	0.093	ND(0.005)	0.034	0.071	0.071	0.000	0.215
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.024	ND(0.005)	ND(0.005)	0.170	0.170	0.170	0.170	ND(0.005)	0.039	0.087	0.087	0.000	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	ND(0.005)	ND(0.005)	0.150	0.150	0.150	0.150	ND(0.005)	0.042	0.130	0.130	0.003	0.340
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	0.017	ND(0.005)	ND(0.005)	0.130	0.130	0.130	0.130	ND(0.005)	0.037	0.097	0.097	0.000	0.281
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.016	ND(0.005)	ND(0.005)	0.170	0.170	0.170	0.170	ND(0.005)	0.034	0.120	0.120	0.000	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.018	ND(0.005)	ND(0.005)	0.200	0.200	0.200	0.200	ND(0.005)	0.043	0.110	0.110	0.000	0.371
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	0.170	0.170	0.170	ND(0.005)	0.043	0.120	0.120	0.000	0.333
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.020	ND(0.005)	ND(0.005)	0.190	0.190	0.190	0.190	ND(0.005)	0.042	0.120	0.120	0.000	0.372
	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.024	0.024	0.001	0.001	0.180	0.180	0.180	0.180	0.002	0.047	0.097	0.097	0.003	0.351
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.022	0.022	0.001	0.001	0.155	0.155	0.155	0.155	0.002	0.044	0.116	0.116	0.003	0.340
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.020	0.020	ND(0.002)	ND(0.002)	0.140	0.140	0.140	0.140	0.001	0.044	0.121	0.121	0.002	0.326
	10/17/97	0.002	ND(0.01)	ND(0.01)	ND(0.02)	0.028	0.028	ND(0.01)	ND(0.01)	0.157	0.157	0.157	0.157	ND(0.01)	0.044	0.071	0.071	0.002	0.300
	01/07/98	0.002	ND(0.01)	ND(0.01)	ND(0.02)	0.029	0.029	ND(0.01)	ND(0.01)	0.163	0.163	0.163	0.163	ND(0.01)	0.054	0.133	0.133	0.002	0.379
	04/15/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.029	0.029	ND(0.01)	ND(0.01)	0.155	0.155	0.155	0.155	ND(0.01)	0.053	0.145	0.145	0.000	0.382

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,2-DCA		1,1-DCE		1,2-DCE		TOTAL 1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)					
MW-18 (Cont.)	07/18/88	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.030	ND(0.01)	ND(0.01)	0.146	ND(0.01)	0.052	0.151	0.000	0.379							
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.028	ND(0.01)	ND(0.01)	0.142	ND(0.01)	0.052	0.149	0.000	0.371							
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.030	ND(0.005)	ND(0.005)	0.143	ND(0.005)	0.052	0.148	0.000	0.373							
	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.031	ND(0.0025)	ND(0.0025)	0.135	ND(0.0025)	0.045	0.121	0.002	0.332							
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.028	ND(0.0025)	ND(0.0025)	0.127	ND(0.0025)	0.042	0.120	0.002	0.317							
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	ND(0.005)	0.034	ND(0.0025)	ND(0.0025)	0.149	ND(0.0025)	0.049	0.128	0.004	0.360							
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.036	ND(0.005)	ND(0.005)	0.153	ND(0.005)	0.054	0.137	0.002	0.380							
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.022	ND(0.005)	ND(0.005)	0.102	ND(0.005)	0.032	0.095	0.000	0.251							
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.029	ND(0.005)	ND(0.005)	0.128	ND(0.005)	0.046	0.140	0.000	0.343							
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	0.032	ND(0.005)	ND(0.005)	0.140	ND(0.005)	0.044	0.123	0.000	0.339							
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	ND(0.005)	0.092	ND(0.005)	0.030	0.084	0.000	0.229							
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.027	0.072	0.000	0.192							
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.081	ND(0.002)	0.023	0.046	0.000	0.171							
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.091	ND(0.0025)	0.029	0.081	0.000	0.224							
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	0.094	ND(0.005)	0.028	0.079	0.000	0.225							
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.025	0.089	0.000	0.262							
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.100	ND(0.001)	0.025	0.080	0.001	0.231							
10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.100	ND(0.0025)	0.022	0.085	0.000	0.235								
01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.120	ND(0.001)	0.022	0.096	0.001	0.266								
04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.092	ND(0.001)	0.018	0.087	0.000	0.224								
07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.095	ND(0.001)	0.021	0.087	0.000	0.234								
10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.100	ND(0.001)	0.018	0.090	0.001	0.241								
10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	ND(0.0025)	0.100	ND(0.0025)	0.017	0.087	0.000	0.235								
01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.079	ND(0.001)	0.018	0.087	0.000	0.215								
04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.071	ND(0.001)	0.020	0.071	0.000	0.182								
07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.098	ND(0.001)	0.021	0.100	0.001	0.251								
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.077	ND(0.001)	0.015	0.063	0.000	0.177								
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.016	ND(0.001)	0.000	0.036								
01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.079	ND(0.001)	0.012	0.078	0.000	0.188								
04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.073	ND(0.001)	0.013	0.090	0.000	0.197								
07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.090	ND(0.001)	0.013	0.094	0.001	0.222								
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.054	ND(0.001)	0.011	0.073	0.000	0.156								
01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.011	0.056	0.000	0.136								
04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.039	ND(0.001)	0.010	0.078	0.000	0.146								
07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.010	0.063	0.000	0.126								
07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.010	0.057	0.000	0.124								
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.010	0.032	0.000	0.085								
01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.009	0.041	0.000	0.095								
04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.012	0.047	0.000	0.125								

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE			TOTAL XYLENES			TOTAL 1,1-DCA			TOTAL 1,1-DCE			TOTAL 1,1,1-TCA			TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)			(mg/L)	(mg/L)		
MW-18 (Cont.)	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.037	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.049	ND(0.001)	0.000	0.109					
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.031	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.039	ND(0.001)	0.000	0.089					
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.029	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.038	ND(0.001)	0.000	0.063					
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.036	ND(0.001)	0.000	0.071					
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.023	ND(0.001)	0.000	0.047					
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.047					
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.018	ND(0.001)	0.000	0.039					
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.032					
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.010	ND(0.001)	0.000	0.026					
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.110	0.000	0.271					
08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.140	0.000	0.324						
MW-19	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.150	0.002	0.334						
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.100	0.000	0.220						
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.100	0.100	0.000	0.250						
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.110	0.000	0.269						
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.094	0.094	0.000	0.232						
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.009	ND(0.001)	0.122	ND(0.001)	0.001	0.003	0.093	0.093	0.001	0.228						
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.010	ND(0.001)	0.116	ND(0.001)	0.001	0.004	0.087	0.087	0.002	0.218						
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.009	ND(0.002)	0.116	ND(0.002)	ND(0.002)	ND(0.002)	0.096	0.096	0.002	0.226						
	10/17/97	0.003	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.010	ND(0.01)	0.124	ND(0.01)	ND(0.01)	ND(0.01)	0.066	0.066	0.003	0.207						
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	ND(0.02)	0.017	ND(0.01)	0.167	ND(0.01)	ND(0.01)	ND(0.01)	0.150	0.150	0.000	0.343						
04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.023	ND(0.0025)	0.212	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.182	0.182	0.003	0.426							
10/19/99	0.004	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	0.020	ND(0.005)	0.236	ND(0.005)	ND(0.005)	ND(0.005)	0.203	0.203	0.004	0.469							
10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	0.033	ND(0.0025)	0.199	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.176	0.176	ND(0.0025)	0.000	0.408						
10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.038	0.038	ND(0.0025)	0.000	0.133						
10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.058	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.034	0.034	ND(0.0025)	0.000	0.104						
10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.031	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.019	ND(0.001)	0.000	0.059						
10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.015	ND(0.001)	0.000	0.037						
10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.000	0.028						
10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.011						
10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.006						
10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004						
MW-20	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000						
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000						
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000						
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000						
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000						

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
					BENZENE (mg/L)	TOLUENE (mg/L)	ETHYL- BENZENE (mg/L)										
MW-20 (Cont.)	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.032
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.026	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.028
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.020
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.022
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.027
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.019
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.017
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.016
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.017
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.012
	11/20/96	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.006	0.002	0.023
01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.006	0.002	0.032	
03/04/97	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.011	0.002	0.047	
04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.003	0.003	ND(0.002)	0.021	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	0.001	0.038	
07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	0.001	ND(0.002)	0.011	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.007	0.000	0.022	
10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.001	0.001	ND(0.002)	0.007	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	0.004	0.001	0.013	
01/07/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	0.002	ND(0.002)	0.021	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.005	0.001	0.031	
04/15/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	0.002	ND(0.002)	0.028	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.006	0.001	0.039	
07/18/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	0.002	ND(0.002)	0.022	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.002	0.005	0.001	0.031	
10/28/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.001	0.001	ND(0.002)	0.015	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.001	0.004	0.001	0.021	
02/09/99	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.002	0.002	ND(0.001)	0.031	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.005	0.001	0.040	
04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	0.000	0.030	
07/14/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.011	
10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.002	0.007	
01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	0.000	0.018	
04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	0.000	0.029	
07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.000	0.011	
10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	0.000	0.012	
01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	0.000	0.022	
04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.030	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.008	0.000	0.044	
07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	0.000	0.017	
10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.058	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.010	0.002	0.076	
01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.068	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.018	0.003	0.102	
04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.010	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.029	0.004	0.154	
07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.012	ND(0.001)	0.082	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.020	0.002	0.128	
10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	0.013	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	0.022	0.000	0.136	
01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.017	ND(0.001)	0.099	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.027	0.002	0.160	
04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.014	ND(0.001)	0.079	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.024	0.002	0.131	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-21 (Cont.)	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.077
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.007	0.013	ND(0.001)	0.000	0.091
	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.012	0.026	ND(0.001)	0.002	0.111
	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.013	0.026	ND(0.001)	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.090	0.001	ND(0.001)	0.023	0.047	ND(0.001)	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.110	0.001	ND(0.001)	0.026	0.055	ND(0.001)	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.089	0.002	ND(0.001)	0.024	0.062	ND(0.001)	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.097	0.002	ND(0.001)	0.027	0.057	ND(0.001)	0.003	0.213
	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.089	0.002	ND(0.001)	0.027	0.059	ND(0.001)	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.074	0.003	ND(0.001)	0.024	0.050	ND(0.001)	0.002	0.184
Dup.	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.056	0.003	ND(0.001)	0.021	0.052	ND(0.001)	0.002	0.161
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.051	0.003	ND(0.001)	0.021	0.036	ND(0.001)	0.002	0.137
	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.049	0.003	ND(0.001)	0.019	0.058	ND(0.001)	0.001	0.155
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.055	0.004	ND(0.001)	0.018	0.066	ND(0.001)	0.002	0.175
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.049	0.002	ND(0.001)	0.022	0.042	ND(0.001)	0.002	0.139
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.060	0.003	ND(0.001)	0.020	0.059	ND(0.001)	0.002	0.168
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.080	0.003	ND(0.001)	0.026	0.070	ND(0.001)	0.002	0.211
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.086	0.003	ND(0.001)	0.029	0.076	ND(0.001)	0.002	0.227
	07/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	0.003	ND(0.001)	0.026	0.081	ND(0.001)	0.001	0.238
	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.060	0.003	ND(0.001)	0.018	0.054	ND(0.001)	0.001	0.163
Dup.	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.063	0.003	ND(0.001)	0.020	0.063	ND(0.001)	0.001	0.179
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.061	0.003	ND(0.001)	0.020	0.070	ND(0.001)	0.001	0.185
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.052	0.002	ND(0.001)	0.013	0.044	ND(0.001)	0.000	0.136
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.042	0.002	ND(0.001)	0.016	0.044	ND(0.001)	0.001	0.125
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.045	0.002	ND(0.001)	0.016	0.048	ND(0.001)	0.001	0.132
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.035	0.001	ND(0.001)	0.010	0.040	ND(0.001)	0.000	0.105
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.044	0.001	ND(0.001)	0.009	0.033	ND(0.001)	0.001	0.106
	11/20/96	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	0.003	ND(0.001)	0.012	0.053	ND(0.001)	0.014	0.138
	01/24/97	0.010	ND(0.001)	ND(0.001)	ND(0.002)	0.009	ND(0.001)	0.065	0.009	ND(0.001)	0.013	0.050	ND(0.001)	0.010	0.137
	Dup.	01/24/97	0.011	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.099	0.011	ND(0.001)	0.013	0.065	ND(0.001)	0.011
04/09/97		0.013	ND(0.001)	ND(0.001)	ND(0.002)	0.014	0.001	0.084	0.004	ND(0.001)	0.021	0.080	ND(0.001)	0.013	0.200
07/30/97		0.014	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.092	0.002	ND(0.002)	0.024	0.104	ND(0.001)	0.014	0.232
10/17/97		0.016	ND(0.005)	ND(0.005)	ND(0.01)	0.014	ND(0.005)	0.107	0.016	ND(0.005)	0.028	0.117	ND(0.001)	0.016	0.266
10/28/98		0.016	ND(0.01)	ND(0.01)	ND(0.02)	0.017	ND(0.01)	0.129	0.017	ND(0.01)	0.037	0.150	ND(0.001)	0.016	0.333
04/22/99		0.017	ND(0.0025)	ND(0.0025)	ND(0.005)	0.024	ND(0.0025)	0.185	0.002	ND(0.0025)	0.053	0.194	ND(0.001)	0.017	0.446
10/19/99		0.019	ND(0.005)	0.002	ND(0.01)	0.026	ND(0.005)	0.200	0.002	ND(0.005)	0.056	0.207	ND(0.005)	0.021	0.489
10/19/00		0.018	ND(0.005)	ND(0.005)	ND(0.010)	0.025	ND(0.005)	0.201	ND(0.005)	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.469
04/12/01		0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.156	ND(0.005)	ND(0.005)	0.052	0.161	ND(0.005)	0.015	0.391

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOTAL XYLENES (mg/L)			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)										
MW-22 (Cont.)	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	0.180	ND(0.01)	ND(0.01)	ND(0.01)	0.044	0.130	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.052	0.160	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.200	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.180	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	0.150	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.160	ND(0.001)	ND(0.001)	ND(0.001)	0.045	0.120	ND(0.001)	0.005	0.346
	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.180	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.050	0.130	ND(0.0025)	0.004	0.383
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.210	ND(0.001)	ND(0.001)	ND(0.001)	0.053	0.150	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.190	ND(0.001)	ND(0.001)	ND(0.001)	0.052	0.150	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	0.037	0.110	ND(0.001)	0.006	0.339
	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.160	ND(0.001)	ND(0.001)	ND(0.001)	0.045	0.130	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.100	ND(0.001)	0.004	0.304
	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.130	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.110	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.140	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.005	0.306
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	0.004	0.322
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.140	ND(0.001)	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.140	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	0.003	0.279
04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	0.002	0.245	
07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.140	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	0.002	0.293	
10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	0.002	0.268	
01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	0.002	0.215	
04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	0.002	0.215	
07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.092	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	0.003	0.207	
10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.083	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	0.003	0.207	
10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.097	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	0.003	0.198	
01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.097	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.077	ND(0.001)	0.003	0.208	
04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.091	ND(0.001)	0.003	0.245	
07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.150	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.081	ND(0.001)	0.003	0.269	
10/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.066	ND(0.001)	0.003	0.198	
01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.069	ND(0.001)	0.002	0.198	
04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.080	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.153	
07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.077	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.041	ND(0.001)	0.002	0.137	
10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.061	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.042	ND(0.001)	0.003	0.124	
01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.037	ND(0.001)	0.002	0.100	
01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.068	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.039	ND(0.001)	0.002	0.124	
04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.044	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.035	ND(0.001)	0.002	0.097	
MW-22A	01/12/02	0.015	0.021	ND(0.005)	0.088	0.023	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.037	0.110	ND(0.005)	0.124	0.340
	04/20/02	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.044	0.100	ND(0.0025)	0.015	0.380
	07/24/02	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.140	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.074	ND(0.001)	0.009	0.271

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,2-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE	PCE	CHLORO-ETHANE	TOTAL BTEX	TOTAL HALO-CARBONS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)					
MW-22A (Cont.)	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	0.080	ND(0.0025)	0.011	0.303					
	01/22/03	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.230	ND(0.001)	ND(0.001)	ND(0.001)	0.044	0.130	ND(0.001)	0.013	0.432					
	04/24/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.160	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.140	ND(0.001)	0.003	0.367					
	07/17/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.190	ND(0.001)	ND(0.001)	ND(0.001)	0.042	0.120	ND(0.001)	0.009	0.376					
	10/15/03	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.140	ND(0.001)	0.007	0.369					
	01/28/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.120	ND(0.001)	0.005	0.347					
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.003	0.341					
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.190	ND(0.001)	ND(0.001)	ND(0.001)	0.044	0.120	ND(0.001)	0.004	0.378					
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.082	ND(0.001)	0.003	0.208					
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.082	ND(0.001)	0.003	0.305					
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.072	ND(0.001)	0.002	0.243					
	07/08/05	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.200	ND(0.001)	ND(0.001)	ND(0.001)	0.037	0.120	ND(0.001)	0.005	0.384					
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.130	ND(0.001)	ND(0.001)	ND(0.001)	0.031	0.090	ND(0.001)	0.002	0.273					
	01/18/06	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.140	ND(0.001)	ND(0.001)	ND(0.001)	0.032	0.096	ND(0.001)	0.004	0.289					
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.083	ND(0.001)	ND(0.001)	ND(0.001)	0.023	0.100	ND(0.001)	0.002	0.223					
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.097	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.002	0.220					
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.083	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.062	ND(0.001)	0.002	0.188					
	01/16/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.130	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.110	ND(0.001)	0.003	0.287					
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.130	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.098	ND(0.001)	0.003	0.275					
	07/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.240	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.140	ND(0.001)	0.003	0.430					
10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.098	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.081	ND(0.001)	0.002	0.220						
01/16/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.100	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.110	ND(0.001)	0.003	0.252						
04/28/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.094	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.096	ND(0.001)	0.002	0.224						
07/15/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.099	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.065	ND(0.001)	0.002	0.192						
10/14/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.097	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.068	ND(0.001)	0.003	0.198						
01/13/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.090	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.087	ND(0.001)	0.002	0.203						
04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.073	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.061	ND(0.001)	0.002	0.163						
MW-23	11/20/96	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000					
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000					
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000					
10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000						

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
					BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-23 (Cont.)	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-24	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-25	03/04/97	0.021	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.035	0.035	ND(0.001)	ND(0.001)	0.030	0.030	0.021	0.080	
	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	0.015	0.001	0.001	0.035	0.035	ND(0.001)	ND(0.001)	0.020	0.020	0.015	0.077	
	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.002)	0.015	0.001	0.001	0.034	0.034	ND(0.001)	ND(0.001)	0.019	0.019	0.014	0.074	
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.004)	0.011	0.001	0.001	0.031	0.031	ND(0.002)	ND(0.002)	0.035	0.035	0.023	0.083	
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	0.011	0.001	0.001	0.027	0.027	ND(0.002)	ND(0.002)	0.035	0.035	0.026	0.078	
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	0.013	0.001	0.001	0.028	0.028	ND(0.002)	ND(0.002)	0.028	0.028	0.026	0.074	
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.004)	0.014	0.001	0.001	0.030	0.030	ND(0.002)	ND(0.002)	0.033	0.033	0.027	0.082	
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.004)	0.013	ND(0.002)	0.028	0.028	0.028	ND(0.002)	ND(0.002)	0.034	0.034	0.025	0.079	
	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.024	0.024	0.024	ND(0.002)	ND(0.002)	0.026	0.026	0.022	0.066	
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.030	0.030	0.030	ND(0.002)	ND(0.002)	0.038	0.038	0.030	0.085	
Dup.	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.031	0.031	0.031	ND(0.001)	ND(0.001)	0.039	0.039	0.027	0.086	
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.031	0.031	0.031	ND(0.001)	ND(0.001)	0.032	0.032	0.030	0.078	
	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.012	ND(0.001)	0.027	0.027	0.027	ND(0.001)	ND(0.001)	0.028	0.028	0.022	0.071	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)										
MW-25 (Cont.)	10/19/99	0.025	ND(0.001)	0.002	ND(0.002)	0.012	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	0.027	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026	ND(0.001)	0.025	0.072
	04/21/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025	ND(0.001)	0.022	0.063
	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	0.022	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.036	ND(0.001)	ND(0.001)	0.007	0.032	ND(0.001)	0.030	0.089
	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.010	0.053	ND(0.001)	0.022	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	0.017	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	0.050	ND(0.002)	ND(0.002)	0.009	0.037	ND(0.002)	0.015	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	0.013	0.052	ND(0.0025)	0.015	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.059	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	0.012	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.017	0.048	ND(0.001)	0.010	0.141
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	0.015	0.047	ND(0.0025)	0.011	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.017	0.110	ND(0.001)	0.011	0.292
	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.015	0.054	ND(0.001)	0.009	0.146
	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.010	0.147
	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.023	0.076	ND(0.001)	0.011	0.218
01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.169	
Dup.	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.156
	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.024	0.072	ND(0.001)	0.010	0.201
	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.030	0.090	ND(0.001)	0.009	0.249
	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.027	0.074	ND(0.001)	0.008	0.242
Dup.	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.023	0.078	ND(0.001)	0.007	0.229
	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.091	ND(0.001)	ND(0.001)	0.029	0.090	ND(0.001)	0.007	0.228
	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.032	0.071	ND(0.001)	0.008	0.216
	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.030	0.087	ND(0.001)	0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.095	ND(0.001)	0.008	0.251
	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.071	ND(0.001)	0.007	0.204
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.075	ND(0.001)	0.007	0.208
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.093	ND(0.001)	ND(0.001)	0.027	0.079	ND(0.001)	0.007	0.216
Dup.	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.028	0.086	ND(0.001)	0.008	0.232
	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
	01/16/07	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.029	0.100	ND(0.001)	0.006	0.269
	04/17/07	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.040	0.150	ND(0.001)	0.007	0.378
	07/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.220	ND(0.001)	ND(0.001)	0.037	0.150	ND(0.001)	0.005	0.432
	10/17/07	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.180	ND(0.001)	ND(0.001)	0.031	0.130	ND(0.001)	0.005	0.367
	01/16/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.032	0.150	ND(0.001)	0.005	0.378
Dup.	04/28/08	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.025	0.110	ND(0.001)	0.003	0.311
	04/28/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.150	ND(0.001)	0.005	0.379
	07/15/08	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.025	0.120	ND(0.001)	0.004	0.308

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-25 (Cont.)	10/14/08	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.030	0.140	ND(0.001)	0.005	0.344
	01/13/09	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.023	0.120	ND(0.001)	0.003	0.320
	04/06/09	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.028	0.001	0.130	0.001	ND(0.001)	0.025	0.100	ND(0.001)	0.004	0.284
MW-26	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	0.000	0.000	0.010
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	0.000	0.000	0.010
Dup.	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.006	0.000	0.000	0.015
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.011	0.000	0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.013	0.000	0.000	0.030
Dup.	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.010	ND(0.002)	ND(0.002)	0.002	0.014	0.000	0.000	0.029
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	0.003	ND(0.0005)	0.008	ND(0.0005)	ND(0.0005)	0.002	0.011	0.000	0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.010	0.000	0.000	0.025
Dup.	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.014	0.000	0.000	0.033
	10/19/99	0.001	ND(0.001)	0.003	ND(0.002)	0.006	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.003	0.018	0.004	0.004	0.045
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.002	0.000	0.000	0.031
Dup.	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.041
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.023	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.021	ND(0.001)	0.003	0.055
Dup.	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	0.002	0.044
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.022	ND(0.001)	0.001	0.050
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.004	0.024	ND(0.001)	0.001	0.055
Dup.	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.026	ND(0.002)	ND(0.002)	0.004	0.022	ND(0.002)	0.003	0.059
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.005	0.024	ND(0.001)	0.002	0.057
	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.005	0.025	ND(0.001)	0.002	0.060
Dup.	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.078
	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	0.001	0.077
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.012	0.090	ND(0.001)	0.002	0.158
Dup.	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.002	0.114
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.051	ND(0.001)	0.002	0.140
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.002	0.124
Dup.	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
Dup.	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.053	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA		1,2-DCA		1,1-DCE		1,2-DCE		1,1,1-TCA		TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)					
MW-26 (Cont.)	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.074	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151				
	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.082	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171				
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180				
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.086	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180				
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.075	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173				
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.070	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172				
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.081	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189				
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.077	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172				
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.074	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214				
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.087	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195				
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.067	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156				
	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.073	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.070	ND(0.001)	0.000	0.176				
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.110	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.002	0.263				
	04/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.120	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	0.099	ND(0.001)	0.002	0.267				
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.099	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	0.084	ND(0.001)	0.000	0.220				
	10/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.040	ND(0.001)	0.000	0.106				
	01/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.040	ND(0.001)	0.000	0.109				
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.059	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.047	ND(0.001)	0.000	0.130				
	04/28/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.066	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.054	ND(0.001)	0.001	0.148				
	07/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.055	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.000	0.114				
MW-26A	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.022	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.019	ND(0.001)	0.000	0.053				
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.018	ND(0.001)	0.000	0.052				
	04/06/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.014	ND(0.001)	0.000	0.045				
	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052				
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.028	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051				
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.027	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053				
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.032	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061				
	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.041	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077				
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079				
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.040	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083				
Dup.	10/15/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.003	0.085				
	01/28/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.044	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.034	ND(0.001)	0.003	0.096				
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.003	0.100				
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.047	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.030	ND(0.001)	0.003	0.097				
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.003	0.126				
	10/29/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.058	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.030	ND(0.001)	0.002	0.110				
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.058	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.031	ND(0.001)	0.002	0.110				
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.062	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	0.002	0.124				

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOTAL XYLENES (mg/L)		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
				TOLUENE (mg/L)	BENZENE (mg/L)										
MW-26A (Cont.)	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.013	0.046	ND(0.001)	0.002	0.132
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.002	0.151
	01/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.045	ND(0.001)	0.002	0.144
	04/18/06	0.002	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.018	0.085	ND(0.001)	0.004	0.188
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.017	0.100	ND(0.001)	0.002	0.196
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.047	ND(0.001)	0.002	0.143
	01/16/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.018	0.067	ND(0.001)	0.002	0.171
	04/17/07	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.003	0.228
	07/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.021	0.071	ND(0.001)	0.002	0.198
	10/17/07	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.018	0.062	ND(0.001)	0.002	0.176
	01/16/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.018	0.075	ND(0.001)	0.002	0.181
	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.058	ND(0.001)	0.000	0.145
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.012	0.051	ND(0.001)	0.001	0.137
	10/14/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.059	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.001	0.139
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.000	0.113
	04/08/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.012	0.045	ND(0.001)	0.001	0.115
MW-27	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000	
10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	
04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-30 (Cont.)	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
Dup.	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.016
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
Dup.	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
Dup.	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027
Dup.	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039
	01/16/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.001	0.045
Dup.	01/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.026	ND(0.001)	ND(0.001)	0.004	0.011	ND(0.001)	0.000	0.045
	04/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.006	0.014	ND(0.001)	0.000	0.064
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	0.013	ND(0.001)	0.000	0.062
Dup.	10/17/07	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.006	0.015	ND(0.001)	0.001	0.073
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.008	0.020	ND(0.001)	0.001	0.084
	01/16/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.007	0.018	ND(0.001)	0.001	0.076
Dup.	04/28/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.006	0.017	ND(0.001)	0.000	0.072
	07/15/08	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.007	0.019	ND(0.001)	0.001	0.079
	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.045	ND(0.001)	ND(0.001)	0.011	0.023	ND(0.001)	0.002	0.087
Dup.	10/14/08	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.012	0.030	ND(0.001)	0.002	0.101
	01/13/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.069	ND(0.001)	ND(0.001)	0.010	0.040	ND(0.001)	0.001	0.129
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.039	ND(0.001)	0.001	0.127
Dup.	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.015	0.040	ND(0.001)	0.001	0.122

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-BENZENE		TOLUENE		TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,1,1-TCA		TCE (mg/L)	CHLORO-ETHANE		TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)				(mg/L)	(mg/L)		(mg/L)	(mg/L)		
MW-31	10/14/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.011	ND(0.001)	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.095
	01/13/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.000	0.067
	04/06/09	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.060
Tank	04/06/09	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.042	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.092

Analytical method used prior to 10/95 = EPA Method 8240
 Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

- mg/L = milligrams per liter (equivalent to parts per million)
- dup. = duplicate sample
- ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses
- J = chemical detected at concentration above instrument detection limit but below method detection limit
- * = other chemicals also detected (see previous laboratory reports)
- # = other chemicals also detected (see laboratory analytical reports - Appendix A)
- italicized value - is below the method detection limit.
- < - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:
 1,1-DCA = 1,1-dichloroethane
 1,2-DCA = 1,2-dichloroethane
 1,1-DCE = 1,1-dichloroethene
 1,1,1-TCA = 1,1,1-trichloroethane
 1,1,2-TCA = 1,1,2-trichloroethane
 TCE = trichloroethene
 PCE = tetrachloroethene


Table 3 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	01/23/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/16/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/16/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/29/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/19/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/19/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	11/01/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/17/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/11/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/10/05	ND(1.0)	ND(1.0)	ND(1.0)	3.00	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.00	ND(1.0)
	01/18/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/18/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/11/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/10/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/16/07	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/17/07	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/18/07	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/16/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/29/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/15/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/15/08	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/13/09	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/07/09	ND(1.0)	ND(1.0)	ND(1.0)	1.50	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.90	ND(1.0)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240. During and after January 1995, the laboratory analytical method used was EPA Method 8260. See laboratory reports for concentrations of additional analytes. In April 1995, the wash bay SVE system was expanded. Each of the three zones now consists of an old south (S) and a new north (N) zone.


NOTES
 mg/m3 = milligrams per cubic meter
 * = units reported as "ppm" or "mg/L". Detection limit may be incorrect
 **=laboratory results may not be an accurate representation of the emissions
 J = chemical present above instrument detection limit but below method detection limit
 NA = not analyzed
 MS = Maintenance Shop SVE system
 WB = Wash Bay SVE system
 WB-N1 = north subzone of Wash Bay Zone 1
 WB-N2 = north subzone of Wash Bay Zone 2
 WB-N3 = north subzone of Wash Bay Zone 3
 WB-COMP = composite sample from Wash Bay zones 1, 2, and 3
 MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS
 1,1-DCA = 1,1-dichloroethane
 1,2-DCA = 1,2-dichloroethane
 1,1-DCE = 1,1-dichloroethene
 1,1,1-TCA = 1,1,1-trichloroethane
 1,1,2-TCA = 1,1,2-trichloroethane
 TCE = trichloroethene
 PCE = tetrachloroethene



EXPLANATION

- MW-9 87.64 WWC MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
- ★ MONITORING WELLS TO BE SAMPLED QUARTERLY
- 86.00 POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
- TEMPORARY BENCH MARK
- AIR PIPING
- SVE EXTRACTION WELL
- ▲ EXTRACTION WELL
- DISCHARGE PIPING



BASE MAP MODIFIED FROM REED & ASSOCIATES



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-001
Client Sample ID: 90125-13.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-001
Client Sample ID: 90125-13.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 02:21 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 02:21 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Tetrachloroethene	1.1	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Trichloroethene	0.9	ug/L	J	1.0		SW8260B	04/15/09 02:21 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 02:21 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	04/15/09 02:21 / wen
Surr: Dibromofluoromethane	120	%REC		70-130		SW8260B	04/15/09 02:21 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	04/15/09 02:21 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	04/15/09 02:21 / wen

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 J - Estimated value. The analyte was present but less than the reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-002
Client Sample ID: 90125-15.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,1-Dichloroethane	1	ug/L	J	1.0		SW8260B	04/15/09 03:00 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
cis-1,2-Dichloroethene	3.2	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen

Report RL - Analyte reporting limit. MCL - Maximum contaminant level.
Definitions: QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-002
Client Sample ID: 90125-15.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 03:00 / wen
Methyl tert-butyl ether (MTBE)	1	ug/L	J	2.0		SW8260B	04/15/09 03:00 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Trichloroethene	49	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 03:00 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	04/15/09 03:00 / wen
Surr: Dibromofluoromethane	121	%REC		70-130		SW8260B	04/15/09 03:00 / wen
Surr: p-Bromofluorobenzene	116	%REC		80-120		SW8260B	04/15/09 03:00 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	04/15/09 03:00 / wen

Report Definitions: RL - Analyte reporting limit. MCL - Maximum contaminant level.
 QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-003
Client Sample ID: 90125-9.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,1-Dichloroethane	0.9	ug/L	J	1.0		SW8260B	04/15/09 03:37 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
cis-1,2-Dichloroethene	1.6	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen

Report RL - Analyte reporting limit. MCL - Maximum contaminant level.
Definitions: QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-003
Client Sample ID: 90125-9.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 03:37 / wen
Methyl tert-butyl ether (MTBE)	2.4	ug/L		2.0		SW8260B	04/15/09 03:37 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Tetrachloroethene	0.8	ug/L	J	1.0		SW8260B	04/15/09 03:37 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
trans-1,2-Dichloroethene	0.7	ug/L	J	1.0		SW8260B	04/15/09 03:37 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Trichloroethene	19	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 03:37 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/15/09 03:37 / wen
Surr: Dibromofluoromethane	119	%REC		70-130		SW8260B	04/15/09 03:37 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	04/15/09 03:37 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/15/09 03:37 / wen

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 J - Estimated value. The analyte was present but less than the reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-004
Client Sample ID: 90125-12.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,1,1-Trichloroethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,1,2-Trichloroethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,1-Dichloroethane	83	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,1-Dichloroethene	7.1	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,1-Dichloropropene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2,3-Trichlorobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2,3-Trichloropropane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2,4-Trichlorobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2,4-Trimethylbenzene	720	ug/L		50		SW8260B	04/17/09 18:26 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2-Dibromoethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2-Dichlorobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2-Dichloroethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,2-Dichloropropane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,3,5-Trimethylbenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,3-Dichlorobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,3-Dichloropropane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
1,4-Dichlorobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
2,2-Dichloropropane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
2-Chloroethyl vinyl ether	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
2-Chlorotoluene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
4-Chlorotoluene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Benzene	25	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Bromobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Bromochloromethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Bromodichloromethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Bromoforn	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Bromomethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Carbon tetrachloride	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Chlorobenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Chlorodibromomethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Chloroethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Chloroform	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Chloromethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
cis-1,2-Dichloroethene	100	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
cis-1,3-Dichloropropene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Dibromomethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Dichlorodifluoromethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Ethylbenzene	350	ug/L		10		SW8260B	04/15/09 04:16 / wen
Hexachlorobutadiene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Isopropylbenzene	250	ug/L		10		SW8260B	04/15/09 04:16 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-004
Client Sample ID: 90125-12.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 13:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	120	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Methyl ethyl ketone	ND	ug/L		80		SW8260B	04/15/09 08:03 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		8.0		SW8260B	04/15/09 08:03 / wen
Methylene chloride	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Naphthalene	140	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
n-Butylbenzene	14	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
n-Propylbenzene	370	ug/L		10		SW8260B	04/15/09 04:16 / wen
o-Xylene	2	ug/L	J	4.0		SW8260B	04/15/09 08:03 / wen
p-Isopropyltoluene	2	ug/L	J	4.0		SW8260B	04/15/09 08:03 / wen
sec-Butylbenzene	16	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Styrene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
tert-Butylbenzene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Tetrachloroethene	21	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Toluene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
trans-1,2-Dichloroethene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
trans-1,3-Dichloropropene	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Trichloroethene	10	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Trichlorofluoromethane	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Vinyl chloride	ND	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Xylenes, Total	120	ug/L		4.0		SW8260B	04/15/09 08:03 / wen
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	04/15/09 08:03 / wen
Surr: Dibromofluoromethane	120	%REC		70-130		SW8260B	04/15/09 08:03 / wen
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	04/15/09 08:03 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	04/15/09 08:03 / wen

- Foaming tendencies of this matrix caused an increase in the RL.

**Report
 Definitions:**

RL - Analyte reporting limit.
 QCL - Quality control limit.
 J - Estimated value. The analyte was present but less than the reporting limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-005
Client Sample ID: 90125-20.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 14:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,1-Dichloroethane	2.7	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,1-Dichloroethene	6.2	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-005
Client Sample ID: 90125-20.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 14:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 04:53 / wen
Methyl tert-butyl ether (MTBE)	21	ug/L		2.0		SW8260B	04/15/09 04:53 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Tetrachloroethene	1.7	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Trichloroethene	1.1	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 04:53 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	04/15/09 04:53 / wen
Surr: Dibromofluoromethane	120	%REC		70-130		SW8260B	04/15/09 04:53 / wen
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	04/15/09 04:53 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 04:53 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-006
Client Sample ID: 90125-28.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 14:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,1-Dichloroethene	0.5	ug/L	J	1.0		SW8260B	04/15/09 05:31 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen

Report RL - Analyte reporting limit. MCL - Maximum contaminant level.
Definitions: QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-006
Client Sample ID: 90125-28.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 14:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 05:31 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 05:31 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 05:31 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/15/09 05:31 / wen
Surr: Dibromofluoromethane	115	%REC		70-130		SW8260B	04/15/09 05:31 / wen
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	04/15/09 05:31 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/15/09 05:31 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-007
Client Sample ID: 90125-29.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 15:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-007
Client Sample ID: 90125-29.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 15:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 06:09 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 06:09 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 06:09 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	04/15/09 06:09 / wen
Surr: Dibromofluoromethane	121	%REC		70-130		SW8260B	04/15/09 06:09 / wen
Surr: p-Bromofluorobenzene	111	%REC		80-120		SW8260B	04/15/09 06:09 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/15/09 06:09 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-008
 Client Sample ID: 90125-30.4/09

Report Date: 04/22/09
 Collection Date: 04/06/09 15:15
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,1-Dichloroethane	11	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,1-Dichloroethene	63	ug/L		10		SW8260B	04/15/09 06:46 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Benzene	0.8	ug/L	J	1.0		SW8260B	04/15/09 07:25 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-008
Client Sample ID: 90125-30.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 15:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 07:25 / wen
Methyl tert-butyl ether (MTBE)	1	ug/L	J	2.0		SW8260B	04/15/09 07:25 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Tetrachloroethene	39	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Trichloroethene	14	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 07:25 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	04/15/09 07:25 / wen
Surr: Dibromofluoromethane	119	%REC		70-130		SW8260B	04/15/09 07:25 / wen
Surr: p-Bromofluorobenzene	116	%REC		80-120		SW8260B	04/15/09 07:25 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	04/15/09 07:25 / wen

Report Definitions: RL - Analyte reporting limit. MCL - Maximum contaminant level.
 QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-009
 Client Sample ID: 90125-Tank. 4/09

Report Date: 04/22/09
 Collection Date: 04/06/09 15:30
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,1-Dichloroethane	7.2	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,1-Dichloroethene	42	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Benzene	2.3	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-009
Client Sample ID: 90125-Tank. 4/09

Report Date: 04/22/09
Collection Date: 04/06/09 15:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 14:50 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 14:50 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Tetrachloroethene	33	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Trichloroethene	9.7	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 14:50 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	04/15/09 14:50 / wen
Surr: Dibromofluoromethane	108	%REC		70-130		SW8260B	04/15/09 14:50 / wen
Surr: p-Bromofluorobenzene	116	%REC		80-120		SW8260B	04/15/09 14:50 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	04/15/09 14:50 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-010
Client Sample ID: 90125-26.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 15:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,1-Dichloroethane	3.0	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,1-Dichloroethene	21	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-010
Client Sample ID: 90125-26.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 15:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 15:27 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 15:27 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Tetrachloroethene	14	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Trichloroethene	6.8	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 15:27 / wen
Surr: 1,2-Dichlorobenzene-d4	111	%REC		80-120		SW8260B	04/15/09 15:27 / wen
Surr: Dibromofluoromethane	114	%REC		70-130		SW8260B	04/15/09 15:27 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	04/15/09 15:27 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/15/09 15:27 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-011
Client Sample ID: 90125-26A.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,1-Dichloroethane	7.6	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,1-Dichloroethene	50	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Benzene	0.9	ug/L	J	1.0		SW8260B	04/15/09 16:06 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-011
Client Sample ID: 90125-26A.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 16:06 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 16:06 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Tetrachloroethene	45	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Trichloroethene	12	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 16:06 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	04/15/09 16:06 / wen
Surr: Dibromofluoromethane	125	%REC		70-130		SW8260B	04/15/09 16:06 / wen
Surr: p-Bromofluorobenzene	116	%REC		80-120		SW8260B	04/15/09 16:06 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 16:06 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-012
Client Sample ID: 90125-27.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-012
Client Sample ID: 90125-27.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 16:44 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 16:44 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 16:44 / wen
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	04/15/09 16:44 / wen
Surr: Dibromofluoromethane	134	%REC	S	70-130		SW8260B	04/15/09 16:44 / wen
Surr: p-Bromofluorobenzene	117	%REC		80-120		SW8260B	04/15/09 16:44 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	04/15/09 16:44 / wen

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-013
Client Sample ID: 90125-22A.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,1-Dichloroethane	13	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,1-Dichloroethene	73	ug/L		10		SW8260B	04/17/09 19:04 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Benzene	1.8	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-013
Client Sample ID: 90125-22A.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 17:21 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 17:21 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Tetrachloroethene	61	ug/L		10		SW8260B	04/17/09 19:04 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Trichloroethene	16	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 17:21 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/15/09 17:21 / wen
Surr: Dibromofluoromethane	117	%REC		70-130		SW8260B	04/15/09 17:21 / wen
Surr: p-Bromofluorobenzene	113	%REC		80-120		SW8260B	04/15/09 17:21 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 17:21 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-014
 Client Sample ID: 90125-22.4/09

Report Date: 04/22/09
 Collection Date: 04/06/09 16:45
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,1-Dichloroethane	7.8	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,1-Dichloroethene	44	ug/L		10		SW8260B	04/17/09 19:42 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Benzene	1.6	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-014
Client Sample ID: 90125-22.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 16:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 17:59 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 17:59 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Tetrachloroethene	35	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Trichloroethene	9.9	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 17:59 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/15/09 17:59 / wen
Surr: Dibromofluoromethane	121	%REC		70-130		SW8260B	04/15/09 17:59 / wen
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	04/15/09 17:59 / wen
Surr: Toluene-d8	108	%REC		80-120		SW8260B	04/15/09 17:59 / wen

Report Definitions: RL - Analyte reporting limit.
 QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-015
Client Sample ID: 90125-25.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,1-Dichloroethane	28	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,1-Dichloroethene	130	ug/L		20		SW8260B	04/17/09 20:20 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,2-Dichloroethane	0.6	ug/L	J	1.0		SW8260B	04/15/09 18:37 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Benzene	4.2	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
cis-1,2-Dichloroethene	0.5	ug/L	J	1.0		SW8260B	04/15/09 18:37 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-015
Client Sample ID: 90125-25.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 18:37 / wen
Methyl tert-butyl ether (MTBE)	1	ug/L	J	2.0		SW8260B	04/15/09 18:37 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Tetrachloroethene	100	ug/L		20		SW8260B	04/17/09 20:20 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Trichloroethene	25	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 18:37 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	04/15/09 18:37 / wen
Surr: Dibromofluoromethane	122	%REC		70-130		SW8260B	04/15/09 18:37 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	04/15/09 18:37 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/15/09 18:37 / wen

Report Definitions: RL - Analyte reporting limit. MCL - Maximum contaminant level.
 QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-016
Client Sample ID: 90125-21.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,1-Dichloroethane	18	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,1-Dichloroethene	44	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Benzene	1.1	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
cis-1,2-Dichloroethene	1.4	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-016
Client Sample ID: 90125-21.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 19:15 / wen
Methyl tert-butyl ether (MTBE)	2.6	ug/L		2.0		SW8260B	04/15/09 19:15 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Tetrachloroethene	33	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Trichloroethene	9.1	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 19:15 / wen
Surr: 1,2-Dichlorobenzene-d4	113	%REC		80-120		SW8260B	04/15/09 19:15 / wen
Surr: Dibromofluoromethane	131	%REC	S	70-130		SW8260B	04/15/09 19:15 / wen
Surr: p-Bromofluorobenzene	116	%REC		80-120		SW8260B	04/15/09 19:15 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 19:15 / wen

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-017
Client Sample ID: 90125-31.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,1-Dichloroethane	7.0	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,1-Dichloroethene	25	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Benzene	1.1	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-017
Client Sample ID: 90125-31.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/17/09 14:39 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/17/09 14:39 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Tetrachloroethene	21	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Trichloroethene	7.1	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/17/09 14:39 / wen
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	04/17/09 14:39 / wen
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	04/17/09 14:39 / wen
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	04/17/09 14:39 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	04/17/09 14:39 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-018
Client Sample ID: 90125-18.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,1-Dichloroethane	3.8	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,1-Dichloroethene	11	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-018
Client Sample ID: 90125-18.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 17:45
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/17/09 15:16 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/17/09 15:16 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Tetrachloroethene	10	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Trichloroethene	1.1	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/17/09 15:16 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/17/09 15:16 / wen
Surr: Dibromofluoromethane	124	%REC		70-130		SW8260B	04/17/09 15:16 / wen
Surr: p-Bromofluorobenzene	113	%REC		80-120		SW8260B	04/17/09 15:16 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	04/17/09 15:16 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-019
 Client Sample ID: 90125-11.4/09

Report Date: 04/22/09
 Collection Date: 04/06/09 18:00
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,1-Dichloroethane	4.6	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,1-Dichloroethene	1.9	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-019
Client Sample ID: 90125-11.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 18:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/17/09 15:54 / wen
Methyl tert-butyl ether (MTBE)	1	ug/L	J	2.0		SW8260B	04/17/09 15:54 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Tetrachloroethene	3.7	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Trichloroethene	1.3	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/17/09 15:54 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/17/09 15:54 / wen
Surr: Dibromofluoromethane	115	%REC		70-130		SW8260B	04/17/09 15:54 / wen
Surr: p-Bromofluorobenzene	110	%REC		80-120		SW8260B	04/17/09 15:54 / wen
Surr: Toluene-d8	97.0	%REC		80-120		SW8260B	04/17/09 15:54 / wen

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 J - Estimated value. The analyte was present but less than the reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-020
Client Sample ID: 90125-8.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 18:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,1-Dichloroethane	5.4	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,1-Dichloroethene	5.8	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
cis-1,2-Dichloroethene	1.1	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-020
Client Sample ID: 90125-8.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 18:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/17/09 16:32 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/17/09 16:32 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Tetrachloroethene	2.6	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Trichloroethene	3.7	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/17/09 16:32 / wen
Surr: 1,2-Dichlorobenzene-d4	106	%REC		80-120		SW8260B	04/17/09 16:32 / wen
Surr: Dibromofluoromethane	110	%REC		70-130		SW8260B	04/17/09 16:32 / wen
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	04/17/09 16:32 / wen
Surr: Toluene-d8	96.0	%REC		80-120		SW8260B	04/17/09 16:32 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-021
 Client Sample ID: 90125-A.4/09

Report Date: 04/22/09
 Collection Date: 04/06/09 12:00
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,1-Dichloroethane	0.9	ug/L	J	1.0		SW8260B	04/17/09 17:10 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
cis-1,2-Dichloroethene	1.6	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-021
Client Sample ID: 90125-A.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 12:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/17/09 17:10 / wen
Methyl tert-butyl ether (MTBE)	2.3	ug/L		2.0		SW8260B	04/17/09 17:10 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Tetrachloroethene	0.8	ug/L	J	1.0		SW8260B	04/17/09 17:10 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
trans-1,2-Dichloroethene	0.7	ug/L	J	1.0		SW8260B	04/17/09 17:10 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Trichloroethene	21	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/17/09 17:10 / wen
Surr: 1,2-Dichlorobenzene-d4	102	%REC		80-120		SW8260B	04/17/09 17:10 / wen
Surr: Dibromofluoromethane	108	%REC		70-130		SW8260B	04/17/09 17:10 / wen
Surr: p-Bromofluorobenzene	106	%REC		80-120		SW8260B	04/17/09 17:10 / wen
Surr: Toluene-d8	100	%REC		80-120		SW8260B	04/17/09 17:10 / wen

Report Definitions: RL - Analyte reporting limit. MCL - Maximum contaminant level.
 QCL - Quality control limit. ND - Not detected at the reporting limit.
 J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-022
 Client Sample ID: 90125-B.4/09

Report Date: 04/22/09
 Collection Date: 04/06/09 11:30
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,1-Dichloroethane	12	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,1-Dichloroethene	55	ug/L		10		SW8260B	04/17/09 20:58 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Benzene	0.8	ug/L	J	1.0		SW8260B	04/17/09 17:48 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-022
Client Sample ID: 90125-B.4/09

Report Date: 04/22/09
Collection Date: 04/06/09 11:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/17/09 17:48 / wen
Methyl tert-butyl ether (MTBE)	1	ug/L	J	2.0		SW8260B	04/17/09 17:48 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Tetrachloroethene	40	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Trichloroethene	15	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/17/09 17:48 / wen
Surr: 1,2-Dichlorobenzene-d4	101	%REC		80-120		SW8260B	04/17/09 17:48 / wen
Surr: Dibromofluoromethane	105	%REC		70-130		SW8260B	04/17/09 17:48 / wen
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	04/17/09 17:48 / wen
Surr: Toluene-d8	98.0	%REC		80-120		SW8260B	04/17/09 17:48 / wen

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 J - Estimated value. The analyte was present but less than the reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
 Project: 90125-Artesia
 Lab ID: C09040278-023
 Client Sample ID: Trip Blank

Report Date: 04/22/09
 Collection Date: 04/06/09 18:15
 Date Received: 04/08/09
 Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Chloroforn	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen

Report RL - Analyte reporting limit.
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040278-023
Client Sample ID: Trip Blank

Report Date: 04/22/09
Collection Date: 04/06/09 18:15
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/16/09 02:54 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/16/09 02:54 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/16/09 02:54 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	04/16/09 02:54 / wen
Surr: Dibromofluoromethane	133	%REC	S	70-130		SW8260B	04/16/09 02:54 / wen
Surr: p-Bromofluorobenzene	113	%REC		80-120		SW8260B	04/16/09 02:54 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/16/09 02:54 / wen

- Trip Blank reported without appropriate QC. Re-analysis not possible due to limited sample volume.

**Report
 Definitions:**

RL - Analyte reporting limit.
 QCL - Quality control limit.
 S - Spike recovery outside of advisory limits.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040256-001
Client Sample ID: 90125-WB.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 14:00
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2,4-Trimethylbenzene	1.9	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,3,5-Trimethylbenzene	1.4	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Bromoform	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125-Artesia
Lab ID: C09040256-001
Client Sample ID: 90125-WB.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 14:00
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	04/08/09 16:15 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
o-Xylene	1.5	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Tetrachloroethene	0.9	mg/m3	J	1.0		SW8260B	04/08/09 16:15 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	04/08/09 16:15 / jlr
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	04/08/09 16:15 / jlr
Surr: Dibromofluoromethane	104	%REC		80-120		SW8260B	04/08/09 16:15 / jlr
Surr: p-Bromofluorobenzene	111	%REC		80-120		SW8260B	04/08/09 16:15 / jlr
Surr: Toluene-d8	103	%REC		80-120		SW8260B	04/08/09 16:15 / jlr

Report Definitions:
 RL - Analyte reporting limit.
 QCL - Quality control limit.
 J - Estimated value. The analyte was present but less than the reporting limit.
 MCL - Maximum contaminant level.
 ND - Not detected at the reporting limit.