

GW - 73

**QUARTERLY
MONITORING
REPORT**

2nd Quarter 2009

Deuell Environmental, LLC

May 29, 2009

Mr. Edward Hansen
Environmental Bureau
New Mexico Oil Conservation Division
1220 S St. Francis Drive
Santa Fe, NN 87505

RE: Second Quarter Monitoring Results - 2009
Schlumberger Technology Corporation Facility – Hobbs, New Mexico (GW-73)

Dear Mr. Hansen:

This letter reports the quarterly environmental monitoring results for the Schlumberger Technology Corporation (Dowell) facility in Hobbs, New Mexico. Deuell Environmental, LLC conducted quarterly monitoring activities at the facility on April 7-8, 2009. Site maps of the Dowell facility are shown on Figures 1 and 2.

Ground-water Elevation Data

Static water levels were measured in 14 ground-water monitoring wells located on, or adjacent to, the Dowell facility (see Figure 1). All wells were opened and allowed to equilibrate prior to measuring water levels with an oil-water interface probe. Ground-water elevation data (Table 1) were used to generate a potentiometric surface map of the facility as shown on Figure 1.

Ground-water elevation data are presented in Table 1. Water levels decreased 0.5 – 1.1 feet. Historically there has been an overall decline in water levels across the site with some temporary increases due to precipitation. This will make it impracticable to sample some wells in the near future.

Ground-water Quality Data

Ground-water samples were collected from 6 of the 14 facility wells. Samples were submitted to Energy Laboratories, Inc. (Energy) in Casper, Wyoming for analysis by EPA Method 8260 (volatile organics by gas chromatography/mass spectrometry, or “GCMS”).

In accordance with sampling plan revisions recommended in the 2009 First Quarterly Report and approved by NMOCD, Wells MW-2, MW-3, MW-5, MW-9, MW-10,

MW-11, MW-13 and MW-15 were dropped from the sampling plan. These wells are scheduled to be plugged and abandoned in July.

A summary of ground-water quality analytical data is provided in Table 2. Total halocarbon concentrations in the vicinity of the Dowell facility are depicted graphically on Figure 2. No wells had any concentrations above MCL's. Well MW-6 has now been below MCL's for eight quarters and will be dropped from the sampling plan. A duplicate sample was collected from MW-6 for quality control.

SVE System Operation

The three SVE systems have run continuously for the year. The air-sparge system is shut down due to the decline in water levels reducing injection well submergence. Air samples were collected from the waste pond, UST, and acid dock systems and analyzed by EPA Method 8260. The results of the analysis are presented in Table 3.

Approved Revisions to the Sampling Plan

The site has cleaned up to the point that most wells have not had any concentrations above MCL's for several quarters. In addition declining water levels has made it difficult or impossible to sample several wells. Considering these factors Schlumberger proposed revisions to the sampling plan. After review by NMOCD some revisions were approved and are summarized in the table below:

WELL	QUARTERS SINCE ANY CONCENTRATION ABOVE MCL'S	SAMPLING DIFFICULTY (LOW WATER)	COMMENT
MW-2	33		Plug and abandon
MW-3	25 (13 samples)	YES	Plug and abandon
MW-4	1	YES	Continue sampling as feasible Replace if necessary
MW-5	13 (9 samples)	YES	Plug and abandon
MW-6	8		Plug and abandon
MW-7	10		Continue sampling
MW-8	15		Continue sampling
MW-9	18	YES	Plug and abandon
MW-10	44 (13 samples)		Plug and abandon
MW-11	48 (16 samples)		Plug and abandon
MW-12	43 (18 samples)		Keep as background well
MW-13	10		Plug and abandon
MW-14	48	YES	Continue sampling
MW-15	48		Plug and abandon

The next sampling event is scheduled for July 2009.

If you have any questions or comments, please call me at 307-760-3277 or Joe Ferguson at 281-285-3692.

Sincerely,

Rick Deuell, P.E.
Project Manager

Enclosures

cc: Mr. Paul Scheely, NMOCD-Hobbs District Office
Du'Bois Ferguson, Schlumberger
Janice Barber, Dow

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-2	3637.26	10/25/96	85	70.03	3567.23	
		11/21/96		70.03	3567.23	0.00
		01/22/97		70.26	3567.00	-0.23
		05/21/97		70.53	3566.73	-0.27
		07/28/97		70.69	3566.57	-0.16
		10/15/97		70.80	3566.46	-0.11
		01/05/98		71.05	3566.21	-0.25
		04/16/98		71.27	3565.99	-0.22
		07/16/98		71.61	3565.65	-0.34
		10/25/98		71.84	3565.42	-0.23
		02/10/99		72.02	3565.24	-0.18
		04/21/99		72.25	3565.01	-0.23
		07/13/99		72.50	3564.76	-0.25
		10/21/99		72.76	3564.50	-0.26
		01/25/00		72.92	3564.34	-0.16
		04/17/00		73.35	3563.91	-0.43
		07/25/00		73.71	3563.55	-0.36
		10/16/00		74.04	3563.22	-0.33
		01/16/01		75.04	3562.22	-1.00
		04/10/01		74.73	3562.53	0.31
		07/17/01		75.65	3561.61	-0.92
		10/16/01		75.57	3561.69	0.08
		01/13/02		76.00	3561.26	-0.43
		04/21/02		76.32	3560.94	-0.32
		07/23/02		76.76	3560.50	-0.44
		10/17/02		77.00	3560.26	-0.24
		01/21/03		77.15	3560.11	-0.15
		04/22/03		77.38	3559.88	-0.23
		07/15/03		77.64	3559.62	-0.26
		10/14/03		77.83	3559.43	-0.19
		01/27/04		78.13	3559.13	-0.30
		04/20/04		78.26	3559.00	-0.13
		07/17/04		78.36	3558.90	-0.10
		10/29/04		77.67	3559.59	0.69
		01/15/05		77.23	3560.03	0.44
		04/16/05		77.49	3559.77	-0.26
		07/09/05		77.79	3559.47	-0.30
		10/09/05		78.03	3559.23	-0.24
		01/16/06		78.22	3559.04	-0.19
		04/18/06		78.53	3558.73	-0.31
		07/12/06		78.68	3558.58	-0.15
		10/11/06		78.70	3558.56	-0.02
		01/15/07		78.88	3558.38	-0.18
		04/18/07		79.00	3558.26	-0.12
		07/17/07		79.11	3558.15	-0.11
		10/16/07		78.43	3558.83	0.68
		01/15/08		77.96	3559.30	0.47
		04/29/08		77.73	3559.53	0.23
		07/16/08		78.40	3558.86	-0.67
		10/15/08		78.27	3558.99	0.13
		01/14/09		78.37	3558.89	-0.10
		04/07/09		79.07	3558.19	-0.70
MW-3	3638.28	10/25/96	85	72.88	3565.40	
		11/21/96		72.89	3565.39	-0.01
		01/22/97		73.10	3565.18	-0.21
		05/21/97		73.40	3564.88	-0.30
		07/28/97		73.54	3564.74	-0.14
		10/15/97		73.67	3564.61	-0.13
		01/05/98		73.92	3564.36	-0.25
		04/16/98		74.13	3564.15	-0.21
		07/16/98		74.46	3563.82	-0.33
		10/25/98		74.74	3563.54	-0.28
		02/10/99		75.00	3563.28	-0.26
		04/21/99		75.21	3563.07	-0.21
		07/13/99		75.50	3562.78	-0.29
		10/20/99		75.67	3562.61	-0.17
		01/25/00		75.95	3562.33	-0.28
		04/17/00		76.26	3562.02	-0.31
		07/25/00		76.57	3561.71	-0.31
		10/16/00		76.88	3561.40	-0.31
		01/16/01		77.24	3561.04	-0.36
		04/10/01		77.59	3560.69	-0.35
		07/17/01		78.00	3560.28	-0.41
		10/16/01		78.39	3559.89	-0.39
		01/13/02		78.80	3559.48	-0.41
		04/21/02		79.21	3559.07	-0.41

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-3 (Cont.)		07/23/02		79.50	3558.78	-0.29
		10/17/02		79.78	3558.50	-0.28
		01/21/03		79.97	3558.31	-0.19
		04/22/03		80.19	3558.09	-0.22
		07/15/03		80.48	3557.80	-0.29
		10/14/03		80.73	3557.55	-0.25
		01/27/04		81.01	3557.27	-0.28
		04/20/04		81.19	3557.09	-0.18
		07/17/04		80.31	3557.97	0.88
		10/29/04		80.64	3557.64	-0.33
		01/15/05		80.14	3557.12	-0.52
		04/16/05		80.35	3556.91	-0.21
		07/09/05		80.66	3556.60	-0.31
		10/09/05		80.90	3556.36	-0.24
		01/16/06		81.11	3556.15	-0.21
		04/18/06		81.38	3555.88	-0.27
		07/12/06		81.57	3555.69	-0.19
		10/11/06		81.57	3555.69	0.00
		01/15/07		81.84	3555.42	-0.27
		04/18/07		81.89	3555.37	-0.05
		07/17/07		81.74	3555.52	0.15
		10/16/07		81.03	3556.23	0.71
		01/15/08		79.67	3557.59	1.36
		04/29/08		79.97	3557.29	-0.30
		07/16/08		80.70	3556.56	-0.73
		10/15/08		80.18	3557.08	0.52
		01/14/09		80.85	3556.41	-0.67
		04/07/09		81.98	3555.28	-1.13
MW-4	3639.20	10/25/96	85	72.41	3566.79	
		11/21/96		72.37	3566.83	0.04
		01/22/97		72.60	3566.60	-0.23
		05/21/97		72.87	3566.33	-0.27
		07/28/97		72.93	3566.27	-0.06
		10/15/97		73.03	3566.17	-0.10
		01/05/98		73.24	3565.96	-0.21
		04/16/98		73.67	3565.53	-0.43
		07/16/98		73.68	3565.52	-0.01
		10/25/98		74.21	3564.99	-0.53
		02/10/99		74.32	3564.88	-0.11
		04/21/99		74.58	3564.62	-0.26
		07/13/99		74.87	3564.33	-0.29
		10/21/99		75.08	3564.12	-0.21
		01/25/00		75.31	3563.89	-0.23
		04/17/00		75.75	3563.45	-0.44
		07/25/00		76.25	3562.95	-0.50
		10/16/00		76.52	3562.68	-0.27
		01/16/01		76.76	3562.44	-0.24
		04/10/01		77.27	3561.93	-0.51
		07/17/01		77.35	3561.85	-0.08
		10/16/01		77.71	3561.49	-0.36
		01/13/02		78.57	3560.63	-0.86
		04/21/02		78.89	3560.31	-0.32
		07/23/02		79.24	3559.96	-0.35
		10/17/02		79.54	3559.66	-0.30
		01/21/03		79.64	3559.56	-0.10
		04/22/03		79.77	3559.43	-0.13
		07/15/03		79.84	3559.36	-0.07
		10/14/03		80.24	3558.96	-0.40
		01/27/04		80.49	3558.71	-0.25
		04/20/04		80.66	3558.54	-0.17
		07/17/04		80.70	3558.50	-0.04
		10/29/04		79.96	3559.24	0.74
		01/15/05		79.59	3559.61	0.37
		04/16/05		79.71	3559.49	-0.12
		07/09/05		80.03	3559.17	-0.32
		10/09/05		80.26	3558.94	-0.23
		01/16/06		80.50	3558.70	-0.24
		04/18/06		80.82	3558.38	-0.32
		07/12/06		80.92	3558.28	-0.10
		10/11/06		81.00	3558.20	-0.08
		01/15/07		81.37	3557.83	-0.37
		04/18/07		81.17	3558.03	0.20
		07/17/07		81.45	3557.75	-0.28
		10/16/07		80.58	3558.62	0.87
		01/15/08		80.00	3559.20	0.58
		04/29/08		79.79	3559.41	0.21
		07/16/08		80.40	3558.80	-0.61

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-4 (Cont.)		10/15/08		80.08	3559.12	0.32
		01/14/09		80.59	3558.61	-0.51
		04/07/09		81.18	3558.02	-0.59
MW-5	3637.70	01/22/97	85	71.90	3565.80	
		05/21/97		72.21	3565.49	-0.31
		07/28/97		72.36	3565.34	-0.15
		10/15/97		72.44	3565.26	-0.08
		01/05/98		72.71	3564.99	-0.27
		04/16/98		72.92	3564.78	-0.21
		07/16/98		73.25	3564.45	-0.33
		10/25/98		73.53	3564.17	-0.28
		02/10/99		73.77	3563.93	-0.24
		04/21/99		73.98	3563.72	-0.21
		07/13/99		74.15	3563.55	-0.17
		10/20/99		74.46	3563.24	-0.31
		01/25/00		74.72	3562.98	-0.26
		04/17/00		75.03	3562.67	-0.31
		07/25/00		75.35	3562.35	-0.32
		10/16/00		75.68	3562.02	-0.33
		01/16/01		76.04	3561.66	-0.36
		04/10/01		76.38	3561.32	-0.34
		07/17/01		76.82	3560.88	-0.44
		10/16/01		77.24	3560.46	-0.42
		01/13/02		77.62	3560.08	-0.38
		04/21/02		78.04	3559.66	-0.42
		07/23/02		78.30	3559.40	-0.26
		10/17/02		78.68	3559.02	-0.38
		01/21/03		78.85	3558.85	-0.17
		04/22/03		79.09	3558.61	-0.24
		07/15/03		79.30	3558.40	-0.21
		10/14/03		79.58	3558.12	-0.28
		01/27/04		79.82	3557.88	-0.24
		04/20/04		80.00	3557.70	-0.18
		07/17/04		80.11	3557.59	-0.11
		10/29/04		79.40	3558.30	0.71
		01/15/05		78.93	3558.77	0.47
		04/16/05		79.13	3558.57	-0.20
		07/09/05		79.50	3558.20	-0.37
		10/09/05		79.20	3558.50	0.30
		01/16/06		79.96	3557.74	-0.76
		04/18/06		80.22	3557.48	-0.26
		07/12/06		80.40	3557.30	-0.18
		10/11/06		80.40	3557.30	0.00
		01/15/07		80.71	3556.99	-0.31
		04/18/07		80.69	3557.01	0.02
		07/17/07		80.60	3557.10	0.09
		10/16/07		80.00	3557.70	0.60
		01/15/08		79.13	3558.57	0.87
		04/29/08		79.13	3558.57	0.00
		07/16/08		79.84	3557.86	-0.71
		10/15/08		79.45	3558.25	0.39
		01/14/09		79.84	3557.86	-0.39
		04/07/09		80.63	3557.07	-0.79
MW-6	3637.52	01/22/97	85	72.88	3564.64	
		05/21/97		73.22	3564.30	-0.34
		07/28/97		73.44	3564.08	-0.22
		10/15/97		73.48	3564.04	-0.04
		01/05/98		73.72	3563.80	-0.24
		04/16/98		73.94	3563.58	-0.22
		07/16/98		74.26	3563.26	-0.32
		10/25/98		74.55	3562.97	-0.29
		02/10/99		74.78	3562.74	-0.23
		04/21/99		75.04	3562.48	-0.26
		07/13/99		75.22	3562.30	-0.18
		10/20/99		75.46	3562.06	-0.24
		01/25/00		75.80	3561.72	-0.34
		04/17/00		76.06	3561.46	-0.26
		07/25/00		76.36	3561.16	-0.30
		10/16/00		76.64	3560.88	-0.28
		01/16/01		77.00	3560.52	-0.36
		04/10/01		77.34	3560.18	-0.34
		07/17/01		77.77	3559.75	-0.43
		10/16/01		78.16	3559.36	-0.39
		01/13/02		78.56	3558.96	-0.40
		04/21/02		78.90	3558.62	-0.34
		07/23/02		79.23	3558.29	-0.33

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-6 (Cont.)		10/17/02		79.49	3558.03	-0.26
		01/21/03		79.69	3557.83	-0.20
		04/22/03		79.93	3557.59	-0.24
		07/15/03		80.18	3557.34	-0.25
		10/14/03		80.47	3557.05	-0.29
		01/27/04		80.77	3556.75	-0.30
		04/20/04		80.92	3556.60	-0.15
		07/17/04		81.05	3556.47	-0.13
		10/29/04		80.31	3557.21	0.74
		01/15/05		79.86	3557.66	0.45
		04/16/05		80.11	3557.41	-0.25
		07/09/05		80.40	3557.12	-0.29
		10/09/05		80.61	3556.91	-0.21
		01/16/06		80.97	3556.55	-0.36
		04/18/06		81.18	3556.34	-0.21
		07/12/06		81.35	3556.17	-0.17
		10/11/06		81.30	3556.22	0.05
		01/15/07		81.60	3555.92	-0.30
		04/18/07		81.67	3555.85	-0.07
		07/17/07		81.27	3556.25	0.40
		10/16/07		80.56	3556.96	0.71
		01/15/08		78.83	3558.69	1.73
		04/29/08		79.55	3557.97	-0.72
		07/16/08		80.22	3557.30	-0.67
		10/15/08		79.42	3558.10	0.80
		01/14/09		80.48	3557.04	-1.06
		04/07/09		81.38	3556.14	-0.90
MW-7	3638.62	01/22/97	85	73.31	3565.31	
		05/21/97		73.63	3564.99	-0.32
		07/28/97		73.80	3564.82	-0.17
		10/15/97		73.93	3564.69	-0.13
		01/05/98		74.17	3564.45	-0.24
		04/16/98		74.39	3564.23	-0.22
		07/16/98		74.71	3563.91	-0.32
		10/25/98		74.98	3563.64	-0.27
		02/10/99		75.22	3563.40	-0.24
		04/21/99		75.47	3563.15	-0.25
		07/13/99		75.68	3562.94	-0.21
		10/20/99		75.94	3562.68	-0.26
		01/25/00		76.23	3562.39	-0.29
		04/17/00		76.53	3562.09	-0.30
		07/25/00		76.88	3561.74	-0.35
		10/16/00		77.16	3561.46	-0.28
		01/16/01		77.55	3561.07	-0.39
		04/10/01		77.88	3560.74	-0.33
		07/17/01		78.29	3560.33	-0.41
		10/16/01		78.68	3559.94	-0.39
		01/13/02		79.12	3559.50	-0.44
		04/21/02		79.48	3559.14	-0.36
		07/23/02		79.79	3558.83	-0.31
		10/17/02		80.08	3558.54	-0.29
		01/21/03		80.26	3558.36	-0.18
		04/22/03		80.49	3558.13	-0.23
		07/15/03		80.69	3557.93	-0.20
		10/14/03		80.96	3557.66	-0.27
		01/27/04		81.22	3557.40	-0.26
		04/20/04		81.45	3557.17	-0.23
		07/17/04		81.57	3557.05	-0.12
		10/29/04		80.98	3557.64	0.59
		01/15/05		80.47	3558.15	0.51
		04/16/05		80.62	3558.00	-0.15
		07/09/05		80.90	3557.72	-0.28
		10/09/05		81.18	3557.44	-0.28
		01/16/06		81.30	3557.32	-0.12
		04/18/06		81.66	3556.96	-0.36
		07/12/06		81.82	3556.80	-0.16
		10/11/06		81.88	3556.74	-0.06
		01/15/07		82.08	3556.54	-0.20
		04/18/07		82.16	3556.46	-0.08
		07/17/07		82.11	3556.51	0.05
		10/16/07		81.28	3557.34	0.83
		01/15/08		79.79	3558.83	1.49
		04/29/08		80.21	3558.41	-0.42
		07/16/08		80.86	3557.76	-0.65
		10/15/08		80.33	3558.29	0.53
		01/14/09		81.06	3557.56	-0.73
		04/07/09		81.85	3556.77	-0.79

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-8	3638.71	01/22/97	85	72.78	3565.93	
		05/21/97		73.12	3565.59	-0.34
		07/28/97		73.31	3565.40	-0.19
		10/15/97		73.44	3565.27	-0.13
		01/05/98		73.63	3565.08	-0.19
		04/16/98		74.00	3564.71	-0.37
		07/16/98		74.21	3564.50	-0.21
		10/25/98		74.48	3564.23	-0.27
		02/10/99		74.72	3563.99	-0.24
		04/21/99		74.95	3563.76	-0.23
		07/13/99		75.19	3563.52	-0.24
		10/21/99		75.48	3563.23	-0.29
		01/25/00		75.76	3562.95	-0.28
		04/17/00		76.09	3562.62	-0.33
		07/25/00		76.48	3562.23	-0.39
		10/16/00		76.80	3561.91	-0.32
		01/16/01		77.18	3561.53	-0.38
		04/10/01		77.49	3561.22	-0.31
		07/17/01		77.92	3560.79	-0.43
		10/16/01		78.26	3560.45	-0.34
		01/13/02		78.74	3559.97	-0.48
		04/21/02		79.11	3559.60	-0.37
		07/23/02		79.42	3559.29	-0.31
		10/17/02		79.67	3559.04	-0.25
		01/21/03		79.91	3558.80	-0.24
		04/22/03		80.12	3558.59	-0.21
		07/15/03		80.32	3558.39	-0.20
		10/14/03		80.57	3558.14	-0.25
		01/27/04		80.83	3557.88	-0.26
		04/20/04		81.02	3557.69	-0.19
		07/17/04		81.16	3557.55	-0.14
		10/29/04		80.54	3558.17	0.62
		01/15/05		80.05	3558.66	0.49
		04/16/05		80.19	3558.52	-0.14
		07/09/05		80.45	3558.26	-0.26
		10/09/05		80.75	3557.96	-0.30
		01/16/06		80.92	3557.79	-0.17
		04/18/06		81.19	3557.52	-0.27
		07/12/06		81.38	3557.33	-0.19
		10/11/06		81.51	3557.20	-0.13
		01/15/07		81.62	3557.09	-0.11
		04/18/07		81.7	3557.01	-0.08
		07/17/07		81.75	3556.96	-0.05
		10/16/07		80.96	3557.75	0.79
		01/15/08		79.97	3558.74	0.99
		04/29/08		79.99	3558.72	-0.02
		07/16/08		80.52	3558.19	-0.53
		10/15/08		80.14	3558.57	0.38
		01/14/09		80.76	3557.95	-0.62
		04/07/09		81.49	3557.22	-0.73
MW-9	3638.76	01/22/97	85	72.57	3566.19	
		05/21/97		72.89	3565.87	-0.32
		07/28/97		73.08	3565.68	-0.19
		10/15/97		73.24	3565.52	-0.16
		01/05/98		73.47	3565.29	-0.23
		04/16/98		73.70	3565.06	-0.23
		07/16/98		73.99	3564.77	-0.29
		10/25/98		74.27	3564.49	-0.28
		02/10/99		74.52	3564.24	-0.25
		04/21/99		74.74	3564.02	-0.22
		07/13/99		74.98	3563.78	-0.24
		10/21/99		75.30	3563.46	-0.32
		01/25/00		75.56	3563.20	-0.26
		04/17/00		75.90	3562.86	-0.34
		07/25/00		76.27	3562.49	-0.37
		10/16/00		76.62	3562.14	-0.35
		01/16/01		77.03	3561.73	-0.41
		04/10/01		77.34	3561.42	-0.31
		07/17/01		77.77	3560.99	-0.43
		10/16/01		78.11	3560.65	-0.34
		01/13/02		78.60	3560.16	-0.49
		04/21/02		78.96	3559.80	-0.36
		07/23/02		79.29	3559.47	-0.33
		10/17/02		79.56	3559.20	-0.27
		01/21/03		79.78	3558.98	-0.22
		04/22/03		79.95	3558.81	-0.17

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-9 (Cont.)		07/15/03		80.12	3558.64	-0.17
		10/14/03		80.35	3558.41	-0.23
		01/27/04		80.63	3558.13	-0.28
		04/20/04		80.81	3557.95	-0.18
		07/17/04		80.94	3557.82	-0.13
		10/29/04		80.23	3558.53	0.71
		01/15/05		79.89	3558.87	0.34
		04/16/05		79.99	3558.77	-0.10
		07/09/05		80.23	3558.53	-0.24
		10/09/05		80.54	3558.22	-0.31
		01/16/06		80.71	3558.05	-0.17
		04/18/06		80.99	3557.77	-0.28
		07/12/06		81.19	3557.57	-0.20
		10/11/06		81.30	3557.46	-0.11
		01/15/07		81.40	3557.36	-0.10
		04/18/07		81.51	3557.25	-0.11
		07/17/07		81.52	3557.24	-0.01
		10/16/07		80.77	3557.99	0.75
		01/15/08		79.84	3558.92	0.93
		04/29/08		79.88	3558.88	-0.04
		07/16/08		80.50	3558.26	-0.62
MW-10	3638.86	05/27/97	130.5	73.33	3565.53	
		07/28/97		73.49	3565.37	-0.16
		10/15/97		73.61	3565.25	-0.12
		01/05/98		73.83	3565.03	-0.22
		04/16/98		74.08	3564.78	-0.25
		07/16/98		74.38	3564.48	-0.30
		10/25/98		74.64	3564.22	-0.26
		02/10/99		74.92	3563.94	-0.28
		04/21/99		75.14	3563.72	-0.22
		07/13/99		75.31	3563.55	-0.17
		10/18/99		75.65	3563.21	-0.34
		01/25/00		75.93	3562.93	-0.28
		04/17/00		76.26	3562.60	-0.33
		07/25/00		76.63	3562.23	-0.37
		10/16/00		76.97	3561.89	-0.34
		01/16/01		77.34	3561.52	-0.37
		04/10/01		77.68	3561.18	-0.34
		07/17/01		78.06	3560.80	-0.38
		10/16/01		78.42	3560.44	-0.36
		01/13/02		78.88	3559.98	-0.46
		04/21/02		79.31	3559.55	-0.43
		07/23/02		79.64	3559.22	-0.33
		10/17/02		79.93	3558.93	-0.29
		01/21/03		80.06	3558.80	-0.13
		04/22/03		80.29	3558.57	-0.23
		07/15/03		80.44	3558.42	-0.15
		10/14/03		80.70	3558.16	-0.26
		01/27/04		80.94	3557.92	-0.24
		04/20/04		81.2	3557.66	-0.26
		07/17/04		81.31	3557.55	-0.11
		10/29/04		80.66	3558.20	0.65
		01/15/05		80.22	3558.64	0.44
		04/16/05		80.36	3558.50	-0.14
		07/09/05		80.64	3558.22	-0.28
		10/09/05		80.93	3557.93	-0.29
		01/16/06		81.08	3557.78	-0.15
		04/18/06		81.41	3557.45	-0.33
		07/12/06		81.58	3557.28	-0.17
		10/11/06		81.65	3557.21	-0.07
		01/15/07		81.82	3557.04	-0.17
		04/18/07		81.88	3556.98	-0.06
		07/17/07		81.93	3556.93	-0.05
		10/16/07		81.14	3557.72	0.79
		01/15/08		80.12	3558.74	1.02
		04/29/08		80.17	3558.69	-0.05
		07/16/08		80.70	3558.16	-0.53
		10/15/08		80.32	3558.54	0.38
		01/14/09		80.94	3557.92	-0.62
		04/07/09		81.67	3557.19	-0.73

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-11	3638.55	05/26/97	208	70.70	3567.85	
		07/28/97		70.89	3567.66	-0.19
		10/15/97		70.85	3567.70	0.04
		01/05/98		71.21	3567.34	-0.36
		04/16/98		71.45	3567.10	-0.24
		07/16/98		71.76	3566.79	-0.31
		10/25/98		71.95	3566.60	-0.19
		02/10/99		72.22	3566.33	-0.27
		04/21/99		72.47	3566.08	-0.25
		07/13/99		72.74	3565.81	-0.27
		10/18/99		73.03	3565.52	-0.29
		01/25/00		73.34	3565.21	-0.31
		04/17/00		73.65	3564.90	-0.31
		07/25/00		74.03	3564.52	-0.38
		10/16/00		74.44	3564.11	-0.41
		01/16/01		74.88	3563.67	-0.44
		04/10/01		75.25	3563.30	-0.37
		07/17/01		75.74	3562.81	-0.49
		10/16/01		76.14	3562.41	-0.40
		01/13/02		76.50	3562.05	-0.36
		04/21/02		76.88	3561.67	-0.38
		07/23/02		77.22	3561.33	-0.34
		10/17/02		77.48	3561.07	-0.26
		01/21/03		77.71	3560.84	-0.23
		04/22/03		77.88	3560.67	-0.17
		07/15/03		78.05	3560.50	-0.17
		10/14/03		78.28	3560.27	-0.23
		01/27/04		78.48	3560.07	-0.20
		04/20/04		78.62	3559.93	-0.14
		07/17/04		78.78	3559.77	-0.16
		10/29/04		77.93	3560.62	0.85
		01/15/05		77.54	3561.01	0.39
		04/16/05		77.77	3560.78	-0.23
		07/09/05		78.34	3560.21	-0.57
		10/09/05		78.96	3559.59	-0.62
		01/16/06		79.07	3559.48	-0.11
		04/18/06		78.89	3559.66	0.18
		07/12/06		78.96	3559.59	-0.07
		10/11/06		79.08	3559.47	-0.12
		01/15/07		79.22	3559.33	-0.14
		04/18/07		79.27	3559.28	-0.05
		07/17/07		79.73	3558.82	-0.46
		10/16/07		78.82	3559.73	0.91
		01/15/08		78.46	3560.09	0.36
		04/29/08		78.21	3560.34	0.25
		07/16/08		78.90	3559.65	-0.69
		10/15/08		79.02	3559.53	-0.12
		01/14/09		78.76	3559.79	0.26
		04/07/09		79.21	3559.34	-0.45
MW-12	3636.15	05/26/97	85	68.05	3568.10	
		07/28/97		68.14	3568.01	-0.09
		10/15/97		68.24	3567.91	-0.10
		01/05/98		68.52	3567.63	-0.28
		04/16/98		68.78	3567.37	-0.26
		07/16/98		69.10	3567.05	-0.32
		10/25/98		69.26	3566.89	-0.16
		02/10/99		69.53	3566.62	-0.27
		04/21/99		69.76	3566.39	-0.23
		07/13/99		69.95	3566.20	-0.19
		10/18/99		70.29	3565.86	-0.34
		01/25/00		70.57	3565.58	-0.28
		04/17/00		70.87	3565.28	-0.30
		07/25/00		71.28	3564.87	-0.41
		10/16/00		71.46	3564.69	-0.18
		01/16/01		72.00	3564.15	-0.54
		04/10/01		72.93	3563.22	-0.93
		07/17/01		72.92	3563.23	0.01
		10/16/01		73.32	3562.83	-0.40
		01/13/02		73.72	3562.43	-0.40
		04/21/02		74.08	3562.07	-0.36
		07/23/02		74.42	3561.73	-0.34
		10/17/02		74.72	3561.43	-0.30
		01/21/03		74.90	3561.25	-0.18
		04/22/03		75.14	3561.01	-0.24
		07/15/03		75.35	3560.80	-0.21
		10/14/03		75.55	3560.60	-0.20
		01/27/04		75.76	3560.39	-0.21

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-12 (Cont.)		04/20/04		75.93	3560.22	-0.17
		07/17/04		76.02	3560.13	-0.09
		10/29/04		75.17	3560.98	0.85
		01/15/05		74.77	3561.38	0.40
		04/16/05		75.04	3561.11	-0.27
		07/09/05		75.39	3560.76	-0.35
		10/09/05		75.69	3560.46	-0.30
		01/16/06		75.8	3560.35	-0.11
		04/18/06		76.07	3560.08	-0.27
		07/12/06		76.25	3559.90	-0.18
		10/11/06		76.28	3559.87	-0.03
		01/15/07		76.48	3559.67	-0.20
		04/18/07		76.58	3559.57	-0.10
		07/17/07		76.71	3559.44	-0.13
		10/16/07		76.16	3559.99	0.55
		01/15/08		75.77	3560.38	0.39
		04/29/08		75.48	3560.67	0.29
		07/16/08		76.20	3559.95	-0.72
		10/15/08		76.10	3560.05	0.10
		01/14/09		76.07	3560.08	0.03
		04/07/09		76.70	3559.45	-0.63
MW-13	3635.39	05/21/97	84	72.31	3563.08	
		07/28/97		72.39	3563.00	-0.08
		10/15/97		72.63	3562.76	-0.24
		01/05/98		72.79	3562.60	-0.16
		04/16/98		72.93	3562.46	-0.14
		07/16/98		73.32	3562.07	-0.39
		10/25/98		73.62	3561.77	-0.30
		02/10/99		73.88	3561.51	-0.26
		04/21/99		74.11	3561.28	-0.23
		07/12/99		74.17	3561.22	-0.06
	3634.76	10/20/99		73.88	3561.51	0.29
		01/26/00		74.18	3560.58	-0.93
		04/17/00		74.43	3560.33	-0.25
		07/25/00		74.65	3560.11	-0.22
		10/16/00		74.95	3559.81	-0.30
		01/16/01		75.33	3559.43	-0.38
		04/10/01		75.65	3559.11	-0.32
		07/17/01		76.04	3558.72	-0.39
		10/16/01		76.42	3558.34	-0.38
		01/13/02		76.82	3557.94	-0.40
		04/21/02		77.11	3557.65	-0.29
		07/23/02		77.41	3557.35	-0.30
		10/17/02		77.72	3557.04	-0.31
		01/21/03		77.82	3556.94	-0.10
		04/22/03		78.07	3556.69	-0.25
		07/15/03		78.45	3556.31	-0.38
		10/14/03		78.74	3556.02	-0.29
		01/27/04		79.04	3555.72	-0.30
		04/20/04		78.96	3555.80	0.08
		07/17/04		79.28	3555.48	-0.32
		10/29/04		78.14	3556.62	1.14
		01/15/05		78.03	3556.73	0.11
		04/16/05		78.42	3556.34	-0.39
		07/09/05		78.75	3556.01	-0.33
		10/09/05		78.79	3555.97	-0.04
		01/16/06		79.19	3555.57	-0.40
		04/18/06		79.55	3555.21	-0.36
		07/12/06		79.79	3554.97	-0.24
		10/11/06		79.39	3555.37	0.40
		01/15/07		79.9	3554.86	-0.51
		04/18/07		80.03	3554.73	-0.13
		07/16/07		78.67	3556.09	1.36
		10/16/07		78.43	3556.33	0.24
		01/15/08		77.22	3557.54	1.21
		04/29/08		78.31	3556.45	-1.09
		07/16/08		78.58	3556.18	-0.27
		10/15/08		77.57	3557.19	1.01
		01/14/09		78.89	3555.87	-1.32
		04/07/09		79.84	3554.92	-0.95
MW-14	3637.19	05/21/97	85	74.86	3562.33	
		07/28/97		75.06	3562.13	-0.20
		10/15/97		75.28	3561.91	-0.22
		01/05/98		75.44	3561.75	-0.16
		04/16/98		75.61	3561.58	-0.17
		07/16/98		75.98	3561.21	-0.37

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-14 (Cont.)		10/25/98		76.26	3560.93	-0.28
		02/10/99		76.57	3560.62	-0.31
		04/21/99		76.81	3560.38	-0.24
		07/12/99		77.08	3560.11	-0.27
		10/20/99		77.35	3559.84	-0.27
		01/26/00		77.67	3559.52	-0.32
		04/17/00		77.94	3559.25	-0.27
		07/25/00		78.26	3558.93	-0.32
		10/16/00		78.51	3558.68	-0.25
		01/16/01		78.91	3558.28	-0.40
		04/10/01		79.24	3557.95	-0.33
		07/17/01		79.66	3557.53	-0.42
		10/16/01		80.06	3557.13	-0.40
		01/13/02		80.40	3556.79	-0.34
		04/21/02		80.78	3556.41	-0.38
		07/23/02		81.05	3556.14	-0.27
		10/17/02		81.36	3555.83	-0.31
		01/21/03		81.59	3555.60	-0.23
		04/22/03		81.77	3555.42	-0.18
		07/15/03		82.03	3555.16	-0.26
		10/14/03		82.27	3554.92	-0.24
		01/27/04		82.57	3554.62	-0.30
		04/20/04		82.77	3554.42	-0.20
		07/16/04		82.92	3554.27	-0.15
		10/29/04		82.67	3554.52	0.25
		01/15/05		82.17	3555.02	0.50
		04/16/05		82.03	3555.16	0.14
		07/09/05		82.28	3554.91	-0.25
		10/09/05		82.47	3554.72	-0.19
		01/16/06		82.77	3554.42	-0.30
		04/18/06		82.92	3554.27	-0.15
		07/12/06		83.18	3554.01	-0.26
		10/11/06		83.28	3553.91	-0.10
		01/15/07		83.43	3553.76	-0.15
		04/18/07		83.49	3553.70	-0.06
		07/16/07		83.56	3553.63	-0.07
		10/16/07		83.23	3553.96	0.33
		01/15/08		82.83	3554.36	0.40
		04/29/08		82.58	3554.61	0.25
		07/16/08		83.19	3554.00	-0.61
		10/15/08		83.10	3554.09	0.09
		01/14/09		83.12	3554.07	-0.02
		04/07/09		83.61	3553.58	-0.49
MW-15	3636.57	05/21/97	85	72.09	3564.48	
		07/28/97		72.28	3564.29	-0.19
		10/15/97		72.52	3564.05	-0.24
		01/05/98		72.70	3563.87	-0.18
		04/16/98		72.87	3563.70	-0.17
		07/16/98		73.24	3563.33	-0.37
		10/25/98		73.47	3563.10	-0.23
		02/10/99		73.76	3562.81	-0.29
		04/21/99		74.00	3562.57	-0.24
		07/12/99		74.27	3562.30	-0.27
		10/20/99		74.58	3561.99	-0.31
		01/26/00		74.92	3561.65	-0.34
		04/17/00		75.19	3561.38	-0.27
		07/25/00		75.50	3561.07	-0.31
		10/16/00		75.85	3560.72	-0.35
		01/16/01		76.27	3560.30	-0.42
		04/10/01		76.58	3559.99	-0.31
		07/17/01		77.01	3559.56	-0.43
		10/16/01		77.44	3559.13	-0.43
		01/13/02		77.87	3558.70	-0.43
		04/21/02		78.18	3558.39	-0.31
		07/23/02		78.53	3558.04	-0.35
		10/17/02		78.72	3557.85	-0.19
		01/21/03		79.00	3557.57	-0.28
		04/22/03		79.16	3557.41	-0.16
		07/15/03		79.36	3557.21	-0.20
		10/14/03		79.60	3556.97	-0.24
		01/27/04		79.83	3556.74	-0.23
		04/20/04		80.03	3556.54	-0.20
		07/16/04		80.14	3556.43	-0.11
		10/29/04		79.55	3557.02	0.59
		01/15/05		79.20	3557.37	0.35
		04/16/05		79.18	3557.39	0.02
		07/09/05		79.43	3557.14	-0.25

Table 1 - Static Water Level Elevation Data

Well Number	Top of Casing Elevations (ft)	Date Measured	Total Depth (ft)	Depth to Water (ft)	*Static Water Elevation (ft)	Difference From Prior Level (ft)
MW-15 (Cont.)		10/09/05		79.70	3556.87	-0.27
		01/16/06		79.92	3556.65	-0.22
		04/18/06		80.12	3556.45	-0.20
		07/12/06		80.38	3556.19	-0.26
		10/11/06		80.52	3556.05	-0.14
		01/15/07		80.64	3555.93	-0.12
		04/18/07		80.72	3555.85	-0.08
		07/16/07		80.78	3555.79	-0.06
		10/16/07		80.33	3556.24	0.45
		01/15/08		79.80	3556.77	0.53
		04/29/08		79.50	3557.07	0.30
		07/16/08		80.18	3556.39	-0.68
		10/15/08		80.04	3556.53	0.14
		01/14/09		80.16	3556.41	-0.12
		04/07/09		80.72	3555.85	-0.56
Shell Station MW-4	3637.69	05/25/97	82.6	75.97	3561.72	
		07/28/97		76.15	3561.54	-0.18
		10/15/97		76.26	3561.43	-0.11
		01/05/98		76.52	3561.17	-0.26
		04/16/98		76.67	3561.02	-0.15
		07/16/98		78.03	3559.66	-1.36
		10/25/98		77.33	3560.36	0.70
		02/10/99		77.62	3560.07	-0.29
		04/21/99		77.48	3560.21	0.14
		07/12/99		78.08	3559.61	-0.60
		10/21/99		78.36	3559.33	-0.28
		01/26/00		78.65	3559.04	-0.29
		04/17/00		78.92	3558.77	-0.27
		07/25/00		79.18	3558.51	-0.26
		10/16/00		79.49	3558.20	-0.31
		01/16/01		79.83	3557.86	-0.34
		04/10/01		80.14	3557.55	-0.31
		07/17/01		80.53	3557.16	-0.39
		10/16/01		80.85	3556.84	-0.32
		01/13/02		81.27	3556.42	-0.42
		04/21/02		81.61	3556.08	-0.34
		07/23/02		81.63	3556.06	-0.02
		10/17/02		81.69	3556.00	-0.06
		01/21/03		81.71	3555.98	-0.02
		04/22/03		81.77	3555.92	-0.06
		07/15/03		81.56	3556.13	0.21
		10/14/03		79.94	3557.75	1.62
		01/27/04		82.27	3555.42	-2.33

Note: Top of casing survey elevations are based on the "City of Hobbs Control Datum" and the North American Vertical Datum

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-2 (Cont.)	07/06/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-3	10/25/96	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.023	ND(0.002)	0.007	ND(0.002)	0.007	ND(0.002)	0.012	ND(0.001)	0.002	0.049
	11/21/96	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.017	ND(0.002)	0.007	ND(0.002)	0.028	ND(0.002)	0.019	ND(0.001)	0.000	0.071
	01/22/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.027	ND(0.002)	0.010	ND(0.002)	0.014	ND(0.002)	0.016	ND(0.001)	0.000	0.067
	05/22/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.026	0.001	0.015	ND(0.001)	0.015	ND(0.001)	0.016	ND(0.001)	0.002	0.073
	07/28/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.033	0.002	0.012	ND(0.002)	0.008	ND(0.002)	0.012	ND(0.001)	0.003	0.067
	10/16/97	0.007	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.008	ND(0.002)	0.011	ND(0.002)	0.022	ND(0.001)	0.001	0.063
	01/06/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.023	ND(0.002)	0.023	ND(0.002)	0.031	ND(0.002)	0.026	ND(0.001)	0.000	0.103
	04/16/98	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.030	ND(0.002)	0.014	ND(0.002)	0.012	0.003	0.025	ND(0.001)	0.003	0.084
	07/17/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.034	ND(0.002)	0.015	ND(0.002)	0.013	0.003	0.026	ND(0.001)	0.002	0.091
	10/27/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.035	ND(0.002)	0.012	ND(0.002)	0.005	0.002	0.016	ND(0.001)	0.002	0.070
	10/20/99	0.002	ND(0.001)	0.002	ND(0.002)	0.025	ND(0.001)	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.004	0.068
	10/16/00	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.026	ND(0.001)	0.020	ND(0.001)	0.014	ND(0.001)	0.017	ND(0.001)	0.003	0.077
duplicate	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	0.010	ND(0.001)	0.000	0.052
	10/17/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.007	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	0.002	0.035
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.001	0.005	0.001	0.001	ND(0.001)	0.002	ND(0.001)	0.000	0.026
duplicate	10/30/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	0.016
	10/10/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-4	10/15/96	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.110	0.051	0.498	0.051	1.040	0.005	2.590	ND(0.001)	0.000	4.234
	11/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.110	ND(0.005)	0.623	ND(0.005)	0.941	ND(0.005)	3.526	ND(0.001)	0.000	5.200
	11/21/96	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.106	0.042	0.694	0.042	1.080	ND(0.002)	3.980	ND(0.001)	0.000	5.902
	01/22/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.089	0.037	0.509	0.037	0.557	ND(0.005)	3.100	ND(0.001)	0.000	4.292
	05/23/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.062	0.022	0.423	0.022	0.550	ND(0.001)	1.720	ND(0.001)	0.000	2.777
	06/25/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.047	0.077	0.175	0.077	0.349	ND(0.002)	1.250	ND(0.001)	0.000	1.638
	07/28/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.044	0.077	0.167	0.077	0.332	ND(0.002)	1.190	ND(0.001)	0.000	1.750
	07/28/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.037	0.075	0.124	0.075	0.267	ND(0.002)	1.060	ND(0.001)	0.000	1.503
	10/16/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.031	0.071	0.103	0.071	0.225	ND(0.002)	1.170	ND(0.001)	0.000	1.540
	01/06/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.021	ND(0.002)	0.087	ND(0.002)	0.148	ND(0.002)	0.970	ND(0.001)	0.000	1.226
	01/06/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.006	0.077	0.006	0.138	ND(0.001)	0.907	ND(0.001)	0.000	1.149
	04/16/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.079	ND(0.005)	0.116	ND(0.005)	0.114	ND(0.005)	0.651	ND(0.001)	0.000	0.900
Duplicate	07/17/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.031	ND(0.001)	0.206	ND(0.001)	0.194	ND(0.001)	1.120	ND(0.001)	0.000	1.551
	07/17/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.031	ND(0.002)	0.240	ND(0.002)	0.216	ND(0.002)	0.843	ND(0.001)	0.000	1.330
	10/27/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.037	ND(0.005)	0.201	ND(0.005)	0.209	ND(0.005)	1.080	ND(0.001)	0.000	1.521
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.019	ND(0.001)	0.118	ND(0.001)	0.090	ND(0.001)	0.511	ND(0.001)	0.000	0.738
	04/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.031	ND(0.001)	0.151	ND(0.001)	0.166	ND(0.001)	0.875	ND(0.001)	0.000	1.223
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	0.081	ND(0.001)	0.058	ND(0.001)	0.386	ND(0.001)	0.000	0.539
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.015	0.004	0.084	ND(0.001)	0.055	ND(0.001)	0.350	ND(0.001)	0.000	0.508
	10/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.059	0.027	0.149	ND(0.002)	0.155	ND(0.001)	0.977	ND(0.001)	0.000	1.367
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.044	ND(0.001)	0.030	ND(0.001)	0.248	ND(0.001)	0.000	0.336
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.015	ND(0.001)	0.054	ND(0.001)	0.036	ND(0.001)	0.282	ND(0.001)	0.000	0.387
	04/18/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.013	ND(0.0025)	0.038	ND(0.0025)	0.021	ND(0.0025)	0.252	ND(0.001)	0.000	0.324
	07/25/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0075)	0.011	0.005	0.028	ND(0.0025)	0.021	ND(0.0025)	0.170	ND(0.001)	0.000	0.235
STL Duplicate	07/25/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.016	0.007	0.041	ND(0.005)	0.025	ND(0.005)	0.140	ND(0.001)	0.000	0.229

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-4 (Cont.)	10/1600	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.011	0.005	0.021	ND (0.0025)	0.013	ND (0.0025)	0.107	ND (0.0025)	0.000	0.157
	01/1601	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.005	ND (0.0025)	0.008	ND (0.0025)	0.004	ND (0.0025)	0.063	ND (0.0025)	0.000	0.070
	01/1601	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.005	ND (0.001)	0.008	ND (0.001)	0.004	ND (0.001)	0.049	ND (0.001)	0.000	0.066
	04/1001	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.007	ND (0.0025)	0.010	ND (0.0025)	0.004	ND (0.0025)	0.047	ND (0.0025)	0.000	0.068
Duplicate	07/1701	ND (0.005)	ND (0.005)	ND (0.005)	ND (0.005)	0.007	ND (0.005)	0.007	ND (0.005)	ND (0.005)	ND (0.005)	0.041	ND (0.005)	0.000	0.055
	10/1601	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.014	0.005	0.013	ND (0.0025)	0.011	ND (0.0025)	0.065	ND (0.0025)	0.000	0.128
	01/1302	ND (0.0025)	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.009	ND (0.0025)	0.009	ND (0.0025)	0.005	ND (0.0025)	0.050	ND (0.0025)	0.000	0.073
	04/2102	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.006	ND (0.001)	0.006	ND (0.001)	0.003	ND (0.001)	0.028	ND (0.001)	0.000	0.043
Duplicate	07/2302	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.005	ND (0.001)	0.001	ND (0.001)	0.021	ND (0.001)	0.000	0.031
	10/1702	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.005	ND (0.001)	0.004	ND (0.001)	0.002	ND (0.001)	0.024	ND (0.001)	0.000	0.035
	01/2103	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	0.012	ND (0.001)	0.000	0.019
	04/2203	ND (0.001)	ND (0.001)	0.073	ND (0.001)	0.003	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.011	ND (0.001)	0.073	0.017
Duplicate	07/1503	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.013	ND (0.001)	0.000	0.020
	10/1403	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.011	ND (0.001)	0.000	0.020
	01/1403	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.011	ND (0.001)	0.000	0.018
	01/2704	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.012	ND (0.001)	0.000	0.019
Duplicate	04/2004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.011	ND (0.001)	0.000	0.017
	07/1704	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	0.009	ND (0.001)	0.000	0.016
	10/3004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	0.012	ND (0.001)	0.000	0.017
	10/3004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	0.010	ND (0.001)	0.000	0.015
Duplicate	01/1505	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	0.007	ND (0.001)	0.000	0.012
	04/1705	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.002	ND (0.001)	0.001	ND (0.001)	ND (0.001)	ND (0.001)	0.007	ND (0.001)	0.000	0.010
	07/0905	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.006	ND (0.001)	0.000	0.008
	10/1005	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.001	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.014	ND (0.001)	0.000	0.015
Duplicate	01/1706	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.035	ND (0.001)	0.000	0.035
	04/1806	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.062	ND (0.001)	0.000	0.052
	07/1206	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.028	ND (0.001)	0.000	0.028
	10/1106	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.014	ND (0.001)	0.000	0.014
Duplicate	01/1507	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.006	ND (0.001)	0.000	0.006
	10/1607	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.000	0.003
	01/1508	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.001	ND (0.001)	0.000	0.001
	04/2908	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	0.000	0.003
Duplicate	07/1608	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.000	0.004
	10/1508	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.004	ND (0.001)	0.000	0.004
	01/1409	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.006	ND (0.001)	0.000	0.006
	04/0709	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.000	0.000
MW-5	01/2397	0.018	0.004	ND (0.001)	0.007	0.180	0.002	0.020	0.036	0.036	0.007	0.012	0.023	0.023	0.251
	01/2397	0.018	0.004	ND (0.001)	0.001	0.190	0.002	0.018	0.034	0.034	0.007	0.009	0.023	0.023	0.254
	05/2397	0.029	ND (0.002)	ND (0.002)	ND (0.004)	0.191	0.003	0.055	0.059	0.059	0.002	0.079	0.029	0.029	0.389
	07/2897	0.051	0.023	ND (0.002)	0.007	0.241	0.004	0.072	0.051	0.051	0.002	0.058	0.061	0.061	0.428
Duplicate	07/2897	0.052	0.023	ND (0.005)	0.007	0.258	0.004	0.069	0.050	0.050	ND (0.005)	0.052	0.082	0.082	0.433
	10/1697	0.059	0.027	ND (0.01)	0.008	0.214	0.004	0.066	0.039	0.039	ND (0.01)	0.070	0.094	0.094	0.393
	01/0698	0.048	0.016	ND (0.01)	0.006	0.215	0.004	0.060	0.029	0.029	ND (0.01)	0.055	0.070	0.070	0.363
	04/1698	0.034	0.011	ND (0.005)	ND (0.01)	0.136	0.002	0.033	0.008	0.008	ND (0.005)	0.031	0.045	0.045	0.210
Duplicate	07/1798	0.025	0.007	ND (0.002)	0.007	0.106	0.002	0.023	0.007	0.007	0.002	0.029	0.033	0.033	0.169
	10/2798	ND (0.01)	ND (0.01)	ND (0.01)	ND (0.02)	0.080	ND (0.01)	0.042	0.016	0.016	ND (0.01)	0.033	0.000	0.000	0.171
	01/2798	0.011	0.002	ND (0.002)	ND (0.004)	0.053	ND (0.002)	0.011	0.002	0.002	ND (0.002)	0.005	0.077	0.077	0.140
	10/2099	0.027	0.009	ND (0.0025)	ND (0.005)	0.113	ND (0.0025)	0.022	ND (0.0025)	ND (0.0025)	ND (0.0025)	0.005	0.036	0.036	0.140
Duplicate	10/1600	0.002	ND (0.001)	ND (0.001)	ND (0.001)	0.009	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.002	0.011
	10/1601	0.006	0.001	ND (0.001)	ND (0.001)	0.028	ND (0.001)	0.006	0.005	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.007	0.039
	10/1702	0.017	0.003	ND (0.001)	ND (0.001)	0.074	0.001	0.020	0.016	ND (0.001)	0.006	0.010	0.001	0.020	0.128
	10/1403	0.004	ND (0.001)	ND (0.001)	ND (0.001)	0.071	0.002	0.010	0.002	ND (0.001)	0.005	0.028	ND (0.001)	0.004	0.118
Duplicate	10/3004	0.001	ND (0.001)	ND (0.001)	ND (0.001)	0.055	ND (0.001)	0.006	0.004	ND (0.001)	0.004	0.021	ND (0.001)	0.001	0.090
	10/0905	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.023	ND (0.001)	0.003	ND (0.001)	ND (0.001)	0.004	0.019	ND (0.001)	0.000	0.049
	07/1206	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.009	ND (0.001)	ND (0.001)	0.002	ND (0.001)	ND (0.001)	0.002	ND (0.001)	0.000	0.013
	10/1106	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.006	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.001	0.001	ND (0.001)	0.000	0.008
Duplicate	07/1707	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.000	0.005
	10/1607	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.003	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.000	0.003
	01/1508	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.000	0.002
	01/1508	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.002	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	ND (0.001)	0.000	0.002

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-5 (Cont.)	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.005
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	01/23/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.041	0.001	0.004	0.004	0.004	ND(0.001)	0.003	ND(0.001)	0.001	0.053
MW-6	05/22/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.085	0.002	0.034	0.004	0.017	0.002	0.023	ND(0.001)	0.004	0.163
	07/28/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.081	0.002	0.027	0.002	0.008	0.002	0.021	ND(0.001)	0.003	0.141
	10/16/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.082	0.002	0.025	0.002	0.006	0.002	0.019	ND(0.001)	0.003	0.136
	01/06/98	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.113	0.003	0.038	0.003	0.012	0.002	0.024	ND(0.001)	0.003	0.192
	04/16/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.088	0.003	0.027	0.003	0.008	0.002	0.017	ND(0.001)	0.002	0.145
MW-5	07/17/98	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.091	0.004	0.051	0.004	0.022	0.002	0.032	ND(0.001)	0.002	0.202
	10/26/98	0.011	0.002	ND(0.001)	ND(0.002)	0.055	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.013	0.077
	02/10/99	0.003	ND(0.002)	ND(0.002)	ND(0.005)	0.113	0.005	0.056	0.005	0.016	0.003	0.039	ND(0.001)	0.003	0.232
	04/21/99	0.003	ND(0.002)	ND(0.002)	ND(0.005)	0.133	0.006	0.061	0.006	0.023	0.003	0.047	ND(0.001)	0.003	0.273
	07/13/99	0.003	ND(0.002)	ND(0.002)	ND(0.005)	0.108	0.004	0.068	0.004	0.021	ND(0.002)	0.062	ND(0.001)	0.003	0.263
MW-5	10/20/99	0.003	ND(0.002)	0.002	ND(0.005)	0.066	0.003	0.058	0.003	0.032	ND(0.002)	0.046	ND(0.002)	0.002	0.205
	01/25/00	0.002	ND(0.002)	ND(0.002)	ND(0.005)	0.093	0.003	0.049	0.003	0.015	ND(0.002)	0.048	ND(0.002)	0.002	0.206
	04/18/00	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.005)	0.082	ND(0.002)	0.036	ND(0.002)	0.009	ND(0.002)	0.033	ND(0.002)	0.000	0.160
	07/25/00	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.007)	0.057	ND(0.002)	0.028	ND(0.002)	0.010	ND(0.002)	0.027	ND(0.002)	0.000	0.122
	10/16/00	0.002	ND(0.001)	0.002	ND(0.001)	0.024	0.003	0.015	0.004	0.014	ND(0.001)	0.030	ND(0.001)	0.004	0.090
Duplicate	10/16/00	0.002	ND(0.001)	0.002	ND(0.001)	0.061	0.005	0.035	0.005	0.013	ND(0.001)	0.027	ND(0.001)	0.004	0.145
	01/16/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.063	ND(0.002)	0.035	0.004	0.011	ND(0.002)	0.033	ND(0.002)	0.000	0.146
	04/10/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.069	ND(0.002)	0.033	0.006	0.006	ND(0.002)	0.026	ND(0.002)	0.003	0.140
	07/17/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.030	ND(0.005)	0.008	ND(0.005)	0.028	ND(0.005)	0.000	0.122
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.063	0.003	0.033	0.003	0.008	ND(0.002)	0.036	ND(0.002)	0.000	0.110
Duplicate	10/16/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.062	ND(0.002)	0.039	0.005	0.009	ND(0.002)	0.036	ND(0.002)	0.000	0.161
	01/13/02	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.060	ND(0.002)	0.030	0.005	0.007	ND(0.002)	0.026	ND(0.002)	0.000	0.128
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	0.004	0.035	0.005	0.007	ND(0.001)	0.031	ND(0.001)	0.000	0.144
	07/23/02	0.001	ND(0.001)	0.001	ND(0.001)	0.062	0.003	0.032	0.004	0.007	ND(0.001)	0.034	0.001	0.002	0.143
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.002	0.024	0.005	0.005	ND(0.001)	0.026	0.001	0.000	0.119
MW-5	01/21/03	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.041	0.003	0.016	0.003	0.007	ND(0.001)	0.023	ND(0.001)	0.005	0.093
	04/22/03	0.001	ND(0.001)	0.006	ND(0.001)	0.077	0.003	0.026	0.005	0.006	0.002	0.034	ND(0.001)	0.007	0.153
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.003	0.021	0.002	0.006	ND(0.001)	0.029	ND(0.001)	0.000	0.124
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.063	0.004	0.018	0.003	0.006	0.001	0.032	ND(0.001)	0.000	0.127
	01/27/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.068	0.003	0.021	0.003	0.003	0.002	0.026	ND(0.001)	0.001	0.130
Duplicate	04/20/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.058	0.002	0.014	0.006	0.002	0.002	0.015	ND(0.001)	0.001	0.099
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.074	0.003	0.015	0.006	0.002	0.002	0.015	ND(0.001)	0.000	0.117
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.076	0.003	0.017	0.008	0.001	ND(0.001)	0.013	ND(0.001)	0.001	0.120
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.002	0.008	0.001	0.002	ND(0.001)	0.014	ND(0.001)	0.000	0.062
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	0.002	0.009	0.003	0.002	ND(0.001)	0.017	ND(0.001)	0.000	0.083
Duplicate	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.001	0.005	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	0.000	0.036
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	0.001	0.010	0.004	ND(0.001)	0.003	0.013	ND(0.001)	0.000	0.082
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.046	0.001	0.008	0.003	ND(0.001)	0.003	0.014	ND(0.001)	0.000	0.075
Duplicate	04/19/06	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.040	ND(0.001)	0.007	0.003	ND(0.001)	0.012	0.012	ND(0.001)	0.012	0.064
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.056	0.001	0.009	0.005	ND(0.001)	0.004	0.017	ND(0.001)	0.000	0.091
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.047
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.006	ND(0.001)	0.012	ND(0.001)	0.012	ND(0.001)	0.000	0.055
	04/19/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.005	ND(0.001)	0.003	ND(0.001)	0.012	ND(0.001)	0.000	0.057
Duplicate	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.006
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-5	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-6 (Cont.)	10/1508	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/1409	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/0709	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/0709	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
MW-7	01/2397	0.001	ND(0.001)	ND(0.001)	0.001	0.047	0.001	0.009	0.001	ND(0.001)	0.004	0.014	ND(0.001)	0.002	0.075
	05/2297	0.003	ND(0.002)	ND(0.002)	ND(0.004)	0.087	0.002	0.066	0.002	ND(0.002)	0.014	0.116	ND(0.001)	0.003	0.287
	07/2897	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.073	0.002	0.061	0.001	ND(0.002)	0.021	0.110	ND(0.001)	0.004	0.267
	10/1697	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.050	ND(0.005)	ND(0.005)	0.018	0.081	ND(0.001)	0.003	0.224
Duplicate	01/0698	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.076	ND(0.005)	0.054	ND(0.005)	ND(0.005)	0.018	0.111	ND(0.001)	0.003	0.259
	04/1698	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.055	ND(0.005)	0.035	ND(0.005)	ND(0.005)	0.020	0.078	ND(0.001)	0.003	0.188
	07/1798	0.003	ND(0.005)	ND(0.005)	ND(0.01)	0.065	ND(0.005)	0.038	ND(0.005)	ND(0.005)	0.024	0.073	ND(0.001)	0.003	0.200
	10/2598	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.01)	0.047	ND(0.005)	0.030	ND(0.005)	ND(0.005)	0.019	0.073	ND(0.001)	0.000	0.169
Duplicate	02/1099	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.050	ND(0.001)	0.032	0.002	0.002	0.014	0.066	ND(0.001)	0.002	0.164
	04/2199	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.047	ND(0.001)	0.029	0.002	0.002	0.011	0.071	ND(0.001)	0.000	0.160
	07/1399	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.034	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.007	0.066	ND(0.001)	0.000	0.134
	10/2099	ND(0.001)	ND(0.001)	0.002	ND(0.002)	0.046	ND(0.001)	0.035	ND(0.001)	ND(0.001)	0.006	0.081	ND(0.001)	0.002	0.168
Duplicate	01/2500	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.025	ND(0.0025)	0.020	ND(0.0025)	ND(0.0025)	0.003	0.061	ND(0.001)	0.000	0.109
	04/1800	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.022	ND(0.0025)	0.020	ND(0.0025)	ND(0.0025)	0.003	0.069	ND(0.001)	0.000	0.114
	07/2500	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.030	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.003	0.081	ND(0.0025)	0.000	0.140
	10/1600	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.030	ND(0.0025)	ND(0.0025)	0.003	0.090	ND(0.0025)	0.000	0.159
Duplicate	01/1601	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.035	ND(0.0025)	0.021	ND(0.0025)	ND(0.0025)	0.003	0.086	ND(0.0025)	0.000	0.140
	04/1001	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.035	ND(0.0025)	0.020	ND(0.0025)	ND(0.0025)	0.004	0.066	ND(0.0025)	0.000	0.125
	07/1701	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.015	ND(0.005)	ND(0.005)	0.004	0.052	ND(0.005)	0.000	0.113
	10/1601	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.047	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.006	0.064	ND(0.0025)	0.000	0.136
Duplicate	01/1302	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.036	ND(0.0025)	0.013	ND(0.0025)	ND(0.0025)	0.004	0.042	ND(0.0025)	0.000	0.095
	04/2102	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.014	0.001	ND(0.001)	0.003	0.034	ND(0.001)	0.000	0.079
	04/2102	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.003	0.032	ND(0.001)	0.000	0.073
	07/2302	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.002	0.025	ND(0.001)	0.000	0.058
Duplicate	10/1702	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.047
	01/2103	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.012	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.013	ND(0.001)	0.003	0.030
	04/2203	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.007	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.025	0.017
	07/1503	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
Duplicate	10/1403	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.063
	01/2704	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.002	0.019	ND(0.001)	0.000	0.053
	04/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.002	0.023	ND(0.001)	0.000	0.064
	04/2004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.002	0.021	ND(0.001)	0.000	0.055
Duplicate	07/1704	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.002	0.017	ND(0.001)	0.000	0.057
	10/3004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.002	0.014	ND(0.001)	0.000	0.041
	01/1505	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.010	ND(0.001)	0.000	0.033
	04/1705	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.006	0.001	ND(0.001)	0.002	0.011	ND(0.001)	0.000	0.034
Duplicate	07/0905	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	0.001	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.029
	10/0905	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.004	0.001	ND(0.001)	0.002	0.010	ND(0.001)	0.000	0.027
	01/1706	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.022
	04/1806	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.025
Duplicate	07/1206	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.019
	10/1106	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.008
	01/1507	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.008
	01/1507	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.008
Duplicate	04/1807	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.006
	07/1707	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.005
	10/1607	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.000	0.003
	01/1508	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
Duplicate	04/2908	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/1608	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/1508	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/1508	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.005
Duplicate	01/1409	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	04/0709	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.001	0.001	ND(0.001)	0.000	0.003

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-8	01/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.068	0.005	0.280		0.460	ND(0.01)	0.810		0.000	1.623
	05/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.082	ND(0.01)	1.360		0.805	ND(0.01)	4.150		0.000	6.397
	06/25/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.077	ND(0.02)	0.975		0.774	ND(0.02)	3.600		0.000	5.426
	07/28/97	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.1)	ND(0.1)	1.120		0.798	ND(0.1)	4.520		0.000	6.438
	10/16/97	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.1)	ND(0.2)	0.858		0.596	ND(0.2)	4.570		0.000	6.024
	01/06/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.230		0.798	ND(0.2)	4.650		0.000	6.678
	04/16/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.050		0.658	ND(0.2)	4.620		0.000	6.328
	07/17/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	1.200		0.740	ND(0.2)	5.090		0.000	7.030
	10/27/98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	0.060	ND(0.2)	0.780		0.522	ND(0.2)	4.160		0.000	5.522
	02/10/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.083	ND(0.025)	0.936		0.569	ND(0.025)	3.870		0.000	5.458
	04/21/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.080	ND(0.025)	0.808		0.600	ND(0.025)	3.900		0.000	5.388
	07/13/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.058	ND(0.025)	0.634		0.341	ND(0.025)	2.970		0.000	4.003
STL Duplicate	10/21/99	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.081	ND(0.025)	0.887		0.447	ND(0.025)	3.610		0.000	4.995
	01/25/00	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.050)	0.076	ND(0.025)	0.687		0.349	ND(0.025)	3.190		0.000	4.302
	04/18/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.053	ND(0.01)	0.412		0.219	ND(0.01)	2.420		0.000	3.104
	07/25/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.03)	ND(0.01)	ND(0.01)	0.422		0.238	ND(0.01)	2.140		0.000	2.800
	07/25/00	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.2)	ND(0.1)	ND(0.1)	0.700		0.300	ND(0.1)	2.500		0.000	3.500
	10/16/00	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.085	ND(0.01)	0.546	ND(0.01)	0.317	ND(0.01)	5.780	ND(0.01)	0.000	6.728
	01/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.094	ND(0.01)	0.512	ND(0.01)	0.353	ND(0.01)	3.340	ND(0.01)	0.000	4.299
	04/10/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.083	ND(0.01)	0.401	ND(0.01)	0.258	ND(0.01)	6.150	ND(0.01)	0.000	6.892
	07/17/01	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.02)	0.076	ND(0.02)	0.350	ND(0.02)	0.240	ND(0.02)	2.600	ND(0.02)	0.000	3.266
	10/16/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.048	0.017	0.200	ND(0.01)	0.120	ND(0.01)	1.700	ND(0.01)	0.000	2.085
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.045	0.017	0.210	ND(0.001)	0.120	0.003	1.800	ND(0.001)	0.000	2.195
	01/13/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.029	0.011	0.100	ND(0.005)	0.060	ND(0.005)	0.990	ND(0.005)	0.000	1.190
Duplicate	04/21/02	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.032	0.013	0.110	ND(0.002)	0.059	ND(0.002)	0.420	ND(0.002)	0.000	0.634
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.003	0.018	ND(0.001)	0.010	ND(0.001)	0.160	ND(0.001)	0.000	0.188
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.003	0.014	ND(0.001)	0.010	ND(0.001)	0.150	ND(0.001)	0.000	0.183
	01/21/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.005	ND(0.001)	0.003	ND(0.001)	0.048	ND(0.001)	0.000	0.059
	04/22/03	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.003	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	0.029	ND(0.001)	0.004	0.037
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	0.029	ND(0.001)	0.000	0.039
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.001	0.005	ND(0.001)	0.003	ND(0.001)	0.030	ND(0.001)	0.000	0.044
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.005	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.000	0.034
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.000	0.023
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.016
	10/30/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.019
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.020
Duplicate	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.000	0.022
	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.022
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.000	0.016
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.000	0.010
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.007
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.003
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	07/17/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
Duplicate	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/23/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	10/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/07/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
MW-9	01/23/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.063		0.045	ND(0.001)	0.090		0.000	0.209
	05/23/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.026	ND(0.01)	0.322		0.147	ND(0.01)	1.560		0.000	2.045
	06/25/97	ND(0.02)	ND(0.02)	ND(0.02)	ND(0.04)	0.033	ND(0.02)	0.326		ND(0.02)	ND(0.02)	1.130		0.000	1.489

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1+DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-13	05/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.001	ND(0.001)	0.010	ND(0.001)	0.000	0.023
	07/29/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	0.000	0.022
	10/16/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.001	ND(0.001)	0.013	ND(0.001)	0.000	0.029
Duplicate	10/19/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.011	ND(0.002)	0.002	ND(0.002)	0.013	ND(0.002)	0.000	0.029
	01/06/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.017	ND(0.002)	0.002	ND(0.002)	0.011	ND(0.002)	0.000	0.030
	04/16/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.017	ND(0.002)	0.002	ND(0.002)	0.011	ND(0.002)	0.000	0.030
Duplicate	04/16/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.008	ND(0.001)	0.010	ND(0.001)	0.000	0.029
	07/17/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.019	ND(0.002)	0.002	ND(0.002)	0.016	ND(0.002)	0.000	0.037
	10/26/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	0.019	ND(0.002)	0.002	ND(0.002)	0.020	ND(0.002)	0.000	0.041
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.016	ND(0.001)	0.002	ND(0.001)	0.014	ND(0.001)	0.000	0.033
	04/21/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.017	ND(0.002)	0.002	ND(0.001)	0.018	ND(0.001)	0.000	0.037
	07/12/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.001	ND(0.001)	0.012	ND(0.001)	0.000	0.025
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.002	ND(0.001)	0.015	ND(0.001)	0.000	0.035
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.022	ND(0.001)	0.002	ND(0.001)	0.021	ND(0.001)	0.000	0.047
	04/18/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.025	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	0.000	0.055
Duplicate	04/18/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.023	ND(0.001)	0.002	ND(0.001)	0.026	ND(0.001)	0.000	0.052
	07/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.003)	0.002	ND(0.001)	0.027	ND(0.001)	0.002	ND(0.001)	0.019	ND(0.001)	0.000	0.050
	10/16/00	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	0.024	ND(0.001)	0.002	ND(0.001)	0.055	ND(0.001)	0.001	0.083
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.000	0.042
	04/1/001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.014	ND(0.001)	0.001	ND(0.001)	0.015	ND(0.001)	0.000	0.031
	07/1/001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.002)	0.005	ND(0.002)	0.001	ND(0.002)	0.008	ND(0.002)	0.000	0.032
Duplicate	07/17/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.002)	ND(0.002)	0.016	ND(0.001)	0.000	0.013
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.024
	01/13/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.023
	04/21/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.023
	07/23/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.000	0.024
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.000	0.026
Duplicate	01/21/03	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.001	0.037
	01/21/03	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.019	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.002	0.041
	04/22/03	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	0.018	ND(0.001)	0.001	ND(0.001)	0.021	ND(0.001)	0.003	0.042
	07/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.018	ND(0.001)	0.001	ND(0.001)	0.020	ND(0.001)	0.000	0.041
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.021	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	0.000	0.052
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.000	0.047
Duplicate	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.020	ND(0.001)	0.001	ND(0.001)	0.024	ND(0.001)	0.000	0.047
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.000	0.036
	07/17/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.028
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	04/17/05	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	10/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	04/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.006
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.009
Duplicate	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.001
	04/19/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.006
	07/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Duplicate	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/19/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
MW-15	05/25/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/29/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/06/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/16/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/17/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/26/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/10/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	<0.001	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
	02/10/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/21/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
Duplicate	07/12/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	10/20/99	ND(0.001)	ND(0.001)	0.001	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	01/25/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/18/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/00	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	04/10/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	07/17/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/16/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
Duplicate	07/23/02	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/17/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/21/03	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.002
	04/22/03	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.002
	10/14/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	01/27/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/20/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	01/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
duplicate	04/17/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/09/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/17/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/12/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/18/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
*S04	04/29/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/09	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	05/25/97	ND(0.001)	0.469	0.470	1.936	0.021	ND(0.001)	0.024	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	2.875	0.050
	07/29/97	ND(0.002)	0.411	0.138	0.905	0.020	ND(0.002)	0.020	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	1.454	0.040
	10/16/97	ND(0.002)	0.322	0.039	0.713	0.018	ND(0.002)	0.022	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	1.074	0.040
	01/06/98	0.002	0.042	0.001	0.019	0.051	ND(0.002)	0.075	ND(0.002)	0.014	ND(0.002)	0.004	0.004	0.064	0.144
	04/16/98	0.002	0.008	ND(0.005)	ND(0.001)	0.049	ND(0.005)	0.087	ND(0.005)	0.015	ND(0.005)	0.005	0.005	0.010	0.156
	07/17/98	ND(0.005)	0.016	ND(0.005)	ND(0.001)	0.038	ND(0.005)	0.075	ND(0.005)	0.015	ND(0.005)	0.005	0.005	0.016	0.133
	10/25/98	ND(0.002)	0.003	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.024	ND(0.002)	0.005	ND(0.002)	0.002	0.002	0.003	0.041

Table 2 - Summary of Laboratory Analytical Results - Ground-water Samples

Well Number	Date Sampled	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALOCARBONS (mg/L)
*S04 (Cont.)	02/1099	0.007	0.013	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.079		0.016	ND(0.001)	0.005		0.014	0.125
	04/2199	ND(0.001)	0.006	ND(0.001)	ND(0.002)	0.025	ND(0.001)	0.089		0.026	ND(0.001)	0.006		0.006	0.146
	07/1299	ND(0.0025)	0.003	ND(0.0025)	ND(0.005)	0.021	ND(0.0025)	0.096		0.021	ND(0.0025)	0.008		0.003	0.146
	10/2199	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.025	ND(0.0025)	0.073		0.012	ND(0.0025)	0.005		0.000	0.115
	01/2500	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.048	ND(0.0025)	0.096		0.013	ND(0.0025)	0.007		0.000	0.164
	04/1800	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.057	ND(0.0025)	0.088		0.008	ND(0.0025)	0.006		0.000	0.160
	07/2500	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0075)	0.057	ND(0.0025)	0.086		0.003	ND(0.0025)	ND(0.0025)		0.000	0.116
STL Duplicate	07/2500	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.720	ND(0.005)	0.080		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.800
	10/1800	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.102	ND(0.0025)	0.097	0.014	0.003	ND(0.0025)	0.003	ND(0.0025)	0.000	0.219
	01/1801	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.085	ND(0.0025)	0.077	0.012	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.174
	04/1001	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.083	ND(0.0025)	0.074	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.172
	07/1701	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.076
	10/1801	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.066	ND(0.0025)	0.065	0.013	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.134
	01/1302	0.003	0.007	ND(0.0025)	ND(0.0025)	0.055	ND(0.0025)	0.040	0.010	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.010	0.105
	04/2102	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.018	0.007	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.052
	07/2302	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.015	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.041
	10/1702	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.005	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014
	01/2103	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.002
	04/2203	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/1503	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/1403	ND(0.0025)	0.003	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.000

Notes

Only commonly detected compounds are listed. Other compounds that have been detected infrequently are included in the laboratory reports.

ND - Not Detected at detection limit shown in parentheses

Italicized value - is below the method detection limit

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

*S04 = Shell Service Station monitoring well MW-4

1,1-DCA - 1,1-Dichloroethane

1,2-DCA - 1,2-Dichloroethane

1,1-DCE - 1,1-Dichloroethene

PCE - Tetrachloroethane

TCA - 1,1,1-Trichloroethane

TCE - Trichloroethene

STL - Duplicate samples sent to STL Corpus Christi, Texas

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
FORMER LAGOON																	
007-AREA 1	11/02/94	Pilot	ND(0.1)	1	0.35		29.80	0.487		20.7			36.5				
Unit 1 (7/95) Input	07/13/95	Input	28	256	30.6	111.2	46.2	48.3	ND(0.2)	450	ND(0.2)	1.23	135	425.8		680.73	
Unit 1 (7/95) Exhaust		Exhaust	0.83	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0.83		0
Unit 1 (8/95) Input	08/12/95	Input	18.3	46.4	20	51.4	23.9	35.2	ND(0.2)	216.6	ND(0.2)	1.3	19	136.1		296	
Unit 1 (8/95) Exhaust		Exhaust	1.9	ND(0.2)	ND(0.2)	ND(0.2)	5	ND(0.2)	12.8	ND(0.2)	35.7	ND(0.2)	3.7		1.9		57.2
Unit 1 Input 9/95-1	09/07/95	Input	19.1	118.3	16.6	91.2	56.7	34.8	ND(0.2)	283	ND(0.2)	2.73	111.8	245.2		489.03	
Unit 1 Output 9/95-1		Exhaust	6.5	2.9	0.6	3.4	ND(0.2)	ND(0.2)	6.8	ND(0.2)	8.6	ND(0.2)	6		13.4		21.4
Unit 1 Output 9/95-2		Exhaust 2	1.3	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		1.3		0
Unit 1 Int	11/29/95	Before Cat	1.01	ND(0.43)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	1.01		0	
Unit 1 Output		After Cat	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	15.3	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		15.3
93007-WatPDEh.4/96	04/11/96	Input	ND(0.2)	114	19.1	81.5	9.7	11.4	ND(0.2)	116	ND(0.2)	ND(0.2)	120	214.6		257.1	
93007-WatPDEh.4/96		Exhaust	1	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	4.1	ND(0.2)	1.2	ND(0.2)	0.5		1		5.8
93007-WPINPUT.7/96	07/23/96	Input	2.8	49.5	2.6	11.2	6.9	6.1	ND(0.5)	64.6	ND(0.5)	0.4	17.9	66.1		95.9	
93007-WPEXHST.7/96		Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	2.4	ND(0.3)	0.7	ND(0.3)	0.6		0		3.7
WP-INPUT-10/96	10/24/96	Input	2.07	44	12.1	77.1	4.9	ND(0.2)	3.02	ND(0.2)	2.97	ND(0.2)	0.832	135.27		132.22	
WP-INPUT-10/96		Exhaust	1.02	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)		ND(0.2)				1.02			6.822
93-007-WP-INP.5/97	05/13/97	Input	5.7	95.5	19.7	109.4	9.1	10.2	ND(5.0)	74.1	ND(5.0)	ND(5.0)	66.3	230.3		159.7	
93007-WP.10/97	10/14/97	Input	10.6	90.2	26.4	150.4	5.4	9.05	ND(5.0)	125	ND(5.0)	ND(5.0)	81	277.6		220.45	
93007-WP.1/98	01/06/98	Input	8.92	58	19.2	103.3	4.86	8.54	ND(2.0)	125	ND(2.0)	ND(2.0)	68.4	189.42		206.8	
93007-WP.4/98	04/28/98	Input	10.9	73.6	20.7	114.6	7.2	12.6	ND(5.0)	228	ND(5.0)	ND(5.0)	117	219.8		364.8	
93007-WP.7/98	07/16/98	Input	8.40J	66.5	19.5	116.3	ND(0.10)	7.80J	ND(0.10)	175	ND(0.10)	ND(0.10)	105	202.3		280	
93007-WP.10/98	10/28/98	Input	6.38	62.8	18	80.1	ND(2.5)	4.35	ND(2.5)	78.1	ND(2.5)	ND(2.5)	50.5	167.28		132.95	
93007-WP.11/98	11/12/98	Input	7.0J	80.9	34.6	249	ND(10.0)	ND(10.0)	ND(10.0)	72.7	ND(10.0)	ND(10.0)	121	364.5		193.7	
93007-WP.2/99	02/10/99	Input	4.35	68.8	42.8	270	ND(2.5)	ND(2.5)	ND(2.5)	43.9	ND(2.5)	ND(2.5)	87.3	385.95		131.2	
93007-WP.4/99	04/21/99	Input	2.2J	39.2	19.2	114.3	ND(2.5)	ND(2.5)	ND(2.5)	28.1	ND(2.5)	ND(2.5)	51.6	172.7		79.7	
93007-WP.7/99	07/12/99	Input	ND(2.5)	33.1	14.8	88.2	ND(2.5)	ND(2.5)	ND(2.5)	14.5	ND(2.5)	ND(2.5)	40	136.1		54.5	
93007-WP.10/99	10/21/99	Input	ND(2.5)	22.9	11.7	67.3	ND(2.5)	ND(2.5)	ND(2.5)	9.35	ND(2.5)	ND(2.5)	34.9	101.9		44.25	
93007-WP.1/00	01/25/00	Input	ND(2.5)	20.3	10.2	61.1	ND(2.5)	ND(2.5)	ND(2.5)	6.9	ND(2.5)	ND(2.5)	34.6	91.6		41.5	
93007-WP.4/00	04/17/00	Input	ND(5.0)	14.1	7.45	41.1	ND(5.0)	ND(5.0)	ND(5.0)	5	ND(5.0)	ND(5.0)	26.2	62.65		31.2	
93007-WP.7/00	07/25/00	Input	ND(2.5)	8.2	3.75	22.7	ND(2.5)	ND(2.5)	ND(2.5)	3.25	ND(2.5)	ND(2.5)	18.1	34.65		21.35	
93007-WP.10/00	10/16/00	Input	ND(2.5)	9.3	5.75	67.3	ND(2.5)	ND(2.5)	ND(2.5)	2.85	ND(2.5)	ND(2.5)	22	82.35		24.85	
93007-WP.1/01	01/16/01	Input	ND(1.0)	8.08	5.94	36.7	ND(1.0)	ND(1.0)	ND(1.0)	2.36	ND(1.0)	ND(1.0)	31.33	50.72		33.69	
93007-WP.4/01	04/10/01	Input	ND(5.0)	63.5	51.1	278	ND(5.0)	ND(5.0)	ND(5.0)	21.9	ND(5.0)	ND(5.0)	215	392.6		236.9	
93007-WP.7/01	07/17/01	Input	ND(2.0)	2.9	2.8	15.5	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	14	21.2		14	
93007-WP.10/01	10/16/01	Input	ND(5.0)	ND(5.0)	ND(5.0)	7.6	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	22	7.6		22	
93007-WP.01/02	01/14/02	Input	ND(1.5)	ND(1.5)	1.8	9.8	ND(1.5)	ND(1.5)	ND(1.5)	ND(1.5)	ND(1.5)	ND(1.5)	10	11.6		10	
93007-WP.04/02	04/22/02	Input	ND(1.2)	1.3	1.9	9.8	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.2)	11	13		11	
93007-WP.07/02	07/23/02	Input	ND(1.0)	ND(1.0)	1.9	11.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	9.2	13.4		9.2	
93007-WP.10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	6.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	4.6	6.6		4.6	
93007-WP.01/03	01/21/03	Input	ND(1.0)	ND(1.0)	1.5	9.2	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7.7	10.7		7.7	
93007-WP.04/03	04/22/03	Input	ND(1.0)	ND(1.0)	1.4	9.2	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	6.5	10.6		6.5	
93007-WP.07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-WP.10/03	10/14/03	Input	ND(1.0)	ND(1.0)	1.2	8.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.6	9.9		5.6	
93007-WP.01/04	01/27/04	Input	ND(1.0)	ND(1.0)	1.1	8	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.8	9.1		5.8	
93007-WP.4/04	04/20/04	Input	ND(1.0)	ND(1.0)	1	8.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	5.5	9.6		5.5	
93007-WP.7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	4.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.7	4.6		3.7	
93007-WP.10/04	10/10/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	6.5	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	4.2	6.5		4.2	
93007-WP.1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	9	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7	9		7	
93007-WP.4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	3.3	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	3.3		3.1	
93007-WP.7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	3.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	3.6		3.1	
93007-WP.10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	3.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.7	3.7		2.7	
93007-WP.1/06	01/17/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.0	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	1		1.1	
93007-WP.4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.1	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.1	2.1		2.1	

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
93007-WP.7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	1.6		1.7	
93007-WP.10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.3	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.9	2.3		1.9	
93007-WP.1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.8	2.6		1.8	
93007-WP.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.9	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.5	1.9		1.5	
93007-WP.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	2.1	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.7	2.1		1.7	
93007-WP.10/07	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.8	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	1.8		1.4	
93007-WP.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	1.7		1.1	
93007-WP.4/08	04/29/08	Input	ND(1.0)	1.1	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.3	1.7		1.3	
93007-WP.7/08	07/16/08	Input	ND(1.0)	1.1	ND(1.0)	1.7	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.0	1.6		1.0	
93007-WP.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.6	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.9	1.4		0.9	
93007-WP.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.4	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.9	1.4		0.9	
93007-WP.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	1.4	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.9	1.4		0.9	

ACID PLANT

007-AREA 2	11/02/94	Pilot	4.5	23.2	11.4	46.18	4.4	12.2		88.5			30.5				
Unit 2 (7/95) Input	07/13/95	Input	3.13	27.2	12.9	46.18	1.52	1.53	ND(0.2)	3.39	ND(0.2)	ND(0.2)	6.91	89.41		13.35	
Unit 2 (7/95) Exhaust		Exhaust	ND(0.2)	0.26	ND(0.2)	1.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		1.76		0
Unit 2 (9/95) Input	08/12/95	Input	1.42	24.8	10.4	48.5	5.1	1.6	ND(0.2)	7	ND(0.2)	ND(0.2)	8.9	85.12		22.6	
Unit 2 (8/95) Exhaust		Exhaust	ND(0.2)	0.5	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0.5		0
Unit 2 Output 9/95	09/07/95	Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		0
93007-ACDKINPT.4/96	04/11/96	Input	0.7	17.7	5.6	30.3	1.9	0.6	ND(0.2)	5.5	ND(0.2)	0.3	19	54.3		27.3	
93007-ACDKEXH.4/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		0
93007-ADINPT.7/96	07/23/96	Input	ND(0.3)	1	ND(0.3)	1.1	0.8	ND(0.3)	ND(0.5)	0.9	ND(0.5)	ND(0.3)	1.6	2.1		3.3	
93007-ADEXHST.7/96		Exhaust	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.5)	ND(0.3)	ND(0.3)		0		0
AD-INPUT-10/96	10/24/96	Input	0.61	4.51	0.88	5.62	1.68	0.55	ND(0.2)	1.48	ND(0.2)	ND(0.2)	3.33	11.62		7.05	
AD-OUTPUT-10/96		Exhaust	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	0.477	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)		0		0.477
93007-AD-IMP.1/97	01/21/97	Input	ND(1.0)	5.67	ND(1.0)	2.38	ND(1.0)	ND(1.0)	ND(1.0)	1.34	ND(1.0)	ND(1.0)	8.86	8.05		10.2	
93007-AD-EXH.1/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)		0		0
93-007-AD-IMP.5/97	05/13/97	Input	ND(1.0)	4.06	ND(1.0)	3.88	2.19	ND(1.0)	ND(1.0)	2.09	ND(1.0)	ND(1.0)	10.3	7.94		14.58	
93007-AD.10/97	10/14/97	Input	ND(1.0)	1.31	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.74	1.31		1.74	
93007-AD.1/98	01/06/98	Input	ND(1.0)	6.4	2.46	16.36	ND(1.0)	ND(1.0)	ND(1.0)	3.98	ND(1.0)	ND(1.0)	7.29	25.22		11.27	
93007-AD.4/98	04/28/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	0.75J	ND(1.0)	ND(1.0)	ND(1.0)	0.56J	ND(1.0)	ND(1.0)	1.4	0		1.4	
93007-AD.7/98	07/16/98	Input	ND(1.0)	2.08	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.68J	ND(1.0)	ND(1.0)	2.26	2.08		2.26	
93007-AD.11/98	11/12/98	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0.77J	0		0	
93007-AD.2/99	02/10/99	Input	ND(0.5)	2.38	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.63	2.38		0.63	
93007-AD.4/99	04/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/99	07/12/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.10/99	10/21/99	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.1/00	01/25/00	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.4/00	04/17/00	Input	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	0		0	
93007-AD.7/00	07/25/00	Input	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	ND(1.00)	0		0	
93007-AD.10/00	10/16/00	Input	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	0		0	
93007-AD.1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/01	04/10/01	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	0		0	
93007-AD.7/01	07/16/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	0		0	
93007-AD.10/01	10/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.04/02	04/22/02	Input	Sample damaged during shipment.														
93007-AD.07/02	07/23/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
93007-AD.01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/06	01/17/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/16	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/16	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/07	10/16/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/08	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-AD.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	

FORMER UST

007-AREA 3	11/02/94	Pilot	1.2	5.7	5.5	6.64	ND(0.1)	ND(0.1)	ND(0.2)	215	ND(0.2)	2.68	870	15.84			
Unit 3 (7/95) Input	7/13/95	Input	2.08	5.95	1.17	7.88	0.27	ND(0.2)	17.2	ND(0.2)	0.87	ND(0.2)	2.76		12.9	1379.58	21.1
Unit 3 (7/95) Exhaust		Exhaust	2.89	1.41	0.72												
Unit 3 (8/95) Input	8/12/95	Input	0.4	1.9	0.9	4.9	506	15.6	ND(0.2)	579	ND(0.2)	2.1	636	8.1		1738.7	
Unit 3 (8/95) Exhaust		Exhaust	4.9	ND(0.2)	ND(0.2)	ND(0.2)	2.8	ND(0.2)	48	ND(0.2)	35	0.8	21.5		4.9		108.1
Unit 3 Input 9/95-1	09/07/95	Input	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	593.4	13.3	ND(0.2)	492	ND(0.2)	2	444.4	0		1545.1	
Unit 3 Output 9/95-1		Exhaust	1.1	0.5	ND(0.2)	ND(0.2)	56.2	ND(0.2)	13	ND(0.2)	31.9	ND(0.2)	0.9	81.4	1.6	58.3	170.4
Unit 3 Int	11/29/95	Before Cat	1.01	ND(0.2)	ND(0.2)	ND(0.2)	3.21	ND(0.2)	13	ND(0.2)	10.5	ND(0.2)	14.5	1.01	1.01		41.21
Unit 3 Output		After Cat	ND(0.2)	0.9	0.5	3.4	99.4	ND(0.2)	ND(0.2)	254	ND(0.2)	1	611	4.8		965.4	
93007-TKShipInpt	04/11/96	Input	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	0.9	ND(0.2)	10.1	ND(0.2)	6.8	0.4	8.5	0	0.6	98.6	26.7
93007-TKShpExh.4/96		Exhaust	0.6	ND(0.2)	ND(0.2)	ND(0.2)	47.1	4.8	ND(0.5)	ND(0.3)	ND(0.5)	0.5	46.2	0	0.4		12.9
93007-TSINPUT.7/96	07/23/96	Input	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.3)	1.3	ND(0.3)	6.6	ND(0.3)	2.2	ND(0.3)	2.8				
93007-TSEXHST.7/96		Exhaust	0.4	ND(0.3)	ND(0.3)	ND(0.3)	57.6	4.37	ND(0.2)	97.7	ND(0.2)	2.59	ND(0.2)	1.95	4.83	338.67	8.87
UST-INPUT-10/96	10/24/96	Input	0.35	0.35	0.24	1.01			ND(0.2)	ND(0.2)	2.8						
UST-OUTPUT-10/96		Exhaust	4.83	ND(0.2)	ND(0.2)	ND(0.4)	ND(0.2)	ND(0.2)	4.66	ND(0.2)	ND(0.2)	0.9	81.4	1.6	4.83	338.67	8.87
93007-UST-INP.1/97	1/21/97	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	30	2.8	ND(1.0)	63.3	ND(1.0)	0.58J	205	0	0	301.1	
93007-UST-EXH-1/97		Exhaust	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.5	ND(1.0)	ND(1.0)	ND(1.0)	6.19			8.69	
93-007-UST-INP.5/97	05/13/97	Input	ND(25.0)	ND(25.0)	ND(25.0)	ND(25.0)	21.3J	ND(25.0)	ND(25.0)	41.8	ND(25.0)	ND(25.0)	155	0		196.8	
93007-UST.1/98	01/06/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	3.85J	ND(5.0)	ND(5.0)	8.25	ND(5.0)	ND(5.0)	102	0		110.25	
93007-UST.4/98	04/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.15J	ND(5.0)	ND(5.0)	4.15J	ND(5.0)	ND(5.0)	121	0		121	
93007-UST.10/98	10/28/98	Input	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	ND(5.0)	2.80J	ND(5.0)	ND(5.0)	104	0		104	
93007-UST.2/99	02/11/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(2.5)	ND(2.5)	46.8	0		46.8	
93007-UST.4/99	04/21/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	37.9	0		37.9	
93007-UST.7/99	07/12/99	Input	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(2.5)	ND(5.0)	ND(2.5)	ND(2.5)	36.6	0		36.6	
93007-UST.10/99	10/21/99	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	37	0		37	
93007-UST.1/00	01/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	27.6	0		27.6	
93007-UST.4/00	04/17/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	36.2	0		36.2	
93007-UST.7/00	07/25/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	41.9	0		41.9	
93007-UST.10/00	10/16/00	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	29.4	0		29.4	

TABLE 3. SVE System Air Sample Data from the Schlumberger Technology Corporation Facility, Hobbs, New Mexico.

Sample I.D.	Date Sampled	Sample Location	Benzene (mg/m3)	Toluene (mg/m3)	Ethyl-Benzene (mg/m3)	Total Xylene (mg/m3)	1,1-DCE (mg/m3)	1,1-DCA (mg/m3)	Chloromethane (mg/m3)	1,1,1-TCA (mg/m3)	Vinyl Chloride (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	Input BTEX (mg/m3)	Output BTEX (mg/m3)	Input Halocarbons (mg/m3)	Output Halocarbons (mg/m3)
93007-UST.1/01	01/16/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	48.4	0		48.4	
93007-UST.7/01	07/17/01	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	21	0		21	
93007-UST.10/01	10/16/01	Input	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	ND(2.0)	2.6	0		2.6	
93007-UST.01/02	01/14/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	17	0		17	
93007-UST.04/02	04/22/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	26	0		26	
93007-UST.07/02	07/23/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	23	0		23	
93007-UST.10/02	10/17/02	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	13.8	0		13.8	
93007-UST.01/03	01/21/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	15.2	0		15.2	
93007-UST.04/03	04/22/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	9.3	0		9.3	
93007-UST.07/03	07/15/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	12.6	0		12.6	
93007-UST.10/03	10/14/03	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	10.5	0		10.5	
93007-UST.01/04	01/27/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	8.3	0		8.3	
93007-UST.4/04	04/20/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	13.5	0		13.5	
93007-UST.7/04	07/19/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	15.8	0		15.8	
93007-UST.10/04	11/01/04	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	7	0		7	
93007-UST.1/05	01/17/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	11.6	0		11.6	
93007-UST.4/05	04/18/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.1	0		3.1	
93007-UST.7/05	07/11/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.5	0		3.5	
93007-UST.10/05	10/10/05	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	2.4	0		2.4	
93007-UST.1/06	01/17/16	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0		1.4	
93007-UST.4/06	04/19/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.9	0		1.9	
93007-UST.7/06	07/12/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.4	0		1.4	
93007-UST.10/06	10/11/06	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	0		1.1	
93007-UST.1/07	01/15/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/07	04/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.1	0		1.1	
93007-UST.7/07	07/17/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.10/07	10/16/07	Input	NO DATA DUE TO LOW SAMPLE VOLUME														
93007-UST.1/07	01/18/07	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.1/08	01/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/08	04/29/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.7/08	07/16/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.10/08	10/15/08	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.1/09	01/14/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	
93007-UST.4/09	04/07/09	Input	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	0		0	

Notes: mg/m3 = milligrams per cubic meter
 ND=Not Detected at detection limit shown in parentheses.

TCE = Trichloroethene
 PCE = Tetachloroethene

DCA=Dichloroethane
 DCE= Dichloroethene

EXPLANATION


- MW-14 (●) SHALLOW MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE ELEVATION 3553.76
- MW-1 (●) ABANDONED MONITORING WELL
- MW-11 (▲) DEEP MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE ELEVATION 3559.33
- POTENTIOMETRIC SURFACE CONTOURS AND ELEVATION (DASHED WHERE INFERRED)
- GROUND-WATER FLOW DIRECTION



0 300 ft.
SCALE

FIGURE 1
POTENTIOMETRIC SURFACE MAP
(04/07/09)

SCHLUMBERGER TECHNOLOGY CORPORATION
HOBBES, NM





LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-001
Client Sample ID: 93007-6.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 09:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,1-Dichloroethane	0.5	ug/L	J	1.0		SW8260B	04/14/09 18:45 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-001
Client Sample ID: 93007-6.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 09:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/14/09 18:45 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/14/09 18:45 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/14/09 18:45 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/14/09 18:45 / wen
Surr: Dibromofluoromethane	114	%REC		70-130		SW8260B	04/14/09 18:45 / wen
Surr: p-Bromofluorobenzene	113	%REC		80-120		SW8260B	04/14/09 18:45 / wen
Surr: Toluene-d8	106	%REC		80-120		SW8260B	04/14/09 18:45 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-002
Client Sample ID: 93007-7.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 10:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,1-Dichloroethane	0.8	ug/L	J	1.0		SW8260B	04/14/09 19:23 / wen
1,1-Dichloroethene	0.9	ug/L	J	1.0		SW8260B	04/14/09 19:23 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-002
Client Sample ID: 93007-7.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 10:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/14/09 19:23 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/14/09 19:23 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Tetrachloroethene	0.8	ug/L	J	1.0		SW8260B	04/14/09 19:23 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Trichloroethene	0.6	ug/L	J	1.0		SW8260B	04/14/09 19:23 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/14/09 19:23 / wen
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	04/14/09 19:23 / wen
Surr: Dibromofluoromethane	113	%REC		70-130		SW8260B	04/14/09 19:23 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	04/14/09 19:23 / wen
Surr: Toluene-d8	107	%REC		80-120		SW8260B	04/14/09 19:23 / wen

**Report
Definitions:**

RL - Analyte reporting limit.
QCL - Quality control limit.
J - Estimated value. The analyte was present but less than the reporting limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-003
Client Sample ID: 93007-8.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 10:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Chloroform	1.4	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-003
Client Sample ID: 93007-8.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 10:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/14/09 23:11 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/14/09 23:11 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Tetrachloroethene	1.2	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/14/09 23:11 / wen
Surr: 1,2-Dichlorobenzene-d4	108	%REC		80-120		SW8260B	04/14/09 23:11 / wen
Surr: Dibromofluoromethane	120	%REC		70-130		SW8260B	04/14/09 23:11 / wen
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	04/14/09 23:11 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	04/14/09 23:11 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-004
Client Sample ID: 93007-4.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 11:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-004
Client Sample ID: 93007-4.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 11:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/14/09 23:49 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/14/09 23:49 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/14/09 23:49 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/14/09 23:49 / wen
Surr: Dibromofluoromethane	116	%REC		70-130		SW8260B	04/14/09 23:49 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	04/14/09 23:49 / wen
Surr: Toluene-d8	104	%REC		80-120		SW8260B	04/14/09 23:49 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-005
Client Sample ID: 93007-12.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 11:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-005
Client Sample ID: 93007-12.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 11:30
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 00:28 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 00:28 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 00:28 / wen
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	04/15/09 00:28 / wen
Surr: Dibromofluoromethane	114	%REC		70-130		SW8260B	04/15/09 00:28 / wen
Surr: p-Bromofluorobenzene	114	%REC		80-120		SW8260B	04/15/09 00:28 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 00:28 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-006
Client Sample ID: 93007-14. 4/09

Report Date: 04/21/09
Collection Date: 04/07/09 12:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Bromoform	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-006
Client Sample ID: 93007-14.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 12:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 01:06 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 01:06 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Tetrachloroethene	0.7	ug/L	J	1.0		SW8260B	04/15/09 01:06 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 01:06 / wen
Surr: 1,2-Dichlorobenzene-d4	109	%REC		80-120		SW8260B	04/15/09 01:06 / wen
Surr: Dibromofluoromethane	120	%REC		70-130		SW8260B	04/15/09 01:06 / wen
Surr: p-Bromofluorobenzene	109	%REC		80-120		SW8260B	04/15/09 01:06 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 01:06 / wen

Report RL - Analyte reporting limit.

Definitions: QCL - Quality control limit.

J - Estimated value. The analyte was present but less than the reporting limit.

MCL - Maximum contaminant level.

ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-007
Client Sample ID: 93007-A.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 09:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,1-Dichloroethane	0.6	ug/L	J	1.0		SW8260B	04/15/09 01:44 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen

Report RL - Analyte reporting limit.

MCL - Maximum contaminant level.

Definitions: QCL - Quality control limit.

ND - Not detected at the reporting limit.

J - Estimated value. The analyte was present but less than the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-007
Client Sample ID: 93007-A.4/09

Report Date: 04/21/09
Collection Date: 04/07/09 09:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/15/09 01:44 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/15/09 01:44 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/15/09 01:44 / wen
Surr: 1,2-Dichlorobenzene-d4	107	%REC		80-120		SW8260B	04/15/09 01:44 / wen
Surr: Dibromofluoromethane	114	%REC		70-130		SW8260B	04/15/09 01:44 / wen
Surr: p-Bromofluorobenzene	113	%REC		80-120		SW8260B	04/15/09 01:44 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/15/09 01:44 / wen

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-008
Client Sample ID: Trip Blank

Report Date: 04/21/09
Collection Date: 04/07/09 12:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Benzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Bromobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Bromochloromethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Bromodichloromethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Bromoforn	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Bromomethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Chlorobenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Chloroethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Chloroform	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Chloromethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Dibromomethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Ethylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Isopropylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007-Hobbs
Lab ID: C09040277-008
Client Sample ID: Trip Blank

Report Date: 04/21/09
Collection Date: 04/07/09 12:00
Date Received: 04/08/09
Matrix: Aqueous

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Methyl ethyl ketone	ND	ug/L		20		SW8260B	04/11/09 05:04 / wen
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	04/11/09 05:04 / wen
Methylene chloride	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Naphthalene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
n-Butylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
n-Propylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
o-Xylene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Styrene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Tetrachloroethene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Toluene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Trichloroethene	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Vinyl chloride	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Xylenes, Total	ND	ug/L		1.0		SW8260B	04/11/09 05:04 / wen
Surr: 1,2-Dichlorobenzene-d4	110	%REC		80-120		SW8260B	04/11/09 05:04 / wen
Surr: Dibromofluoromethane	94.0	%REC		70-130		SW8260B	04/11/09 05:04 / wen
Surr: p-Bromofluorobenzene	102	%REC		80-120		SW8260B	04/11/09 05:04 / wen
Surr: Toluene-d8	105	%REC		80-120		SW8260B	04/11/09 05:04 / wen

-Trip Blank reported without appropriate QC. Re-analysis not possible due to limited sample volume.

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C09040255-001
Client Sample ID: 93007-WP.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 15:30
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2,4-Trimethylbenzene	1.9	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,3,5-Trimethylbenzene	1.4	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Bromoforn	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C09040255-001
Client Sample ID: 93007-WP.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 15:30
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	04/08/09 14:24 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
o-Xylene	1.4	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Tetrachloroethene	0.9	mg/m3	J	1.0		SW8260B	04/08/09 14:24 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	04/08/09 14:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	04/08/09 14:24 / jlr
Surr: Dibromofluoromethane	104	%REC		80-120		SW8260B	04/08/09 14:24 / jlr
Surr: p-Bromofluorobenzene	112	%REC		80-120		SW8260B	04/08/09 14:24 / jlr
Surr: Toluene-d8	104	%REC		80-120		SW8260B	04/08/09 14:24 / jlr

Report RL - Analyte reporting limit.

Definitions: QCL - Quality control limit.

J - Estimated value. The analyte was present but less than the reporting limit.

MCL - Maximum contaminant level.

ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C09040255-002
Client Sample ID: 93007-AD.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 15:45
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Bromoform	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C09040255-002
Client Sample ID: 93007-AD.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 15:45
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	04/08/09 15:02 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	04/08/09 15:02 / jlr
Surr: 1,2-Dichlorobenzene-d4	115	%REC		80-120		SW8260B	04/08/09 15:02 / jlr
Surr: Dibromofluoromethane	100	%REC		80-120		SW8260B	04/08/09 15:02 / jlr
Surr: p-Bromofluorobenzene	100	%REC		80-120		SW8260B	04/08/09 15:02 / jlr
Surr: Toluene-d8	101	%REC		80-120		SW8260B	04/08/09 15:02 / jlr

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C09040255-003
Client Sample ID: 93007-UST.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 16:00
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Bromoforn	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 93007 Hobbs
Lab ID: C09040255-003
Client Sample ID: 93007-UST.4/09

Report Date: 04/10/09
Collection Date: 04/07/09 16:00
Date Received: 04/08/09
Matrix: Air

Analyses	Result	Units	Qualifier	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	04/08/09 15:39 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	04/08/09 15:39 / jlr
Surr: 1,2-Dichlorobenzene-d4	112	%REC		80-120		SW8260B	04/08/09 15:39 / jlr
Surr: Dibromofluoromethane	102	%REC		80-120		SW8260B	04/08/09 15:39 / jlr
Surr: p-Bromofluorobenzene	104	%REC		80-120		SW8260B	04/08/09 15:39 / jlr
Surr: Toluene-d8	101	%REC		80-120		SW8260B	04/08/09 15:39 / jlr

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.