

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

32015

February 1, 2011

Mr. Glenn von Gonten, Senior Hydrologist
New Mexico Oil Conservation Division-NMOCD
Environmental Bureau
1220 St. Francis Drive
Santa Fe, New Mexico 87505

**Re: BP America Production Company
Groundwater Monitoring Report
GCU # 107, Unit D, Sec. 19, T29N, R12W, NMPM
San Juan County, New Mexico**

NMOCD Administrative/Environmental Order #: 3RP-15-0

Dear Mr. von Gonten:

BP America Production Company (BP) has retained Blagg Engineering, Inc. (BEI) to conduct environmental monitoring of groundwater at the GCU # 107.

Formal correspondence from NMOCD was conducted with letter dated, July 2, 1996 (included within this report). Groundwater monitoring commenced in November 2009. Since then, BP has followed its NMOCD approved groundwater management plan and continues to monitor the site. No permanent closure is requested at this time.

If you have any questions concerning the enclosed documentation, please contact either myself or Jeffrey C. Blagg at (505) 632-1199. Thank you for your cooperation and assistance.

Respectfully submitted:
Blagg Engineering, Inc.



Nelson J. Velez
Staff Geologist

Attachment: Groundwater Report (2 copies)

cc: Mr. Brandon Powell, Environmental Specialist, NMOCD District III Office, Aztec, NM
Mr. Jeff Peace, Environmental Advisor, BP, Farmington, NM

BP AMERICA PRODUCTION CO.

GROUNDWATER REMEDIATION REPORT

GCU # 107

**(D) SECTION 19, T29N, R12W, NMPM
SAN JUAN COUNTY, NEW MEXICO**

**PREPARED FOR:
NEW MEXICO OIL CONSERVATION DIVISION
1220 ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87504**

DECEMBER 2010

**PREPARED BY:
BLAGG ENGINEERING, INC.**

**Consulting Petroleum / Reclamation Services
P.O. Box 87
Bloomfield, New Mexico 87413**

BP AMERICA PRODUCTION COMPANY
GCU # 107 - Separator Pit
NW¼ NW¼, Sec. 19, T29N, R12W

Pit Closure Date: March-April 1995

Monitor Well Installation Date: November 2009

Monitor Well Sampling Dates: 11/9/09, 3/4/10, 4/29/10, 7/21/10, 10/21/10

Pit Closure and Background:

Groundwater was encountered at a depth of approximately twenty six (26) feet below surface grade during excavation of impacted soils from the earthen separator pit in March-April 1995 (documentation included). The excavation perimeter was measured at approximately 29 X 38 X 28 feet depth. Approximately 1,140 cubic yards of soils were removed and composted on-site (closure documentation included). After the initial sampling and testing of the exposed groundwater within the excavation, pumping via water hauling trucks commenced. The water was then transported and disposed at an approved facility. Afterward, subsequent sampling and testing for benzene, toluene, ethylbenzene, and total xylenes (**BTEX**) per US EPA method 8020 was conducted. The discovery of confirmed groundwater impact during the pit closure activity was reported to the New Mexico Oil Conservation Division's (**NMOCD**) Santa Fe office with letter dated May 3, 1995. NMOCD responded with a formal correspondence letter dated July 2, 1996 (included – see page 3). The BTEX results of the groundwater sampling from the excavation are as follows;

Sample ID	Date	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)
PW1 @ GW (25')	03/09/95	73	1,031	651	4,746
PW2 @ GW (26')	03/23/95	17.8	334.7	282.6	1,905.2
PW3 @ GW (26')	03/30/95	14.0	63.6	1.4	1,024.6
PW4 @ GW (26')	03/30/95	0.4	5.9	2.0	107.9
NMWQCC regulatory standards		10	750	750	620

Note: GW = groundwater, NMWQCC = New Mexico Water Quality Control Commission, ppb = parts per billion.

Groundwater Investigation and Soil Lithology:

Groundwater monitor wells were installed in October 2009 to test groundwater quality (see Figure 1). Boring logs for all three (3) monitor wells along with well completion information are contained within this report. There are no known receptors impacted by the previous discovery of impacted soil and/or groundwater.

Soil lithology at the site consists of primarily coarse grained sand with varying size gravel at greater depths (beyond 18 feet), non cohesive, and firm. A dark gray to black sand and gravel with an apparent hydrocarbon odor was observed within the drill cuttings at an estimated 26-35 feet below grade within MW #2 (within groundwater near source area).

Groundwater Monitor Well Sampling Procedures:

Monitor wells were developed by hand-bailing, using new disposable bailers after installation. Prior to sample collections, the monitor wells were purged approximately three (3) well bore volumes with new disposable bailers. The groundwater samples were collected following US EPA: SW-846 protocol, were placed into laboratory supplied containers with appropriate preservative, and stored in an ice chest for express delivery to an analytical laboratory for testing under strict chain-of-custody procedures. Analytical testing for BTEX by US EPA Method 8021B was conducted.

Fluids generated during monitor well development and purging were managed by discarding into the site's separator below-grade tank (BGT). The BGT contents are eventually disposed through approved NMOCD operational procedures for removal of produced fluids.

Water Quality and Gradient Information:

BP initiated quarterly sampling and testing pursuant to BP's NMOCD approved Groundwater Management Plan (GMP). A historical summary of laboratory analytical BTEX results are included within the table on the following page. Field data sheets, laboratory reports, and laboratory quality assurance/quality control information are also included within this report.

Groundwater contour maps (Figure 2 through Figure 6) reveal the relative elevations from the site wells have consistently shown an apparent southwest flow direction toward MW #3.

Summary and/or Recommendations:

Since November 2009, BTEX within MW #1 and MW #3 site monitor wells have tested at non-detectable levels. MW #2 has shown total xylenes well above the NMWQCC standards since testing commenced. However, a significant decrease in the xylene values is a possible indication that natural attenuation may be positively affecting the remaining impacted soil and/or groundwater. It is recommended to follow BP's GMP and continue monitoring MW #2 on at least a bi-annual basis or until the analytical data suggest otherwise.

30045 08131

36.71693/108.14523

CLIENT: AMOCOBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 80244C.D.C. NO: 2904
2918

FIELD REPORT: CLOSURE VERIFICATION

PAGE No: 1 of 1LOCATION: NAME: GCU WELL #: 107 PIT: SEPDATE STARTED: 3/8/95QUAD/UNIT: D SEC: A TWP: 29N RNG: 12W PM: NM CNTY: ST NM

DATE FINISHED: _____

QTR/FOOTAGE: NW/4 820' NW/4 CONTRACTOR: EPCENVIRONMENTAL SPECIALIST: NVEXCAVATION APPROX. 29 FT. x 38 FT. x 28 FT. DEEP. CUBIC YARDAGE: 1,140DISPOSAL FACILITY: ON-SITE REMEDIATION METHOD: COMPOSTEDLAND USE: INDUSTRIAL LEASE: FEE FORMATION: OKFIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 240 FT. N50E FROM WELLHEAD.DEPTH TO GROUNDWATER: <50' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'NMOC D RANKING SCORE: 20 NMOC D TPH CLOSURE STD: 100 PPM

CHECK ONE:

☒ PIT ABANDONED☐ STEEL TANK INSTALLED

SOIL AND EXCAVATION DESCRIPTION:

VARYING COLORS FROM GRAYISH ORANGE TO DK. YEL. BROWN SAND/GRAVEL,
NON-COHESIVE, SLIGHTLY MOIST, FIRM, STRONG HC ODOR IN BOTTOM.
CONTRACTOR WILL CONTINUE EXCAVATION IN VERTICAL DIRECTION.

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SCALE




0 FT


PIT PERIMETER

OVM RESULTS

PIT PROFILE



SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 12'	2.5
2 @ 12'	1.7
3 @ 12'	1.7
4 @ 8'	10.0
5 @ 18'	521
5A @ 20'	502



SAMPLE ID	ANALYSIS	TIME
PW1 @ 20' (25)	BTX	1350
PW2 @ 20' (25)	BTX	1110
PW3 @ 20' (25)	BTX	1510
PW4 @ 20' (25)	BTX	1020

3/9
3/23
3/30
4/10

TRAVEL NOTES:

CALLOUT: 3/8/95ONSITE: 3/8/95

OFF: (505) 325-8786



LAB: (505) 325-5667

AROMATIC VOLATILE ORGANICS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *3/10/95*
Lab ID: *2904*
Sample ID: *5441*
Job No. *2-1000*

Project Name: *GCU 107*
Project Location: *PW 1 @ GW (25') - Sep. Pft*
Sampled by: *NV* Date: *3/9/95*
Analyzed by: *DLA* Date: *3/10/95*
Sample Matrix: *Water*

Time: *13:50*

Aromatic Volatile Organics

Component	Measured Concentration ug/L	Detection Limit Concentration ug/L
<i>Benzene</i>	<i>73</i>	<i>0.2</i>
<i>Toluene</i>	<i>1,031</i>	<i>0.2</i>
<i>Ethylbenzene</i>	<i>651</i>	<i>0.2</i>
<i>m,p-Xylene</i>	<i>3,573</i>	<i>0.2</i>
<i>o-Xylene</i>	<i>1,173</i>	<i>0.2</i>
	TOTAL <i>6,501 ug/L</i>	

ND - Not Detectable

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*
Date: *3/10/95*

P. O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-8786



LAB: (505) 325-5667

AROMATIC VOLATILE ORGANICS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *3/23/95*
Lab ID: *2918*
Sample ID: *5648*
Job No. *2-1000*

Project Name: *GCU 107*
Project Location: *PW 2 @ GW (26') - Sep. Pit*
Sampled by: *NV* Date: *3/23/95*
Analyzed by: *DLA* Date: *3/23/95*
Sample Matrix: *Water*

Time: *11:10*

Aromatic Volatile Organics

Component	Measured Concentration ug/L	Detection Limit Concentration ug/L
<i>Benzene</i>	<i>17.8</i>	<i>0.2</i>
<i>Toluene</i>	<i>334.7</i>	<i>0.2</i>
<i>Ethylbenzene</i>	<i>282.6</i>	<i>0.2</i>
<i>m,p-Xylene</i>	<i>1390.5</i>	<i>0.2</i>
<i>o-Xylene</i>	<i>514.7</i>	<i>0.2</i>
	TOTAL <i>2540.4 ug/L</i>	

ND - Not Detectable

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *Ja 4*
Date: *3/23/95*

P. O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-8786



LAB: (505) 325-5667

AROMATIC VOLATILE ORGANICS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *3/30/95*
Lab ID: *2964*
Sample ID: *5715*
Job No. *2-1000*

Project Name: *GCU 107*
Project Location: *PW 3 @ GW (26') - Sep. Pit*
Sampled by: *NV* Date: *3/30/95*
Analyzed by: *DLA* Date: *3/31/95*
Sample Matrix: *Water*

Time: *15:10*

Aromatic Volatile Organics

Component	Measured Concentration ug/L	Detection Limit Concentration ug/L
<i>Benzene</i>	<i>14.0</i>	<i>0.2</i>
<i>Toluene</i>	<i>63.6</i>	<i>0.2</i>
<i>Ethylbenzene</i>	<i>1.4</i>	<i>0.2</i>
<i>m,p-Xylene</i>	<i>588.1</i>	<i>0.2</i>
<i>o-Xylene</i>	<i>436.5</i>	<i>0.2</i>
TOTAL <i>1103.7 ug/L</i>		

ND - Not Detectable

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*
Date: *3/31/95*

P. O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -

OFF: (505) 325-8786



LAB: (505) 325-5667

AROMATIC VOLATILE ORGANICS

Attn: *Nelson Velez*
Company: *Blagg Engineering*
Address: *P.O. Box 87*
City, State: *Bloomfield, NM 87413*

Date: *4/10/95*
Lab ID: *2923*
Sample ID: *5841*
Job No. *2-1000*

Project Name: *GCU 107*
Project Location: *PW 4 @ GW(26') - Sep. Pit*
Sampled by: *NV* Date: *4/10/95*
Analyzed by: *DC* Date: *4/10/95*
Sample Matrix: *Water*

Time: *10:20*

Aromatic Volatile Organics

Component	Measured Concentration ug/L	Detection Limit Concentration ug/L
<i>Benzene</i>	<i>0.4</i>	<i>0.2</i>
<i>Toluene</i>	<i>5.9</i>	<i>0.2</i>
<i>Ethylbenzene</i>	<i>2.0</i>	<i>0.2</i>
<i>m,p-Xylene</i>	<i>1.0</i>	<i>0.2</i>
<i>o-Xylene</i>	<i>106.9</i>	<i>0.2</i>
TOTAL <i>116.2 ug/L</i>		

ND - Not Detectable

Method - SW-846 EPA Method 8020 Aromatic Volatile Organics by Gas Chromatography

Approved by: *[Signature]*
Date: *4/10/95*

P. O. BOX 2606 • FARMINGTON, NM 87499

- TECHNOLOGY BLENDING INDUSTRY WITH THE ENVIRONMENT -



CHAIN OF CUSTODY RECORD

2918

Date: 3/23/95

Page 1 of 1

657 W. Maple • P. O. Box 2606 • Farmington NM 87499
LAB: (505) 325-5667 • FAX: (505) 325-6256

60244

Purchase Order No.:		Job No.		Name <u>NELSON VELAZ</u>		Title <u>PG</u>		
SEND INVOICE TO	Name		Company		Mailing Address		City, State, Zip	
	Company <u>BLAGG ENGINEERING</u>		Dept.		Telephone No.		Telefax No.	
	Address							
	City, State, Zip							
Sampling Location: <u>GCU 107</u>				REPORT RESULTS TO Number of Containers <u>STEX (6020)</u>	ANALYSIS REQUESTED			
Sampler: <u>Nelson Velaz</u>								
SAMPLE IDENTIFICATION		SAMPLE					LAB ID	
		DATE	TIME		MATRIX	PRES.		
<u>PW2 @ GW (26') - SEP. PIT</u>		<u>3/23/95</u>	<u>1110</u>		<u>WATER</u>	<u>HCL</u>	<u>2</u>	<u>✓</u>
Relinquished by: <u>Nelson Velaz</u>		Date/Time <u>3/23/95 1110</u>		Received by: <u>[Signature]</u>		Date/Time <u>3/23/95 1110</u>		
Relinquished by:		Date/Time		Received by:		Date/Time		
Relinquished by:		Date/Time		Received by:		Date/Time		
Method of Shipment:				Rush	24-48 Hours	10 Working Days	Special Instructions:	
Authorized by: _____ Date _____ (Client Signature Must Accompany Request)								



CHAIN OF CUSTODY RECORD

2964

Date: 3/30/95

Page 1 of 1

657 W. Maple • P. O. Box 2606 • Farmington NM 87499
LAB: (505) 325-5667 • FAX: (505) 325-6256

80244

Purchase Order No.:		Job No.		Name <u>NELSON VELTZ</u>		Title <u>PG</u>		
SEND INVOICE TO	Name			Company		Mailing Address		
	Company <u>BLAGE ENGINEERING</u>			Dept.		City, State, Zip		
	Address			Telephone No.		Telefax No.		
	City, State, Zip							
Sampling Location: <u>GCU 107</u>				REPORT RESULTS TO Number of Containers <u>BTEX (8020)</u>	ANALYSIS REQUESTED			
Sampler: <u>Nelson Veltz</u>								
SAMPLE IDENTIFICATION		SAMPLE DATE TIME MATRIX PRES.			LAB ID			
<u>PW3 @ GCU (26) - SEP. PIT</u>		<u>3/30/95 1510 WATER</u>			<u>5715-2964</u>			
Relinquished by: <u>Nelson Veltz</u>		Date/Time <u>3/30/95 1522</u>		Received by: <u>Bill Veltz</u>		Date/Time <u>3/30/95 1522</u>		
Relinquished by:		Date/Time		Received by:		Date/Time		
Relinquished by:		Date/Time		Received by:		Date/Time		
Method of Shipment:				Rush		24-48 Hours		
Authorized by: _____ (Client Signature Must Accompany Request)				10 Working Days		Special Instructions:		

CLIENT: <u>Amoco</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80244</u> C.D.C. NO: <u>ANALYT.</u>
----------------------	--	--

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: <u>6C4 107</u>	PITS: <u>Blow-down-sep.</u>	DATE STARTED: <u>1-23-96</u>
QUAD/UNIT: <u>D SEC: 19 TWP: 29 N RNG: 12 W BM: NM CNTY: SJ ST: NM</u>		DATE FINISHED: _____
QTR/FOOTAGE: _____	CONTRACTOR: <u>EPC</u>	ENVIRONMENTAL SPECIALIST: <u>REG</u>

SOIL REMEDIATION:

REMEDIATION SYSTEM: <u>COMPOST</u>	APPROX. CUBIC YARDAGE: <u>1195</u>
LAND USE: <u>INDUSTRIAL BUSINESS</u>	LEASE: _____

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: <50' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: >1000'

NMDCD RANKING SCORE: 20 NMDCD TPH CLOSURE STD: 100 PPM ? (1000)


COMPOSITE SAMPLE TAKEN OF COMPOST PILES,
MOIST, BROWN, SILT-SAND-COBBLE MIXTURE - NO COAR, NO STAIN ATTACHED.
COMPOST PILES LOCATED NORTH OF LOCATION AT A LOWER ELEVATION.

FIELD 418.1 CALCULATIONS

CLOSE COMPOST PILE

SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS



OVM RESULTS

SAMPLE ID	FIELD HEADSPACE PPM (ppm)
COMP. A	65

LAB SAMPLES

SAMPLE ID	ANALYSIS
Comp. A	8015 = 66.2 ppm

TRAVEL NOTES: CALLOUT: 1-23-96 ONSITE: 1-23-96 1030

TOTAL VOLATILE PETROLEUM HYDROCARBONS

Gasoline Range Organics

Blagg Engineering, Inc.

Project ID: Amoco/GCU 107
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 01/29/96
Date Sampled: 01/23/96
Date Received: 01/25/96
Date Extracted: 01/25/96
Date Analyzed: 01/27/96


Sample ID	Lab ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Comp A	2500	ND	16.9


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	Trifluorotoluene	96%	50 - 150%

Reference: Method for the Determination of Gasoline Range Organics,
State of Tennessee, Department of Environment and Conservation, Division
of Underground Storage Tanks.

Comments:


Analyst


Review

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Diesel Range Organics

Blagg Engineering, Inc.

Project ID: Amoco/ GCU 107
Sample Matrix: Soil
Preservative: Cool
Condition: Intact

Report Date: 01/29/96
Date Sampled: 01/23/96
Date Received: 01/25/96
Date Extracted: 01/25/96
Date Analyzed: 01/26/96


Sample ID	Lot ID	Concentration (mg/kg)	Detection Limit (mg/kg)
Comp A	2500	66.2	20.0


ND- Analyte not detected at the stated detection limit.

Quality Control:	<u>Surrogate</u>	<u>% Recovery</u>	<u>Acceptance Limits</u>
	o - Terphenyl	97%	50 - 150%

Reference: EPA Method 8015A, modified. "Nonhalogenated Volatile Organics by Gas Chromatography." Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods, SW-846, 3rd Ed, Final Update I, July, 1992. USEPA.

Comments:


Analyst


Review



STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION

2040 S. PACHECO
SANTA FE, NEW MEXICO 87505
(505) 827-7131

July 2, 1996

CERTIFIED MAIL

RETURN RECEIPT NO. P-269-269-167

Mr. B.D. Shaw
Amoco Production Company
200 Amoco Court
Farmington, New Mexico 87401

RE: FINAL SAN JUAN BASIN PIT CLOSURE REPORTS

Dear Mr. Shaw:

The New Mexico Oil Conservation Division (OCD) has completed a review of Amoco Production Company's (Amoco) May 3, 1995 "AMOCO PRODUCTION COMPANY PIT CLOSURE VERIFICATIONS" which were submitted on behalf of Amoco by their consultant Blagg Engineering, Inc. This document contains "PIT REMEDIATION AND CLOSURE REPORTS" for 29 unlined pits in the San Juan Basin of Northwestern New Mexico.

The OCD's review of the above referenced document is addressed below:

A. The pit closure/soil remediation activities conducted at the sites listed below are approved as meeting the standards in effect at the time of closure.

1. GCU #95E (Blow pit)	Unit P, Sec. 31, T28N, R11W.
2. GCU #107 (Blow pit)	Unit D, Sec. 19, T29N, R12W.
3. GCU #174E (Blow pit)	Unit E, Sec. 28, T28N, R12W.
4. GCU #174E (Separator pit)	Unit E, Sec. 28, T28N, R12W.
5. GCU #202 (Separator pit)	Unit B, Sec. 33, T29N, R12W.
6. GCU #231E (Blow pit)	Unit E, Sec. 27, T28N, R12W.
7. GCU #400E (Blow pit)	Unit A, Sec. 25, T28N, R12W.
8. Jack Frost C#1E (Blow pit)	Unit H, Sec. 26, T27N, R10W.
9. Jack Frost C#1E (Separator pit)	Unit H, Sec. 26, T27N, R10W.
10. Jack Frost D#1E (Blow pit)	Unit N, Sec. 26, T27N, R10W.
11. Jack Frost D#1E (Separator pit)	Unit N, Sec. 26, T27N, R10W.
12. Lodewick #4 (Separator pit)	Unit F, Sec. 18, T27N, R09W.
13. V.W. McManus #1 (Tank drain pit)	Unit M, Sec. 22, T28N, R12W.
14. V.W. McManus #1 (Line drain pit)	Unit M, Sec. 22, T28N, R12W.
15. Sammons GC B#1 (Separator pit)	Unit A, Sec. 18, T29N, R09W.

Please be advised that OCD approval does not relieve Amoco of liability if, in the future, remaining contaminants are found to pose a threat to surface water, ground water, human health or the environment. In addition, OCD approval does not relieve Amoco of responsibility for compliance with any other federal, state or local laws and/or regulations.

- B. The pit remedial activities conducted at the site listed below are satisfactory. However, according to the report, onsite landfarming and/or composting actions are still continuing at the site. Subsequently, the OCD cannot issue final closure approval at this time and approval of closure actions at this site is denied. Please resubmit the closure report for this site upon completion of the landfarming and/or composting activities. The final report will include the results of the soil remediation levels achieved and the disposition of the remediated soils.

1. Heath GC A#1A (Separator pit) Unit O, Sec. 32, T30N, R09W.

- C. The final pit remedial contaminant levels at the sites listed below are in excess of the OCD's recommended remediation levels. Subsequently, the OCD cannot issue final closure approval and approval of closure actions at these sites is denied. The OCD requests that Amoco submit a plan to address the remaining contamination at these sites. The plan will be submitted to the OCD Santa Fe Office by August 2, 1996 with a copy supplied to the OCD Aztec Office.

1. Gallegos #008 (Separator pit)	Unit D, Sec. 19, T29N, R12W.
2. GCU #107 (Drip pit)	Unit D, Sec. 19, T29N, R12W.
3. GCU #165 (Blow pit)	Unit H, Sec. 29, T28N, R12W.
4. Jack Frost D#1E (Dehy pit)	Unit N, Sec. 26, T27N, R10W.
5. Jack Frost E#1 (Separator pit)	Unit D, Sec. 25, T27N, R10W.
6. C.A. McAdams C#1E (Dehy pit)	Unit B, Sec. 05, T27N, R10W.
7. V.W. McManus #1 (Abandoned pit)	Unit M, Sec. 22, T28N, R12W.
8. V.W. McManus #1 (Tank battery pit)	Unit M, Sec. 22, T28N, R12W.

- D. Ground water at the sites listed below is contaminated with petroleum related constituents in excess of New Mexico Water Quality Control Commission ground water standards and the extent of ground water contamination at these sites has not been determined. Therefore, approval of these pit closure forms is denied. The OCD requests that Amoco investigate the extent of contamination and, if necessary, remediate contaminated ground water pursuant to Amoco's November 21, 1995 ground water investigation/remediation work plan which was approved by the OCD on November 29, 1995.


1. GCU #107 (Separator pit)	Unit D, Sec. 19, T29N, R12W.
2. GCU #165 (Separator pit)	Unit H, Sec. 29, T28N, R12W.
3. GCU Com D#160 (Separator pit)	Unit I, Sec. 27, T29N, R12W.
4. GCU Com D#160 (Blow pit)	Unit I, Sec. 27, T29N, R12W.
5. Sammons GC B#1 (Blow pit)	Unit A, Sec. 18, T29N, R09W.

Mr. B.D. Shaw
July 2, 1996
Page 3

To simplify the approval process for both Amoco and OCD, the OCD requests that Amoco submit all future pit closure reports only upon completion of all closure activities including onsite landfarming or composting of contaminated soils. The results of final remediation levels achieved during landfarming or composting and the disposition of the remediated soils should be included in the report.

If you have any questions, please call me at (505) 827-7154.

Sincerely,

A handwritten signature in dark ink, appearing to read "W.C. Olson". The signature is fluid and cursive, with the first name "William" and last name "Olson" clearly distinguishable.

William C. Olson
Hydrogeologist
Environmental Bureau

xc: OCD Aztec District Office
Bill Liess, BLM Farmington District Office
Robert O'Neill, Blagg Engineering, Inc.

BP AMERICA PROD. CO. GROUNDWATER LAB RESULTS

SUBMITTED BY BLAGG ENGINEERING, INC.

GCU # 107 - Separator pit
UNIT D, SEC. 19, T29N, R12W

REVISED DATE: November 2, 2010

FILENAME: (1074Q10.WK4) NJV

								BTEX EPA METHOD 8021B (ppb)			
SAMPLE DATE	WELL NAME or No.	D.T.W. (ft)	T.D. (ft)	TDS (mg/L)	COND. umhos	pH	PRODUCT (ft)	Benzene	Toluene	Ethyl Benzene	Total Xylenes
09-Nov-09	MW #1	29.13	36.08		1,800	6.92		ND	ND	ND	ND
09-Nov-09	MW #2	29.97	36.08		1,500	7.44		ND	1,900	560	4,100
"	(dup.)	"	"		"	"		ND	1,900	570	4,100
04-Mar-10		29.59			1,600	7.47		ND	330	430	2,500
29-Apr-10		29.38			1,600	7.45		ND	180	350	1,300
21-Jul-10		29.44			1,800	7.55		1.6	220	440	1,000
21-Oct-10		29.25			1,900	7.36		ND	370	370	1,500
09-Nov-09	MW #3	28.78	36.19		1,700	7.20		ND	ND	ND	ND
04-Mar-10		28.43			1,300	7.25		ND	ND	ND	ND
29-Apr-10		28.19			1,200	7.33		ND	ND	ND	ND
NMWQCC GROUNDWATER STANDARDS								10	750	750	620

- NOTES :
- 1) RESULTS IN BOLD RED TYPE INDICATE EXCEEDING NMWQCC STANDARDS .
 - 2) RESULTS IN BOLD BLUE TYPE INDICATE BELOW NMWQCC STANDARDS AFTER PREVIOUS RESULTS IN BOLD RED TYPE EXCEEDED .
 - 3) ND INDICATES NOT DETECTED AT THE REPORTING LIMITS (less than regulatory standards of at least a magnitude of 10).

GENERAL WATER QUALITY
BP AMERICA PRODUCTION COMPANY
GCU # 107

Sample Date : November 9 , 2009

PARAMETERS	MW # 1	MW # 2	MW # 3	NMWQCC STANDARDS	Units
pH	-	-	-	6 - 9	s. u.
TOTAL DISSOLVED SOLIDS	3,300	2,100	2,430	1,000	mg / L
NITROGEN, NITRITE	ND	ND	4.2	10.0	mg / L
NITROGEN , NITRATE	150	ND	3.8	10.0	mg / L
CHLORIDE	170	190	210	250	mg / L
FLUORIDE	0.60	1.2	0.81	1.6	mg / L
SULFATE	1,500	830	1,200	600	mg / L
IRON	ND	0.12	ND	1.0	mg / L


Notes :

- 1) NMWQCC - New Mexico Water Quality Control Commission .
- 2) s. u. - stanadard unit .
- 3) mg / L - milligrams per liter or otherwise known as parts per million (ppm) .
- 4) ND - Non detected at the reporting limit .
- 5) New Mexico Oil Conservation Division (NMOCD) recognizes the NMWQCC or background levels (statistical equivalence) as the standards for each site specific scenario .

FIGURE 1



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE & BEARING FROM THE WELL HEAD (TAPE MEASURE, LASER RANGE FINDER, & BRUNTON COMPASS). ALL OTHER STRUCTURES DISPLAYED ON THIS MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.



BP AMERICA PRODUCTION CO.

GCU # 107

NW/4 NW/4 SEC. 19, T29N, R12W

SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.

CONSULTING PETROLEUM / RECLAMATION SERVICES

P.O. BOX 87

BLOOMFIELD, NEW MEXICO 87413

PHONE: (505) 632-1199

PROJECT: MW INSTALLATIONS

DRAWN BY: NJV

FILENAME: GCU 107-SM.SKF

REVISED: 10-30-09 NJV

SITE
MAP

10/09


FIGURE 2 (4th 1/4, 2009)



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE & BEARING FROM THE WELL HEAD (TAPE MEASURE, LASER RANGE FINDER, & BRUNTON COMPASS). ALL OTHER STRUCTURES DISPLAYED ON THIS MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

Top of Well Elevation	
MW #1	(100.00)
MW #2	(100.83)
MW #3	(99.49)
Groundwater Elevation as of 11/09/09.	
MW #1 (70.87)	
MW #2 (70.86)	
MW #3 (70.71)	

Well tops surveyed on 10/30/09.



⊕
WELL
HEAD

0 40 80 FT.

BP AMERICA PRODUCTION CO.
GCU # 107
NW/4 NW/4 SEC. 19, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 11-09-09-GW.SKF
REVISED: 11-09-09 NJV


GROUNDWATER
CONTOUR
MAP
11/09

FIGURE 3 (1st 1/4, 2010)



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE & BEARING FROM THE WELL HEAD (TAPE MEASURE, LASER RANGE FINDER, & BRUNTON COMPASS). ALL OTHER STRUCTURES DISPLAYED ON THIS MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

Top of Well Elevation	
MW #1	(100.00)
MW #2	(100.83)
MW #3	(99.49)
⊕ MW #1 (71.22)	Groundwater Elevation as of 3/04/10.



⊕
WELL
HEAD

0 40 80 FT.

BP AMERICA PRODUCTION CO.
GCU # 107
NW/4 NW/4 SEC. 19, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 03-04-10-GW.SKF
REVISED: 03-04-10 NJV


GROUNDWATER
CONTOUR
MAP
03/10

FIGURE 4 (2nd 1/4, 2010)



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE & BEARING FROM THE WELL HEAD (TAPE MEASURE, LASER RANGE FINDER, & BRUNTON COMPASS). ALL OTHER STRUCTURES DISPLAYED ON THIS MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

Top of Well Elevation	
MW #1	(100.00)
MW #2	(100.83)
MW #3	(99.49)
⊕ MW #1 (71.44)	Groundwater Elevation as of 4/29/10.



0 40 80 FT.

BP AMERICA PRODUCTION CO.

GCU # 107

NW/4 NW/4 SEC. 19, T29N, R12W

SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.

CONSULTING PETROLEUM / RECLAMATION SERVICES

P.O. BOX 87

BLOOMFIELD, NEW MEXICO 87413

PHONE: (505) 632-1199

PROJECT: MW SAMPLING

DRAWN BY: NJV

FILENAME: 04-29-10-GW.SKF

REVISED: 04-29-10 NJV

GROUNDWATER
CONTOUR

MAP


04/10

FIGURE 5 (3rd 1/4, 2010)



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE & BEARING FROM THE WELL HEAD (TAPE MEASURE, LASER RANGE FINDER, & BRUNTON COMPASS). ALL OTHER STRUCTURES DISPLAYED ON THIS MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

Top of Well Elevation	
MW #1	(100.00)
MW #2	(100.83)
MW #3	(99.49)
⊕ MW #1 (71.39)	Groundwater Elevation as of 7/21/10.



⊕
WELL
HEAD

0 40 80 FT.

BP AMERICA PRODUCTION CO.
GCU # 107
NW/4 NW/4 SEC. 19, T29N, R12W
SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.
CONSULTING PETROLEUM / RECLAMATION SERVICES
P.O. BOX 87
BLOOMFIELD, NEW MEXICO 87413
PHONE: (505) 632-1199

PROJECT: MW SAMPLING
DRAWN BY: NJV
FILENAME: 07-21-10-GW.SKF
REVISED: 07-21-10 NJV


GROUNDWATER
CONTOUR
MAP
07/10

FIGURE 6 (4th 1/4, 2010)



MONITOR WELL LOCATIONS ARE ONLY AS ACCURATE AS THE INSTRUMENTS USED IN OBTAINING THE FOOTAGE & BEARING FROM THE WELL HEAD (TAPE MEASURE, LASER RANGE FINDER, & BRUNTON COMPASS). ALL OTHER STRUCTURES DISPLAYED ON THIS MAP ARE SOLELY FOR REFERENCE AND MAY NOT BE TO SCALE.

Top of Well Elevation	
MW #1	(100.00)
MW #2	(100.83)
MW #3	(99.49)
⊕ MW #1 (71.60)	Groundwater Elevation as of 10/21/10.



⊕
WELL
HEAD

0 40 80 FT.

BP AMERICA PRODUCTION CO.

GCU # 107

NW/4 NW/4 SEC. 19, T29N, R12W

SAN JUAN COUNTY, NEW MEXICO

BLAGG ENGINEERING, INC.

CONSULTING PETROLEUM / RECLAMATION SERVICES

P.O. BOX 87

BLOOMFIELD, NEW MEXICO 87413

PHONE: (505) 632-1199

PROJECT: MW SAMPLING

DRAWN BY: NJV

FILENAME: 10-21-10-GW.SKF

REVISED: 10-21-10 NJV

GROUNDWATER

CONTOUR

MAP

10/10

BLAGG ENGINEERING, Inc.


P.O. BOX 87
BLOOMFIELD, NM 87413
(505) 632-1199

MW #1

BORE / TEST HOLE REPORT

BORING #..... BH - 1
MW #..... 1
PAGE #..... 1
DATE STARTED 10/27/09
DATE FINISHED 10/27/09
OPERATOR..... KP
PREPARED BY NJV

CLIENT: BP AMERICA PRODUCTION CO.
LOCATION NAME: GCU # 107 UNIT D, SEC. 19, T29N, R12W
CONTRACTOR: BLAGG ENGINEERING, INC. / KYVEK ENERGY SERVICES, INC.
EQUIPMENT USED: MOBILE DRILL RIG (CME 75) - TUBEX SYSTEM
BORING LOCATION: 68 FEET, N19.5W FROM MW #2.



BLAGG ENGINEERING, Inc.


P.O. BOX 87
BLOOMFIELD, NM 87413
(505) 632-1199

MW #2

BORE / TEST HOLE REPORT

BORING #..... BH - 3
MW #..... 2
PAGE #..... 3
DATE STARTED 10/28/09
DATE FINISHED 10/28/09
OPERATOR..... KP
PREPARED BY NJV

CLIENT: BP AMERICA PRODUCTION CO.
LOCATION NAME: GCU # 107 UNIT D, SEC. 19, T29N, R12W
CONTRACTOR: BLAGG ENGINEERING, INC. / KYVEK ENERGY SERVICES, INC.
EQUIPMENT USED: MOBILE DRILL RIG (CME 75) - TUBEX SYSTEM
BORING LOCATION: 216 FEET, N53E FROM WELL HEAD.



BLAGG ENGINEERING, Inc.


P.O. BOX 87
BLOOMFIELD, NM 87413
(505) 632-1199

MW #3

BORE / TEST HOLE REPORT

BORING #..... BH - 2
MW #..... 3
PAGE #..... 2
DATE STARTED 10/28/09
DATE FINISHED 10/28/09
OPERATOR..... KP
PREPARED BY NJV

CLIENT: BP AMERICA PRODUCTION CO.
LOCATION NAME: GCU # 107 UNIT D, SEC. 19, T29N, R12W
CONTRACTOR: BLAGG ENGINEERING, INC. / KYVEK ENERGY SERVICES, INC.
EQUIPMENT USED: MOBILE DRILL RIG (CME 75) - TUBEX SYSTEM
BORING LOCATION: 69.5 FEET, N85W FROM MW #2.



BLAGG ENGINEERING, INC.
MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA

CLIENT : **BP AMERICA PROD. CO.**

CHAIN-OF-CUSTODY # : N / A

GCU # 107 - SEPARATOR PIT
UNIT D, SEC. 19, T29N, R12W

LABORATORY (S) USED : HALL ENVIRONMENTAL

Date : November 9, 2009

DEVELOPER / SAMPLER : N J V

Filename : 11-09-09.WK4

PROJECT MANAGER : N J V

WELL #	WELL ELEV. (ft)	WATER ELEV. (ft)	DEPTH TO WATER (ft)	TOTAL DEPTH (ft)	SAMPLING TIME	pH	CONDUCT (umhos)	TEMP. (celcius)	VOLUME PURGED (gal.)
1	100.00	70.87	29.13	36.08	1150	6.92	1,800	16.9	3.50
2	100.83	70.86	29.97	36.08	1130	7.44	1,500	16.5	3.00
3	99.49	70.71	28.78	36.19	1210	7.20	1,700	16.4	3.75

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00	2,800
11/09/09	1120

DATE & TIME =

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$.
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Excellent recovery in all monitor wells . Collected samples from all monitor wells for BTEX , TDS ,
chloride , fluoride , nitrate , sulfate , & iron . Collected duplicate sample for BTEX analysis from
MW #2 & labeled as MW #2 under Project Name : GCU #187 ; time collected : 1430 .

Top of casing MW #1 ~ 2.43 ft. , MW #2 ~ 2.43 ft. , MW #3 ~ 2.60 ft. above grade .

on-site	10:00	temp	49 F
off-site	12:42	temp	63 F
sky cond.	sunny		
wind speed	0 - 10	direct.	E - SE

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Nov-09

CLIENT: Blagg Engineering
Lab Order: 0911194
Project: GCU #107
Lab ID: 0911194-01

Client Sample ID: MW #1
Collection Date: 11/9/2009 11:50:00 AM
Date Received: 11/10/2009
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	11/14/2009 1:12:03 AM
Toluene	ND	1.0		µg/L	1	11/14/2009 1:12:03 AM
Ethylbenzene	ND	1.0		µg/L	1	11/14/2009 1:12:03 AM
Xylenes, Total	ND	2.0		µg/L	1	11/14/2009 1:12:03 AM
Surr: 4-Bromofluorobenzene	78.8	65.9-130		%REC	1	11/14/2009 1:12:03 AM
EPA METHOD 300.0: ANIONS						Analyst: TAF
Fluoride	0.60	0.10		mg/L	1	11/10/2009 12:54:51 PM
Chloride	170	2.0		mg/L	20	11/10/2009 1:12:16 PM
Nitrogen, Nitrite (As N)	ND	2.0		mg/L	20	11/10/2009 1:12:16 PM
Nitrogen, Nitrate (As N)	150	2.0		mg/L	20	11/10/2009 1:12:16 PM
Sulfate	1500	25		mg/L	50	11/11/2009 12:58:45 PM
EPA METHOD 6010B: DISSOLVED METALS						Analyst: RAGS
Iron	ND	0.020		mg/L	1	11/16/2009 7:45:36 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: MMS
Total Dissolved Solids	3300	40.0		mg/L	1	11/13/2009 2:18:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Nov-09

CLIENT: Blagg Engineering
Lab Order: 0911194
Project: GCU #107
Lab ID: 0911194-02

Client Sample ID: MW #2
Collection Date: 11/9/2009 11:30:00 AM
Date Received: 11/10/2009
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	10		µg/L	10	11/14/2009 2:12:43 AM
Toluene	1900	50		µg/L	50	11/13/2009 2:56:44 AM
Ethylbenzene	560	10		µg/L	10	11/14/2009 2:12:43 AM
Xylenes, Total	4100	100		µg/L	50	11/13/2009 2:56:44 AM
Surr: 4-Bromofluorobenzene	84.1	65.9-130		%REC	50	11/13/2009 2:56:44 AM
EPA METHOD 300.0: ANIONS						Analyst: TAF
Fluoride	1.2	0.10		mg/L	1	11/10/2009 1:28:41 PM
Chloride	190	2.0		mg/L	20	11/10/2009 2:21:54 PM
Nitrogen, Nitrite (As N)	ND	2.0		mg/L	20	11/10/2009 2:21:54 PM
Nitrogen, Nitrate (As N)	ND	0.10		mg/L	1	11/10/2009 1:28:41 PM
Sulfate	830	10		mg/L	20	11/10/2009 2:21:54 PM
EPA METHOD 6010B: DISSOLVED METALS						Analyst: RAGS
Iron	0.12	0.020		mg/L	1	11/16/2009 7:49:35 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: MMS
Total Dissolved Solids	2100	20.0		mg/L	1	11/13/2009 2:18:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 17-Nov-09

CLIENT: Blagg Engineering
Lab Order: 0911197
Project: GCU #187
Lab ID: 0911197-01

Client Sample ID: MW #2
Collection Date: 11/9/2009 2:30:00 PM
Date Received: 11/10/2009
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	10		µg/L	10	11/13/2009 1:25:59 AM
Toluene	1900	50		µg/L	50	11/14/2009 3:43:39 AM
Ethylbenzene	570	10		µg/L	10	11/13/2009 1:25:59 AM
Xylenes, Total	4100	100		µg/L	50	11/14/2009 3:43:39 AM
Surr: 4-Bromofluorobenzene	101	65.9-130		%REC	10	11/13/2009 1:25:59 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Date: 18-Nov-09

CLIENT: Blagg Engineering
Lab Order: 0911194
Project: GCU #107
Lab ID: 0911194-03

Client Sample ID: MW #3
Collection Date: 11/9/2009 12:10:00 PM
Date Received: 11/10/2009
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	11/14/2009 3:13:24 AM
Toluene	ND	1.0		µg/L	1	11/14/2009 3:13:24 AM
Ethylbenzene	ND	1.0		µg/L	1	11/14/2009 3:13:24 AM
Xylenes, Total	ND	2.0		µg/L	1	11/14/2009 3:13:24 AM
Surr: 4-Bromofluorobenzene	86.4	65.9-130		%REC	1	11/14/2009 3:13:24 AM
EPA METHOD 300.0: ANIONS						Analyst: TAF
Fluoride	0.81	0.10		mg/L	1	11/10/2009 2:39:19 PM
Chloride	210	2.0		mg/L	20	11/10/2009 2:56:44 PM
Nitrogen, Nitrite (As N)	4.2	2.0		mg/L	20	11/10/2009 2:56:44 PM
Nitrogen, Nitrate (As N)	3.8	0.10		mg/L	1	11/10/2009 2:39:19 PM
Sulfate	1200	25		mg/L	50	11/11/2009 1:16:09 PM
EPA METHOD 6010B: DISSOLVED METALS						Analyst: RAGS
Iron	ND	0.020		mg/L	1	11/16/2009 7:53:31 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: MMS
Total Dissolved Solids	2430	20.0		mg/L	1	11/13/2009 2:18:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- RL Reporting Limit

Chain-of-Custody Record

Client: BLISS ENGR. / BP AMERICA

Mailing Address: P.O. BOX 87
BLFD. NM 87413

Phone #: (505) 632-1199

email or Fax#:

QA/QC Package:

☒ Standard ☐ Level 4 (Full Validation)

☐ Other _____

☐ EDD (Type) _____

☒ Standard ☐ Rush

Project Name: GCM #107

Project #:

Project Manager: NELSON VELEZ

Sampler: NELSON VELEZ

On Ice: ☒ Yes ☐ No

Sample Temperature: _____



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type		BTEX + MTBE + TMBE (8021B)	BTEX + MTBE + TPH (Gas only)	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F, Cl, NO ₃ , NO ₂ , SO ₄)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	IRON, FERROUS (FILTERED)	TDS	NITRATE-N / NITRITE-N	Air Bubbles (Y or N)
11/9/09	1150	WATER	MW #1	40ml-2 125ml-1	HCl & COOL	1	✓												✓		
"	"	"	"	250ml-1	COOL	1								✓					✓		
"	"	"	"	125ml-1	H ₂ SO ₄ & COOL	1														✓	
11/9/09	1130	WATER	MW #2	40ml-2 125ml-1	HCl & COOL	2	✓												✓		
"	"	"	"	250ml-1	COOL	2								✓					✓		
"	"	"	"	125ml-1	H ₂ SO ₄ & COOL	2														✓	
11/9/09	1210	WATER	MW #3	40ml-2 125ml-1	HCl & COOL	3	✓												✓		
"	"	"	"	250ml-1	COOL	3								✓					✓		
"	"	"	"	125ml-1	H ₂ SO ₄ & COOL	3														✓	

Date: 11/9/09 Time: 1530 Relinquished by: [Signature]

Date: _____ Time: _____ Relinquished by: _____

Received by: [Signature] Date: 11/10/09 Time: 920

Received by: _____ Date: _____ Time: _____

Remarks:

IF ANION NO₃ CAN NOT BE ANALYZED WITHIN 48 HRS., THEN RUN NITRATE-N / NITRITE-N.

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #107

Work Order: 0911194

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 300.0: Anions											
Sample ID: MB		MBLK									
Batch ID: R36114 Analysis Date: 11/10/2009 10:52:59 AM											
Fluoride	ND	mg/L	0.10								
Chloride	ND	mg/L	0.10								
Nitrogen, Nitrite (As N)	ND	mg/L	0.10								
Nitrogen, Nitrate (As N)	ND	mg/L	0.10								
Sulfate	ND	mg/L	0.50								
Sample ID: MB		MBLK									
Batch ID: R36133 Analysis Date: 11/11/2009 9:29:50 AM											
Fluoride	ND	mg/L	0.10								
Chloride	ND	mg/L	0.10								
Nitrogen, Nitrite (As N)	ND	mg/L	0.10								
Nitrogen, Nitrate (As N)	ND	mg/L	0.10								
Sulfate	ND	mg/L	0.50								
Sample ID: LCS		LCS									
Batch ID: R36114 Analysis Date: 11/10/2009 11:10:24 AM											
Fluoride	0.5176	mg/L	0.10	0.5	0	104	90	110			
Chloride	5.108	mg/L	0.10	5	0	102	90	110			
Nitrogen, Nitrite (As N)	0.9476	mg/L	0.10	1	0	94.8	90	110			
Nitrogen, Nitrate (As N)	2.630	mg/L	0.10	2.5	0	106	90	110			
Sulfate	10.23	mg/L	0.50	10	0	102	90	110			
Sample ID: LCS		LCS									
Batch ID: R36133 Analysis Date: 11/11/2009 9:47:14 AM											
Fluoride	0.5664	mg/L	0.10	0.5	0	113	90	110			S
Chloride	5.162	mg/L	0.10	5	0	103	90	110			
Nitrogen, Nitrite (As N)	0.9362	mg/L	0.10	1	0	93.6	90	110			
Nitrogen, Nitrate (As N)	2.657	mg/L	0.10	2.5	0	106	90	110			
Sulfate	10.31	mg/L	0.50	10	0	103	90	110			

Qualifiers:

E Estimated value
N Analyte detected below quantitation limits
R RPD outside accepted recovery limits

H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #187

Work Order: 0911197

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8021B: Volatiles											
Sample ID: 5ML RB		MBLK									
Batch ID: R36161											
Analysis Date: 11/12/2009 10:10:54 AM											
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 5ML RB		MBLK									
Batch ID: R36179											
Analysis Date: 11/13/2009 10:41:17 AM											
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 100NG BTEX LCS		LCS									
Batch ID: R36161											
Analysis Date: 11/13/2009 5:28:07 AM											
Benzene	18.02	µg/L	1.0	20	0	90.1	85.9	113			
Toluene	18.41	µg/L	1.0	20	0	92.0	86.4	113			
Ethylbenzene	18.37	µg/L	1.0	20	0	91.8	83.5	118			
Xylenes, Total	55.04	µg/L	2.0	60	0	91.7	83.4	122			
Sample ID: 100NG BTEX LCS		LCS									
Batch ID: R36179											
Analysis Date: 11/13/2009 8:38:43 PM											
Benzene	18.56	µg/L	1.0	20	0	92.8	85.9	113			
Toluene	18.79	µg/L	1.0	20	0	94.0	86.4	113			
Ethylbenzene	17.97	µg/L	1.0	20	0	89.8	83.5	118			
Xylenes, Total	53.88	µg/L	2.0	60	0	89.8	83.4	122			

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #107

Work Order: 0911194

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8021B: Volatiles											
Sample ID: 5ML RB		MBLK									
Batch ID: R36181											Analysis Date: 11/12/2009 10:10:54 AM
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 5ML RB		MBLK									
Batch ID: R36179											Analysis Date: 11/13/2009 10:41:17 AM
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 100NG BTEX LCS		LCS									
Batch ID: R36181											Analysis Date: 11/13/2009 5:28:07 AM
Benzene	18.02	µg/L	1.0	20	0	90.1	85.9	113			
Toluene	18.41	µg/L	1.0	20	0	92.0	86.4	113			
Ethylbenzene	18.37	µg/L	1.0	20	0	91.8	83.5	118			
Xylenes, Total	55.04	µg/L	2.0	60	0	91.7	83.4	122			
Sample ID: 100NG BTEX LCS		LCS									
Batch ID: R36179											Analysis Date: 11/13/2009 8:38:43 PM
Benzene	18.56	µg/L	1.0	20	0	92.8	85.9	113			
Toluene	18.79	µg/L	1.0	20	0	94.0	86.4	113			
Ethylbenzene	17.97	µg/L	1.0	20	0	89.8	83.5	118			
Xylenes, Total	53.88	µg/L	2.0	60	0	89.8	83.4	122			
Method: EPA Method 8010B: Dissolved Metals											
Sample ID: MB		MBLK									
Batch ID: R36196											Analysis Date: 11/16/2009 5:42:23 PM
Iron	ND	mg/L	0.020								
Sample ID: MB		MBLK									
Batch ID: R36196											Analysis Date: 11/16/2009 5:51:02 PM
Iron	ND	mg/L	0.020								
Sample ID: LCS		LCS									
Batch ID: R36196											Analysis Date: 11/16/2009 5:45:09 PM
Iron	0.4900	mg/L	0.020	0.5	0	98.0	80	120			
Sample ID: LCSRR		LCS									
Batch ID: R36196											Analysis Date: 11/16/2009 5:48:07 PM
Iron	0.4920	mg/L	0.020	0.5	0	98.4	80	120			
Sample ID: LCS		LCS									
Batch ID: R36196											Analysis Date: 11/16/2009 5:53:51 PM
Iron	0.4866	mg/L	0.020	0.5	0	97.3	80	120			
Method: SM2540C MOD: Total Dissolved Solids											
Sample ID: MB-20605		MBLK									
Batch ID: 20605											Analysis Date: 11/13/2009 2:18:00 PM
Total Dissolved Solids	ND	mg/L	20.0								
Sample ID: LCS-20605		LCS									
Batch ID: 20605											Analysis Date: 11/13/2009 2:18:00 PM
Total Dissolved Solids	1040	mg/L	20.0	1000	0	104	80	120			

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

11/10/2009

Work Order Number **0911194**

Received by: **TLS**

Checklist completed by:

Signature

[Signature]

Date

11/10/09

Sample ID labels checked by:

Initials

[Initials]

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☒

No ☐

N/A ☐

Water - pH acceptable upon receipt?

Yes ☒

No ☐

N/A ☐

Container/Temp Blank temperature?

-0.6°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved bottles checked for pH:

[Handwritten: 6]
< 12 unless noted below.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

11/10/2009

Work Order Number **0911197**

Received by: **TLS**

Checklist completed by:

Signature

[Signature]

Sample ID labels checked by:

Initials

[Signature]
Date

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

-0.6°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved
bottles checked for
pH:

**<2 >12 unless noted
below.**

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

BLAGG ENGINEERING, INC.

MONITOR WELL DEVELOPMENT & /OR SAMPLING DATA

CLIENT : **BP AMERICA PROD. CO.**

CHAIN-OF-CUSTODY # : **N / A**

GCU # 107 - SEPARATOR PIT

LABORATORY (S) USED : **HALL ENVIRONMENTAL**

UNIT D, SEC. 19, T29N, R12W

Date : **March 4, 2010**

DEVELOPER / SAMPLER : **N J V**

Filename : **03-04-10.WK4**

PROJECT MANAGER : **N J V**

WELL #	WELL ELEV. (ft)	WATER ELEV. (ft)	DEPTH TO WATER (ft)	TOTAL DEPTH (ft)	SAMPLING TIME	pH	CONDUCT (umhos)	TEMP. (celcius)	VOLUME PURGED (gal.)
1	100.00	71.22	28.78	36.08	-	-	-	-	-
2	100.83	71.24	29.59	36.08	1230	7.47	1,600	18.4	3.25
3	99.49	71.06	28.43	36.19	1150	7.25	1,300	18.7	3.75

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00	2,800
03/01/10	1215

DATE & TIME =

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Excellent recovery in MW #2 & #3 . Collected samples from MW #2 & #3 for BTEX per US EPA Method 8021B .

Top of casing MW #1 ~ 2.43 ft. , MW #2 ~ 2.43 ft. , MW #3 ~ 2.60 ft. above grade .

on-site	11:15	temp	55 F
off-site	12:45	temp	60 F
sky cond.	Sunny		
wind speed	0 - 10 G(20-25)	direct.	E / SE / SW

Hall Environmental Analysis Laboratory, Inc.

Date: 10-Mar-10

CLIENT: Blagg Engineering
Project: GCU #107**Lab Order:** 1003180**Lab ID:** 1003180-01**Collection Date:** 3/4/2010 12:30:00 PM**Client Sample ID:** MW #2**Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	10		µg/L	10	3/9/2010 5:33:50 AM
Toluene	330	10		µg/L	10	3/9/2010 5:33:50 AM
Ethylbenzene	430	10		µg/L	10	3/9/2010 5:33:50 AM
Xylenes, Total	2500	100		µg/L	50	3/9/2010 5:03:31 AM
Surr: 4-Bromofluorobenzene	118	65.9-130		%REC	10	3/9/2010 5:33:50 AM

Lab ID: 1003180-02**Collection Date:** 3/4/2010 11:50:00 AM**Client Sample ID:** MW #3**Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	3/9/2010 2:14:42 PM
Toluene	ND	1.0		µg/L	1	3/9/2010 2:14:42 PM
Ethylbenzene	ND	1.0		µg/L	1	3/9/2010 2:14:42 PM
Xylenes, Total	ND	2.0		µg/L	1	3/9/2010 2:14:42 PM
Surr: 4-Bromofluorobenzene	101	65.9-130		%REC	1	3/9/2010 2:14:42 PM

Qualifiers: * Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

...but the

Client: BLAGB ENGR. / BP AMERICA

☒ **Standard** ☐ **Rush**

Mailing Address: P.O. Box 87

Project Name:

GCH #107

BLFD., NM 87413

Project #:

Phone #: (505) 632-1199

email or Fax#:

Project Manager:

QA/QC Package:

Manager: NELSON VELEZ

☒ Standard ☐ Level 4 (Full Validation)☐ Other _____☐ EDD (Type) _____

Sampler: NELSON VELEZ

On Ice ☒ Yes ☐ No

Sample Temperature 25

[illegible]

Date:	Time:	Relinquished by:
3/4/10	1415	[Signature]

Received by:	Date	Time
<i>[Signature]</i>	3/5/10	12:20

Remarks:

Date:	Time:	Relinquished by:
-------	-------	------------------

Received by:	Date	Time
--------------	------	------

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #107

Work Order: 1003180

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8021B: Volatiles											
Sample ID: b 5		MBLK									
				Batch ID:	R37677	Analysis Date:	3/8/2010 11:21:44 AM				
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 5ML RB		MBLK									
				Batch ID:	R37695	Analysis Date:	3/9/2010 9:14:19 AM				
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 100NG BTEX LCS		LCS									
				Batch ID:	R37677	Analysis Date:	3/8/2010 8:58:22 PM				
Benzene	21.82	µg/L	1.0	20	0	109	85.9	113			
Toluene	21.28	µg/L	1.0	20	0	106	86.4	113			
Ethylbenzene	20.95	µg/L	1.0	20	0	105	83.5	118			
Xylenes, Total	62.35	µg/L	2.0	60	0	104	83.4	122			
Sample ID: 100NG BTEX LCS		LCS									
				Batch ID:	R37695	Analysis Date:	3/9/2010 8:20:39 PM				
Benzene	22.19	µg/L	1.0	20	0	111	85.9	113			
Toluene	22.25	µg/L	1.0	20	0	111	86.4	113			
Ethylbenzene	21.60	µg/L	1.0	20	0	108	83.5	118			
Xylenes, Total	64.44	µg/L	2.0	60	0	107	83.4	122			
Sample ID: 100NG BTEX LCSD		LCSD									
				Batch ID:	R37695	Analysis Date:	3/9/2010 8:50:56 PM				
Benzene	19.44	µg/L	1.0	20	0	97.2	85.9	113	13.2	27	
Toluene	18.65	µg/L	1.0	20	0	93.2	86.4	113	17.6	19	
Ethylbenzene	18.40	µg/L	1.0	20	0	92.0	83.5	118	16.0	10	R
Xylenes, Total	55.87	µg/L	2.0	60	0	93.1	83.4	122	14.3	13	R

Qualifiers:

E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
NC Non-Chlorinated
R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

3/8/2010

Work Order Number 1003180

Received by: ARS

Sample ID labels checked by:

Initials

Checklist completed by:

Signature

Date

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

3.8°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

BLAGG ENGINEERING, INC.
MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA

CLIENT : **BP AMERICA PROD. CO.**

CHAIN-OF-CUSTODY # : **N / A**

GCU # 107 - SEPARATOR PIT
UNIT D, SEC. 19, T29N, R12W

LABORATORY (S) USED : **HALL ENVIRONMENTAL**

Date : **April 29, 2010**

DEVELOPER / SAMPLER : **N J V**

Filename : **04-29-10.WK4**

PROJECT MANAGER : **N J V**

WELL #	WELL ELEV. (ft)	WATER ELEV. (ft)	DEPTH TO WATER (ft)	TOTAL DEPTH (ft)	SAMPLING TIME	pH	CONDUCT (umhos)	TEMP. (celcius)	VOLUME PURGED (gal.)
1	100.00	71.44	28.56	36.08	-	-	-	-	-
2	100.83	71.45	29.38	36.08	1410	7.45	1,600	15.5	3.25
3	99.49	71.30	28.19	36.19	1345	7.33	1,200	15.6	4.00

INSTRUMENT CALIBRATIONS =

DATE & TIME =

4.01/7.00/10.00	2,800
04/29/10	1230

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$.
(i.e. 2" MW $r = (1/12) \text{ ft}$. $h = 1 \text{ ft}$.) (i.e. 4" MW $r = (2/12) \text{ ft}$. $h = 1 \text{ ft}$.)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Excellent recovery in MW # 2 & # 3 . Collected samples from MW # 2 & # 3 for BTEX per US EPA Method 8021B .

Top of casing MW # 1 ~ 2.43 ft. , MW # 2 ~ 2.43 ft. , MW # 3 ~ 2.60 ft. above grade .

on-site	1:10	temp	51 F
off-site	2:20	temp	51 F
sky cond.	Partly cloudy		
wind speed	10-25 G 32	direct.	W

Hall Environmental Analysis Laboratory, Inc.

Date: 05-May-10

CLIENT: Blagg Engineering
Project: GCU #107**Lab Order:** 1005035**Lab ID:** 1005035-01**Collection Date:** 4/29/2010 2:10:00 PM**Client Sample ID:** MW #2**Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	5.0		µg/L	5	5/5/2010 12:32:23 AM
Toluene	180	5.0		µg/L	5	5/5/2010 12:32:23 AM
Ethylbenzene	350	5.0		µg/L	5	5/5/2010 12:32:23 AM
Xylenes, Total	1300	10		µg/L	5	5/5/2010 12:32:23 AM
Surr: 4-Bromofluorobenzene	94.7	65.9-130		%REC	5	5/5/2010 12:32:23 AM

Lab ID: 1005035-02**Collection Date:** 4/29/2010 1:45:00 PM**Client Sample ID:** MW #3**Matrix:** AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	1.0		µg/L	1	5/5/2010 1:32:55 AM
Toluene	ND	1.0		µg/L	1	5/5/2010 1:32:55 AM
Ethylbenzene	ND	1.0		µg/L	1	5/5/2010 1:32:55 AM
Xylenes, Total	ND	2.0		µg/L	1	5/5/2010 1:32:55 AM
Surr: 4-Bromofluorobenzene	103	65.9-130		%REC	1	5/5/2010 1:32:55 AM

Qualifiers: * Value exceeds Maximum Contaminant Level

E Estimated value

J Analyte detected below quantitation limits

NC Non-Chlorinated

PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #107

Work Order: 1005035

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	--------	---------	------	----------	-----------	------	----------	------

Method: EPA Method 8021B: Volatiles

Sample ID: 5ML RB

MBLK

Batch ID: R38525 Analysis Date: 5/4/2010 9:52:23 AM

Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R38525 Analysis Date: 5/5/2010 5:34:55 AM

Benzene	21.22	µg/L	1.0	20	0	106	85.9	113			
Toluene	20.93	µg/L	1.0	20	0	105	86.4	113			
Ethylbenzene	20.75	µg/L	1.0	20	0	104	83.5	118			
Xylenes, Total	62.80	µg/L	2.0	60	0	105	83.4	122			

Qualifiers:

E Estimated value

H Holding times for preparation or analysis exceeded

J Analyte detected below quantitation limits

NC Non-Chlorinated

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

5/4/2010

Work Order Number 1005035

Received by: TLS

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Container/Temp Blank temperature?

2.1°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

BLAGG ENGINEERING, INC.
MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA

CLIENT : **BP AMERICA PROD. CO.**

CHAIN-OF-CUSTODY # : **N / A**

GCU # 107 - SEPARATOR PIT
UNIT D, SEC. 19, T29N, R12W

LABORATORY (S) USED : **HALL ENVIRONMENTAL**

Date : **July 21, 2010**

DEVELOPER / SAMPLER : **N J V**

Filename : **07-21-10.WK4**

PROJECT MANAGER : **N J V**

WELL #	WELL ELEV. (ft)	WATER ELEV. (ft)	DEPTH TO WATER (ft)	TOTAL DEPTH (ft)	SAMPLING TIME	pH	CONDUCT (umhos)	TEMP. (celcius)	VOLUME PURGED (gal.)
1	100.00	71.39	28.61	36.08	-	-	-	-	-
2	100.83	71.39	29.44	36.08	1015	7.55	1,800	21.3	3.25
3	99.49	71.24	28.25	36.19	-	-	-	-	-

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00	2,800
07/20/10	0800

DATE & TIME =

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Excellent recovery in MW #2. Collected samples from MW #2 for BTEX per US EPA
Method 8021B.

Top of casing MW #1 ~ 2.43 ft. , MW #2 ~ 2.43 ft. , MW #3 ~ 2.60 ft. above grade .

on-site	9:28	temp	76 F
off-site	10:28	temp	78 F
sky cond.	Cloudy		
wind speed	0 - 5	direct.	ENE - E

Hall Environmental Analysis Laboratory, Inc.

Date: 28-Jul-10

CLIENT: Blagg Engineering
Lab Order: 1007842
Project: GCU #107
Lab ID: 1007842-01

Client Sample ID: MW #2
Collection Date: 7/21/2010 10:15:00 AM
Date Received: 7/23/2010
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	1.6	1.0		µg/L	1	7/27/2010 5:01:01 AM
Toluene	220	10		µg/L	10	7/27/2010 4:30:49 AM
Ethylbenzene	440	10		µg/L	10	7/27/2010 4:30:49 AM
Xylenes, Total	1000	20		µg/L	10	7/27/2010 4:30:49 AM
Surr: 4-Bromofluorobenzene	114	65.9-130		%REC	10	7/27/2010 4:30:49 AM

Qualifiers:

* Value exceeds Maximum Contaminant Level

E Estimated value

J Analyte detected below quantitation limits

NC Non-Chlorinated

PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

MCL Maximum Contaminant Level

ND Not Detected at the Reporting Limit

S Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Blagg Engineering
Project: GCU #107

Work Order: 1007842

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8021B: Volatiles											
Sample ID: 5ML RB		MBLK									
						Batch ID: R40035	Analysis Date: 7/26/2010 9:47:15 AM				
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								
Sample ID: 100NG BTEX LCS		LCS									
						Batch ID: R40035	Analysis Date: 7/26/2010 12:19:12 PM				
Benzene	19.22	µg/L	1.0	20	0	96.1	87.9	121			
Toluene	20.45	µg/L	1.0	20	0	102	83	124			
Ethylbenzene	20.00	µg/L	1.0	20	0	100	81.7	122			
Xylenes, Total	60.28	µg/L	2.0	60	0	100	85.6	121			

Qualifiers:

E Estimated value
J Analyte detected below quantitation limits
ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded
NC Non-Chlorinated
R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **BLAGG**

Date Received:

7/23/2010

Work Order Number 1007842

Received by: TLS

Checklist completed by:

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: Greyhound

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☐

No ☐

N/A ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

Container/Temp Blank temperature?

0.7°

<6° C Acceptable

If given sufficient time to cool.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action

BLAGG ENGINEERING, INC.
MONITOR WELL DEVELOPMENT & / OR SAMPLING DATA

CLIENT : **BP AMERICA PROD. CO.**

CHAIN-OF-CUSTODY # : **N / A**

GCU # 107 - SEPARATOR PIT
UNIT D, SEC. 19, T29N, R12W

LABORATORY (S) USED : **HALL ENVIRONMENTAL**

Date : **October 21, 2010**

DEVELOPER / SAMPLER : **N J V**

Filename : **10-21-10.WK4**

PROJECT MANAGER : **N J V**

WELL #	WELL ELEV. (ft)	WATER ELEV. (ft)	DEPTH TO WATER (ft)	TOTAL DEPTH (ft)	SAMPLING TIME	pH	CONDUCT (umhos)	TEMP. (celcius)	VOLUME PURGED (gal.)
1	100.00	71.60	28.40	36.08	-	-	-	-	-
2	100.83	71.58	29.25	36.08	1205	7.36	1,900	17.5	3.25
3	99.49	71.44	28.05	36.19	-	-	-	-	-

INSTRUMENT CALIBRATIONS =

4.01/7.00/10.00	2,800
10/21/10	0940

DATE & TIME =

NOTES : Volume of water purged from well prior to sampling: $V = \pi \times r^2 \times h \times 7.48 \text{ gal./ft}^3 \times 3 \text{ (wellbores)}$.
(i.e. 2" MW $r = (1/12) \text{ ft.}$ $h = 1 \text{ ft.}$) (i.e. 4" MW $r = (2/12) \text{ ft.}$ $h = 1 \text{ ft.}$)

Ideally a minimum of three (3) wellbore volumes:

2.00 " well diameter = 0.49 gallons per foot of water.

Comments or note well diameter if not standard 2 "

Excellent recovery in MW #2. Collected samples from MW #2 for BTEX per US EPA
Method 8021B.

Top of casing MW #1 ~ 2.43 ft. , MW #2 ~ 2.43 ft. , MW #3 ~ 2.60 ft. above grade .

on-site	11:30	temp	53 F
off-site	12:30	temp	56 F
sky cond.	Partly cloudy		
wind speed	0 - 5	direct.	calm

Hall Environmental Analysis Laboratory, Inc.

Date: 29-Oct-10

CLIENT: Blagg Engineering
Lab Order: 1010A04
Project: GCU #107
Lab ID: 1010A04-01

Client Sample ID: MW #2
Collection Date: 10/21/2010 12:05:00 PM
Date Received: 10/22/2010
Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	5.0		µg/L	5	10/28/2010 5:01:13 AM
Toluene	370	5.0		µg/L	5	10/28/2010 5:01:13 AM
Ethylbenzene	370	5.0		µg/L	5	10/28/2010 5:01:13 AM
Xylenes, Total	1500	40		µg/L	20	10/28/2010 3:43:54 PM
Surr: 4-Bromofluorobenzene	120	81.3-151		%REC	5	10/28/2010 5:01:13 AM

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Estimated value
J Analyte detected below quantitation limits
NC Non-Chlorinated
PQL Practical Quantitation Limit

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
MCL Maximum Contaminant Level
ND Not Detected at the Reporting Limit
S Spike recovery outside accepted recovery limits

Client: BLAZE ENGR. / BP AMERICA

Mailing Address: P.O. Box 87
BLFD, Nm 87413
Phone #: (505) 632-1199

Email or Fax#: _____

QA/QC Package:

☒ Standard ☐ Level 4 (Full Validation)

Accreditation

☐ NELAP ☐ Other _____

☐ EDD (Type) _____

☒ **Standard** ☐ **Rush**

Project Name: GCU # 107

Project #:

Project Manager:

Sampler: NELSON VELEZ

On Ice	☒ Yes	☐ No
Sample Temperature	2.7	

[illegible]

Date:	Time:	Relinquished by:	Received by:	Date	Time
7/21/10	1550	Neha Vg	Melinda Winters	7/22/10	1020
Date:	Time:	Relinquished by:	Received by:	Date	Time



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

<	(BTEX - MTBE + TMB's (8021\$))
	BTEX + MTBE + TPH (Gas only)
	TPH Method 8015B (Gas/Diesel)
	TPH (Method 418.1)
	EDB (Method 504.1)
	8310 (PNA or PAH)
	RCRA 8 Metals
	Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)
	8081 Pesticides / 8082 PCB's
	8260B (VOA)
	8270 (Semi-VOA)
	Air Bubbles (Y or N)

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly indicated on the analytical report.

QA/QC SUMMARY REPORT

Client: Blagg Engineering
 Project: GCU #107

Work Order: 1010A04

Analyte	Result	Units	PQL	SPK Val	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
---------	--------	-------	-----	---------	---------	------	----------	-----------	------	----------	------

Method: EPA Method 8021B: Volatiles

Sample ID: 5ML RB

MBLK

Batch ID: R41813 Analysis Date: 10/27/2010 9:16:43 AM

Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	2.0								

Sample ID: 100NG BTEX LCS

LCS

Batch ID: R41813 Analysis Date: 10/27/2010 12:52:24 PM

Benzene	20.85	µg/L	1.0	20	0	104	84.7	118			
Toluene	21.96	µg/L	1.0	20	0	110	82	123			
Ethylbenzene	22.04	µg/L	1.0	20	0.096	110	83	118			
Xylenes, Total	69.60	µg/L	2.0	60	0	116	85.4	119			

Qualifiers:

Estimated value

Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

H Holding times for preparation or analysis exceeded

NC Non-Chlorinated

R RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist


Client Name **BLAGG**

Date Received:

10/22/2010

Work Order Number **1010A04**

Received by: **MLW**

Checklist completed by: 

Signature

Date

Sample ID labels checked by:

Initials

Matrix:

Carrier name: Priority US Mail

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☒

No ☐

Not Present ☐

Not Shipped ☐

Custody seals intact on sample bottles?

Yes ☐

No ☐

N/A ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Water - VOA vials have zero headspace?

No VOA vials submitted ☐

Yes ☒

No ☐

Water - Preservation labels on bottle and cap match?

Yes ☒

No ☐

N/A ☐

Water - pH acceptable upon receipt?

Yes ☒

No ☐

N/A ☐

Container/Temp Blank temperature?

2.7°

<6° C Acceptable

If given sufficient time to cool.

Number of preserved
bottles checked for
pH:

<2 >12 unless noted
below.

COMMENTS:

Client contacted

Date contacted:

Person contacted

Contacted by:

Regarding:

Comments:

Corrective Action