

GW - 114

MONITORING REPORTS

DATE:

2006 - ANNUAL

GW-114

January 25, 2007

Mr. Ben Stone
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division
2040 S. Pacheco
Santa Fe, NM 87505

RE: 2006 Annual Report for the Schlumberger Technology Corporation (Dowell) Facility,
Artesia, New Mexico

Dear Mr. Stone:

Submitted on behalf of Schlumberger Technology Corporation (Dowell) are (2) copies of the 2006 Annual Report for the facility in Artesia, New Mexico. An electronic version will be provided via e-mail. If you have any questions concerning the report please feel free to contact me at (307) 760-3277 or John Miller at (281) 285-8498.

Sincerely,



Rick Deuell, P.E.

Enclosures

cc: George Beaumont, NMUSTB
John Miller
Carey Brannan

*2006 ANNUAL REPORT
SCHLUMBERGER OILFIELD SERVICES
ARTESIA, NEW MEXICO*

January 25, 2007

Prepared For:

Schlumberger Oilfield Services
200 Gillingham Lane, MD7
Sugar Land, Texas 77478

Prepared By:

DEUELL ENVIRONMENTAL, LLC

1653 Diamond Head Ct.
Laramie, Wyoming 82072

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION	1
2.0 SUMMARY OF FIELDWORK	2
2.1 Static Water Level	2
2.2 Ground-water Monitoring	2
2.3 Zero-Valent Iron Treatment Pilot Study	3
3.0 RESULTS AND DISCUSSION	5
3.1 Biodegradation of Hydrocarbons	5
3.2 Biodegradation of Chlorocarbons	5
3.3 ZVI Injection Pilot Project	6
4.0 OPERATION AND MAINTENANCE OF SHOP AND WASH BAY SVE SYSTEMS	7
5.0 RECOMMENDATIONS	8

LIST OF FIGURES

Figure

- 1 - Site Map With Potentiometric Surface (10/10/06)
- 2 - Isoconcentration Map for Total BTEX (10/10/06)
- 3 - Isoconcentration Map for Total Halocarbons (10/10/06)

LIST OF TABLES

Table

- 1 – Static Water Elevation Data
- 2 - Summary of Laboratory Analytical Results - Ground-water Samples
- 3 - Field Parameters
- 4 - Operational Conditions, Wash Bay SVE System
- 5 - PID Readings – Volatile Organic Compounds, Wash Bay SVE System
- 6 - Summary of Laboratory Analytical - SVE Soil Vapor Samples, Wash Bay SVE Systems

LIST OF APPENDICES

Appendix

- A – Laboratory Analytical Reports
- B – Halocarbons vs. Water Levels

1.0 INTRODUCTION

1.0 INTRODUCTION

This report documents ground-water monitoring and remedial activities at the Schlumberger Oilfield Services facility in Artesia, New Mexico in 2006 (Figure 1). Included in the report are ground-water and air quality monitoring data, soil vapor extraction (SVE) system operation and maintenance (O & M) activities, and zero-valent iron injection monitoring.

2.0 SUMMARY OF FIELDWORK

2.0 SUMMARY OF FIELDWORK

Field work conducted by Deuell Environmental, LLC during 2006 consisted of routine ground-water monitoring, O & M of the SVE system, and monitoring of zero-valent iron pilot tests. The analytical data for the first three quarters were presented to the New Mexico Oil and Conservation Division (NMOCD) in reports submitted in March, May, and August, 2006.

2.1 Static Water Level

Static water levels were measured in all monitoring wells with an oil/water interface probe. Static water level measurements collected in 2006 are presented in Table 1 along with historic data for comparison. A map of the potentiometric surface generated from the fourth quarter static water level data is presented on Figure 1. The gradient continues to be towards the east-northeast. All monitoring wells were at the highest levels ever measured in April 2005. Since April 2005 the water levels have declined approximately 3.5-4.5 feet. There were some significant precipitation events in 2004 and early 2005 with very little precipitation since then. This indicates that hydrogeologic system appears is very responsive to precipitation.

2.2 Ground-water Monitoring

Ground-water samples were collected from monitoring wells MW-9, MW-11, MW-12, MW-13, MW-15, MW-18, MW-20, MW-21, and MW-25 through MW-30 during the first, second, and third quarter monitoring events. During the fourth quarter monitoring event performed October ground-water samples were collected from all monitoring wells except MW-3, and MW-16. Well MW-3, was damaged during construction at the facility.

Monitoring wells were micropurged with a peristaltic pump connected to a flow through cell using an YSI 556 water quality instrument until field parameters stabilized. Purge water was placed into a galvanized steel stock tank located on site and allowed to evaporate.

Ground-water samples were analyzed for volatile organic compounds by EPA Method 8260. During the fourth quarter monitoring event, duplicate samples were collected from MW-2, MW-20 and MW-22. Analytical results along with historical data are presented in Table 2. Laboratory

analytical reports for the fourth quarter are presented in Appendix A. Laboratory analytical reports for the other sampling events have been provided in previous reports.

Field parameters collected during the monitoring events consisted of pH, conductivity, temperature, dissolved oxygen (D.O.), and redox potential. Data for the fourth quarter are presented in Table 3.

2.3 Zero-Valent Iron Treatment Pilot Study

A work plan dated July 27, 2001 was submitted for the installation of a zero-valent iron (ZVI) treatment pilot project. That work plan was approved and construction of the ZVI pilot project took place in December 2001.

To assess the efficiency and cost effectiveness of source area injection of ZVI in reducing chlorinated compounds in groundwater at the site, ZVI was injected into an approximate 60 foot by 90 foot area in the vicinity of monitoring well MW-22 using direct push technology (DPT) drilling rig and a high pressure pumping system. Approximately 61,000# of ZVI was placed between 13 and 47 feet below ground surface (bgs) through DPT boreholes spaced within a grid approximately 15 feet apart. A one-inch I.D. groundwater-monitoring well was installed upgradient of the injection grid. This well and MW-22 will provide a means of monitoring the effects of the ZVI on chlorinated compounds.

The efficiency and cost effectiveness of utilizing injection technology and Zero-Valent Iron (ZVI) to treat lower concentrations of dissolved phase chlorocarbon contaminants in groundwater will be evaluated along the eastern boundary of the Dowell property. ZVI was injected into an approximate 60 foot by 60 foot area in the vicinity of monitoring well MW-26 using DPT drilling rig and a high pressure pumping system. Approximately 67,000# of ZVI was placed between 13 and 44 feet below ground surface (bgs) through DPT boreholes spaced within a grid approximately 15 feet apart. A one-inch I.D. groundwater-monitoring well was installed upgradient of the injection grid. This well and MW-26 will provide a means of monitoring the effects of the ZVI on ground water contaminants.

Based on the results of the coring and evidence regarding the radius of influence as seen from the two breaches, it appears that the ZVI was placed in the areas where groundwater is flowing. With monitoring of wells MW-22 and MW-26, along with their associated upgradient wells, MW-

22A and MW-26A the effectiveness of ZVI in reducing chlorinated compounds will be evaluated over the next few years.

3.0 RESULTS AND DISCUSSION

3.0 RESULTS AND DISCUSSION

Water quality data in Table 2 indicates that contaminant levels are continuing to decline in a majority of the monitoring wells since ground-water sampling began. There was a slight increase in concentrations in several wells as water levels increased and then declined. Since then the historical declining trend has resumed in most wells. Levels of BTEX have declined or are no longer detected in most monitoring wells. During the fourth quarter, only wells MW-12 and MW-25 had any concentrations even slightly above MCL's. An isoconcentration map for total BTEX (Figure 2) shows that BTEX remains concentrated in the area of MW-12 and does not appear to be migrating down gradient.

Halocarbon concentrations have declined in all monitoring wells, except MW-20, MW-21, MW-25, and MW-30 which are stable or have shown a slight increase over the past four quarters. The decline or stabilization of the halocarbon concentrations are evident on the plots of total halocarbons versus static water levels presented in Appendix B. An isoconcentration map for total halocarbons (Figure 3) indicates the highest concentrations remain in the area of MW-22 and MW-25 which is consistent with previous reports.

3.1 Biodegradation of Hydrocarbons

Field parameters for D.O., pH, and redox potential collected during the quarterly monitoring events for 2006 continue to support the data collected during the additional natural attenuation monitoring in April 1999 with regard to intrinsic bioremediation (Table 3). D.O. remains depleted in the original area of concern indicating that environmental conditions are in an anaerobic state. PH continues to be depressed in the area with the highest concentrations of dissolved phase aromatic constituents around MW-12. The redox potential of the ground-water around MW-9, MW-12, and MW-15 indicates a reducing environment in the core area of concern with oxidizing conditions along the periphery conducive to biodegradation of aromatic hydrocarbons through aerobic metabolism.

3.2 Biodegradation of Chlorocarbons

Water quality data collected for additional natural attenuation monitoring in April 1999

indicated degradation of chlorocarbons is continuing at this facility. As mentioned previously, D.O. values show a distinct inverse correlation with the area that originally contained the highest concentrations of dissolved-phase constituents. Aerobic respiration of aromatic hydrocarbons over a long period of time has created environmental conditions which are now anaerobic. Negative redox potential readings of the ground-water in this same area indicated environmental conditions were in an optimal range for reductive dehalogenation to occur (USEPA Guidance Document 1998). In addition sufficient carbon is available for dechlorination processes to occur as indicated by the highest concentrations of total organic carbon occurring in the ground-water around monitoring wells MW-3 and MW-12.

Microbial degradation of chlorocarbons such as PCE via the process of reductive dechlorination results in the formation of daughter products TCE, isomers of DCE, VC, ethene and finally CO_2 and H_2O . Evidence that the process of reductive dehalogenation has been and is still actively occurring, is shown by the spatial distribution of chloroethenes across the site. PCE makes up a larger percentage of the total chloroethenes present in the ground-water beneath the facility itself. However, the percentage of PCE in the ground-water decreases from MW-12 toward the northeast where daughter products such as TCE and DCE isomers make up a larger percentage of the chlorocarbons. The decrease in halocarbons in the source areas and around MW-12 show that the process is effective.

3.3 ZVI Injection Pilot Project

A reduction in concentrations at MW-22 has been observed since the ZVI injection. Well MW-22A was fluctuating but has been on a downward trend since July 2005. This indicates that the ZVI may be working in this area. At MW-26 there has been more fluctuation. The concentrations have stabilized and now appear to be on a downward trend. Concentrations measured in October 2006 are the lowest measured since July 2004.

***4.0 OPERATION AND MAINTENANCE OF
SHOP AND WASH BAY SVE SYSTEMS***

4.0 OPERATION AND MAINTENANCE OF SHOP AND WASH BAY SVE SYSTEMS


The wash bay SVE system operated almost continuously in 2006. A new blower was installed in January 2006. The hour meter started to function intermittently and was replaced in July 2006. The systems are checked quarterly to monitor vacuum readings and volatile organic vapors in the extracted soil vapor and exhaust. Vacuum readings are presented in Tables 4 (wash bay). Soil Vapor monitoring was performed with a PID, results are presented in Table 5 (wash bay). Air samples are collected quarterly in one liter tedlar bags and submitted to a laboratory for analysis by EPA Method 8260. An air sample was not collected from the maintenance shop system which has been decommissioned. Analytical data for the air samples are presented in Table 6. Laboratory data sheets for the second quarter air samples are presented in Appendix A.

5.0 RECOMMENDATIONS

5.0 RECOMMENDATIONS

Ground-water data indicates hydrocarbons and chlorocarbons are continuing to decline. Additional natural attenuation monitoring supports the initial evaluation that chemical and environmental conditions exist for biodegradation of both hydrocarbon and chlorocarbons. Dowell is proposing that monitoring continue on a quarterly basis as conducted in 2006. Monitoring wells MW-9, MW-11, MW-13, MW-15, MW-18, MW-20, MW-21, MW-22, and MW-25 to MW-30 would be sampled quarterly for volatile organics by EPA Method 8260 (Figure 1). To evaluate the effectiveness of the ZVI pilot project wells MW-22A and MW-26A will also be sampled quarterly. All monitoring wells would be sampled during the fourth quarter monitoring event and static water levels would be measured every quarter.

FIGURES



EXPLANATION	
● MW-9 87.64	WWC MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
● MW-6 87.08	REED AND ASSOCIATES MONITORING WELL LOCATION, IDENTIFICATION, AND POTENTIOMETRIC SURFACE
★	MONITORING WELLS TO BE SAMPLED QUARTERLY
— 86.00 —	POTENTIOMETRIC SURFACE CONTOUR (DASHED WHERE INFERRED)
• TBM	TEMPORARY BENCH MARK
---	AIR PIPING
•	SVE EXTRACTION WELL





FIGURE 1
SITE MAP WITH
POTENTIOMETRIC SURFACE
(10/10/06)

SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO



Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277



EXPLANATION

- MW-12 1.895 WWC MONITORING WELL LOCATION AND IDENTIFICATION ISOCONCENTRATION FOR TOTAL BTEX
- MW-6 ND REED AND ASSOCIATES MONITORING WELL LOCATION AND IDENTIFICATION ISOCONCENTRATION FOR TOTAL BTEX
- TBM TEMPORARY BENCH MARK
- AIR PIPING
- SVE EXTRACTION WELL
- NM NOT MEASURED

ISOCONCENTRATION FOR TOTAL BTEX




BASE MAP MODIFIED FROM REED & ASSOCIATES

FIGURE 2
ISOCONCENTRATION MAP FOR
TOTAL BTEX
(10/10/06)



SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO

Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277



EXPLANATION

- MW-12 0.128 WWC MONITORING WELL LOCATION AND IDENTIFICATION ISOCONCENTRATION FOR TOTAL HALOCARBONS
- MW-6 0.000 REED AND ASSOCIATES MONITORING WELL LOCATION AND IDENTIFICATION ISOCONCENTRATION FOR TOTAL HALOCARBONS
- TBM TEMPORARY BENCH MARK
- SVE EXTRACTION WELL
- NM NOT MEASURED



BASE MAP MODIFIED FROM REED & ASSOCIATES

FIGURE 3
ISOCONCENTRATION MAP FOR
TOTAL HALOCARBONS
(10/10/06)

SCHLUMBERGER TECHNOLOGY CORPORATION
ARTESIA, NEW MEXICO

Deuell Environmental, LLC
1653 Diamond Head Ct.
Laramie WY 82072
307-760-3277

TABLES

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-1	01/23/91	30.00	Protective Casing	100.56	17.41	83.15	
	09/13/91				16.04	84.52	1.37
	11/22/91				14.50	86.06	1.54
	03/16/93				13.72	86.84	0.78
	01/09/94				14.62	85.94	-0.90
	04/19/94				14.48	86.08	0.14
	07/20/94				14.38	86.18	0.10
	10/24/94				14.73	85.83	-0.35
	01/24/95				14.20	86.36	0.53
	04/02/95				14.37	86.19	-0.17
	07/31/95				14.76	85.80	-0.39
	10/16/95				14.64	85.92	0.12
	01/10/96				14.59	85.97	0.05
	04/09/96				14.77	85.79	-0.18
	07/20/96				15.84	84.72	-1.07
	10/21/96				14.07	86.49	1.77
	01/21/97				13.24	87.32	0.83
	04/08/97				12.97	87.59	0.27
	07/29/97				13.87	86.69	-0.90
	10/16/97				12.26	88.30	1.61
	02/09/99				14.34	86.22	-2.08
	04/21/99				13.91	86.65	0.43
	07/13/99				11.70	88.86	2.21
	10/19/99				13.22	87.34	-1.52
	01/26/00				13.50	87.06	-0.28
	04/18/00				13.74	86.82	-0.24
	07/26/00				14.04	86.52	-0.30
	10/19/00				12.48	88.08	1.56
	01/18/01				9.72	90.84	2.76
	04/12/01				9.58	90.98	0.14
	07/19/01				12.02	88.54	-2.44
	10/17/01				10.70	89.86	1.32
	01/12/02				9.19	91.37	1.51
	04/20/02				9.37	91.19	-0.18
	07/24/02				12.13	88.43	-2.76
	10/15/02				10.86	89.70	1.27
	01/22/03				11.79	88.77	-0.93
	04/24/03				12.32	88.24	-0.53
	07/16/03				13.60	86.96	-1.28
	10/15/03				11.15	89.41	2.45
	01/29/04				11.07	89.49	0.08
	04/19/04				9.49	91.07	1.58
	07/16/04				10.69	89.87	-1.20
	10/29/04				8.44	92.12	2.25
	01/14/05				7.74	92.82	0.70
	04/15/05				7.25	93.31	0.49
	07/08/05				7.76	92.80	-0.51
	10/08/05				10.32	90.24	-2.56
	01/18/06				9.47	91.09	0.85
	04/18/06				10.88	89.68	-1.41
	07/11/06				11.50	89.06	-0.62
	10/10/06				10.91	89.65	0.59
MW-2	01/23/91	30.00	Protective Casing	99.56	16.95	82.61	
	09/13/91				15.01	84.55	1.94
	11/22/91				13.76	85.80	1.25
	03/16/93				13.16	86.40	0.60
	01/09/94				13.91	85.65	-0.75
	04/19/94				13.80	85.76	0.11
	07/20/94				13.65	85.91	0.15
	10/24/94				13.88	85.68	-0.23
	01/24/95				13.41	86.15	0.47
	04/02/95				13.67	85.89	-0.26

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-2 (Cont.)	07/31/95				13.81	85.75	-0.14
	10/16/95				13.78	85.78	0.03
	01/10/96				13.80	85.76	-0.02
	04/09/96				13.98	85.58	-0.18
	07/20/96				14.92	84.64	-0.94
	10/21/96				13.15	86.41	1.77
	01/21/97				12.41	87.15	0.74
	04/08/97				12.21	87.35	0.20
	07/29/97				13.15	86.41	-0.94
	10/16/97				11.63	87.93	1.52
	01/06/98				10.92	88.64	0.71
	04/14/98				11.02	88.54	-0.10
	07/17/98				13.03	86.53	-2.01
	10/27/98				13.61	85.95	-0.58
	02/09/99				13.69	85.87	-0.08
	04/21/99				13.24	86.32	0.45
	07/13/99				11.05	88.51	2.19
	10/20/99				12.59	86.97	-1.54
	01/26/00				12.83	86.73	-0.24
	04/18/00				13.00	86.56	-0.17
	07/26/00				13.36	86.20	-0.36
	10/19/00				11.42	88.14	1.94
	01/18/01				8.41	91.15	3.01
	04/12/01				8.60	90.96	-0.19
	07/19/01				11.23	88.33	-2.63
	10/17/01				9.60	89.96	1.63
	01/12/02				7.80	91.76	1.80
	04/20/02				8.67	90.89	-0.87
	07/24/02				11.38	88.18	-2.71
	10/15/02				10.02	89.54	1.36
	01/22/03				11.08	88.48	-1.06
	04/24/03				11.61	87.95	-0.53
	07/16/03				12.93	86.63	-1.32
	10/15/03				9.90	89.66	3.03
	01/29/04				10.25	89.31	-0.35
	04/19/04				8.64	90.92	1.61
	07/16/04				9.76	89.80	-1.12
	10/29/04				7.33	92.23	2.43
	01/14/05				6.97	92.59	0.36
	04/15/05				6.21	93.35	0.76
	07/08/05				9.17	90.39	-2.96
	10/08/05				9.70	89.86	-0.53
	01/18/06				8.69	90.87	1.01
	04/18/06				10.22	89.34	-1.53
	07/11/06				10.94	88.62	-0.72
	10/10/06				10.12	89.44	0.82
MW-3	01/23/91	30.00	Protective Casing	98.33	17.28	81.05	
	09/13/91				14.66	83.67	2.62
	11/22/91				13.63	84.70	1.03
	03/16/93				12.89	85.44	0.74
	01/09/94				13.66	84.67	-0.77
	04/19/94			Not Measured			NM
	07/20/94				13.18	85.15	na
	10/24/94				13.27	85.06	-0.09
	01/24/95				13.23	85.10	0.04
	04/02/95				13.60	84.73	-0.37
	07/31/95				13.34	84.99	0.26
	10/16/95				13.38	84.95	-0.04
	01/10/96				13.85	84.48	-0.47
	04/09/96				13.91	84.42	-0.06
	07/20/96				14.55	83.78	-0.64
	10/21/96				12.90	85.43	1.65

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-3 (Cont.)	01/21/97				12.42	85.91	0.48
	04/08/97				12.43	85.90	-0.01
	07/29/97				13.18	85.15	-0.75
	10/16/97				11.83	86.50	1.35
	01/06/98				11.45	86.88	0.38
	04/14/98				11.44	86.89	0.01
	07/17/98				12.81	85.52	-1.37
	10/27/98				12.60	85.73	0.21
	02/09/99				13.44	84.89	-0.84
	04/21/99				12.75	85.58	0.69
	07/13/99				10.57	87.76	2.18
	10/20/99				12.15	86.18	-1.58
	01/26/00				12.64	85.69	-0.49
	04/18/00				12.70	85.63	-0.06
	07/26/00				12.88	85.45	-0.18
	10/19/00				11.53	86.80	1.35
	01/18/01				9.21	89.12	2.32
	04/12/01				9.22	89.11	-0.01
	07/19/01				11.22	87.11	-2.00
MW-4	01/23/91	50.00	Protective Casing	103.18	20.17	83.01	
	09/13/91				18.54	84.64	1.63
	11/22/91				17.15	86.03	1.39
	03/16/93				16.49	86.69	0.66
	01/09/94				17.28	85.90	-0.79
	04/19/94				17.15	86.03	0.13
	07/20/94				16.99	86.19	0.16
	10/24/94				17.25	85.93	-0.26
	01/24/95				16.78	86.40	0.47
	04/02/95				16.98	86.20	-0.20
	07/31/95				17.26	85.92	-0.28
	10/16/95				17.01	86.17	0.25
	01/10/96				16.95	86.23	0.06
	04/09/96				17.15	86.03	-0.20
	07/20/96				18.08	85.10	-0.93
	10/21/96				16.28	86.90	1.80
	01/21/97				15.37	87.81	0.91
	04/08/97				15.14	88.04	0.23
	07/29/97				16.05	87.13	-0.91
	10/16/97				14.44	88.74	1.61
	01/06/98				13.59	89.59	0.85
	04/14/98				13.91	89.27	-0.32
	07/17/98				16.40	86.78	-2.49
	10/27/98				17.05	86.13	-0.65
	02/09/99				17.08	86.10	-0.03
	04/21/99				16.67	86.51	0.41
	07/13/99				14.49	88.69	2.18
	10/20/99				15.98	87.20	-1.49
	01/26/00				16.27	86.91	-0.29
	04/18/00				16.47	86.71	-0.20
	07/26/00				16.81	86.37	-0.34
	10/19/00				15.01	88.17	1.80
	01/18/01				12.08	91.10	2.93
	04/12/01				12.12	91.06	-0.04
	07/19/01				14.68	88.50	-2.56
	10/17/01			99.66	9.65	90.01	1.51
	01/12/02				7.97	91.69	1.68
	04/20/02				8.63	91.03	-0.66
	07/24/02				11.33	88.33	-2.70
	10/15/02				9.97	89.69	1.36
	01/22/03				10.98	88.68	-1.01
	04/24/03				11.53	88.13	-0.55
	07/16/03				12.63	87.03	-1.10

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-4 (Cont.)	10/15/03				10.01	89.65	2.62
	01/29/04			99.71	10.15	89.56	-0.09
	04/19/04				8.56	91.15	1.59
	07/16/04				9.70	90.01	-1.14
	10/29/04				7.32	92.39	2.38
	01/14/05				6.83	92.88	0.49
	04/15/05				6.23	93.48	0.60
	07/08/05				7.98	91.73	-1.75
	10/08/05				9.50	90.21	-1.52
	01/18/06				8.54	91.17	0.96
	04/18/06				10.04	89.67	-1.50
	07/11/06				10.68	89.03	-0.64
	10/10/06				9.97	89.74	0.71
MW-5	01/23/91	30.00	Protective Casing	99.87	17.20	82.67	
	09/13/91				15.52	84.35	1.68
	11/22/91				14.19	85.68	1.33
	03/16/93				13.47	86.40	0.72
	01/09/94				14.31	85.56	-0.84
	04/19/94				14.17	85.70	0.14
	07/20/94				13.97	85.90	0.20
	10/24/94				14.21	85.66	-0.24
	01/24/95				13.78	86.09	0.43
	04/02/95				14.05	85.82	-0.27
	07/31/95				14.17	85.70	-0.12
	10/16/95				14.07	85.80	0.10
	01/10/96				14.11	85.76	-0.04
	04/09/96				14.31	85.56	-0.20
	07/20/96				15.20	84.67	-0.89
	10/21/96				13.44	86.43	1.76
	01/21/97				12.69	87.18	0.75
	04/08/97				12.52	87.35	0.17
	07/29/97				13.37	86.50	-0.85
	10/16/97				11.82	88.05	1.55
	01/06/98				11.09	88.78	0.73
	04/14/98				12.30	87.57	-1.21
	07/17/98				13.32	86.55	-1.02
	10/27/98				13.93	85.94	-0.61
	02/09/99				14.04	85.83	-0.11
	04/21/99				13.54	86.33	0.50
	07/13/99				11.37	88.50	2.17
	10/20/99				12.89	86.98	-1.52
	01/26/00				13.18	86.69	-0.29
	04/18/00				13.35	86.52	-0.17
	07/26/00				13.65	86.22	-0.30
	10/19/00				11.96	87.91	1.69
	01/18/01				9.22	90.65	2.74
	04/12/01				9.16	90.71	0.06
	07/19/01				11.63	88.24	-2.47
	10/17/01				10.26	89.61	1.37
	01/12/02				8.58	91.29	1.68
	04/20/02				9.19	90.68	-0.61
	07/24/02				11.75	88.12	-2.56
	10/15/02				10.56	89.31	1.19
	01/22/03				11.51	88.36	-0.95
	04/24/03				12.07	87.80	-0.56
	07/16/03				13.27	86.60	-1.20
	10/15/03				10.64	89.23	2.63
	01/29/04			99.50	10.95	88.55	-0.68
	04/19/04				8.88	90.62	2.07
	07/16/04				10.04	89.46	-1.16
	10/29/04				7.75	91.75	2.29
	01/14/05				7.18	92.32	0.57

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-5 (Cont.)	04/15/05				6.53	92.97	0.65
	07/08/05				9.23	90.27	-2.70
	10/08/05				9.84	89.66	-0.61
	01/18/06				8.95	90.55	0.89
	04/18/06				10.36	89.14	-1.41
	07/11/06				11.11	88.39	-0.75
	10/10/06				10.48	89.02	0.63
MW-6	01/23/91	35.00	Protective Casing	100.84	19.59	81.25	
	09/13/91				17.43	83.41	2.16
	11/21/91				16.30	84.54	1.13
	03/16/93				15.57	85.27	0.73
	01/09/94				16.42	84.42	-0.85
	04/19/94				16.29	84.55	0.13
	07/19/94				15.79	85.05	0.50
	10/24/94				15.83	85.01	-0.04
	01/24/95				15.94	84.90	-0.11
	04/02/95				16.38	84.46	-0.44
	07/31/95				15.88	84.96	0.50
	10/16/95				16.01	84.83	-0.13
	01/10/96				16.52	84.32	-0.51
	04/09/96				16.70	84.14	-0.18
	07/21/96				17.26	83.58	-0.56
	10/21/96				15.62	85.22	1.64
	01/21/97				15.21	85.63	0.41
	04/08/97				15.30	85.54	-0.09
	07/29/97				16.01	84.83	-0.71
	10/16/97				15.01	85.83	1.00
	01/06/98				14.69	86.15	0.32
	04/14/98				14.45	86.39	0.24
	07/17/98				15.62	85.22	-1.17
	10/27/98				15.77	85.07	-0.15
	02/09/99				16.34	84.50	-0.57
	04/21/99				15.57	85.27	0.77
	07/13/99				13.66	87.18	1.91
	10/19/99				15.04	85.80	-1.38
	01/26/00				15.51	85.33	-0.47
	04/18/00				15.46	85.38	0.05
	07/26/00				15.68	85.16	-0.22
	10/19/00				14.32	86.52	1.36
	01/18/01				11.78	89.06	2.54
	04/12/01				12.03	88.81	-0.25
	07/19/01				14.13	86.71	-2.10
	10/17/01				13.21	87.63	0.92
	01/12/02				11.74	89.10	1.47
	04/20/02				12.02	88.82	-0.28
	07/24/02				13.92	86.92	-1.90
	10/15/02				13.23	87.61	0.69
	01/22/03				13.94	86.90	-0.71
	04/23/03				14.28	86.56	-0.34
	07/16/03				15.60	85.24	-1.32
	10/15/03				13.01	87.83	2.59
	01/28/04				13.58	87.26	-0.57
	04/19/04				11.79	89.05	1.79
	07/16/04				13.76	87.08	-1.97
	10/29/04				11.30	89.54	2.46
	01/14/05				10.43	90.41	0.87
	05/16/05				9.95	90.89	0.48
	07/08/05				12.62	88.22	-2.67
	10/08/05				13.23	87.61	-0.61

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-6 (Cont.)	01/19/06				12.52	88.32	0.71
	04/18/06				13.59	87.25	-1.07
	07/11/06				14.92	85.92	-1.33
	10/10/06				14.36	86.48	0.56
MW-7	01/23/91	35.00	Protective Casing	100.23	19.01	81.22	
	09/13/91				17.43	82.80	1.58
	11/21/91				16.00	84.23	1.43
	03/16/93				14.91	85.32	1.09
	01/09/94				15.99	84.24	-1.08
	04/19/94				15.83	84.40	0.16
	07/19/94				15.24	84.99	0.59
	10/24/94				15.32	84.91	-0.08
	01/24/95				15.54	84.69	-0.22
	04/02/95				16.00	84.23	-0.46
	07/31/95				15.57	84.66	0.43
	10/16/95				15.61	84.62	-0.04
	01/10/96				16.13	84.10	-0.52
	04/09/96				16.30	83.93	-0.17
	07/21/96				16.81	83.42	-0.51
	10/21/96				15.15	85.08	1.66
	01/21/97				14.81	85.42	0.34
	04/08/97				14.91	85.32	-0.10
	07/29/97				15.48	84.75	-0.57
	10/16/97				14.52	85.71	0.96
	01/06/98				13.27	86.96	1.25
	04/14/98				14.02	86.21	-0.75
	07/17/98				15.10	85.13	-1.08
	10/27/98				15.21	85.02	-0.11
	02/09/99				15.86	84.37	-0.65
	04/21/99				14.96	85.27	0.90
	07/13/99				13.03	87.20	1.93
	10/19/99				14.43	85.80	-1.40
	01/26/00				15.02	85.21	-0.59
	04/18/00				14.99	85.24	0.03
	07/26/00				15.12	85.11	-0.13
	10/19/00				14.22	86.01	0.90
	01/18/01				12.12	88.11	2.10
	04/12/01				12.10	88.13	0.02
	07/19/01				13.74	86.49	-1.64
	10/17/01				13.24	86.99	0.50
	01/12/02				12.22	88.01	1.02
	04/20/02				11.93	88.30	0.29
	07/24/02				13.48	86.75	-1.55
	10/15/02				13.00	87.23	0.48
	01/22/03				13.58	86.65	-0.58
	04/23/03				13.88	86.35	-0.30
	07/16/03				15.08	85.15	-1.20
	10/15/03				13.32	86.91	1.76
	01/28/04				13.52	86.71	-0.20
	04/19/04				11.85	88.38	1.67
	07/16/04				13.90	86.33	-2.05
	10/29/04				11.74	88.49	2.16
	01/14/05				10.50	89.73	1.24
	04/15/05				10.13	90.10	0.37
	07/08/05				12.31	87.92	-2.18
	10/08/05				13.03	87.20	-0.72
	01/19/06				12.50	87.73	0.53
	04/18/06				13.37	86.86	-0.87
	07/11/06				14.81	85.42	-1.44
	10/10/06				14.56	85.67	0.25

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-8	01/23/91	35.00	Protective Casing	101.47	20.16	81.31	
	09/13/91				18.80	82.67	1.36
	11/21/91				17.29	84.18	1.51
	03/16/93				16.03	85.44	1.26
	01/09/94				17.23	84.24	-1.20
	04/19/94				17.05	84.42	0.18
	07/19/94				16.50	84.97	0.55
	10/24/94				16.56	84.91	-0.06
	01/24/95				16.79	84.68	-0.23
	04/02/95				17.24	84.23	-0.45
	07/31/95				16.94	84.53	0.30
	10/16/95				16.88	84.59	0.06
	01/10/96				17.38	84.09	-0.50
	04/09/96				17.54	83.93	-0.16
	07/21/96				18.10	83.37	-0.56
	10/21/96				16.40	85.07	1.70
	11/22/96				16.42	85.05	-0.02
	01/21/97				16.05	85.42	0.37
	04/08/97				16.11	85.36	-0.06
	07/29/97				16.69	84.78	-0.58
	10/16/97				15.69	85.78	1.00
	01/06/98				15.38	86.09	0.31
	04/14/98				15.15	86.32	0.23
	07/17/98				16.29	85.18	-1.14
	10/27/98				16.39	85.08	-0.10
	02/09/99				17.02	84.45	-0.63
	04/21/99				16.08	85.39	0.94
	07/13/99				14.13	87.34	1.95
	10/19/99				15.56	85.91	-1.43
	01/26/00				16.19	85.28	-0.63
	04/18/00				16.19	85.28	0.00
	07/26/00				16.30	85.17	-0.11
	10/19/00				15.55	85.92	0.75
	01/18/01				13.54	87.93	2.01
	04/12/01				13.42	88.05	0.12
	07/19/01				14.98	86.49	-1.56
	10/17/01				14.58	86.89	0.40
	01/12/02				13.67	87.80	0.91
	04/20/02				13.22	88.25	0.45
	07/24/02				14.72	86.75	-1.50
	10/15/02				14.23	87.24	0.49
	01/22/03				14.80	86.67	-0.57
	04/23/03				15.08	86.39	-0.28
	07/16/03				16.28	85.19	-1.20
	10/15/03				14.03	87.44	2.25
	01/28/04				14.84	86.63	-0.81
	04/19/04				13.25	88.22	1.59
	07/16/04				15.30	86.17	-2.05
	10/29/04				13.15	88.32	2.15
	01/14/05				11.81	89.66	1.34
	04/15/05				11.42	90.05	0.39
	07/08/05				13.53	87.94	-2.11
	10/08/05				14.26	87.21	-0.73
	01/19/06				13.83	87.64	0.43
	04/18/06				14.67	86.80	-0.84
	07/11/06				16.40	85.07	-1.73
	10/10/06				15.92	85.55	0.48
MW-9	01/26/91	30.00	Protective Casing	102.18	20.08	82.10	
	09/13/91				18.93	83.25	1.15
	11/21/91				17.35	84.83	1.58
	03/16/93				16.19	85.99	1.16
	01/09/94				17.31	84.87	-1.12

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-9 (Cont.)	04/19/94				17.33	84.85	-0.02
	07/19/94				16.85	85.33	0.48
	10/24/94				17.05	85.13	-0.20
	01/24/95				16.92	85.26	0.13
	04/02/95				17.23	84.95	-0.31
	07/31/95				17.30	84.88	-0.07
	10/16/95				17.16	85.02	0.14
	01/10/96				17.39	84.79	-0.23
	04/09/96				17.58	84.60	-0.19
	07/21/96				18.38	83.80	-0.80
	10/21/96				16.65	85.53	1.73
	01/21/97				16.12	86.06	0.53
	04/08/97				16.04	86.14	0.08
	07/29/97				16.67	85.51	-0.63
	10/16/97				15.29	86.89	1.38
	01/06/98				14.78	87.40	0.51
	04/14/98				14.89	87.29	-0.11
	07/17/98				16.30	85.88	-1.41
	10/27/98				16.62	85.56	-0.32
	02/09/99				17.14	85.04	-0.52
	04/21/99				16.38	85.80	0.76
	07/13/99				14.27	87.91	2.11
	10/19/99				15.75	86.43	-1.48
	01/26/00				16.30	85.88	-0.55
	04/18/00				16.40	85.78	-0.10
	07/26/00				16.53	85.65	-0.13
	10/19/00				15.70	86.48	0.83
	01/18/01			99.59	10.82	88.77	2.29
	04/12/01				10.49	89.10	0.33
	07/19/01				12.36	87.23	-1.87
	10/17/01				11.70	87.89	0.66
	01/12/02				10.50	89.09	1.20
	04/20/02				10.33	89.26	0.17
	07/24/02				12.14	87.45	-1.81
	10/15/02				11.49	88.10	0.65
	01/22/03				12.18	87.41	-0.69
	04/24/03				12.58	87.01	-0.40
	07/16/03				13.67	85.92	-1.09
	10/15/03				12.20	87.39	1.47
	01/29/04			99.33	11.65	87.68	0.29
	04/19/04				10.09	89.24	1.56
	07/16/04				11.69	87.64	-1.60
	10/29/04				9.57	89.76	2.12
	01/14/05				8.47	90.86	1.10
	04/15/05				7.94	91.39	0.53
	07/08/05				10.07	89.26	-2.13
	10/08/05				10.88	88.45	-0.81
	01/18/06				10.32	89.01	0.56
	04/18/06				11.31	88.02	-0.99
	07/11/06				12.47	86.86	-1.16
	10/10/06				12.18	87.15	0.29
MW-10	01/26/91	30.00	Protective Casing	101.34	19.68	81.66	
	09/13/91				18.56	82.78	1.12
	11/21/91				16.96	84.38	1.60
	03/16/93				15.64	85.70	1.32
	01/09/94				16.89	84.45	-1.25
	04/19/94				16.73	84.61	0.16
	07/19/94				16.29	85.05	0.44
	10/24/94				16.39	84.95	-0.10
	01/24/95				16.48	84.86	-0.09
	04/02/95				16.88	84.46	-0.40
	07/31/95				16.82	84.52	0.06

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-10 (Cont.)	10/16/95				16.65	84.69	0.17
	01/10/96				17.01	84.33	-0.36
	04/09/96				17.20	84.14	-0.19
	07/21/96				17.85	83.49	-0.65
	10/21/96				16.13	85.21	1.72
	01/21/97				15.73	85.61	0.40
	04/08/97				15.70	85.64	0.03
	07/29/97				16.28	85.06	-0.58
	10/16/97				15.16	86.18	1.12
	01/06/98				14.74	86.60	0.42
	04/14/98				14.65	86.69	0.09
	07/17/98				15.90	85.44	-1.25
	10/27/98				16.04	85.30	-0.14
	02/09/99				16.61	84.73	-0.57
	04/21/99				15.68	85.66	0.93
	07/13/99				13.68	87.66	2.00
	10/19/99				15.15	86.19	-1.47
	01/26/00				15.76	85.58	-0.61
	04/18/00				15.82	85.52	-0.06
	07/26/00				15.92	85.42	-0.10
	10/19/00				15.30	86.04	0.62
	01/18/01			99.84	10.80	89.04	3.00
	04/12/01				10.58	89.26	0.22
	07/19/01				12.08	87.76	-1.50
	10/17/01				11.75	88.09	0.33
	01/12/02				10.75	89.09	1.00
	04/20/02				10.31	89.53	0.44
	07/24/02				11.81	88.03	-1.50
	10/15/02				11.33	88.51	0.48
	01/22/03				11.93	87.91	-0.60
	04/24/03				12.21	87.63	-0.28
	07/16/03				13.29	86.55	-1.08
	10/15/03				12.18	87.66	1.11
	01/29/04				11.95	87.89	0.23
	04/19/04				10.39	89.45	1.56
	07/16/04				12.32	87.52	-1.93
	10/29/04				10.24	89.60	2.08
	01/14/05				8.88	90.96	1.36
	04/15/05				8.43	91.41	0.45
	07/08/05				10.45	89.39	-2.02
	10/08/05				11.26	88.58	-0.81
	01/18/06				10.79	89.05	0.47
	04/18/06				11.64	88.20	-0.85
	07/11/06				13.02	86.82	-1.38
	10/10/06				12.89	86.95	0.13
MW-11	01/26/91	30.00	Protective Casing	100.60	19.27	81.33	
	09/13/91				17.81	82.79	1.46
	11/21/91				16.35	84.25	1.46
	03/16/93				15.20	85.40	1.15
	01/09/94				16.31	84.29	-1.11
	04/19/94				16.17	84.43	0.14
	07/19/94				15.63	84.97	0.54
	10/24/94				15.72	84.88	-0.09
	01/24/95				15.89	84.71	-0.17
	04/02/95				16.33	84.27	-0.44
	07/31/95				16.03	84.57	0.30
	10/16/95				16.00	84.60	0.03
	01/10/96				16.45	84.15	-0.45
	04/09/96				16.62	83.98	-0.17
	07/21/96				17.21	83.39	-0.59
	10/21/96				15.52	85.08	1.69
	01/21/97				15.15	85.45	0.37

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-11 (Cont.)	04/08/97				15.19	85.41	-0.04
	07/29/97				15.78	84.82	-0.59
	10/16/97				14.75	85.85	1.03
	01/06/98				14.44	86.16	0.31
	04/14/98				14.22	86.38	0.22
	07/17/98				15.41	85.19	-1.19
	10/27/98				15.50	85.10	-0.09
	02/09/99				16.11	84.49	-0.61
	04/21/99				15.21	85.39	0.90
	07/13/99				13.25	87.35	1.96
	10/19/99				14.68	85.92	-1.43
	01/26/00				15.28	85.32	-0.60
	04/18/00				15.29	85.31	-0.01
	07/26/00				15.42	85.18	-0.13
	10/19/00				14.58	86.02	0.84
	01/18/01			98.20	10.08	88.12	2.10
	04/12/01				10.07	88.13	0.01
	07/19/01				11.67	86.53	-1.60
	10/17/01				11.15	87.05	0.52
	01/12/02				10.14	88.06	1.01
	04/20/02				9.83	88.37	0.31
	07/24/02				11.39	86.81	-1.56
	10/15/02				10.87	87.33	0.52
	01/22/03				11.47	86.73	-0.60
	04/23/03				11.77	86.43	-0.30
	07/16/03				12.97	85.23	-1.20
	10/15/03				11.37	86.83	1.60
	01/28/04				11.43	86.77	-0.06
	04/19/04				9.77	88.43	1.66
	07/16/04				11.79	86.41	-2.02
	10/29/04				9.60	88.60	2.19
	01/14/05				8.34	89.86	1.26
	04/15/05				7.93	90.27	0.41
	07/08/05				10.12	88.08	-2.19
	10/08/05				10.84	87.36	-0.72
	01/19/06				10.36	87.84	0.48
	04/18/06				11.21	86.99	-0.85
	07/11/06				12.63	85.57	-1.42
	10/10/06				12.39	85.81	0.24
MW-12	01/26/91	34.00	Protective Casing	100.69	19.24	81.45	
	09/13/91				17.59	83.10	1.65
	11/21/91				16.21	84.48	1.38
	03/16/93				15.22	85.47	0.99
	01/09/94				16.25	84.44	-1.03
	04/19/94				16.13	84.56	0.12
	07/19/94				15.63	85.06	0.50
	10/24/94				15.73	84.96	-0.10
	01/24/95				15.80	84.89	-0.07
	04/02/95				16.23	84.46	-0.43
	07/31/95				15.96	84.73	0.27
	10/16/95				15.93	84.76	0.03
	01/10/96				16.35	84.34	-0.42
	04/09/96				16.52	84.17	-0.17
	07/21/96				17.15	83.54	-0.63
	10/21/96				15.48	85.21	1.67
	01/21/97				15.04	85.65	0.44
	04/08/97				15.10	85.59	-0.06
	07/29/97				15.73	84.96	-0.63
	10/16/97				14.57	86.12	1.16
	01/06/98				14.22	86.47	0.35
	04/14/98				14.09	86.60	0.13
	07/17/98				15.35	85.34	-1.26

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-12 (Cont.)	10/27/98				15.36	85.33	-0.01
	02/09/99				16.00	84.69	-0.64
	04/21/99				15.19	85.50	0.81
	07/13/99				13.12	87.57	2.07
	10/19/99				14.63	86.06	-1.51
	01/26/00				15.18	85.51	-0.55
	04/18/00				15.22	85.47	-0.04
	07/26/00				15.38	85.31	-0.16
	10/19/00				14.35	86.34	1.03
	01/18/01			99.21	10.62	88.59	2.25
	04/12/01				10.61	88.60	0.01
	07/19/01				12.41	86.80	-1.80
	10/17/01				10.95	88.26	1.46
	04/20/02				9.88	89.33	1.07
	07/24/02				11.57	87.64	-1.69
	10/15/02				10.94	88.27	0.63
	01/22/03				11.70	87.51	-0.76
	04/24/03				12.04	87.17	-0.34
	07/16/03				13.19	86.02	-1.15
	10/15/03				11.40	87.81	1.79
	01/29/04			98.49	11.33	87.16	-0.65
	04/19/04				9.62	88.87	1.71
	07/16/04				11.51	86.98	-1.89
	10/29/04				9.26	89.23	2.25
	01/14/05				8.16	90.33	1.10
	04/15/05				7.68	90.81	0.48
	07/08/05				9.98	88.51	-2.30
	10/08/05				10.74	87.75	-0.76
	01/18/06				10.09	88.40	0.65
	04/18/06				11.15	87.34	-1.06
	07/11/06				12.39	86.10	-1.24
	10/10/06				12.03	86.46	0.36
MW-13	09/13/91	45.00	Protective Casing	99.25	15.10	84.15	
	11/21/91				13.95	85.30	1.15
	03/16/93				13.22	86.03	0.73
	01/09/94				14.03	85.22	-0.81
	04/19/94				13.90	85.35	0.13
	07/20/94				13.70	85.55	0.20
	10/24/94				13.86	85.39	-0.16
	01/24/95				13.56	85.69	0.30
	04/02/95				13.87	85.38	-0.31
	07/31/95				13.84	85.41	0.03
	10/16/95				13.83	85.42	0.01
	01/10/96				14.02	85.23	-0.19
	04/09/96				14.20	85.05	-0.18
	07/20/96				15.04	84.21	-0.84
	10/21/96				13.31	85.94	1.73
	01/21/97				12.70	86.55	0.61
	04/08/97				12.48	86.77	0.22
	07/29/97				13.43	85.82	-0.95
	10/16/97				12.02	87.23	1.41
	01/06/98				11.44	87.81	0.58
	04/14/98				11.50	87.75	-0.06
	07/17/98				13.10	86.15	-1.60
	10/27/98				13.58	85.67	-0.48
	02/09/99				13.81	85.44	-0.23
	04/21/99				13.22	86.03	0.59
	07/13/99				11.08	88.17	2.14
	10/20/99				12.64	86.61	-1.56
	01/26/00				12.96	86.29	-0.32
	04/18/00				13.08	86.17	-0.12
	07/26/00				12.88	86.37	0.20

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-13 (Cont.)	10/19/00				11.68	87.57	1.20
	01/18/01				8.88	90.37	2.80
	04/12/01				9.09	90.16	-0.21
	07/19/01				11.47	87.78	-2.38
	10/17/01				10.15	89.10	1.32
	01/12/02				8.48	90.77	1.67
	04/20/02				9.07	90.18	-0.59
	07/24/02				11.42	87.83	-2.35
	10/15/02				10.38	88.87	1.04
	01/22/03				11.28	87.97	-0.90
	04/24/03				11.80	87.45	-0.52
	07/16/03				12.98	86.27	-1.18
	10/15/03				10.48	88.77	2.50
	01/29/04			99.25	10.68	88.57	-0.20
	04/19/04				9.06	90.19	1.62
	07/16/04				10.40	88.85	-1.34
	10/29/04				8.03	91.22	2.37
	01/14/05				7.44	91.81	0.59
	04/15/05				6.76	92.49	0.68
	07/08/05				9.47	89.78	-2.71
	10/08/05				10.13	89.12	-0.66
	01/18/06				9.28	89.97	0.85
	04/18/06				10.63	88.62	-1.35
	07/11/06				11.55	87.70	-0.92
	10/10/06				10.97	88.28	0.58
MW-14	09/13/91	35.00	Protective Casing	98.74	14.60	84.14	
	11/21/91				13.61	85.13	0.99
	03/16/93				13.00	85.74	0.61
	01/09/94				13.71	85.03	-0.71
	04/19/94				13.63	85.11	0.08
	07/20/94				13.39	85.35	0.24
	10/24/94				13.48	85.26	-0.09
	01/25/95				13.26	85.48	0.22
	04/02/95				13.61	85.13	-0.35
	07/31/95				13.44	85.30	0.17
	10/16/95				13.52	85.22	-0.08
	01/10/96				13.76	84.98	-0.24
	04/09/96				13.96	84.78	-0.20
	07/20/96				14.74	84.00	-0.78
	10/21/96				13.03	85.71	1.71
	01/21/97				12.47	86.27	0.56
	04/08/97				12.44	86.30	0.03
	07/29/97				13.30	85.44	-0.86
	10/16/97				11.93	86.81	1.37
	01/06/98				11.46	87.28	0.47
	04/14/98				11.48	87.26	-0.02
	07/17/98				12.94	85.80	-1.46
	10/27/98				13.25	85.49	-0.31
	02/09/99				13.59	85.15	-0.34
	04/21/99				12.96	85.78	0.63
	07/13/99				10.85	87.89	2.11
	10/20/99				12.42	86.32	-1.57
	01/26/00				12.73	86.01	-0.31
	04/18/00				12.82	85.92	-0.09
	07/26/00				13.08	85.66	-0.26
	10/19/00				11.32	87.42	1.76
	01/18/01				8.48	90.26	2.84
	04/12/01				8.83	89.91	-0.35
	04/20/02				8.84	89.90	-0.01
	07/24/02				11.21	87.53	-2.37
	10/15/02				10.12	88.62	1.09
	04/24/03				11.54	87.20	-1.42

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-14 (Cont.)	07/16/03				12.74	86.00	-1.20
	10/15/03				10.07	88.67	2.67
	01/29/04				10.45	88.29	-0.38
	04/19/04				8.76	89.98	1.69
	07/16/04				10.20	88.54	-1.44
	10/29/04				7.69	91.05	2.51
	01/14/05				7.23	91.51	0.46
	04/15/05				6.46	92.28	0.77
	07/08/05				9.37	89.37	-2.91
	10/08/05				9.99	88.75	-0.62
	01/18/06				9.09	89.65	0.90
	04/18/06				10.42	88.32	-1.33
	07/11/06				11.44	87.30	-1.02
	10/10/06				10.70	88.04	0.74
MW-15	09/13/91	34.00	Protective Casing	100.05	16.30	83.75	
	11/21/91				15.01	85.04	1.29
	03/16/93				13.95	86.10	1.06
	01/09/94				14.91	85.14	-0.96
	04/19/94				14.80	85.25	0.11
	07/20/94				14.56	85.49	0.24
	10/24/94				14.73	85.32	-0.17
	01/24/95				16.00	84.05	-1.27
	04/02/95				14.80	85.25	1.20
	07/31/95				14.82	85.23	-0.02
	10/16/95				14.74	85.31	0.08
	01/10/96				14.95	85.10	-0.21
	04/09/96				15.11	84.94	-0.16
	07/20/96				15.96	84.09	-0.85
	10/21/96				14.22	85.83	1.74
	01/21/97				13.64	86.41	0.58
	04/08/97				13.53	86.52	0.11
	07/29/97				14.32	85.73	-0.79
	10/16/97				12.90	87.15	1.42
	01/06/98				12.30	87.75	0.60
	04/14/98				12.38	87.67	-0.08
	07/17/98				13.93	86.12	-1.55
	10/27/98				14.38	85.67	-0.45
	02/09/99				14.68	85.37	-0.30
	04/21/99				14.03	86.02	0.65
	07/13/99				11.90	88.15	2.13
	10/20/99				13.42	86.63	-1.52
	01/26/00				13.83	86.22	-0.41
	04/18/00				13.96	86.09	-0.13
	07/26/00				14.14	85.91	-0.18
	10/19/00				12.90	87.15	1.24
	01/18/01				9.39	90.66	3.51
	04/12/01				12.38	87.67	-2.99
	07/19/01				12.44	87.61	-0.06
	01/12/02				10.10	89.95	2.34
	07/24/02				12.38	87.67	-2.28
	10/15/02				11.52	88.53	0.86
	01/22/03				12.30	87.75	-0.78
	04/24/03				12.74	87.31	-0.44
	07/16/03				13.89	86.16	-1.15
	10/15/03				11.96	88.09	1.93
	01/29/04			99.69	11.50	88.19	0.10
	04/19/04				9.92	89.77	1.58
	07/16/04				11.37	88.32	-1.45
	10/29/04				9.19	90.50	2.18
	01/14/05				8.30	91.39	0.89
	04/15/05				7.73	91.96	0.57
	07/08/05				10.08	89.61	-2.35

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-15 (Cont.)	10/08/05				10.82	88.87	-0.74
	01/18/06				10.13	89.56	0.69
	04/18/06				11.30	88.39	-1.17
	07/11/06				12.32	87.37	-1.02
	10/10/06				11.87	87.82	0.45
MW-17D	04/02/95	19.00	Protective Casing	101.29	16.80	84.49	
	07/31/95				16.48	84.81	0.32
	10/16/95				16.51	84.78	-0.03
	01/10/96				16.90	84.39	-0.39
	04/09/96				17.10	84.19	-0.20
	07/21/96				17.70	83.59	-0.60
	10/21/96				16.02	85.27	1.68
	01/21/97				15.60	85.69	0.42
	04/08/97				15.64	85.65	-0.04
	07/29/97				16.32	84.97	-0.68
	10/16/97				15.11	86.18	1.21
	01/06/98				14.80	86.49	0.31
	04/14/98				14.68	86.61	0.12
	07/17/98				15.92	85.37	-1.24
	10/27/98				15.95	85.34	-0.03
	02/09/99				16.63	84.66	-0.68
	04/21/99				15.82	85.47	0.81
	07/13/99				13.77	87.52	2.05
	10/19/99				15.32	85.97	-1.55
	01/26/00				15.79	85.50	-0.47
	04/18/00				15.80	85.49	-0.01
	07/26/00				15.98	85.31	-0.18
	10/19/00				14.89	86.40	1.09
	01/18/01			99.00	10.33	88.67	2.27
	04/12/01				10.35	88.65	-0.02
	07/19/01				12.22	86.78	-1.87
	10/17/01				11.48	87.52	0.74
	01/12/02				10.19	88.81	1.29
	04/20/02				10.25	88.75	-0.06
	07/24/02				11.98	87.02	-1.73
	10/15/02				11.33	87.67	0.65
	01/22/03				12.09	86.91	-0.76
	04/24/03				12.43	86.57	-0.34
	07/16/03				13.59	85.41	-1.16
	10/15/03				11.74	87.26	1.85
	01/29/04			98.46	11.30	87.16	-0.10
	04/19/04				9.55	88.91	1.75
	07/16/04				11.45	87.29	-1.62
	10/29/04				9.19	89.55	2.26
	01/14/05				8.16	90.58	1.03
	04/15/05				7.66	91.08	0.50
	07/08/05				10.01	88.73	-2.35
	10/08/05				10.76	87.98	-0.75
	01/18/06				10.10	88.64	0.66
	04/18/06				11.13	87.61	-1.03
	07/11/06				12.40	86.34	-1.27
	10/10/06				12.02	86.72	0.38
MW-17A	04/02/95	26.00	Protective Casing	100.57	16.05	84.52	
	07/31/95				15.75	84.82	0.30
	10/16/95				15.77	84.80	-0.02
	01/10/96				16.18	84.39	-0.41
	04/09/96				16.37	84.20	-0.19
	07/21/96				16.98	83.59	-0.61
	10/21/96				15.30	85.27	1.68
	01/21/97				14.88	85.69	0.42
	04/08/97				14.92	85.65	-0.04

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17A (Cont.)	07/29/97				15.59	84.98	-0.67
	10/16/97				14.41	86.16	1.18
	01/06/98				14.09	86.48	0.32
	04/14/98				13.95	86.62	0.14
	07/17/98				15.20	85.37	-1.25
	10/27/98				15.23	85.34	-0.03
	02/09/99				15.88	84.69	-0.65
	04/21/99				15.10	85.47	0.78
	07/13/99				13.02	87.55	2.08
	10/19/99				14.54	86.03	-1.52
	01/26/00				15.05	85.52	-0.51
	04/18/00				15.08	85.49	-0.03
	07/26/00				15.25	85.32	-0.17
	10/19/00				14.17	86.40	1.08
	01/18/01			98.77	10.09	88.68	2.28
	04/12/01				10.11	88.66	-0.02
	07/19/01				11.98	86.79	-1.87
	10/17/01				11.24	87.53	0.74
	01/12/02				9.94	88.83	1.30
	04/20/02				10.00	88.77	-0.06
	07/24/02				11.75	87.02	-1.75
	10/15/02				11.22	87.55	0.53
	01/22/03				11.85	86.92	-0.63
	04/24/03				12.18	86.59	-0.33
	07/16/03				13.36	85.41	-1.18
	10/15/03				11.49	87.28	1.87
	01/29/04			98.29	11.13	87.16	-0.12
	04/19/04				9.38	88.91	1.75
	07/16/04				11.30	86.99	-1.92
	10/29/04				9.06	89.23	2.24
	01/14/05				7.98	90.31	1.08
	04/15/05				7.50	90.79	0.48
	07/08/05				9.84	88.45	-2.34
	10/08/05				10.57	87.72	-0.73
	01/18/06				9.93	88.36	0.64
	04/18/06				10.98	87.31	-1.05
	07/11/06				12.22	86.07	-1.24
	10/10/06				11.85	86.44	0.37
MW-17B	04/02/95	34.00	Protective Casing	101.28	16.79	84.49	
	07/31/95				16.50	84.78	0.29
	10/16/95				16.51	84.77	-0.01
	01/10/96				16.92	84.36	-0.41
	04/09/96				17.10	84.18	-0.18
	07/21/96				17.71	83.57	-0.61
	10/21/96				16.02	85.26	1.69
	01/21/97				15.64	85.64	0.38
	04/08/97				15.67	85.61	-0.03
	07/29/97				16.30	84.98	-0.63
	10/16/97				15.16	86.12	1.14
	01/06/98				14.84	86.44	0.32
	04/14/98				14.70	86.58	0.14
	07/17/98				15.92	85.36	-1.22
	10/27/98				16.00	85.28	-0.08
	02/09/99				16.62	84.66	-0.62
	04/21/99				15.79	85.49	0.83
	07/13/99				13.77	87.51	2.02
	10/19/99				15.26	86.02	-1.49
	01/26/00				15.81	85.47	-0.55
	04/18/00				15.81	85.47	0.00
	07/26/00				15.98	85.30	-0.17
	10/19/00				14.94	86.34	1.04
	01/18/01			99.04	10.44	88.60	2.26

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17B (Cont.)	04/12/01				10.44	88.60	0.00
	07/19/01				12.27	86.77	-1.83
	10/17/01				11.62	87.42	0.65
	01/12/02				10.32	88.72	1.30
	04/20/02				10.33	88.71	-0.01
	07/24/02				12.04	87.00	-1.71
	10/15/02				11.40	87.64	0.64
	01/22/03				12.17	86.87	-0.77
	04/24/03				12.48	86.56	-0.31
	07/16/03				13.64	85.40	-1.16
	10/15/03				11.83	87.21	1.81
	01/29/04			98.54	11.43	87.11	-0.10
	04/19/04				9.69	88.85	1.74
	07/16/04				11.62	86.92	-1.93
	10/29/04				9.37	89.17	2.25
	01/14/05				8.29	90.25	1.08
	04/15/05				7.80	90.74	0.49
	07/08/05				10.11	88.43	-2.31
	10/08/05				10.89	87.65	-0.78
	01/18/06				10.22	88.32	0.67
	04/18/06				11.26	87.28	-1.04
	07/11/06				12.56	85.98	-1.30
	10/10/06				12.18	86.36	0.38
MW-17C	04/02/95	61.00	Protective Casing	101.33	16.93	84.40	
	07/31/95				16.66	84.67	0.27
	10/16/95				16.64	84.69	0.02
	01/10/96				17.08	84.25	-0.44
	04/09/96				17.25	84.08	-0.17
	07/21/96				17.85	83.48	-0.60
	10/21/96				16.17	85.16	1.68
	01/21/97				15.75	85.58	0.42
	04/08/97				15.80	85.53	-0.05
	07/29/97				16.46	84.87	-0.66
	10/16/97				15.33	86.00	1.13
	01/06/98				15.00	86.33	0.33
	04/14/98				14.85	86.48	0.15
	07/17/98				16.09	85.24	-1.24
	10/27/98				16.17	85.16	-0.08
	02/09/99				16.77	84.56	-0.60
	04/21/99				15.95	85.38	0.82
	07/13/99				13.94	87.39	2.01
	10/19/99				15.43	85.90	-1.49
	01/26/00				15.94	85.39	-0.51
	04/18/00				15.95	85.38	-0.01
	07/26/00				16.11	85.22	-0.16
	10/19/00				15.03	86.30	1.08
	01/18/01			99.01	10.37	88.64	2.34
	04/12/01				10.37	88.64	0.00
	07/19/01				12.22	86.79	-1.85
	10/17/01				11.46	87.55	0.76
	01/12/02				10.22	88.79	1.24
	04/20/02				10.25	88.76	-0.03
	07/24/02				11.98	87.03	-1.73
	10/15/02				11.33	87.68	0.65
	01/22/03				12.09	86.92	-0.76
	04/24/03				12.43	86.58	-0.34
	07/16/03				13.59	85.42	-1.16
	10/15/03				11.70	87.31	1.89
	01/29/04			98.53	11.37	87.16	-0.15
	04/19/04				9.61	88.92	1.76
	07/16/04				11.55	86.98	-1.94
	10/29/04				9.27	89.26	2.28

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-17C (Cont.)	01/14/05				8.19	90.34	1.08
	04/15/05				7.71	90.82	0.48
	07/08/05				10.08	88.45	-2.37
	10/08/05				10.84	87.69	-0.76
	01/18/06				10.16	88.37	0.68
	04/18/06				11.21	87.32	-1.05
	07/11/06				12.50	86.03	-1.29
	10/10/06				12.12	86.41	0.38
MW-18	04/02/95	28.00	Protective Casing	98.72	14.77	83.95	
	07/31/95				14.21	84.51	0.56
	10/16/95				14.25	84.47	-0.04
	01/10/96				14.90	83.82	-0.65
	04/09/96				15.05	83.67	-0.15
	07/21/96				15.44	83.28	-0.39
	10/21/96				13.78	84.94	1.66
	11/22/96				13.84	84.88	-0.06
	01/21/97				13.54	85.18	0.30
	04/08/97				13.66	85.06	-0.12
	07/29/97				14.13	84.59	-0.47
	10/16/97				13.34	85.38	0.79
	01/06/98				13.13	85.59	0.21
	04/14/98				12.79	85.93	0.34
	07/17/98				13.75	84.97	-0.96
	10/27/98				13.82	84.90	-0.07
	02/09/99				14.58	84.14	-0.76
	04/21/99				13.58	85.14	1.00
	07/13/99				11.66	87.06	1.92
	10/19/99				13.01	85.71	-1.35
	01/26/00				13.73	84.99	-0.72
	04/18/00				13.65	85.07	0.08
	07/26/00				13.71	85.01	-0.06
	10/19/00				13.03	85.69	0.68
	01/18/01				11.23	87.49	1.80
	04/12/01				11.18	87.54	0.05
	07/19/01				12.43	86.29	-1.25
	10/17/01				12.17	86.55	0.26
	01/12/02				11.44	87.28	0.73
	04/20/02				10.59	88.13	0.85
	07/24/02				12.22	86.50	-1.63
	10/15/02				11.88	86.84	0.34
	01/22/03				12.40	86.32	-0.52
	04/23/04				12.64	86.08	-0.24
	07/16/03				13.79	84.93	-1.15
	10/15/03				12.38	86.34	1.41
	01/28/04				12.52	86.20	-0.14
	04/19/04				10.88	87.84	1.64
	07/16/04				13.03	85.69	-2.15
	10/29/04				10.95	87.77	2.08
	01/14/05				9.55	89.17	1.40
	04/15/05				9.21	89.51	0.34
	07/08/05				11.22	87.50	-2.01
	10/08/05				11.94	86.78	-0.72
	01/19/06				11.57	87.15	0.37
	04/18/06				12.33	86.39	-0.76
	07/11/06				13.82	84.90	-1.49
	10/10/06				13.71	85.01	0.11
MW-19	04/02/95	28.00	Protective Casing	99.08	14.86	84.22	
	07/31/95				14.29	84.79	0.57
	10/16/95				14.39	84.69	-0.10
	01/10/96				14.98	84.10	-0.59
	04/09/96				15.14	83.94	-0.16

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-19 (Cont.)	07/21/96				15.62	83.46	-0.48
	10/21/96				14.00	85.08	1.62
	11/22/96				14.03	85.05	-0.03
	01/21/97				13.69	85.39	0.34
	04/08/97				13.76	85.32	-0.07
	07/29/97				14.37	84.71	-0.61
	10/16/97				13.47	85.61	0.90
	01/06/98				13.21	85.87	0.26
	04/14/98				12.90	86.18	0.31
	07/17/98				13.96	85.12	-1.06
	10/27/98				14.11	84.97	-0.15
	02/09/99				14.74	84.34	-0.63
	04/21/99				13.91	85.17	0.83
	07/13/99				11.99	87.09	1.92
	10/19/99				13.35	85.73	-1.36
	01/26/00				13.92	85.16	-0.57
	04/18/00				13.84	85.24	0.08
	07/26/00				14.00	85.08	-0.16
	10/19/00				12.92	86.16	1.08
	01/18/01				10.66	88.42	2.26
	04/12/01				10.75	88.33	-0.09
	07/19/01				12.59	86.49	-1.84
	10/17/01				11.93	87.15	0.66
	01/12/02				10.78	88.30	1.15
	04/20/02				10.70	88.38	0.08
	07/24/02				12.35	86.73	-1.65
	10/15/02				11.82	87.26	0.53
	01/22/03				12.43	86.65	-0.61
	04/23/03				12.73	86.35	-0.30
	07/16/03				13.99	85.09	-1.26
	10/15/03				11.89	87.19	2.10
	01/28/04				12.29	86.79	-0.40
	04/19/04				10.50	88.58	1.79
	07/16/04				12.59	86.49	-2.09
	10/29/04				10.28	88.80	2.31
	01/14/05				9.20	89.88	1.08
	04/15/05				8.85	90.23	0.35
	07/08/05				11.23	87.85	-2.38
	10/08/05				11.90	87.18	-0.67
	01/19/06				11.30	87.78	0.60
	04/18/06				12.27	86.81	-0.97
	07/11/06				13.69	85.39	-1.42
	10/10/06				13.29	85.79	0.40
MW-20	11/22/96	28.00	Protective Casing	101.09	16.28	84.81	
	01/21/97				16.08	85.01	0.20
	04/08/97				16.04	85.05	0.04
	07/29/97				16.46	84.63	-0.42
	10/16/97				15.76	85.33	0.70
	01/06/98				15.61	85.48	0.15
	04/14/98				15.13	85.96	0.48
	07/17/98				16.15	84.94	-1.02
	10/27/98				16.07	85.02	0.08
	02/09/99				16.94	84.15	-0.87
	04/21/99				15.48	85.61	1.46
	07/13/99				13.50	87.59	1.98
	10/19/99				15.25	85.84	-1.75
	01/26/00				16.08	85.01	-0.83
	04/18/00				15.97	85.12	0.11
	07/26/00				15.84	85.25	0.13
	10/19/00				15.80	85.29	0.04
	01/18/01				14.37	86.72	1.43
	04/12/01				14.16	86.93	0.21

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-20 (Cont.)	07/19/01				14.66	86.43	-0.50
	10/17/01				15.07	86.02	-0.41
	01/12/02				14.70	86.39	0.37
	04/20/02				13.54	87.55	1.16
	07/24/02				14.59	86.50	-1.05
	10/15/02				14.42	86.67	0.17
	01/22/03				14.91	86.18	-0.49
	04/23/03				14.87	86.22	0.04
	07/16/03				15.93	85.16	-1.06
	10/15/03				15.69	85.40	0.24
	01/28/04				15.38	85.71	0.31
	04/19/04				14.20	86.89	1.18
	07/16/04				16.25	84.84	-2.05
	10/29/04				14.25	86.84	2.00
	01/14/05				12.57	88.52	1.68
	04/15/05				12.14	88.95	0.43
	07/08/05				13.85	87.24	-1.71
	10/08/05				14.59	86.50	-0.74
	01/18/06				14.40	86.69	0.19
	04/18/06				15.08	86.01	-0.68
	07/11/06				16.73	84.36	-1.65
	10/10/06				16.97	84.12	-0.24
MW-21	11/22/96	25.00	Protective Casing	98.88	14.36	84.52	
	01/21/97				14.26	84.62	0.10
	04/08/97			98.89	14.41	84.48	-0.14
	07/29/97				14.54	84.35	-0.13
	10/16/97				14.18	84.71	0.36
	01/06/98				14.17	84.72	0.01
	04/14/98				13.60	85.29	0.57
	07/17/98				14.21	84.68	-0.61
	10/27/98				14.22	84.67	-0.01
	02/09/99				15.29	83.60	-1.07
	04/21/99				13.94	84.95	1.35
	07/13/99				12.03	86.86	1.91
	10/19/99				13.41	85.48	-1.38
	01/26/00				14.42	84.47	-1.01
	04/18/00				14.21	84.68	0.21
	07/26/00				13.97	84.92	0.24
	10/19/00				13.77	85.12	0.20
	01/18/01				12.62	86.27	1.15
	04/12/01				12.53	86.36	0.09
	07/19/01				12.89	86.00	-0.36
	10/17/01				13.23	85.66	-0.34
	01/12/02				13.10	85.79	0.13
	04/20/02				12.09	86.80	1.01
	07/24/02				12.83	86.06	-0.74
	10/15/02				12.82	86.07	0.01
	01/22/03				13.30	85.59	-0.48
	04/23/03				13.28	85.61	0.02
	07/16/03				14.27	84.62	-0.99
	10/15/03				13.73	85.16	0.54
	01/28/04				13.78	85.11	-0.05
	04/19/04				12.39	86.50	1.39
	07/16/04				14.54	84.35	-2.15
	10/29/04				12.70	86.19	1.84
	01/14/05				11.02	87.87	1.68
	04/15/05				10.62	88.27	0.40
	07/08/05				12.30	86.59	-1.68
	10/08/05				13.00	85.89	-0.70
	01/19/06				12.96	85.93	0.04

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-21 (Cont.)	04/18/06				13.50	85.39	-0.54
	07/11/06				14.98	83.91	-1.48
	10/10/06				15.22	83.67	-0.24
MW-22	11/22/96	24.50	Protective Casing	97.16	12.88	84.28	
	01/21/97				12.94	84.22	-0.06
	04/08/97			97.14	13.42	83.72	-0.50
	07/29/97				13.16	83.98	0.26
	10/16/97				13.23	83.91	-0.07
	01/06/98				13.46	83.68	-0.23
	04/14/98				12.80	84.34	0.66
	07/17/98				12.65	84.49	0.15
	10/27/98				12.90	84.24	-0.25
	02/09/99				14.35	82.79	-1.45
	04/21/99				13.15	83.99	1.20
	07/13/99				11.45	85.69	1.70
	10/19/99				12.22	84.92	-0.77
	01/26/00				13.52	83.62	-1.30
	04/18/00				12.99	84.15	0.53
	07/26/00				12.63	84.51	0.36
	10/19/00				12.10	85.04	0.53
	01/18/01				11.19	85.95	0.91
	04/12/01				11.35	85.79	-0.16
	07/19/01				11.69	85.45	-0.34
	10/17/01				11.77	85.37	-0.08
	01/12/02				12.14	85.00	-0.37
	04/20/02				11.16	85.98	0.98
	07/24/02				11.53	85.61	-0.37
	10/15/02				11.83	85.31	-0.30
	01/22/03				12.36	84.78	-0.53
	04/23/03				12.35	84.79	0.01
	07/16/03				13.14	84.00	-0.79
	10/15/03				11.78	85.36	1.36
	01/28/04				12.74	84.40	-0.96
	04/19/04				11.01	86.13	1.73
	07/16/04				13.09	84.05	-2.08
	10/29/04				11.52	85.62	1.57
	01/14/05				9.97	87.17	1.55
	04/15/05				9.72	87.42	0.25
	07/08/05				11.39	85.75	-1.67
	10/08/05				12.00	85.14	-0.61
	01/19/06				12.15	84.99	-0.15
	04/18/06				12.52	84.62	-0.37
	07/11/06				13.59	83.55	-1.07
	10/10/06				13.72	83.42	-0.13
MW-23	11/22/96	25.00	Protective Casing	97.33	12.72	84.61	
	01/21/97				12.59	84.74	0.13
	04/08/97			97.30	13.07	84.23	-0.51
	07/29/97				13.14	84.16	-0.07
	10/16/97				13.06	84.24	0.08
	01/06/98				13.13	84.17	-0.07
	04/14/98				12.52	84.78	0.61
	07/17/98				12.64	84.66	-0.12
	10/27/98				12.84	84.46	-0.20
	02/09/99				14.16	83.14	-1.32
	04/21/99				13.25	84.05	0.91
	07/13/99				11.55	85.75	1.70
	10/19/99				12.39	84.91	-0.84
	01/26/00				13.33	83.97	-0.94
	04/18/00				12.81	84.49	0.52
	07/26/00				12.70	84.60	0.11
	10/19/00				11.54	85.76	1.16

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-23 (Cont.)	01/18/01				9.86	87.44	1.68
	04/12/01				10.19	87.11	-0.33
	07/19/01				11.54	85.76	-1.35
	10/17/01				11.24	86.06	0.30
	01/12/02				10.72	86.58	0.52
	04/20/02				10.30	87.00	0.42
	07/24/02				11.24	86.06	-0.94
	10/15/02				11.42	85.88	-0.18
	01/22/03				11.89	85.41	-0.47
	04/23/03				12.01	85.29	-0.12
	07/16/03				12.97	84.33	-0.96
	10/15/03				10.96	86.34	2.01
	01/28/04				12.82	84.48	-1.86
	04/19/04				10.06	87.24	2.76
	07/16/04				12.04	85.26	-1.98
	10/29/04				9.97	87.33	2.07
	01/14/05				8.69	88.61	1.28
	04/15/05				8.45	88.85	0.24
	07/08/05				10.89	86.41	-2.44
	10/08/05				11.50	85.80	-0.61
	01/18/06				11.09	86.21	0.41
	04/18/06				11.85	85.45	-0.76
	07/11/06				13.00	84.30	-1.15
	10/10/06				12.68	84.62	0.32
MW-24	11/22/96	27.00	Protective Casing	103.42	17.91	85.51	
	01/21/97				17.56	85.86	0.35
	04/08/97			103.41	17.40	86.01	0.15
	07/29/97				17.72	85.69	-0.32
	10/16/97				16.58	86.83	1.14
	01/06/98				16.01	87.40	0.57
	04/14/98				16.17	87.24	-0.16
	07/17/98				17.49	85.92	-1.32
	10/27/98				17.40	86.01	0.09
	02/09/99				18.09	85.32	-0.69
	04/21/99				16.98	86.43	1.11
	07/13/99				14.88	88.53	2.10
	10/19/99				16.51	86.90	-1.63
	01/26/00				17.27	86.14	-0.76
	04/18/00				17.37	86.04	-0.10
	07/26/00				17.40	86.01	-0.03
	10/19/00				17.61	85.80	-0.21
	01/18/01				15.88	87.53	1.73
	04/12/01				15.42	87.99	0.46
	07/19/01				16.38	87.03	-0.96
	10/17/01				16.64	86.77	-0.26
	01/12/02				15.99	87.42	0.65
	04/20/02				14.81	88.60	1.18
	07/24/02				16.14	87.27	-1.33
	10/15/02				15.75	87.66	0.39
	01/22/03				16.13	87.28	-0.38
	04/23/03				16.53	86.88	-0.40
	07/16/03				17.24	86.17	-0.71
	10/15/03				17.31	86.10	-0.07
	01/28/04				16.57	86.84	0.74
	04/19/04				15.52	87.89	1.05
	07/16/04				17.16	86.25	-1.64
	10/29/04				15.30	88.11	1.86
	01/14/05				13.88	89.73	1.62
	04/15/05				13.25	90.16	0.43
	07/08/05				14.73	88.68	-1.48
	10/08/05				15.60	87.81	-0.87
	01/18/06				15.47	87.94	0.13

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-24 (Cont.)	04/18/06				16.12	87.29	-0.65
	07/11/06				17.67	85.74	-1.55
	10/10/06				17.76	85.65	-0.09
MW-25	04/08/97	25.00	Protective Casing	97.64	14.23	83.41	-
	07/29/97				13.77	83.87	0.46
	10/16/97				13.99	83.65	-0.22
	01/06/98				14.37	83.27	-0.38
	04/14/98				13.65	83.99	0.72
	07/17/98				13.26	84.38	0.39
	10/27/98				13.57	84.07	-0.31
	02/09/99				15.17	82.47	-1.60
	04/21/99				13.75	83.89	1.42
	07/13/99				12.16	85.48	1.59
	10/19/99				12.81	84.83	-0.65
	01/26/00				14.33	83.31	-1.52
	04/18/00				13.69	83.95	0.64
	07/26/00				13.25	84.39	0.44
	10/19/00				12.83	84.81	0.42
	01/18/01				12.26	85.38	0.57
	04/12/01				12.44	85.20	-0.18
	07/19/01				12.36	85.28	0.08
	10/17/01				12.60	85.04	-0.24
	01/12/02				13.26	84.38	-0.66
	04/20/02				12.12	85.52	1.14
	07/24/02				12.28	85.36	-0.16
	10/15/02				12.66	84.98	-0.38
	01/22/03				13.22	84.42	-0.56
	04/23/03				13.10	84.54	0.12
	07/16/03				13.82	83.82	-0.72
	10/15/03				12.72	84.92	1.10
	01/28/04				13.72	83.92	-1.00
	04/19/04				12.11	85.53	1.61
	07/16/04				14.08	83.56	-1.97
	10/29/04				12.64	85.00	1.44
	01/14/05				11.07	86.57	1.57
	04/15/05				10.75	86.89	0.32
	07/08/05				12.31	85.33	-1.56
	10/08/05				12.82	84.82	-0.51
	01/19/06				13.17	84.47	-0.35
	04/18/06				13.43	84.21	-0.26
	07/11/06				14.40	83.24	-0.97
	10/10/06				14.67	82.97	-0.27
MW-26	04/08/97	25.00	Protective Casing	96.11	13.06	83.05	-
	07/29/97				12.23	83.88	0.83
	10/16/97				12.75	83.36	-0.52
	01/06/98				13.40	82.71	-0.65
	04/14/98				12.61	83.50	0.79
	07/17/98				11.64	84.47	0.97
	10/27/98				12.16	83.95	-0.52
	02/09/99				14.13	81.98	-1.97
	04/21/99				12.41	83.70	1.72
	07/13/99				11.11	85.00	1.30
	10/19/99				11.40	84.71	-0.29
	01/26/00				13.29	82.82	-1.89
	04/18/00				12.27	83.84	1.02
	07/26/00				11.75	84.36	0.52
	10/19/00				11.30	84.81	0.45
	01/18/01				11.12	84.99	0.18
	04/12/01				11.44	84.67	-0.32
	07/19/01				10.98	85.13	0.46
	10/17/01				11.12	84.99	-0.14

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-26 (Cont.)	01/12/02				12.42	83.69	-1.30
	04/20/02				11.04	85.07	1.38
	07/24/02				11.03	85.08	0.01
	10/15/02				11.59	84.52	-0.56
	01/22/03				12.26	83.85	-0.67
	04/23/03				12.01	84.10	0.25
	07/16/03				12.53	83.58	-0.52
	10/15/03				11.19	84.92	1.34
	01/28/04				12.79	83.32	-1.60
	04/19/04				11.08	85.03	1.71
	07/16/04				12.63	83.48	-1.55
	10/29/04				11.64	84.47	0.99
	01/14/05				10.15	85.96	1.49
	04/15/05				9.92	86.19	0.23
	07/08/05				11.35	84.76	-1.43
	10/08/05				11.66	84.45	-0.31
	01/18/06				12.35	83.76	-0.69
	04/18/06				12.48	83.63	-0.13
	07/11/06				13.14	82.97	-0.66
	10/10/06				13.33	82.78	-0.19
MW-27	04/08/97	25.00	Protective Casing	96.17	13.06	83.11	-
	07/29/97				12.21	83.96	0.85
	10/16/97				12.79	83.38	-0.58
	01/06/98				13.56	82.61	-0.77
	04/14/98				12.75	83.42	0.81
	07/17/98				11.53	84.64	1.22
	10/27/98				12.09	84.08	-0.56
	02/09/99				14.29	81.88	-2.20
	04/21/99				12.53	83.64	1.76
	07/13/99				11.41	84.76	1.12
	10/19/99				11.48	84.69	-0.07
	01/26/00				13.52	82.65	-2.04
	04/18/00				12.25	83.92	1.27
	07/26/00				11.75	84.42	0.50
	10/19/00				11.06	85.11	0.69
	01/18/01				10.83	85.34	0.23
	04/12/01				11.34	84.83	-0.51
	07/19/01				11.00	85.17	0.34
	10/17/01				11.03	85.14	-0.03
	01/12/02				12.33	83.84	-1.30
	04/20/02				10.85	85.32	1.48
	07/24/02				10.91	85.26	-0.06
	10/15/02				11.64	84.53	-0.73
	01/22/03				12.30	83.87	-0.66
	04/23/03				11.94	84.23	0.36
	07/16/03				12.50	83.67	-0.56
	10/15/03				10.73	85.44	1.77
	01/28/04				12.69	83.48	-1.96
	04/19/04				10.87	85.30	1.82
	07/16/04				12.73	83.44	-1.86
	10/29/04				11.30	84.87	1.43
	01/14/05				9.93	86.24	1.37
	04/15/05				9.73	86.44	0.20
	07/08/05				11.34	84.83	-1.61
	10/08/05				11.51	84.66	-0.17
	01/18/06				12.29	83.88	-0.78
	04/18/06				12.37	83.80	-0.08
	07/11/06				12.84	83.33	-0.47
	10/10/06				12.85	83.32	-0.01
MW-28	07/17/98	25.00	Protective Casing	97.93	14.32	83.61	-
	10/27/98				14.43	83.50	-0.11

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-28 (Cont.)	02/09/99				15.71	82.22	-1.28
	04/21/99				14.28	83.65	1.43
	07/13/99				12.41	85.52	1.87
	10/19/99				13.48	84.45	-1.07
	01/26/00				14.78	83.15	-1.30
	04/18/00				14.49	83.44	0.29
	07/26/00				13.98	83.95	0.51
	10/19/00				13.92	84.01	0.06
	01/18/01				13.49	84.44	0.43
	04/12/01				13.57	84.36	-0.08
	07/19/01				13.16	84.77	0.41
	10/17/01				13.72	84.21	-0.56
	01/12/02				14.32	83.61	-0.60
	04/20/02				13.27	84.66	1.05
	07/24/02				13.18	84.75	0.09
	10/15/02				13.40	84.53	-0.22
	01/22/03				13.95	83.98	-0.55
	04/23/03				13.79	84.14	0.16
	07/16/03				14.36	83.57	-0.57
	10/15/03				14.20	83.73	0.16
	01/28/04				14.68	83.25	-0.48
	04/19/04				13.63	84.30	1.05
	07/16/04				15.26	82.67	-1.63
	10/29/04				13.87	84.06	1.39
	01/14/05				12.17	85.76	1.70
	04/15/05				11.72	86.21	0.45
	07/08/05				13.04	84.89	-1.32
	10/08/05				13.68	84.25	-0.64
	01/18/06				14.06	83.87	-0.38
	04/18/06				14.36	83.57	-0.30
	07/11/06				15.56	82.37	-1.20
	10/10/06				16.03	81.90	-0.47
MW-29	07/17/98	25.00	Protective Casing	97.04	14.07	82.97	-
	10/27/98				14.36	82.68	-0.29
	02/09/99				15.83	81.21	-1.47
	04/21/99				14.48	82.56	1.35
	07/13/99				12.84	84.20	1.64
	10/19/99				13.35	83.69	-0.51
	01/26/00				14.87	82.17	-1.52
	04/18/00				14.37	82.67	0.50
	07/26/00				13.72	83.32	0.65
	10/19/00				13.61	83.43	0.11
	01/18/01				13.51	83.53	0.10
	04/12/01				13.75	83.29	-0.24
	07/19/01				13.14	83.90	0.61
	10/17/01				13.48	83.56	-0.34
	01/12/02				14.52	82.52	-1.04
	04/20/02				13.58	83.46	0.94
	07/24/02				13.18	83.86	0.40
	10/15/02				13.52	83.52	-0.34
	01/22/03				14.14	82.90	-0.62
	04/23/03				14.00	83.04	0.14
	07/16/03				14.44	82.60	-0.44
	10/15/03				13.93	83.11	0.51
	01/28/04				14.84	82.20	-0.91
	04/19/04				13.72	83.32	1.12
	07/16/04				15.19	81.85	-1.47
	10/29/04				14.13	82.91	1.06
	01/14/05				12.43	84.61	1.70
	04/15/05				11.99	85.05	0.44
	07/08/05				13.20	83.84	-1.21
	10/08/05				13.78	83.26	-0.58

Table 1 - Static Water Elevation Data, Schlumberger Oilfield Services Facility
Artesia, New Mexico

WELL NUMBER	DATE MEASURED	TOTAL WELL DEPTH (Ft)	MEASURING POINT	MEASURING POINT ELEVATION* (ft)	DEPTH TO GROUND WATER (ft)	STATIC WATER ELEVATION (Ft)	DIFFERENCE FROM PRIOR MEASUREMENT
MW-29 (Cont.)	01/18/06				14.37	82.67	-0.59
	04/18/06				14.56	82.48	-0.19
	07/11/06				15.11	81.93	-0.55
	10/10/06				15.87	81.17	-0.76
MW-30	07/17/98	25.00	Protective Casing	96.58	12.68	83.90	-
	10/27/98				13.12	83.46	-0.44
	02/09/99				14.88	81.70	-1.76
	04/21/99				13.38	83.20	1.50
	07/13/99				11.85	84.73	1.53
	10/19/99				12.28	84.30	-0.43
	01/26/00				14.00	82.58	-1.72
	04/18/00				13.21	83.37	0.79
	07/26/00				12.62	83.96	0.59
	10/19/00				12.32	84.26	0.30
	01/18/01				12.18	84.40	0.14
	04/12/01				12.44	84.14	-0.26
	07/19/01				11.91	84.67	0.53
	10/17/01				12.09	84.49	-0.18
	01/12/02				13.32	83.26	-1.23
	04/20/02				12.15	84.43	1.17
	07/24/02				11.92	84.66	0.23
	10/15/02				12.40	84.18	-0.48
	01/22/03				13.05	83.53	-0.65
	04/23/03				12.84	83.74	0.21
	07/16/03				13.35	83.23	-0.51
	10/15/03				12.40	84.18	0.95
	01/28/04				13.69	82.89	-1.29
	04/19/04				12.14	84.44	1.55
	07/16/04				14.42	82.16	-2.28
	10/29/04				12.77	83.81	1.65
	01/14/05				11.15	85.43	1.62
	04/15/05				10.83	85.75	0.32
	07/08/05				12.13	84.45	-1.30
	10/08/05				12.61	83.97	-0.48
	01/18/06				13.25	83.33	-0.64
	04/18/06				13.35	83.23	-0.10
	07/11/06				14.08	82.50	-0.73
	10/10/06				14.43	82.15	-0.35

NOTES:

NM = not measured

* = measured from a temporary benchmark of arbitrary elevation = 100.00 feet.
Benchmark is located on the concrete right up against the east shop wall,
at the northeast corner of the shop.

** = water level measurement may be in error

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-1	01/26/91	0.033	ND(0.005)	0.029	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.192	0.000
	09/15/91	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	0.000
	11/22/91	0.026	ND(0.001)	0.007	0.014	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.047	0.000
	03/16/93	0.016	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.000
	01/10/94	0.006	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
	04/19/94	0.035	0.001	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	07/20/94	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	10/25/94	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/25/95	0.025	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.000
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	08/01/95	0.082	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.090	0.000
	10/18/95	0.064	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.068	0.000
	01/10/96	0.076	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.083	0.000
	04/13/96	0.048	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000
	07/21/96	0.040	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.040	0.000
	10/22/96	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	0.000
	01/24/97	0.002	0.001	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	04/09/97	0.006	0.002	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.000
	07/30/97	0.018	0.004	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.022	0.000
	10/17/97	0.026	0.003	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	0.000
	10/19/99	ND(0.001)	0.002	0.004	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000
MW-2	10/19/00	0.001	0.017	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.000
	10/18/01	ND(0.001)	0.021	ND(0.001)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	0.000
	10/16/02	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/91	0.210	0.590	0.071	1.700	0.048	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.110	ND(0.001)	2.571	0.158
	Dup.	0.190	0.450	0.062	1.300	0.043	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.078	ND(0.001)	2.002	0.121
	09/15/91	0.120	0.050	0.006	0.690	0.100	ND(0.005)	0.005	ND(0.005)	0.023	ND(0.005)	0.150	ND(0.005)	0.866	0.278
	11/22/91	0.033	0.001	0.001	0.088	0.110	ND(0.001)	0.007	ND(0.001)	0.016	ND(0.001)	0.064	ND(0.001)	0.123	0.197
	03/16/93	0.019	ND(0.001)	ND(0.001)	ND(0.005)	0.060	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	0.028	ND(0.001)	0.019	0.093
	01/10/94	0.024	ND(0.001)	0.001	ND(0.005)	0.039	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.079	ND(0.001)	0.025	0.119
	04/19/94	0.045	0.004	ND(0.005)	ND(0.005)	0.028	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.048	ND(0.005)	0.049	0.077
	Dup.	0.043	0.005	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.052	ND(0.005)	0.048	0.083
	07/20/94	0.022	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.022	0.047
	10/25/94	0.045	0.008	ND(0.005)	ND(0.005)	0.030	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.037	ND(0.005)	0.053	0.068

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-		TOTAL		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-2 (Cont.)	01/25/95	0.057	0.022	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.079	0.079	0.103
	04/03/95	0.050	ND(0.005)	ND(0.005)	ND(0.005)	0.026	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	0.050	0.050	0.061
	08/01/95	0.032	0.021	ND(0.005)	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	0.053	0.053	0.060
	10/18/95	0.078	0.040	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.002	0.088	0.118	0.118	0.105
	10/18/95	0.081	0.045	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.097	0.126	0.126	0.117
	01/11/96	0.220	0.200	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.260	0.420	0.420	0.270
	04/13/96	0.095	0.130	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.140	0.335	0.335	0.140
	07/21/96	0.092	0.079	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.171	0.171	0.061
	10/22/96	0.014	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.026	0.026	0.018
	01/24/97	0.012	0.018	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.024	0.030	0.030	0.029
Dup.	04/09/97	0.015	0.029	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.007	0.034	0.044	0.044	0.043
	07/30/97	0.010	0.045	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.050	0.055	0.055	0.061
	10/17/97	0.004	0.024	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.008	0.031	0.028	0.028	0.040
	10/28/98	0.002	0.035	ND(0.005)	0.031	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.011	0.054	0.068	0.068	0.065
	10/28/98	ND(0.005)	0.043	ND(0.005)	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	0.061	0.043	0.043	0.073
	04/22/99	0.001	0.026	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	0.036	0.027	0.027	0.048
	10/20/99	ND(0.0025)	0.038	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.054	0.040	0.040	0.054
	10/20/99	ND(0.005)	0.035	0.002	ND(0.01)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.054	0.037	0.037	0.069
	10/19/00	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.013	0.002	0.002	0.015
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.014	0.000	0.000	0.018
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.016	0.000	0.000	0.021
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.000	0.000	0.016
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.000	0.006
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	0.000	0.000	0.009
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.089	0.000	0.000	0.107
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.072	0.000	0.000	0.087
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.017	0.000	0.000	0.020
MW-3	01/26/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	0.000
	09/15/91	0.200	1.200	1.200	14.000	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	0.330	ND(0.2)	ND(0.2)	16.600	16.600	0.330
	11/22/91	0.110	0.680	0.530	6.800	0.094	0.004	0.190	0.150	0.110	0.150	0.057	8.120	8.120	0.605
	03/16/93	ND(0.001)	1.000	0.650	8.600	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.260	ND(0.001)	ND(0.001)	10.250	10.250	0.260
	03/16/93	0.130	0.780	0.540	9.000	ND(0.001)	ND(0.001)	0.044	0.037	0.260	0.037	0.330	10.450	10.450	0.671
Dup.	07/01/93	0.140	1.000	0.520	9.100	0.140	ND(0.05)	ND(0.05)	ND(0.05)	0.160	ND(0.05)	ND(0.05)	10.760	10.760	0.300
	01/10/94	0.140	1.000	0.700	11.000	0.190	ND(0.1)	ND(0.1)	ND(0.1)	0.210	ND(0.1)	ND(0.1)	12.840	12.840	0.400
	04/19/94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.000	0.000	0.000
	07/20/94	0.092	0.460	0.160	3.000	0.077	0.002	0.036	0.064	0.069	0.064	0.011	3.712	3.712	0.259
	07/20/94	0.092	0.460	0.160	3.000	0.077	0.002	0.036	0.064	0.069	0.064	0.011	3.712	3.712	0.259

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-3 (Cont.)	10/25/94	0.130	0.130	0.960	0.250	4.200	0.200	ND(0.05)	0.064	ND(0.05)	ND(0.05)	0.130	0.210	ND(0.05)	5.540	0.604
Dup.	10/25/94	0.110	0.110	0.830	0.300	4.700	0.180	ND(0.05)	0.051	ND(0.05)	ND(0.05)	0.100	0.024	ND(0.05)	5.940	0.355
	01/25/95	ND(1)	ND(1)	0.810	ND(1)	7.100	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	7.910	0.000
Dup.	04/03/95	0.047	0.047	0.450	ND(0.025)	1.300	0.100	ND(0.025)	0.110	ND(0.025)	ND(0.025)	0.150	ND(0.025)	ND(0.025)	1.797	0.360
	04/03/95	0.047	0.047	0.450	ND(0.025)	1.200	0.100	ND(0.025)	0.120	ND(0.025)	ND(0.025)	0.150	ND(0.025)	ND(0.025)	1.697	0.370
*	08/01/95	0.088	0.088	0.950	0.190	6.500	0.230	ND(0.05)	0.089	ND(0.05)	ND(0.05)	0.081	ND(0.05)	ND(0.05)	7.728	0.400
	10/18/95	0.100	0.100	1.100	0.240	8.200	0.280	ND(0.05)	0.066	ND(0.05)	0.049	0.089	0.042	ND(0.05)	9.640	0.526
*	01/11/96	0.054	0.054	0.620	0.081	4.990	0.150	ND(0.05)	0.076	ND(0.05)	ND(0.05)	0.100	ND(0.05)	ND(0.05)	5.745	0.326
*	04/13/96	0.039	0.039	0.480	ND(0.005)	3.900	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.054	0.014	ND(0.005)	4.419	0.051
#	07/22/96	0.060	0.060	0.190	0.056	0.890	0.130	ND(0.005)	0.009	ND(0.005)	0.009	0.054	0.014	ND(0.005)	1.196	0.216
	10/22/96	ND(0.1)	ND(0.1)	0.580	ND(0.1)	3.500	0.150	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.080	0.150
	01/24/97	0.048	0.048	0.269	0.012	0.886	0.077	0.004	0.043	ND(0.010)	ND(0.010)	0.070	0.007	ND(0.010)	1.215	0.201
	04/09/97	0.034	0.034	0.137	ND(0.010)	0.146	0.065	ND(0.010)	0.064	ND(0.010)	ND(0.010)	0.107	0.013	ND(0.010)	0.318	0.249
	07/30/97	0.019	0.019	0.177	ND(0.010)	0.644	0.057	ND(0.010)	0.043	ND(0.010)	ND(0.010)	0.103	0.035	ND(0.010)	0.840	0.238
	10/17/97	0.044	0.044	0.464	0.041	3.300	0.069	ND(0.020)	0.016	ND(0.020)	ND(0.020)	0.018	0.016	ND(0.020)	3.849	0.119
	01/07/98	0.042	0.042	0.503	0.051	3.720	0.086	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	4.316	0.086
	04/15/98	0.018	0.018	0.078	ND(0.020)	0.431	0.055	ND(0.020)	0.044	ND(0.020)	ND(0.020)	0.080	ND(0.020)	ND(0.020)	0.527	0.179
Dup.	04/15/98	0.018	0.018	0.077	ND(0.020)	0.416	0.052	ND(0.020)	0.044	ND(0.020)	ND(0.020)	0.079	ND(0.020)	ND(0.020)	0.511	0.175
	07/18/98	0.009	0.009	0.036	ND(0.005)	0.027	0.050	ND(0.005)	0.052	ND(0.005)	ND(0.005)	0.083	0.022	ND(0.005)	0.072	0.207
	10/28/98	0.016	0.016	0.187	ND(0.020)	1.239	0.053	ND(0.020)	0.029	ND(0.020)	ND(0.020)	0.056	0.029	ND(0.020)	1.442	0.167
	02/09/99	0.016	0.016	0.117	0.012	0.763	0.051	0.002	0.036	ND(0.001)	ND(0.001)	0.051	0.024	ND(0.001)	0.908	0.164
	04/22/99	0.009	0.009	0.054	ND(0.0025)	0.084	0.049	ND(0.0025)	0.040	ND(0.0025)	ND(0.0025)	0.061	0.026	ND(0.0025)	0.147	0.176
	07/13/99	0.038	0.038	0.406	0.026	2.147	0.042	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.005	0.014	ND(0.0025)	2.617	0.070
	10/20/99	0.013	0.013	0.576	0.024	4.460	0.044	ND(0.010)	0.005	ND(0.010)	ND(0.010)	0.041	0.025	ND(0.010)	5.073	0.083
	01/26/00	0.013	0.013	0.153	ND(0.010)	0.365	0.052	ND(0.0025)	0.023	ND(0.0025)	ND(0.0025)	0.046	0.030	ND(0.0025)	0.531	0.141
Dup.	04/21/00	0.005	0.005	0.027	ND(0.0025)	0.024	0.046	ND(0.0025)	0.027	ND(0.0025)	ND(0.0025)	0.046	0.030	ND(0.0025)	0.056	0.149
	04/21/00	0.005	0.005	0.027	ND(0.0025)	0.021	0.046	ND(0.0025)	0.027	ND(0.0025)	ND(0.0025)	0.046	0.030	ND(0.0025)	0.053	0.149
	07/27/00	0.019	0.019	0.549	0.014	2.720	0.040	ND(0.005)	0.007	ND(0.005)	ND(0.005)	0.009	0.026	ND(0.005)	3.302	0.088
	10/19/00	0.003	0.003	0.012	ND(0.0025)	0.024	0.031	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.021	0.020	ND(0.0025)	0.039	0.095
	01/18/01	0.010	0.010	0.020	ND(0.005)	0.016	0.046	ND(0.005)	0.017	ND(0.005)	ND(0.005)	0.022	0.044	ND(0.005)	0.046	0.129
	04/12/01	0.013	0.013	ND(0.005)	ND(0.005)	0.019	0.050	ND(0.005)	0.011	ND(0.005)	ND(0.005)	0.017	0.023	ND(0.005)	0.032	0.101
Dup.	04/12/01	0.016	0.016	0.005	ND(0.005)	0.022	0.019	ND(0.005)	0.013	ND(0.005)	ND(0.005)	0.018	0.024	ND(0.005)	0.043	0.074
	07/19/01	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.042	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.011	0.012	ND(0.01)	0.000	0.065
MW-4	01/26/91	0.098	0.098	0.011	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.134	0.000
	09/15/91	0.260	0.260	ND(0.002)	ND(0.002)	0.015	0.006	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.275	0.006
	11/22/91	0.180	0.180	0.100	0.001	0.037	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.318	0.019
	03/16/93	0.072	0.072	0.051	ND(0.001)	ND(0.005)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.123	0.001
	01/10/94	0.064	0.064	0.074	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.138	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-4 (Cont.)	04/19/94	0.074	0.085	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.162	0.000
	07/20/94	0.100	0.053	ND(0.005)	0.005	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.158	0.000
	10/25/94	0.140	0.260	ND(0.005)	0.004	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.005	0.404	0.005
	01/25/95	0.150	0.400	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.550	0.000
	04/03/95	0.100	0.190	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.290	0.000
	08/01/95	0.069	0.570	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	ND(0.005)	ND(0.005)	0.639	0.005
	10/18/95	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.000
	01/11/96	ND(0.005)	0.036	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	0.000
	04/13/96	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.000
	04/13/96	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.000
Dup. #	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/20/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.010	0.014	0.017
	09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	0.001	0.023
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	0.000	0.023
MW-5	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.003	ND(0.001)	0.001	0.026	0.026	0.026	0.085	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.015	0.025	0.034
	04/19/94	0.070	0.111	ND(0.005)	ND(0.005)	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	0.025	0.081	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.039	0.039	0.261	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.006	0.043	0.043	0.397	0.073
	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.008	0.043	0.043	0.299	0.073
	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.018	0.093	0.093	0.590	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	0.062	0.477	0.077
	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.010	0.014	0.017
	09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	0.001	0.023
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	0.000	0.023
Dup.	03/16/93	0.078	0.007	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.003	ND(0.001)	0.001	0.026	0.026	0.026	0.085	0.043
	01/10/94	0.025	ND(0.001)	ND(0.001)	ND(0.005)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	0.015	0.025	0.034
	04/19/94	0.070	0.111	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	0.025	0.025	0.081	0.025
	07/20/94	0.220	0.041	ND(0.005)	ND(0.005)	0.026	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.006	0.039	0.039	0.261	0.040
	07/20/94	0.320	0.076	ND(0.005)	0.001	0.026	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.006	0.043	0.043	0.397	0.073
	10/25/94	0.240	0.059	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.008	0.043	0.043	0.299	0.073
	01/25/95	0.460	0.130	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.018	0.093	0.093	0.590	0.136
	04/03/95	0.390	0.087	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	0.062	0.062	0.477	0.077
	01/26/91	0.014	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.002	ND(0.001)	0.001	ND(0.001)	0.010	0.010	0.014	0.017
	09/15/91	ND(0.001)	0.001	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	0.001	0.023
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.018	0.000	0.023

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL- BENZENE			TOTAL XYLENES			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)										
MW-5 (Cont.)	08/01/95	0.170	0.082	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	0.049	0.252	0.252	0.080
	10/18/95	0.200	0.093	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.054	0.293	0.293	0.086
	01/11/96	0.078	0.012	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.025	0.090	0.090	0.033
	04/13/96	0.068	0.037	ND(0.005)	0.027	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.132	0.132	0.025
	07/21/96	0.092	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.025	0.149	0.149	0.025
	10/22/96	0.066	0.023	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	0.089	0.089	0.020
	01/24/97	0.031	0.025	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.019	0.056	0.056	0.024
	04/09/97	0.040	0.040	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.028	0.080	0.080	0.035
	07/30/97	0.018	0.044	ND(0.002)	ND(0.004)	0.002	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.029	0.062	0.062	0.034
	10/17/97	0.016	0.048	ND(0.002)	ND(0.004)	0.001	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	0.033	0.064	0.064	0.038
	10/28/98	0.006	0.009	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.027	0.015	0.015	0.033
	10/20/99	0.012	0.008	0.002	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.034	0.022	0.022	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.006	0.000	0.000	0.008
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	0.000	0.000	0.006
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.011	0.000	0.014	0.014
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.003	0.003
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.003	0.003
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.002	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000	0.000
MW-6	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.170	0.007	ND(0.001)	ND(0.001)	0.083	0.000	0.000	0.267
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.084	ND(0.001)	ND(0.001)	ND(0.001)	0.043	0.000	0.000	0.133
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.064	ND(0.001)	ND(0.001)	ND(0.001)	0.035	0.000	0.104	0.104
Dup.	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.098	0.001	ND(0.001)	ND(0.001)	0.056	0.000	0.000	0.162
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	ND(0.001)	ND(0.001)	0.140	0.002	ND(0.001)	ND(0.001)	0.120	0.000	0.000	0.279
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.070	0.002	ND(0.005)	ND(0.005)	0.072	0.000	0.000	0.157
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.098	0.001	ND(0.005)	ND(0.005)	0.065	0.000	0.000	0.173
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.110	0.001	ND(0.005)	ND(0.005)	0.073	0.000	0.000	0.197
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	ND(0.005)	ND(0.005)	0.059	0.000	0.000	0.150
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.065	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.134
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.137
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.060	ND(0.005)	ND(0.005)	ND(0.005)	0.030	0.000	0.000	0.103
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	0.029	0.000	0.000	0.093
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.000	0.075
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.047	ND(0.005)	ND(0.005)	ND(0.005)	0.021	0.000	0.000	0.080
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.064
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.041	ND(0.005)	ND(0.005)	ND(0.005)	0.016	0.000	0.000	0.070
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.000	0.000	0.041
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	ND(0.002)	ND(0.002)	0.025	ND(0.002)	ND(0.002)	ND(0.002)	0.009	0.000	0.000	0.044

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-6 (Cont.)	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.006	ND(0.002)	0.016	ND(0.001)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	0.000	0.030
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	0.023	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.001)	0.000	0.041
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.007	ND(0.002)	0.016	ND(0.002)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	0.000	0.031
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.000	0.044
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.031
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.003
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-7	01/26/91	0.006	ND(0.001)	ND(0.001)	ND(0.005)	0.021	ND(0.001)	0.260	ND(0.001)	0.010	0.068	0.200	ND(0.001)	0.006	0.559
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.005)	0.038	ND(0.001)	0.320	ND(0.001)	0.005	0.069	0.270	ND(0.001)	0.009	0.702
	09/15/91	0.009	ND(0.001)	ND(0.001)	ND(0.005)	0.034	ND(0.001)	0.310	ND(0.001)	0.006	0.069	0.280	ND(0.001)	0.009	0.699
	11/22/91	0.009	ND(0.005)	ND(0.005)	ND(0.025)	0.035	ND(0.005)	0.360	ND(0.005)	ND(0.005)	0.053	0.310	ND(0.005)	0.009	0.758
	03/16/93	0.007	ND(0.001)	ND(0.001)	ND(0.005)	0.027	ND(0.001)	0.280	ND(0.001)	0.002	0.050	0.160	ND(0.001)	0.007	0.519
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.023	ND(0.001)	0.210	ND(0.001)	0.004	0.046	0.160	ND(0.001)	0.005	0.443
	04/19/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.120	ND(0.005)	0.003	0.038	0.120	ND(0.005)	0.007	0.302
	07/20/94	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.220	ND(0.005)	0.003	0.040	0.160	ND(0.005)	0.006	0.441
	10/25/94	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230	ND(0.005)	ND(0.005)	0.050	0.240	ND(0.005)	0.007	0.553
	10/25/94	0.006	ND(0.025)	ND(0.025)	ND(0.025)	0.026	ND(0.025)	0.200	ND(0.025)	ND(0.025)	0.045	0.230	ND(0.025)	0.006	0.501
	01/25/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.210	ND(0.005)	0.002	0.041	0.330	ND(0.005)	0.005	0.610
	04/03/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.290	ND(0.005)	ND(0.005)	0.038	0.260	ND(0.005)	0.006	0.617
Dup.	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.038	ND(0.005)	0.300	ND(0.005)	ND(0.005)	0.051	0.250	ND(0.005)	0.000	0.639
	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.300	ND(0.005)	0.002	0.045	0.300	ND(0.005)	0.005	0.671
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.260	ND(0.005)	ND(0.005)	0.035	0.250	ND(0.005)	0.006	0.572
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.370	ND(0.005)	ND(0.005)	0.030	0.260	ND(0.005)	0.006	0.687
	07/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.280	ND(0.005)	ND(0.005)	0.026	0.220	ND(0.005)	0.006	0.555
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.028	ND(0.010)	0.350	ND(0.010)	ND(0.010)	0.023	0.260	ND(0.010)	0.000	0.661
	01/24/97	0.005	ND(0.001)	ND(0.001)	ND(0.002)	0.021	0.001	0.244	0.001	0.002	0.019	0.203	ND(0.001)	0.005	0.490
	04/09/97	0.005	ND(0.002)	ND(0.002)	ND(0.004)	0.022	ND(0.002)	0.186	ND(0.002)	ND(0.002)	0.017	0.148	ND(0.002)	0.005	0.373
	07/30/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.023	ND(0.010)	0.236	ND(0.010)	ND(0.010)	0.019	0.255	ND(0.010)	0.005	0.533
	10/17/97	0.005	ND(0.010)	ND(0.010)	ND(0.020)	0.029	ND(0.010)	0.255	ND(0.010)	ND(0.010)	0.020	0.153	ND(0.010)	0.005	0.457
	10/28/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.024	ND(0.010)	0.193	ND(0.010)	ND(0.010)	0.031	0.251	ND(0.010)	0.004	0.499
	04/22/99	0.005	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.255	ND(0.005)	ND(0.005)	0.043	0.275	ND(0.005)	0.005	0.607
dup.	10/19/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.034	ND(0.005)	0.184	ND(0.005)	ND(0.005)	0.045	0.198	ND(0.005)	0.000	0.461
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.036	ND(0.0025)	0.208	ND(0.0025)	ND(0.0025)	0.034	0.209	ND(0.0025)	0.003	0.487
	10/19/00	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.204	ND(0.0025)	ND(0.0025)	0.032	0.237	ND(0.0025)	0.003	0.506

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-7 (Cont.)	10/18/01	0.003	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.024	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.009	0.170	ND(0.0025)	0.003	0.373
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.025	ND(0.0025)	0.140	ND(0.0025)	ND(0.0025)	0.010	0.120	ND(0.0025)	0.000	0.295
Dup.	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.018	ND(0.0025)	0.098	ND(0.0025)	0.006	ND(0.0025)	0.074	ND(0.0025)	0.000	0.196
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.008	0.120	ND(0.001)	0.001	0.264
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.089	ND(0.001)	ND(0.001)	0.008	0.071	ND(0.001)	0.000	0.185
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.001	0.025	ND(0.001)	0.000	0.058
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.034
MW-8	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)		0.015		0.004	0.001	0.003		0.005	0.023
	09/15/91	0.007	ND(0.001)	ND(0.001)	ND(0.005)	0.017	ND(0.001)	0.101		0.007	0.039	0.050		0.007	0.214
	11/22/91	0.004	ND(0.001)	ND(0.001)	ND(0.005)	0.020	ND(0.001)	0.087		0.003	0.045	0.063		0.004	0.218
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054		0.005	0.006	0.009		0.000	0.078
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.004	ND(0.001)	0.054		0.004	0.006	0.006		0.000	0.074
Dup.	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.005	ND(0.001)	0.073		0.004	0.008	0.010		0.000	0.100
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.039		0.004	0.004	0.007		0.000	0.058
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.004	ND(0.005)	0.069		0.005	0.006	0.011		0.000	0.095
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.082		ND(0.005)	0.010	0.019		0.000	0.119
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.076		0.006	0.011	0.022		0.000	0.122
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.074		ND(0.005)	0.008	0.017		0.000	0.105
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.110		ND(0.005)	0.023	0.053		0.000	0.201
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.081		0.002	0.015	0.044		0.000	0.151
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.069		ND(0.005)	0.006	0.019		0.000	0.094
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	0.099		ND(0.005)	0.011	0.036		0.000	0.153
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	ND(0.005)	0.087		ND(0.005)	0.010	0.035		0.000	0.138
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.150		ND(0.005)	0.035	0.089		0.000	0.296
Dup.	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.140		ND(0.005)	0.030	0.072		0.000	0.262
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.019	0.001	0.081		0.002	0.017	0.018		0.001	0.138
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.017	0.001	0.088		0.002	0.014	0.017		0.001	0.139
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.015	ND(0.002)	0.097		ND(0.002)	0.019	0.028		0.001	0.158
	07/30/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.105		ND(0.002)	0.015	0.048		0.001	0.180
Dup.	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.011	ND(0.002)	0.106		0.002	0.015	0.055		0.000	0.189
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.010	ND(0.002)	0.104		ND(0.002)	0.010	0.026		0.001	0.150
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.003	ND(0.005)	0.111		ND(0.005)	ND(0.005)	0.010		0.000	0.124
Dup.	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.003	ND(0.01)	0.128		ND(0.01)	ND(0.01)	0.009		0.000	0.140
	04/22/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.003	ND(0.0025)	0.152		0.002	ND(0.0025)	0.007		0.000	0.164
	10/19/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)		0.135		ND(0.0025)	ND(0.0025)	0.002		0.000	0.137
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.006	ND(0.0025)	0.104		ND(0.0025)	0.004	0.008	ND(0.0025)	0.000	0.122
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020		ND(0.001)	0.012	0.018	ND(0.001)	0.000	0.070
	10/16/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.045	ND(0.001)	0.045		ND(0.001)	0.025	0.041	ND(0.001)	0.001	0.161

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)										
MW-8 (Cont.)	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.036	0.004	ND(0.001)	0.015	0.034	ND(0.001)	0.000	0.117
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.039	0.003	ND(0.001)	0.017	0.046	ND(0.001)	0.000	0.132
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.038	0.002	ND(0.001)	0.014	0.038	ND(0.001)	0.000	0.116
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.025	0.003	ND(0.001)	0.015	0.023	ND(0.001)	0.000	0.092
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.024	0.006	ND(0.001)	0.016	0.031	ND(0.001)	0.000	0.106
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.024	0.006	ND(0.001)	0.016	0.028	ND(0.001)	0.000	0.101
Dup.	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.020	0.005	ND(0.001)	0.014	0.019	ND(0.001)	0.000	0.076
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.019	0.005	ND(0.001)	0.013	0.024	ND(0.001)	0.000	0.082
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.013	0.004	ND(0.001)	0.011	0.011	ND(0.001)	0.000	0.054
MW-9	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.022	ND(0.001)	0.002		ND(0.001)	ND(0.001)	0.001		0.000	0.025
	09/15/91	0.002	0.032		ND(0.001)	ND(0.005)	ND(0.005)	0.035	ND(0.001)	0.002		ND(0.001)	ND(0.001)	ND(0.001)		0.034	0.037
	11/22/91	0.004	0.170		ND(0.001)	ND(0.005)	ND(0.005)	0.029	ND(0.001)	0.002		ND(0.001)	ND(0.001)	0.001		0.174	0.032
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.005)	0.012	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.013
	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.005)	ND(0.005)	0.012	ND(0.001)	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)		0.002	0.012
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.010
*	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.001	0.001	0.017	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.001	0.017
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.014
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.014
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.015
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.022
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.016	0.017
#	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.032	0.020
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.020
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.021
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	ND(0.005)		ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.024
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.019	ND(0.001)	0.002		ND(0.001)	0.002	0.001		0.001	0.024
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.022	ND(0.001)	0.002		ND(0.001)	0.002	0.001		0.001	0.027
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.020	ND(0.002)	0.001		ND(0.002)	0.001	ND(0.002)		0.000	0.022
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.018	ND(0.001)	0.001		ND(0.001)	0.001	ND(0.001)		0.000	0.020
	10/28/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	0.005	ND(0.002)	ND(0.002)		ND(0.002)	ND(0.002)	ND(0.002)		0.000	0.005
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.004	ND(0.001)	0.001		ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.005
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.008
	10/18/01	0.009	0.290		ND(0.001)	0.173	0.173	0.030	ND(0.001)	0.003	0.001	ND(0.001)	0.003	0.004	ND(0.001)	0.472	0.041
	04/20/02	0.002	0.059		0.003	0.070	0.070	0.013	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.008	ND(0.001)	0.134	0.024
	07/24/02	0.001	0.034		0.001	0.044	0.044	0.011	ND(0.001)	0.002	0.001	ND(0.001)	0.009	0.011	ND(0.001)	0.080	0.034
	10/16/02	0.002	0.050		0.002	0.069	0.069	0.012	ND(0.001)	0.002	0.002	ND(0.001)	0.008	0.010	ND(0.001)	0.123	0.034
	01/23/03	0.001	0.047		0.003	0.072	0.072	0.013	ND(0.001)	0.002	0.002	ND(0.001)	0.007	0.011	ND(0.001)	0.123	0.035
	04/24/03	0.002	0.120		0.006	0.250	0.250	0.012	ND(0.001)	0.002	0.002	ND(0.001)	0.005	0.010	ND(0.001)	0.378	0.031

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-9 (Cont.)	07/18/03	0.008	0.360	0.028	0.550	0.026	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.008	ND(0.0025)	0.946	0.041
	10/16/03	0.003	0.240	0.015	0.630	0.018	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.004	0.012	ND(0.0025)	0.888	0.037
	10/16/03	0.003	0.260	0.015	0.650	0.018	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.011	ND(0.0025)	0.928	0.033
	01/29/04	ND(0.0025)	0.110	0.004	0.240	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.004	0.013	ND(0.0025)	0.354	0.028
Dup.	04/19/04	ND(0.0025)	0.051	ND(0.0025)	0.070	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.006	0.012	ND(0.0025)	0.121	0.027
	10/29/04	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.006	ND(0.001)	0.002	0.017
	10/29/04	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.007	ND(0.001)	0.003	0.019
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.005	ND(0.001)	0.000	0.016
Dup.	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.010	0.005	ND(0.001)	0.002	0.020
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.010	0.004	ND(0.001)	0.000	0.021
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.001	0.004	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.001	0.014
	10/08/05	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.010	0.003	ND(0.001)	0.000	0.022
Dup.	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.009	0.003	ND(0.001)	0.000	0.020
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.013	0.003	ND(0.001)	0.000	0.025
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.007	0.002	ND(0.001)	0.000	0.019
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.006	0.002	ND(0.001)	0.000	0.016
MW-10	01/26/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.014
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.034
	03/16/93	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.026
Dup.	01/10/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.021
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.023
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.056
	10/25/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.051
Dup.	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.042	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.042
	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.057	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.062
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.070
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.137
Dup.	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.136
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.063
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.170
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.250	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.250
Dup.	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.181	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.187
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.181	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.187
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	0.158	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.163
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	0.156	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.160
Dup.	10/17/97	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.010)	ND(0.010)	0.196	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.200
	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	ND(0.010)	ND(0.010)	0.111	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.000	0.111

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-10 (Cont.)	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.098		0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.099
	10/19/99	ND(0.0025)	ND(0.0025)	0.002	ND(0.005)	ND(0.0025)	ND(0.0025)	0.080		ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.080
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.005)	ND(0.005)	0.082	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.082
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.068	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.000	0.068
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.037
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.035	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.037
Dup.	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.018
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.015
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.008	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)		ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
MW-11	01/26/91	0.010	ND(0.005)	ND(0.005)	ND(0.025)	0.045	ND(0.005)	0.310		ND(0.005)	0.140	0.360		0.010	0.855
	09/15/91	0.056	ND(0.001)	ND(0.001)	ND(0.005)	0.068	ND(0.001)	0.470		0.017	0.120	0.330		0.056	1.005
	11/22/91	0.048	ND(0.001)	ND(0.001)	ND(0.005)	0.052	ND(0.001)	0.390		0.018	0.110	0.320		0.048	0.890
	03/16/93	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.040	ND(0.001)	0.220		0.004	0.074	0.160		0.005	0.498
	01/10/94	0.005	ND(0.001)	ND(0.001)	ND(0.005)	0.042	ND(0.001)	0.250		ND(0.001)	0.083	0.320		0.005	0.695
	04/19/94	0.009	ND(0.005)	0.002	ND(0.005)	0.042	ND(0.005)	0.170		0.006	0.079	0.170		0.011	0.467
	07/20/94	ND(0.025)	ND(0.025)	ND(0.025)	ND(0.025)	0.057	ND(0.025)	0.460		0.010	0.120	0.360		0.000	1.007
	10/25/94	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.067	0.001	0.220		ND(0.005)	0.110	0.300		0.009	0.698
	01/25/95	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.240		0.014	0.120	0.360		0.012	0.806
	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.410		0.013	0.100	0.430		0.009	1.015
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.360		0.014	0.063	0.330		0.007	0.817
	08/01/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.310		0.015	0.071	0.340		0.007	0.787
Dup.	10/18/95	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.043	ND(0.005)	0.270		0.010	0.057	0.330		0.005	0.710
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.033	ND(0.005)	0.230		0.011	0.043	0.310		0.000	0.627
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.240		ND(0.005)	0.020	0.230		0.000	0.490
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.035	ND(0.005)	0.200		0.008	0.036	0.260		0.000	0.539
	10/22/96	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.010)	0.034	ND(0.010)	0.230		ND(0.010)	0.029	0.260		0.000	0.553
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.029	0.001	0.157		0.008	0.026	0.212		0.002	0.433
	04/09/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.033	ND(0.002)	0.128		0.008	0.027	0.180		0.002	0.375
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.032	ND(0.005)	0.102		0.006	0.032	0.170		0.000	0.342
	10/17/97	0.003	ND(0.010)	ND(0.010)	ND(0.020)	0.048	ND(0.010)	0.142		0.005	0.031	0.063		0.003	0.289
	01/07/98	0.004	ND(0.010)	ND(0.010)	ND(0.020)	0.054	ND(0.010)	0.145		0.005	0.049	0.176		0.004	0.429
	04/15/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.061	ND(0.010)	0.155		0.006	0.053	0.200		0.004	0.475
	07/18/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.071	ND(0.010)	0.130		ND(0.010)	0.057	0.151		0.000	0.397
Dup.	10/28/98	ND(0.010)	ND(0.010)	ND(0.010)	ND(0.020)	0.072	ND(0.010)	0.110		ND(0.010)	0.064	0.143		0.000	0.398
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.070	0.001	0.130		0.002	0.070	0.157		0.000	0.376
	02/09/99	0.004	ND(0.001)	ND(0.001)	ND(0.002)	0.083	0.001	0.143		0.002	0.071	0.149		0.004	0.430
	02/09/99													0.004	0.449

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-11 (Cont.)	04/22/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.090	ND(0.0025)	0.123		ND(0.0025)	0.067	0.117		0.004	0.397
	07/13/99	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.069	ND(0.0025)	0.116		ND(0.0025)	0.058	0.130		0.004	0.373
	10/19/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.059	ND(0.0025)	0.094		ND(0.0025)	0.047	0.112		0.003	0.312
	01/26/00	0.003	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.068	ND(0.005)	0.121		ND(0.005)	0.058	0.127		0.003	0.374
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.081	ND(0.005)	0.123		ND(0.005)	0.065	0.145		0.000	0.414
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.067	ND(0.005)	0.093	0.008	ND(0.005)	0.054	0.104	ND(0.005)	0.000	0.326
	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.073	ND(0.005)	0.096	0.009	ND(0.001)	0.055	0.096	ND(0.001)	0.002	0.329
	10/19/00	0.004	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.0025)	ND(0.005)	0.079	ND(0.0025)	0.143	0.003	0.003	0.061	0.117	ND(0.0025)	0.004	0.406
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.072	ND(0.005)	0.066	ND(0.005)	ND(0.005)	0.040	0.099	ND(0.005)	0.000	0.277
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.066	ND(0.005)	ND(0.005)	0.040	0.097	ND(0.005)	0.000	0.276
Dup.	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.061	ND(0.005)	0.047	ND(0.005)	ND(0.005)	0.038	0.076	ND(0.005)	0.000	0.222
	07/19/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.068	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.027	0.047	ND(0.001)	0.000	0.179
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.073	ND(0.0025)	0.036	ND(0.0025)	ND(0.0025)	0.037	0.048	ND(0.0025)	0.000	0.194
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.038	ND(0.005)	ND(0.005)	0.036	0.050	ND(0.005)	0.000	0.200
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.069	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.030	0.054	ND(0.001)	0.000	0.192
	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.062	ND(0.001)	0.030	ND(0.001)	0.001	0.026	0.043	ND(0.001)	0.001	0.162
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.075	ND(0.0025)	0.029	ND(0.0025)	ND(0.0025)	0.031	0.041	ND(0.0025)	0.000	0.176
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.066	ND(0.001)	0.037	ND(0.001)	ND(0.001)	0.031	0.044	ND(0.001)	0.001	0.178
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.053	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.030	0.038	ND(0.001)	0.001	0.153
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.048	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.140
Dup.	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.049	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.021	0.041	ND(0.001)	0.000	0.143
	10/15/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.065	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.039	0.034	ND(0.001)	0.002	0.179
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.055	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.022	0.042	ND(0.001)	0.000	0.141
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.044	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.032	0.029	ND(0.001)	0.000	0.132
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.051	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.031	0.026	ND(0.001)	0.001	0.133
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.050	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.027	0.030	ND(0.001)	0.000	0.128
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.034	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.021	0.013	ND(0.001)	0.000	0.087
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.008	0.004	ND(0.001)	0.000	0.017
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.008	0.009	ND(0.001)	0.000	0.039
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.040
Dup.	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.012	0.011	ND(0.001)	0.000	0.044
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.007	0.012	ND(0.001)	0.000	0.045
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.007	0.010	ND(0.001)	0.000	0.046
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.009	0.006	ND(0.001)	0.000	0.042

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-12	01/26/91	0.260	0.950	0.230	4.500	0.140	ND(0.025)	ND(0.025)	0.057	0.073	0.042	0.042	0.042	5.940	0.312
*	09/15/91	0.150	0.620	0.630	2.200	0.120	ND(0.001)	0.300	0.110	0.200	0.061	0.061	0.061	3.600	0.791
	11/22/91	0.110	0.430	0.034	0.810	0.110	0.002	0.240	0.100	0.260	0.051	0.051	0.051	1.384	0.763
	03/16/93	0.160	0.800	0.014	1.000	0.120	ND(0.001)	0.039	0.055	0.036	0.018	0.018	0.018	1.974	0.268
	01/10/94	0.160	0.870	0.026	0.990	0.150	ND(0.01)	0.075	0.053	0.070	0.024	0.024	0.024	2.046	0.372
	04/19/94	0.110	0.110	0.049	0.250	0.110	0.002	0.064	0.065	0.073	0.033	0.033	0.033	0.519	0.347
	07/20/94	0.160	0.720	0.071	0.610	0.150	ND(0.025)	0.073	0.075	0.086	0.022	0.022	0.022	1.561	0.406
*	10/25/94	0.096	0.660	ND(0.025)	0.100	0.160	ND(0.025)	0.085	ND(0.025)	0.120	0.015	0.015	0.015	0.856	0.380
	01/25/95	0.160	0.680	0.089	0.660	0.190	ND(0.005)	0.120	0.095	0.076	0.069	0.069	0.069	1.589	0.550
Dup.	01/25/95	0.140	0.850	0.075	0.860	0.150	ND(0.005)	0.090	0.075	0.062	0.053	0.053	0.053	1.925	0.430
	04/03/95	0.150	0.790	0.200	1.100	0.160	ND(0.005)	0.110	0.096	0.043	0.056	0.056	0.056	2.240	0.465
	08/01/95	0.130	0.700	0.280	1.400	0.170	ND(0.025)	0.150	0.079	0.098	0.059	0.059	0.059	2.510	0.556
*	10/18/95	0.140	0.990	0.360	2.030	0.170	ND(0.005)	0.100	0.100	0.058	0.050	0.050	0.050	3.520	0.478
	01/11/96	0.100	0.680	0.180	1.840	0.140	ND(0.005)	0.097	0.059	0.060	0.048	0.048	0.048	2.800	0.404
*	04/13/96	0.098	0.620	0.180	0.690	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.023	0.023	0.023	0.023	1.588	0.173
#	07/22/96	0.130	0.920	0.310	1.790	0.160	ND(0.005)	0.087	0.170	0.045	0.046	0.046	0.046	3.150	0.508
	10/22/96	ND(0.1)	0.830	0.190	1.800	0.190	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	2.820	0.190
	01/24/97	0.093	0.822	0.133	1.738	0.162	ND(0.010)	0.046	0.060	0.037	0.039	0.039	0.039	2.786	0.344
	04/09/97	0.086	0.920	0.138	1.869	0.159	ND(0.020)	0.040	0.051	0.046	0.039	0.039	0.039	3.013	0.334
	04/09/97	0.079	0.855	0.129	1.837	0.159	ND(0.010)	0.040	0.054	0.047	0.039	0.039	0.039	2.900	0.339
Dup.	07/30/97	0.090	0.969	0.127	2.294	0.136	ND(0.020)	0.035	0.062	0.036	0.043	0.043	0.043	3.480	0.312
	10/17/97	0.178	1.290	0.853	5.540	0.185	ND(0.050)	0.061	0.186	ND(0.050)	0.045	0.045	0.045	7.861	0.477
	10/28/98	0.064	1.150	ND(0.1)	0.745	0.141	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	ND(0.1)	1.959	0.141
	04/22/99	0.075	1.150	ND(0.025)	0.612	0.171	ND(0.025)	0.031	0.040	0.034	0.034	0.034	0.034	1.837	0.310
	04/22/99	0.063	0.953	0.008	0.546	0.140	ND(0.005)	0.017	0.039	0.022	0.017	0.017	0.017	1.570	0.235
	10/19/99	0.051	1.090	ND(0.025)	0.176	0.207	ND(0.025)	0.017	ND(0.025)	0.027	ND(0.025)	ND(0.025)	ND(0.025)	1.317	0.251
Dup.	10/19/99	0.049	1.100	ND(0.025)	0.151	0.208	ND(0.025)	0.017	ND(0.025)	0.026	ND(0.025)	ND(0.025)	ND(0.025)	1.300	0.251
	10/19/00	0.035	0.863	ND(0.025)	0.107	0.192	ND(0.025)	ND(0.025)	ND(0.025)	0.027	ND(0.025)	ND(0.025)	ND(0.025)	1.005	0.219
Dup.	10/19/00	0.034	0.835	ND(0.025)	0.103	0.184	ND(0.025)	ND(0.025)	ND(0.025)	0.017	0.017	0.017	0.017	0.972	0.184
	10/18/01	0.019	0.130	ND(0.005)	0.295	0.080	ND(0.005)	0.011	ND(0.005)	0.018	0.028	0.028	0.028	0.444	0.154
	04/20/02	0.029	0.160	ND(0.005)	0.308	0.083	ND(0.005)	0.020	ND(0.005)	0.024	0.021	0.037	0.037	0.497	0.185
Dup.	04/20/02	0.027	0.140	ND(0.005)	0.295	0.080	ND(0.005)	0.017	ND(0.005)	0.022	0.020	0.034	0.034	0.462	0.173
	07/24/02	0.043	0.280	ND(0.005)	0.213	0.100	ND(0.005)	0.017	ND(0.005)	0.021	0.018	0.033	0.033	0.536	0.189
	10/16/02	0.018	0.130	ND(0.005)	0.603	0.068	ND(0.005)	0.013	ND(0.005)	0.011	0.016	0.020	0.020	0.751	0.128
	01/23/03	0.032	0.230	ND(0.005)	0.129	0.110	ND(0.005)	0.013	ND(0.005)	0.011	0.017	0.032	0.032	0.391	0.183
	04/24/03	0.020	0.170	ND(0.025)	0.065	0.070	ND(0.025)	0.005	ND(0.025)	0.006	0.012	0.023	0.023	0.255	0.116
Dup.	04/24/03	0.018	0.012	ND(0.001)	0.051	0.068	ND(0.001)	0.005	ND(0.001)	0.006	0.012	0.021	0.021	0.081	0.112
	07/17/03	0.044	0.400	ND(0.0025)	0.270	0.130	ND(0.0025)	0.009	ND(0.0025)	0.009	0.014	0.034	0.034	0.714	0.196
	10/16/03	0.003	0.036	ND(0.0025)	0.063	0.046	ND(0.0025)	0.005	ND(0.0025)	0.011	0.018	0.018	0.018	0.102	0.080

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE		TOLUENE (mg/L)	TOTAL XYLENES		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
			BENZENE (mg/L)	BENZENE (mg/L)		TOLUENE (mg/L)	XYLENES (mg/L)										
MW-12 (Cont.)	01/29/04	0.024	0.230	ND(0.001)	0.600	0.080	ND(0.001)	0.010	ND(0.001)	0.010	ND(0.001)	0.005	0.011	0.025	ND(0.001)	0.854	0.131
	04/19/04	0.020	0.170	ND(0.001)	0.230	0.071	ND(0.001)	0.010	ND(0.001)	0.010	ND(0.001)	0.002	0.015	0.023	ND(0.001)	0.420	0.121
	07/16/04	0.043	0.420	ND(0.0025)	0.530	0.130	ND(0.0025)	0.016	ND(0.0025)	0.016	ND(0.0025)	0.005	0.020	0.034	ND(0.0025)	0.993	0.205
	10/29/04	0.015	0.140	ND(0.0025)	0.016	0.088	ND(0.0025)	0.010	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.017	0.019	ND(0.0025)	0.171	0.134
	01/14/05	0.029	0.270	ND(0.0025)	0.181	0.110	ND(0.0025)	0.011	ND(0.0025)	0.011	ND(0.0025)	ND(0.0025)	0.012	0.024	ND(0.0025)	0.480	0.157
	04/16/05	0.028	0.280	ND(0.0025)	0.153	0.110	ND(0.0025)	0.004	ND(0.0025)	0.004	ND(0.0025)	ND(0.0025)	0.013	0.026	ND(0.0025)	0.461	0.153
	07/08/05	0.039	0.430	ND(0.0025)	0.123	0.120	ND(0.0025)	0.003	ND(0.0025)	0.003	ND(0.0025)	ND(0.0025)	0.013	0.044	ND(0.0025)	0.592	0.180
	10/08/05	0.057	0.660	ND(0.0025)	0.349	0.190	ND(0.0025)	0.007	ND(0.0025)	0.007	ND(0.0025)	ND(0.0025)	0.014	0.052	ND(0.0025)	1.066	0.263
	01/18/06	0.010	0.094	ND(0.005)	0.176	0.041	ND(0.005)	0.006	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.011	0.016	ND(0.005)	0.104	0.074
	04/18/06	0.021	0.320	ND(0.0025)	0.109	0.069	ND(0.0025)	0.006	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	0.010	0.026	ND(0.0025)	0.517	0.110
Dup.	04/18/06	0.014	0.210	ND(0.001)	0.109	0.047	ND(0.001)	0.006	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.009	0.022	ND(0.001)	0.333	0.084
	07/11/06	0.030	0.470	ND(0.0025)	0.284	0.096	ND(0.0025)	0.009	ND(0.0025)	0.009	ND(0.0025)	ND(0.0025)	0.010	0.031	ND(0.0025)	0.784	0.145
	10/10/06	0.028	0.400	ND(0.0025)	0.180	0.094	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.009	0.028	ND(0.0025)	0.608	0.131
MW-13	09/15/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.030	ND(0.001)	0.038	0.002	0.038	0.005	0.005	0.004	0.240	0.000	0.000	0.319
	11/22/91	0.430	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.025	0.001	0.025	0.002	0.002	0.002	0.110	0.430	0.156	
Dup.	03/16/93	0.033	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.014	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.002	0.062	0.033	0.033	0.091
	03/16/93	0.034	ND(0.001)	ND(0.001)	ND(0.005)	0.013	ND(0.001)	0.015	0.001	0.015	ND(0.001)	ND(0.001)	0.002	0.066	0.034	0.097	
	01/10/94	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.016	ND(0.001)	0.007	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.003	0.055	0.022	0.081	
	04/19/94	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.003	0.001	0.003	ND(0.005)	ND(0.005)	0.003	0.032	0.013	0.050	
	07/20/94	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.005)	0.005	0.001	0.005	ND(0.005)	ND(0.005)	0.004	0.034	0.016	0.060	
	10/25/94	0.011	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.004	ND(0.005)	0.004	ND(0.005)	ND(0.005)	0.004	0.040	0.011	0.061	
	01/22/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.002	ND(0.005)	0.002	ND(0.005)	ND(0.005)	0.005	0.029	0.008	0.051	
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.000	0.035	
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	0.020	0.000	0.049	
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.015	0.003	0.043	
Dup.	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.005	0.011	0.000	0.031	
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	0.013	0.000	0.029	
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.006	0.010	0.000	0.023	
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.003	0.003	0.001	0.013	
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	0.001	0.001	ND(0.001)	ND(0.001)	0.005	0.005	0.001	0.015	
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.006	0.005	0.002	0.017	
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.020	
	07/30/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	0.009	0.001	0.018	
	10/17/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.006	0.007	0.000	0.016	
	10/17/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	0.011	0.001	0.023	
Dup.	01/07/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.019	
	04/15/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.007	0.009	0.001	0.019	
	07/18/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.016	0.001	0.031	

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-13 (Cont.)	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)		ND(0.001)	0.009	0.015		0.001	0.027
	02/09/99	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.001		ND(0.001)	0.019	0.026		0.002	0.053
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)		ND(0.001)	0.008	0.009		0.000	0.020
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)		ND(0.001)	0.006	0.008		0.000	0.017
	10/20/99	ND(0.001)	ND(0.001)	0.001	ND(0.002)	0.003	ND(0.001)	ND(0.001)		ND(0.001)	0.006	0.005		0.001	0.014
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	ND(0.001)		ND(0.001)	0.007	0.008		0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)		ND(0.001)	0.005	0.007		0.000	0.014
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	0.008	ND(0.001)	0.000	0.015
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
Dup.	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.010
	07/19/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	0.003	ND(0.002)	0.000	0.006
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.002	ND(0.001)	0.000	0.007
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.007
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.009
	01/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.010
Dup.	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.011
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.003
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.003	ND(0.001)	0.000	0.007
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.003
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.002
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.004	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
MW-14	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.004	ND(0.001)	0.000	0.007
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.008
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.004	ND(0.001)	0.000	0.004
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.002	ND(0.001)	0.000	0.004
	09/15/91	0.022	ND(0.001)	ND(0.001)	ND(0.005)	0.130	0.002	0.300	0.014	0.002	0.002	0.460		0.022	0.908
	11/22/91	0.002	ND(0.001)	ND(0.001)	ND(0.005)	0.140	0.002	0.310	0.009	0.002	0.002	0.400		0.002	0.863
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.110	0.002	0.320	0.010	ND(0.001)	ND(0.001)	0.440		0.000	0.882

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-14 (Cont.)	03/16/93	0.020	ND(0.001)	ND(0.001)	ND(0.005)	0.080	0.001	0.180	ND(0.001)	0.004	0.002	0.210	0.004	0.020	0.477
	01/10/94	0.011	ND(0.001)	ND(0.001)	ND(0.005)	0.057	ND(0.001)	0.100	ND(0.001)	0.002	0.002	0.300	0.001	0.011	0.459
	04/19/94	0.005	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.056	ND(0.005)	0.001	ND(0.005)	0.160	0.005	0.005	0.275
	07/20/94	0.010	ND(0.025)	ND(0.025)	ND(0.025)	0.072	ND(0.025)	0.110	ND(0.025)	ND(0.025)	ND(0.025)	0.210	0.010	0.010	0.392
	10/25/94	0.010	ND(0.005)	ND(0.005)	ND(0.005)	0.079	0.001	0.094	ND(0.005)	ND(0.005)	ND(0.005)	0.230	0.010	0.010	0.404
	01/25/95	0.004	ND(0.005)	ND(0.005)	ND(0.005)	0.083	ND(0.005)	0.070	ND(0.005)	ND(0.005)	ND(0.005)	0.022	0.004	0.004	0.175
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.063	ND(0.005)	0.058	ND(0.005)	ND(0.005)	ND(0.005)	0.130	0.000	0.000	0.251
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.074	ND(0.005)	0.072	ND(0.005)	ND(0.005)	ND(0.005)	0.098	0.000	0.000	0.244
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.044	ND(0.005)	ND(0.005)	ND(0.005)	0.087	0.000	0.000	0.193
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.038	ND(0.005)	ND(0.005)	ND(0.005)	0.061	0.000	0.000	0.150
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.053	ND(0.005)	0.040	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.157
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.051	ND(0.005)	0.045	ND(0.005)	ND(0.005)	ND(0.005)	0.057	0.000	0.000	0.153
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.048	ND(0.005)	0.037	ND(0.005)	ND(0.005)	ND(0.005)	0.055	0.000	0.000	0.140
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.052	ND(0.005)	0.043	ND(0.005)	ND(0.005)	ND(0.005)	0.064	0.000	0.000	0.159
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.056	ND(0.005)	0.049	ND(0.005)	ND(0.005)	ND(0.005)	0.062	0.000	0.000	0.167
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.040	0.001	0.023	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.001	0.078
Dup.	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.045	0.001	0.027	ND(0.001)	ND(0.001)	ND(0.001)	0.010	0.001	0.001	0.083
	04/09/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.023	ND(0.005)	ND(0.005)	ND(0.005)	0.024	0.000	0.000	0.086
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.036	ND(0.005)	0.021	ND(0.005)	ND(0.005)	ND(0.005)	0.043	0.000	0.000	0.100
	10/17/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.039	ND(0.005)	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.048	0.000	0.000	0.106
	10/28/98	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.045	ND(0.005)	0.019	ND(0.005)	ND(0.005)	ND(0.005)	0.074	0.000	0.000	0.138
	10/20/99	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.002	0.054	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.080	0.002	0.002	0.153
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	ND(0.0025)	0.006	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.033	ND(0.0025)	0.000	0.080
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.009
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.009
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.002
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	09/15/91	0.002	0.010	ND(0.001)	0.006	0.026	0.001	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.018	0.018	0.036
MW-15	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.001	0.009	ND(0.001)	0.003	0.003	0.006	0.000	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.005)	0.082	0.001	0.013	ND(0.001)	0.006	0.006	0.009	0.003	0.003	0.111
	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.005)	0.048	ND(0.001)	0.009	ND(0.001)	0.004	0.004	0.013	0.008	0.008	0.074
	01/10/94	0.001	0.009	0.002	ND(0.005)	0.054	ND(0.001)	0.010	ND(0.001)	0.004	0.004	0.015	0.012	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	0.003	0.003	0.008	0.000	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.006	ND(0.005)	0.004	0.004	0.005	0.000	0.000	0.065
	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.006	ND(0.005)	0.004	0.004	0.006	0.001	0.001	0.045
	09/15/91	0.002	0.010	ND(0.001)	0.006	0.026	0.001	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	0.018	0.018	0.036
	11/22/91	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.005)	0.033	0.001	0.009	ND(0.001)	0.003	0.003	0.006	0.000	0.000	0.052
	03/16/93	0.001	0.002	ND(0.001)	ND(0.005)	0.082	0.001	0.013	ND(0.001)	0.006	0.006	0.009	0.003	0.003	0.111
Dup.	01/10/94	ND(0.001)	0.008	ND(0.001)	ND(0.005)	0.048	ND(0.001)	0.009	ND(0.001)	0.004	0.004	0.013	0.008	0.008	0.074
	01/10/94	0.001	0.009	0.002	ND(0.005)	0.054	ND(0.001)	0.010	ND(0.001)	0.004	0.004	0.015	0.012	0.012	0.083
	04/19/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.005	ND(0.005)	0.003	0.003	0.008	0.000	0.000	0.043
	07/20/94	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.049	0.001	0.006	ND(0.005)	0.004	0.004	0.005	0.000	0.000	0.065
	10/25/94	0.001	ND(0.005)	ND(0.005)	ND(0.005)	0.029	ND(0.005)	0.006	ND(0.005)	0.004	0.004	0.006	0.001	0.001	0.045

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-15 (Cont.)	01/25/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.027	ND(0.005)	0.006	ND(0.005)	ND(0.005)	0.005	0.008		0.000	0.046
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.020
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.028
	10/18/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.015	ND(0.005)	0.001	ND(0.005)	ND(0.005)	0.004	0.002		0.000	0.022
	01/10/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.003	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.016
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.009
	07/21/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.011
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.010
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)		0.000	0.010
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		0.001	0.014
	04/09/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.012	0.001	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)		0.001	0.016
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.006
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		0.000	0.015
Dup.	10/28/98	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)		0.001	0.014
	10/20/99	0.002	0.004	0.003	0.147	0.040	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.002	0.002		0.156	0.049
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	0.003	0.002	ND(0.001)	0.005	0.001	ND(0.001)	0.000	0.025
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	ND(0.001)	ND(0.001)	0.011	0.016	ND(0.001)	0.000	0.031
	04/24/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.026	0.013	ND(0.001)	0.000	0.046
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.029	0.013	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.015	ND(0.001)	0.000	0.034
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.014	ND(0.001)	0.000	0.039
	01/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	0.014	ND(0.001)	0.000	0.036
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	0.016	ND(0.001)	0.000	0.034
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	0.018	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	0.010	ND(0.001)	0.000	0.031
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	0.008	ND(0.001)	0.000	0.027
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.001	0.001	ND(0.001)	0.052	0.002	ND(0.001)	0.000	0.059
MW-17D	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.032	0.003	ND(0.001)	0.000	0.038
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.022	0.003	ND(0.001)	0.000	0.026
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.000	0.030
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.000	0.026
	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.062	ND(0.005)	0.018	ND(0.005)	0.012	0.019	0.014		0.000	0.125
	08/01/95	0.013	ND(0.005)	ND(0.005)	ND(0.005)	0.095	ND(0.005)	0.058	ND(0.005)	0.020	0.052	0.028		0.013	0.253
	10/18/95	0.007	ND(0.005)	ND(0.005)	ND(0.005)	0.067	ND(0.005)	0.044	ND(0.005)	0.015	0.047	0.054		0.007	0.227
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	0.036	ND(0.005)	0.012	0.046	0.043		0.006	0.203
	01/11/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.050	ND(0.005)	0.032	ND(0.005)	0.009	0.036	0.039		0.006	0.166
	Dup.*					0.050									
	#	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.064	ND(0.005)	0.046	ND(0.005)	0.009	0.049	0.032		0.000	0.200

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	BENZENE (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)	XYLENES (mg/L)										
MW-17D (Cont.)	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.053	ND(0.0025)	0.009	0.060	0.037	0.000	0.000	0.236
	10/22/96	0.007	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.066	ND(0.005)	0.041	ND(0.0025)	ND(0.005)	0.059	0.033	0.007	0.007	0.199
	01/24/97	0.004	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.052	0.001	0.023	0.004	0.004	0.039	0.022	0.004	0.004	0.141
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.030	ND(0.001)	0.020	0.003	0.003	0.026	0.022	0.003	0.003	0.101
	07/30/97	0.003	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.029	ND(0.002)	0.013	0.002	0.002	0.028	0.018	0.003	0.003	0.090
	10/17/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.004)	ND(0.004)	0.056	ND(0.002)	0.015	0.001	0.001	0.038	0.011	0.004	0.004	0.121
	10/28/98	0.006	ND(0.005)	ND(0.005)	ND(0.01)	ND(0.01)	ND(0.01)	0.050	ND(0.005)	0.009	ND(0.0025)	ND(0.005)	0.045	0.012	0.006	0.006	0.116
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.091	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.038	0.012	0.005	0.005	0.151
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.084	ND(0.0025)	0.010	ND(0.0025)	ND(0.0025)	0.035	0.017	0.000	0.000	0.146
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.059	ND(0.0025)	0.019	ND(0.0025)	ND(0.0025)	0.024	0.029	0.000	0.000	0.131
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.038	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.012	0.026	0.000	0.000	0.090
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.054	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.014	0.016	0.000	0.000	0.097
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.006	0.011	0.000	0.000	0.053
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.006	0.010	0.000	0.000	0.043
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.006	0.005	0.000	0.000	0.035
MW-17A	04/03/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.079	ND(0.005)	0.061	ND(0.005)	0.029	0.025	0.066	0.009	0.009	0.260
	08/01/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.085	ND(0.005)	0.075	ND(0.005)	0.025	0.037	0.064	0.010	0.010	0.286
	10/18/95	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.059	ND(0.005)	0.019	0.041	0.090	0.009	0.009	0.282
	10/18/95	0.010	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.078	ND(0.005)	0.059	ND(0.005)	0.019	0.042	0.086	0.010	0.010	0.284
	01/11/96	0.009	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.077	ND(0.005)	0.068	ND(0.005)	0.019	0.042	0.076	0.009	0.009	0.282
	04/13/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.075	ND(0.005)	0.069	ND(0.005)	0.012	0.051	0.065	0.006	0.006	0.252
	07/22/96	0.008	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.076	ND(0.005)	0.069	ND(0.005)	0.012	0.051	0.077	0.008	0.008	0.285
	10/22/96	0.006	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.069	ND(0.005)	0.058	ND(0.005)	0.007	0.050	0.054	0.006	0.006	0.231
	01/24/97	0.006	ND(0.001)	ND(0.001)	0.001	0.001	0.001	0.058	ND(0.001)	0.044	ND(0.001)	0.007	0.045	0.049	0.007	0.007	0.203
	04/09/97	0.007	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.002)	ND(0.002)	0.065	0.001	0.051	ND(0.005)	0.008	0.051	0.051	0.007	0.007	0.226
	07/30/97	0.004	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.051	ND(0.005)	0.045	ND(0.005)	0.004	0.045	0.062	0.004	0.004	0.207
	10/17/97	0.006	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.079	ND(0.005)	0.050	ND(0.005)	0.003	0.052	0.053	0.006	0.006	0.237
	10/28/98	0.009	ND(0.005)	ND(0.005)	ND(0.010)	ND(0.010)	ND(0.010)	0.075	ND(0.005)	0.018	ND(0.005)	ND(0.005)	0.044	0.033	0.009	0.009	0.170
	10/19/99	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.134	ND(0.0025)	0.018	ND(0.0025)	ND(0.0025)	0.032	0.030	0.005	0.005	0.214
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	ND(0.005)	ND(0.005)	0.144	ND(0.0025)	0.026	ND(0.0025)	ND(0.0025)	0.038	0.035	0.000	0.000	0.243
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.079	ND(0.0025)	0.028	ND(0.0025)	ND(0.0025)	0.026	0.044	0.000	0.000	0.177
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.036	ND(0.001)	0.014	ND(0.001)	ND(0.001)	0.007	0.031	0.000	0.000	0.088
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.041	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.007	0.025	0.000	0.000	0.085
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.005	0.014	0.000	0.000	0.053
	10/08/08	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.005	ND(0.001)	ND(0.001)	0.003	0.010	0.000	0.000	0.031
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.003	ND(0.001)	ND(0.001)	0.003	0.004	0.000	0.000	0.021

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-17B	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.036	ND(0.005)	0.180	0.019	ND(0.005)	0.180	0.415	0.000	0.000	0.415
Dup.	08/01/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.040	ND(0.005)	0.190	0.020	0.026	0.180	0.456	0.006	0.006	0.456
*	08/01/95	0.008	ND(0.005)	ND(0.005)	ND(0.005)	0.049	ND(0.005)	0.250	0.023	0.030	0.320	0.672	0.008	0.008	0.672
	10/18/95	0.006	ND(0.005)	ND(0.005)	ND(0.005)	0.046	ND(0.005)	0.210	0.024	0.034	0.370	0.684	0.006	0.006	0.684
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.034	ND(0.005)	0.170	0.014	0.022	0.190	0.430	0.000	0.000	0.430
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.160	ND(0.005)	0.013	0.270	0.473	0.000	0.000	0.473
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	ND(0.005)	0.016	0.250	0.446	0.000	0.000	0.446
Dup.	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.030	ND(0.005)	0.150	0.015	0.016	0.280	0.491	0.000	0.000	0.491
	10/22/96	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.01)	0.038	ND(0.01)	0.190	ND(0.01)	0.030	0.250	0.508	0.000	0.000	0.508
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.038	0.001	0.110	0.008	0.019	0.070	0.246	0.002	0.002	0.246
	04/09/97	0.004	ND(0.002)	ND(0.002)	ND(0.004)	0.035	0.001	0.115	0.005	0.021	0.132	0.310	0.004	0.004	0.310
	07/30/97	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.026	ND(0.005)	0.080	0.004	0.017	0.141	0.268	0.000	0.000	0.268
	10/17/97	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.053	ND(0.01)	0.103	ND(0.01)	0.027	0.149	0.332	0.000	0.000	0.332
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.073	ND(0.01)	0.072	ND(0.01)	0.045	0.178	0.368	0.000	0.000	0.368
	10/19/99	0.005	0.012	ND(0.0025)	ND(0.005)	0.143	ND(0.0025)	0.053	0.005	0.051	0.059	0.311	0.017	0.017	0.311
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.047	ND(0.0025)	0.043	ND(0.005)	0.017	0.093	0.200	ND(0.005)	0.000	0.200
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.035	ND(0.0025)	0.031	ND(0.0025)	0.005	0.055	0.126	ND(0.0025)	0.000	0.126
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.012	ND(0.001)	0.001	0.017	0.049	ND(0.001)	0.000	0.049
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.017	0.040	ND(0.001)	0.000	0.040
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.000	0.015
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.003
MW-17C *	04/03/95	0.032	0.060	0.005	0.054	0.058	ND(0.005)	0.099	ND(0.005)	0.091	0.013	0.261	0.151	0.151	0.261
2nd *	04/03/95	0.034	0.057	ND(0.005)	0.045	0.063	ND(0.005)	0.110	ND(0.005)	0.095	0.017	0.285	0.136	0.136	0.285
*	08/01/95	0.022	0.047	ND(0.005)	ND(0.005)	0.073	ND(0.005)	0.140	ND(0.005)	0.120	0.012	0.345	0.069	0.069	0.345
*	10/18/95	0.019	0.026	ND(0.005)	ND(0.005)	0.063	0.003	0.120	ND(0.005)	0.140	0.024	0.350	0.045	0.045	0.350
*	01/11/96	0.020	0.035	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.120	ND(0.005)	0.120	0.015	0.313	0.055	0.055	0.313
*	04/13/96	0.011	0.009	ND(0.005)	ND(0.005)	0.057	ND(0.005)	0.130	ND(0.005)	0.100	0.013	0.300	0.020	0.020	0.300
#	07/22/96	0.016	ND(0.005)	ND(0.005)	ND(0.005)	0.058	ND(0.005)	0.130	ND(0.005)	0.120	0.014	0.322	0.016	0.016	0.322
	10/22/96	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.045	ND(0.005)	0.120	ND(0.005)	0.100	0.012	0.277	0.015	0.015	0.277
	01/24/97	0.009	ND(0.001)	ND(0.001)	ND(0.002)	0.051	0.003	0.099	ND(0.001)	0.078	0.005	0.236	0.009	0.009	0.236
	04/09/97	0.011	ND(0.002)	ND(0.002)	ND(0.004)	0.049	0.002	0.105	ND(0.002)	0.100	0.008	0.265	0.011	0.011	0.265
	07/30/97	0.010	ND(0.005)	ND(0.005)	ND(0.010)	0.043	0.003	0.093	ND(0.005)	0.097	0.010	0.246	0.010	0.010	0.246
	10/17/97	0.031	ND(0.01)	ND(0.01)	ND(0.02)	0.066	0.003	0.115	ND(0.01)	0.086	0.013	0.283	0.031	0.031	0.283
	10/28/98	0.011	ND(0.01)	ND(0.01)	ND(0.02)	0.050	ND(0.01)	0.105	ND(0.01)	0.110	0.018	0.283	0.011	0.011	0.283
	10/19/99	0.023	ND(0.0025)	0.002	ND(0.005)	0.080	0.003	0.160	ND(0.0025)	0.119	0.040	0.402	0.025	0.025	0.402

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-17C (Cont.)	10/19/00	0.005	ND(0.0025)	ND(0.0025)	ND(0.005)	0.041	ND(0.0025)	0.073	0.010	ND(0.0025)	0.071	0.007	ND(0.0025)	0.005	0.202
Dup.	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.024	ND(0.0025)	ND(0.0025)	0.020	0.007	ND(0.0025)	0.000	0.063
	10/18/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.023	0.002	ND(0.001)	0.019	0.006	ND(0.001)	0.001	0.063
	10/16/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.018	0.001	ND(0.001)	0.012	0.004	ND(0.001)	0.000	0.046
	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.009	0.005	ND(0.001)	0.000	0.035
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.003	0.003	ND(0.001)	0.000	0.019
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.004	0.002	ND(0.001)	0.000	0.017
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	0.000	0.010
MW-18	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	0.093	ND(0.005)	ND(0.005)	0.034	0.071		0.000	0.215
Dup.	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.039	0.087		0.000	0.320
	10/18/95	0.003	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.150	ND(0.005)	ND(0.005)	0.042	0.130		0.003	0.340
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.017	ND(0.005)	0.130	ND(0.005)	ND(0.005)	0.037	0.097		0.000	0.281
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.016	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.034	0.120		0.000	0.340
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.018	ND(0.005)	0.200	ND(0.005)	ND(0.005)	0.043	0.110		0.000	0.371
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.043	0.120		0.000	0.333
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.190	ND(0.005)	ND(0.005)	0.042	0.120		0.000	0.372
	01/24/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.024	0.001	0.180	0.002	0.002	0.047	0.097		0.003	0.351
	04/09/97	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.022	0.001	0.155	0.002	0.002	0.044	0.116		0.003	0.340
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.020	ND(0.002)	0.140	0.001	0.001	0.044	0.121		0.002	0.326
	10/17/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.028	ND(0.001)	0.157	ND(0.001)	ND(0.001)	0.044	0.071		0.002	0.300
	01/07/98	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.029	ND(0.001)	0.163	ND(0.001)	ND(0.001)	0.054	0.133		0.002	0.379
	04/15/98	ND(0.01)	ND(0.001)	ND(0.001)	ND(0.002)	0.029	ND(0.001)	0.155	ND(0.001)	ND(0.001)	0.053	0.145		0.000	0.382
	07/18/98	ND(0.01)	ND(0.001)	ND(0.001)	ND(0.002)	0.030	ND(0.001)	0.146	ND(0.001)	ND(0.001)	0.052	0.151		0.000	0.379
	10/28/98	ND(0.01)	ND(0.001)	ND(0.001)	ND(0.002)	0.028	ND(0.001)	0.142	ND(0.001)	ND(0.001)	0.052	0.149		0.000	0.371
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.030	ND(0.005)	0.143	ND(0.005)	ND(0.005)	0.052	0.148		0.000	0.373
	04/22/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.031	ND(0.0025)	0.135	ND(0.0025)	ND(0.0025)	0.045	0.121		0.002	0.332
	07/14/99	0.002	ND(0.0025)	ND(0.0025)	ND(0.005)	0.028	ND(0.0025)	0.127	ND(0.0025)	ND(0.0025)	0.042	0.120		0.002	0.317
	10/19/99	0.002	ND(0.0025)	0.002	ND(0.005)	0.034	ND(0.0025)	0.149	ND(0.0025)	ND(0.0025)	0.049	0.128		0.004	0.360
	01/26/00	0.002	ND(0.005)	ND(0.005)	ND(0.001)	0.036	ND(0.005)	0.153	ND(0.005)	ND(0.005)	0.054	0.137		0.002	0.380
	04/21/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.022	ND(0.005)	0.102	ND(0.005)	ND(0.005)	0.032	0.095		0.000	0.251
	07/27/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.029	ND(0.005)	0.128	ND(0.005)	ND(0.005)	0.046	0.140	ND(0.005)	0.000	0.343
	10/19/00	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.010)	0.032	ND(0.005)	0.140	ND(0.005)	ND(0.005)	0.044	0.123	ND(0.005)	0.000	0.339
	01/18/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.023	ND(0.005)	0.092	ND(0.005)	ND(0.005)	0.030	0.084	ND(0.005)	0.000	0.229
	04/12/01	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.020	ND(0.005)	0.073	ND(0.005)	ND(0.005)	0.027	0.072	ND(0.005)	0.000	0.192
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.021	ND(0.002)	0.081	ND(0.002)	ND(0.002)	0.023	0.046	ND(0.002)	0.000	0.171
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.091	ND(0.0025)	ND(0.0025)	0.029	0.081	ND(0.0025)	0.000	0.224
	01/12/02	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.094	ND(0.005)	ND(0.005)	0.028	0.079	ND(0.005)	0.000	0.225
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	ND(0.001)	0.025	0.089	ND(0.001)	0.000	0.262

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-18 (Cont.)	07/24/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.100	0.002	ND(0.001)	0.025	0.080	ND(0.001)	0.001	0.231
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.028	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.022	0.085	ND(0.0025)	0.000	0.235
	01/22/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.120	0.002	ND(0.001)	0.022	0.096	ND(0.001)	0.001	0.266
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.092	0.001	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.224
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.095	0.002	ND(0.001)	0.021	0.087	ND(0.001)	0.000	0.234
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.031	ND(0.001)	0.100	0.002	ND(0.001)	0.018	0.090	ND(0.001)	0.001	0.241
	10/15/03	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.031	ND(0.0025)	0.100	ND(0.0025)	ND(0.0025)	0.017	0.087	ND(0.0025)	0.000	0.235
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.079	0.002	ND(0.001)	0.018	0.087	ND(0.001)	0.000	0.215
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.071	0.002	ND(0.001)	0.020	0.071	ND(0.001)	0.000	0.182
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.098	0.002	ND(0.001)	0.021	0.100	ND(0.001)	0.001	0.251
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.077	0.001	ND(0.001)	0.015	0.063	ND(0.001)	0.000	0.177
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.000	0.036
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.079	ND(0.001)	ND(0.001)	0.012	0.078	ND(0.001)	0.000	0.188
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.013	0.090	ND(0.001)	0.000	0.197
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.013	0.094	ND(0.001)	0.001	0.222
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.011	0.073	ND(0.001)	0.000	0.156
	01/19/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.050	0.001	ND(0.001)	0.011	0.056	ND(0.001)	0.000	0.136
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.039	0.002	ND(0.001)	0.010	0.078	ND(0.001)	0.000	0.146
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.033	0.002	ND(0.001)	0.010	0.063	ND(0.001)	0.000	0.126
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.036	0.002	ND(0.001)	0.010	0.057	ND(0.001)	0.000	0.124
Dup.	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.027	0.002	ND(0.001)	0.010	0.032	ND(0.001)	0.000	0.085
MW-19	04/03/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.011	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	ND(0.005)	0.000	0.271
	08/01/95	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.170	ND(0.005)	ND(0.005)	ND(0.005)	0.140	ND(0.005)	0.000	0.324
	10/18/95	0.002	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.004	0.150	ND(0.005)	0.002	0.334
	01/11/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.010	ND(0.005)	0.110	ND(0.005)	ND(0.005)	ND(0.005)	0.100	ND(0.005)	0.000	0.220
	04/13/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.100	ND(0.005)	0.000	0.250
	07/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.009	ND(0.005)	0.150	ND(0.005)	ND(0.005)	ND(0.005)	0.110	ND(0.005)	0.000	0.269
	10/22/96	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.008	ND(0.005)	0.130	ND(0.005)	ND(0.005)	ND(0.005)	0.094	ND(0.005)	0.000	0.232
	01/24/97	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.009	ND(0.001)	0.122	0.001	0.003	0.003	0.093	ND(0.001)	0.001	0.228
	04/09/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.116	0.001	0.004	0.004	0.087	ND(0.001)	0.002	0.218
	07/30/97	0.002	ND(0.002)	ND(0.002)	ND(0.004)	0.009	ND(0.002)	0.116	ND(0.002)	ND(0.002)	0.005	0.096	ND(0.002)	0.002	0.226
	10/17/97	0.003	ND(0.01)	ND(0.01)	ND(0.02)	0.010	ND(0.01)	0.124	ND(0.01)	ND(0.01)	0.007	0.066	ND(0.01)	0.003	0.207
	10/28/98	ND(0.01)	ND(0.01)	ND(0.01)	ND(0.02)	0.017	ND(0.01)	0.167	ND(0.01)	ND(0.01)	0.009	0.150	ND(0.01)	0.000	0.343
	04/22/99	0.003	ND(0.0025)	ND(0.0025)	ND(0.005)	0.023	ND(0.0025)	0.212	ND(0.0025)	ND(0.0025)	0.009	0.182	ND(0.0025)	0.003	0.426
	10/19/99	0.004	ND(0.005)	ND(0.005)	ND(0.01)	0.020	ND(0.005)	0.236	ND(0.005)	ND(0.005)	0.010	0.203	ND(0.005)	0.004	0.469
	10/19/00	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.033	ND(0.0025)	0.199	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.176	ND(0.0025)	0.000	0.408
	10/18/01	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.005)	0.015	ND(0.0025)	0.080	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.038	ND(0.0025)	0.000	0.133
	10/16/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.012	ND(0.0025)	0.058	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.034	ND(0.0025)	0.000	0.104

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-19 (Cont.)	10/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.031	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.000	0.059
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.018	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.000	0.037
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.012	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.000	0.028
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.011
MW-20	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.005)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000
	10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.001
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.004
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.009

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-20 (Cont.)	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.011
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.010
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.015
	Dup.														
MW-21	11/20/96	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	ND(0.001)	0.003	0.006		0.002	0.023
	01/24/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.006		0.002	0.032
	03/04/97	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.007	0.011		0.002	0.047
	04/09/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.005	0.008		0.001	0.038
	07/30/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	0.011	ND(0.002)	ND(0.002)	0.003	0.007		0.000	0.022
	10/17/97	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	0.007	ND(0.002)	ND(0.002)	0.001	0.004		0.001	0.013
	01/07/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	0.021	ND(0.002)	ND(0.002)	0.003	0.005		0.001	0.031
	04/15/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.003	0.006		0.001	0.039
	07/18/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	0.022	ND(0.002)	ND(0.002)	0.002	0.005		0.001	0.031
	10/28/98	0.001	ND(0.002)	ND(0.002)	ND(0.004)	0.001	ND(0.002)	0.015	ND(0.002)	ND(0.002)	0.001	0.004		0.001	0.021
	02/09/99	0.001	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.005		0.001	0.040
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.003		0.000	0.030
	07/14/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.011
	10/19/99	ND(0.001)	ND(0.001)	0.002	ND(0.002)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.001		0.002	0.007
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.018
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.025	ND(0.001)	ND(0.001)	0.001	0.002		0.000	0.029
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.011
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.012
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.001	0.003	ND(0.001)	0.000	0.022
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.030	ND(0.001)	ND(0.001)	0.004	0.008	ND(0.001)	0.000	0.044
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.004	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.005	0.008	ND(0.002)	0.000	0.017
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.005	0.010	ND(0.001)	0.002	0.076
	01/12/02	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.068	ND(0.001)	ND(0.001)	0.010	0.018	ND(0.001)	0.003	0.102
	04/20/02	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.015	0.029	ND(0.001)	0.004	0.154
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.014	0.020	ND(0.001)	0.002	0.128
	10/15/02	ND(0.0025)	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	0.089	ND(0.0025)	ND(0.0025)	0.012	0.022	ND(0.0025)	0.000	0.136
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.099	0.001	ND(0.001)	0.016	0.027	ND(0.001)	0.002	0.160
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.079	0.001	ND(0.001)	0.013	0.024	ND(0.001)	0.002	0.131
	07/17/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.054	ND(0.001)	ND(0.001)	0.006	0.011	ND(0.001)	0.000	0.077

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	TOTAL 1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-21 (Cont.)	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.007	0.013	ND(0.001)	0.000	0.091
	01/28/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.060	ND(0.001)	ND(0.001)	0.012	0.026	ND(0.001)	0.002	0.111
	04/19/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.013	0.026	ND(0.001)	0.002	0.118
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.090	0.001	ND(0.001)	0.023	0.047	ND(0.001)	0.003	0.183
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.110	0.001	ND(0.001)	0.026	0.055	ND(0.001)	0.003	0.221
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.089	0.002	ND(0.001)	0.024	0.062	ND(0.001)	0.002	0.204
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.097	0.002	ND(0.001)	0.027	0.057	ND(0.001)	0.003	0.213
	05/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.089	0.002	ND(0.001)	0.027	0.059	ND(0.001)	0.002	0.207
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.033	ND(0.001)	0.074	0.003	ND(0.001)	0.024	0.050	ND(0.001)	0.002	0.184
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.029	ND(0.001)	0.056	0.003	ND(0.001)	0.021	0.052	ND(0.001)	0.002	0.161
Dup.	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.051	0.003	ND(0.001)	0.021	0.036	ND(0.001)	0.002	0.137
	04/18/06	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.026	ND(0.001)	0.049	0.003	ND(0.001)	0.019	0.058	ND(0.001)	0.001	0.155
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.032	ND(0.001)	0.055	0.004	ND(0.001)	0.018	0.066	ND(0.001)	0.002	0.175
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.049	0.002	ND(0.001)	0.022	0.042	ND(0.001)	0.002	0.139
	11/20/06	0.014	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	0.001	ND(0.001)	0.012	0.053		0.014	0.138
	01/24/97	0.010	ND(0.001)	ND(0.001)	ND(0.002)	0.009	ND(0.001)	0.065	0.001	ND(0.001)	0.013	0.050		0.010	0.137
	01/24/97	0.011	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.099	0.001	ND(0.001)	0.013	0.065		0.011	0.188
	04/09/97	0.013	ND(0.001)	ND(0.001)	ND(0.002)	0.014	0.001	0.084	0.001	ND(0.001)	0.021	0.080		0.013	0.200
	07/30/97	0.014	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.092	0.002	ND(0.002)	0.024	0.104		0.014	0.232
	10/17/97	0.016	ND(0.005)	ND(0.005)	ND(0.01)	0.014	ND(0.005)	0.107	0.005	ND(0.005)	0.028	0.117		0.016	0.266
MW-22	10/28/98	0.016	ND(0.01)	ND(0.01)	ND(0.02)	0.017	ND(0.01)	0.129	0.001	ND(0.01)	0.037	0.150		0.016	0.333
	04/22/99	0.017	ND(0.0025)	ND(0.0025)	ND(0.005)	0.024	ND(0.0025)	0.185	0.0025	ND(0.0025)	0.053	0.184		0.017	0.446
	10/19/99	0.019	ND(0.005)	0.002	ND(0.01)	0.026	ND(0.005)	0.200	0.005	ND(0.005)	0.056	0.207		0.021	0.489
	10/19/00	0.018	ND(0.005)	ND(0.005)	ND(0.010)	0.025	ND(0.005)	0.201	0.005	ND(0.005)	0.055	0.188	ND(0.005)	0.018	0.489
	04/12/01	0.015	ND(0.005)	ND(0.005)	ND(0.005)	0.022	ND(0.005)	0.156	0.005	ND(0.005)	0.052	0.161	ND(0.005)	0.015	0.391
	07/18/01	0.011	ND(0.01)	ND(0.01)	ND(0.01)	0.020	ND(0.01)	0.180	0.01	ND(0.01)	0.044	0.130	ND(0.01)	0.011	0.374
	10/18/01	0.014	ND(0.005)	ND(0.005)	ND(0.005)	0.021	ND(0.005)	0.170	0.005	ND(0.005)	0.052	0.160	ND(0.005)	0.014	0.403
	01/12/02	0.014	ND(0.005)	ND(0.005)	ND(0.005)	0.024	ND(0.005)	0.200	0.005	ND(0.005)	0.057	0.180	ND(0.005)	0.014	0.461
	04/20/02	0.009	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.210	0.0025	ND(0.0025)	0.054	0.150	ND(0.0025)	0.009	0.437
	07/24/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.160	0.001	ND(0.001)	0.045	0.120	ND(0.001)	0.005	0.346
Dup.	10/15/02	0.004	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.023	ND(0.0025)	0.180	0.0025	ND(0.0025)	0.050	0.130	ND(0.0025)	0.004	0.383
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.025	ND(0.001)	0.210	0.001	ND(0.001)	0.053	0.150	ND(0.001)	0.004	0.438
	01/22/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.190	0.001	ND(0.001)	0.052	0.150	ND(0.001)	0.004	0.412
	04/23/03	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	0.001	ND(0.001)	0.037	0.110	ND(0.001)	0.006	0.339
	07/17/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.160	0.001	ND(0.001)	0.045	0.130	ND(0.001)	0.003	0.357
	10/15/03	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.150	0.001	ND(0.001)	0.034	0.100	ND(0.001)	0.004	0.304
	01/28/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.130	0.001	ND(0.001)	0.035	0.110	ND(0.001)	0.004	0.294
	04/19/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.140	0.001	ND(0.001)	0.038	0.110	ND(0.001)	0.005	0.306

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-22 (Cont.)	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.044	0.110	ND(0.001)	0.004	0.322
	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.036	0.100	ND(0.001)	0.003	0.295
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.090	ND(0.001)	0.003	0.279
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.035	0.084	ND(0.001)	0.002	0.245
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.098	ND(0.001)	0.002	0.293
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.100	ND(0.001)	0.002	0.268
	01/19/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.029	0.071	ND(0.001)	0.002	0.215
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.026	0.075	ND(0.001)	0.002	0.215
	07/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.092	ND(0.001)	ND(0.001)	0.024	0.078	ND(0.001)	0.003	0.207
	10/10/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.059	ND(0.001)	0.003	0.176
	10/11/06	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.022	0.067	ND(0.001)	0.003	0.198
MW-22A	01/12/02	0.015	0.021	ND(0.005)	0.088	0.023	ND(0.005)	0.170	ND(0.005)	ND(0.005)	0.037	0.110	ND(0.005)	0.124	0.340
	04/20/02	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.026	ND(0.0025)	0.210	ND(0.0025)	ND(0.0025)	0.044	0.100	ND(0.0025)	0.015	0.380
	07/24/02	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.035	0.074	ND(0.001)	0.009	0.271
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.022	ND(0.0025)	0.170	ND(0.0025)	ND(0.0025)	0.031	0.080	ND(0.0025)	0.011	0.303
	01/22/03	0.013	ND(0.001)	ND(0.001)	ND(0.001)	0.028	ND(0.001)	0.230	ND(0.001)	ND(0.001)	0.044	0.130	ND(0.001)	0.013	0.432
	04/24/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.160	ND(0.001)	ND(0.001)	0.047	0.140	ND(0.001)	0.003	0.367
	07/17/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.042	0.120	ND(0.001)	0.009	0.376
	10/15/03	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.140	ND(0.001)	0.007	0.369
	01/28/04	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.034	0.120	ND(0.001)	0.005	0.347
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.023	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.038	0.110	ND(0.001)	0.003	0.341
	07/16/04	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.024	ND(0.001)	0.190	ND(0.001)	ND(0.001)	0.044	0.120	ND(0.001)	0.004	0.378
MW-23	10/29/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.028	0.059	ND(0.001)	0.003	0.208
	01/14/05	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.170	ND(0.001)	ND(0.001)	0.031	0.082	ND(0.001)	0.003	0.305
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.031	0.072	ND(0.001)	0.002	0.243
	07/08/05	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.027	ND(0.001)	0.200	ND(0.001)	ND(0.001)	0.037	0.120	ND(0.001)	0.005	0.384
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.022	ND(0.001)	0.130	ND(0.001)	ND(0.001)	0.031	0.090	ND(0.001)	0.002	0.273
	01/18/06	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.140	ND(0.001)	ND(0.001)	0.032	0.096	ND(0.001)	0.004	0.289
	04/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.023	0.100	ND(0.001)	0.002	0.223
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.024	0.079	ND(0.001)	0.002	0.220
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.083	ND(0.001)	ND(0.001)	0.026	0.062	ND(0.001)	0.002	0.188
	11/20/06	ND(0.001)	ND(0.001)	0.001	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	0.000
	01/24/07	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-23	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL-BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO-ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO-CARBONS (mg/L)
MW-23 (Cont.)	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.002
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.005
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.006
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.000	0.004
MW-24	11/20/96	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/24/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/28/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-25	03/04/97	0.021	ND(0.001)	ND(0.001)	ND(0.001)	0.014	0.001	0.035	ND(0.001)	ND(0.001)	ND(0.001)	0.030	ND(0.001)	0.021	0.080
	04/09/97	0.015	ND(0.001)	ND(0.001)	ND(0.002)	0.015	0.001	0.035	ND(0.001)	ND(0.001)	0.006	0.020	ND(0.001)	0.015	0.077
	04/09/97	0.014	ND(0.001)	ND(0.001)	ND(0.002)	0.015	0.001	0.034	ND(0.001)	ND(0.001)	0.005	0.019	ND(0.001)	0.014	0.074
	07/30/97	0.023	ND(0.002)	ND(0.002)	ND(0.004)	0.011	0.001	0.031	ND(0.002)	ND(0.002)	0.005	0.035	ND(0.002)	0.023	0.083
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	0.011	0.001	0.027	ND(0.002)	ND(0.002)	0.004	0.035	ND(0.002)	0.026	0.078
	10/17/97	0.026	ND(0.002)	ND(0.002)	ND(0.004)	0.013	0.001	0.028	ND(0.002)	ND(0.002)	0.004	0.033	ND(0.002)	0.026	0.074
	01/07/98	0.027	ND(0.002)	ND(0.002)	ND(0.004)	0.014	0.001	0.030	ND(0.002)	ND(0.002)	0.004	0.034	ND(0.002)	0.027	0.082
	04/15/98	0.025	ND(0.002)	ND(0.002)	ND(0.004)	0.013	ND(0.002)	0.028	ND(0.002)	ND(0.002)	0.004	0.026	ND(0.002)	0.025	0.079
	07/18/98	0.022	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.024	ND(0.002)	ND(0.002)	0.004	0.038	ND(0.002)	0.022	0.066
	10/28/98	0.030	ND(0.002)	ND(0.002)	ND(0.004)	0.012	ND(0.002)	0.030	ND(0.002)	ND(0.002)	0.005	0.038	ND(0.002)	0.030	0.085
Dup.	02/09/99	0.027	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.003	0.039	ND(0.001)	0.027	0.086
	04/22/99	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.031	ND(0.001)	ND(0.001)	0.002	0.032	ND(0.001)	0.030	0.078

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-25 (Cont.)	07/14/99	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.012	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.028	0.022	0.022	0.071
	10/19/99	0.025	ND(0.001)	0.002	ND(0.002)	0.012	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.004	0.027	0.027	0.027	0.070
	01/26/00	0.025	ND(0.001)	ND(0.001)	ND(0.002)	0.013	ND(0.001)	0.029	ND(0.001)	ND(0.001)	0.004	0.026	0.025	0.025	0.072
	04/21/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.011	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.025	0.022	0.022	0.063
	07/27/00	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.010	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.004	0.027	ND(0.001)	0.022	0.065
	10/19/00	0.030	ND(0.001)	ND(0.001)	ND(0.002)	0.013	0.001	0.036	ND(0.001)	ND(0.001)	0.007	0.032	ND(0.001)	0.030	0.089
	01/18/01	0.022	ND(0.001)	ND(0.001)	ND(0.002)	0.014	ND(0.001)	0.049	ND(0.001)	ND(0.001)	0.010	0.053	ND(0.001)	0.022	0.126
	04/12/01	0.017	ND(0.005)	ND(0.005)	ND(0.005)	0.013	ND(0.005)	0.049	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	0.017	0.127
	07/18/01	0.015	ND(0.002)	ND(0.002)	ND(0.002)	0.012	ND(0.002)	0.050	ND(0.002)	ND(0.002)	0.009	0.037	ND(0.002)	0.015	0.108
	10/18/01	0.015	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.013	ND(0.0025)	0.054	ND(0.0025)	ND(0.0025)	0.013	0.052	ND(0.0025)	0.015	0.132
	01/12/02	0.012	ND(0.005)	ND(0.005)	ND(0.005)	0.014	ND(0.005)	0.059	ND(0.005)	ND(0.005)	0.013	0.052	ND(0.005)	0.012	0.138
	07/24/02	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.061	ND(0.001)	ND(0.001)	0.017	0.048	ND(0.001)	0.010	0.141
	10/15/02	0.011	ND(0.0025)	ND(0.0025)	ND(0.0025)	0.015	ND(0.0025)	0.063	ND(0.0025)	ND(0.0025)	0.015	0.047	ND(0.0025)	0.011	0.140
	01/22/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.150	ND(0.001)	ND(0.001)	0.017	0.110	ND(0.001)	0.011	0.292
	04/23/03	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.064	ND(0.001)	ND(0.001)	0.015	0.054	ND(0.001)	0.009	0.146
	07/17/03	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.014	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.017	0.054	ND(0.001)	0.010	0.147
Dup.	10/15/03	0.011	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.100	ND(0.001)	ND(0.001)	0.023	0.076	ND(0.001)	0.011	0.218
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.015	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.169
	01/28/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.072	ND(0.001)	ND(0.001)	0.019	0.063	ND(0.001)	0.009	0.156
	04/19/04	0.010	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.024	0.072	ND(0.001)	0.010	0.201
	07/16/04	0.009	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.030	0.090	ND(0.001)	0.009	0.249
	10/29/04	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.021	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.027	0.074	ND(0.001)	0.008	0.242
	01/14/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.023	0.078	ND(0.001)	0.007	0.229
	04/16/05	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.091	ND(0.001)	ND(0.001)	0.029	0.090	ND(0.001)	0.007	0.228
Dup.	04/16/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.094	ND(0.001)	ND(0.001)	0.032	0.071	ND(0.001)	0.008	0.216
	07/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.020	ND(0.001)	0.120	ND(0.001)	ND(0.001)	0.030	0.087	ND(0.001)	0.008	0.257
	10/08/05	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.018	ND(0.001)	0.110	ND(0.001)	ND(0.001)	0.028	0.095	ND(0.001)	0.008	0.251
	01/19/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.071	ND(0.001)	0.007	0.204
Dup.	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.090	ND(0.001)	ND(0.001)	0.027	0.075	ND(0.001)	0.007	0.208
	04/18/06	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.093	ND(0.001)	ND(0.001)	0.027	0.079	ND(0.001)	0.007	0.216
	07/11/06	0.008	ND(0.001)	ND(0.001)	ND(0.001)	0.019	ND(0.001)	0.099	ND(0.001)	ND(0.001)	0.028	0.086	ND(0.001)	0.008	0.232
	10/10/06	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.017	ND(0.001)	0.097	ND(0.001)	ND(0.001)	0.030	0.082	ND(0.001)	0.006	0.226
MW-26	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.000	0.007
	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.010
	01/07/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.004	ND(0.001)	ND(0.001)	0.001	0.004	ND(0.001)	0.000	0.010

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-26 (Cont.)	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	0.001	0.006		0.000	0.015
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.011		0.000	0.030
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.013		0.000	0.030
	10/27/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	0.003	ND(0.002)	0.010	ND(0.002)	ND(0.002)	0.002	0.014		0.000	0.029
	02/09/99	ND(0.005)	ND(0.005)	ND(0.005)	ND(0.001)	0.003	ND(0.0005)	0.008	ND(0.0005)	ND(0.0005)	0.002	0.011		0.000	0.024
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.003	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.010		0.000	0.025
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.004	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.014		0.000	0.033
	10/19/99	0.001	ND(0.001)	0.003	ND(0.002)	0.006	ND(0.001)	0.018	ND(0.001)	ND(0.001)	0.003	0.018		0.004	0.045
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.020	ND(0.001)	ND(0.001)	0.003	0.002		0.000	0.031
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	0.005	ND(0.001)	0.016	ND(0.001)	ND(0.001)	0.003	0.017		0.000	0.041
Dup.	07/27/00	0.002	ND(0.001)	ND(0.001)	ND(0.002)	0.006	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.004	0.023	ND(0.001)	0.002	0.052
	10/19/00	0.003	ND(0.001)	ND(0.001)	ND(0.002)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.021	ND(0.001)	0.003	0.055
	01/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.019	ND(0.001)	0.002	0.044
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.021	ND(0.001)	ND(0.001)	0.004	0.024	ND(0.001)	0.001	0.050
	04/12/01	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.026	ND(0.002)	ND(0.002)	0.004	0.022	ND(0.002)	0.003	0.059
	07/18/01	0.003	ND(0.002)	ND(0.002)	ND(0.002)	0.007	ND(0.002)	0.023	ND(0.001)	ND(0.001)	0.005	0.024	ND(0.001)	0.002	0.057
	10/18/01	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.024	ND(0.001)	ND(0.001)	0.005	0.025	ND(0.001)	0.002	0.060
	01/12/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.030	ND(0.001)	0.002	0.078
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.034	ND(0.001)	ND(0.001)	0.007	0.029	ND(0.001)	0.001	0.077
	04/20/02	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.046	ND(0.001)	ND(0.001)	0.012	0.090	ND(0.001)	0.002	0.158
Dup.	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.048	ND(0.001)	ND(0.001)	0.012	0.044	ND(0.001)	0.002	0.114
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.063	ND(0.001)	ND(0.001)	0.014	0.052	ND(0.001)	0.002	0.140
	01/22/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.052	ND(0.001)	ND(0.001)	0.013	0.051	ND(0.001)	0.002	0.124
	04/23/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.051	ND(0.001)	ND(0.001)	0.013	0.049	ND(0.001)	0.002	0.122
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.055	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.002	0.124
	07/16/03	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.056	ND(0.001)	ND(0.001)	0.016	0.060	ND(0.001)	0.001	0.142
	10/15/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.012	0.053	ND(0.001)	0.001	0.121
	01/28/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.053	ND(0.001)	ND(0.001)	0.013	0.047	ND(0.001)	0.001	0.119
	04/19/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.048	ND(0.001)	0.001	0.151
	07/16/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.019	0.057	ND(0.001)	0.001	0.171
Dup.	10/29/04	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.082	ND(0.001)	ND(0.001)	0.018	0.068	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.086	ND(0.001)	ND(0.001)	0.020	0.061	ND(0.001)	0.000	0.180
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.075	ND(0.001)	ND(0.001)	0.019	0.069	ND(0.001)	0.000	0.173
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.072	ND(0.001)	0.001	0.172
	07/08/05	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.013	ND(0.001)	0.081	ND(0.001)	ND(0.001)	0.022	0.073	ND(0.001)	0.000	0.189

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-26 (Cont.)	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.077	ND(0.001)	ND(0.001)	0.021	0.063	ND(0.001)	0.000	0.172
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.074	ND(0.001)	ND(0.001)	0.019	0.110	ND(0.001)	0.000	0.214
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.016	ND(0.001)	0.087	ND(0.001)	ND(0.001)	0.024	0.068	ND(0.001)	0.000	0.195
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.022	0.056	ND(0.001)	0.000	0.156
MW-26A	01/12/02	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.018	ND(0.001)	0.005	0.052
	04/20/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.028	ND(0.001)	ND(0.001)	0.004	0.012	ND(0.001)	0.002	0.051
	07/24/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.027	ND(0.001)	ND(0.001)	0.005	0.013	ND(0.001)	0.002	0.053
	10/15/02	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.032	ND(0.001)	ND(0.001)	0.005	0.015	ND(0.001)	0.002	0.061
	01/22/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.041	ND(0.001)	ND(0.001)	0.006	0.021	ND(0.001)	0.003	0.077
	04/23/03	0.001	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.007	0.024	ND(0.001)	0.001	0.079
	07/16/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.040	ND(0.001)	ND(0.001)	0.009	0.024	ND(0.001)	0.003	0.083
	10/15/03	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.008	ND(0.001)	0.039	ND(0.001)	ND(0.001)	0.008	0.030	ND(0.001)	0.003	0.085
	01/28/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.044	ND(0.001)	ND(0.001)	0.008	0.034	ND(0.001)	0.003	0.096
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.007	ND(0.001)	0.050	ND(0.001)	ND(0.001)	0.010	0.033	ND(0.001)	0.003	0.100
	04/19/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.047	ND(0.001)	ND(0.001)	0.010	0.030	ND(0.001)	0.003	0.097
	07/16/04	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.009	ND(0.001)	0.065	ND(0.001)	ND(0.001)	0.013	0.039	ND(0.001)	0.003	0.126
Dup.	10/29/04	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.030	ND(0.001)	0.002	0.110
	01/14/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.058	ND(0.001)	ND(0.001)	0.011	0.031	ND(0.001)	0.002	0.110
	04/16/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.010	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.014	0.038	ND(0.001)	0.002	0.124
	07/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.062	ND(0.001)	ND(0.001)	0.013	0.046	ND(0.001)	0.002	0.132
	10/08/05	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.016	0.054	ND(0.001)	0.002	0.151
	01/18/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.070	ND(0.001)	ND(0.001)	0.018	0.045	ND(0.001)	0.002	0.144
	04/18/06	0.002	ND(0.001)	0.002	ND(0.001)	0.012	ND(0.001)	0.073	ND(0.001)	ND(0.001)	0.018	0.085	ND(0.001)	0.004	0.188
	07/11/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.012	ND(0.001)	0.067	ND(0.001)	ND(0.001)	0.017	0.100	ND(0.001)	0.002	0.196
	10/10/06	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.011	ND(0.001)	0.066	ND(0.001)	ND(0.001)	0.019	0.047	ND(0.001)	0.002	0.143
	03/04/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/09/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/30/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
MW-27	10/17/97	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/07/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	04/15/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.0005)	0.000	0.000
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/99	ND(0.001)	ND(0.001)	0.003	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	BENZENE (mg/L)	BENZENE (mg/L)	ETHYL- BENZENE (mg/L)	TOLUENE (mg/L)	TOTAL XYLENES (mg/L)	1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
MW-29 (Cont.)	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.000	0.000
	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/15/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
Dup.	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.000	0.000

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-			TOTAL			1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-30	04/15/98	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.004)	ND(0.002)	ND(0.004)	0.002	ND(0.002)	0.002	ND(0.001)	ND(0.002)	ND(0.002)	0.002		0.000	0.006
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.000	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.001		0.000	0.003
	07/18/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.005
	10/27/98	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.006
	02/09/99	ND(0.0005)	ND(0.0005)	ND(0.0005)	ND(0.001)	ND(0.0005)	ND(0.001)	0.001	ND(0.0005)	0.002	ND(0.0005)	ND(0.0005)	<0.001	0.002		0.000	0.005
Dup.	02/09/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.007
	04/22/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.007
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.002	ND(0.001)	ND(0.001)	ND(0.001)	0.002		0.000	0.005
	07/13/99	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003		0.000	0.008
	10/19/99	ND(0.001)	ND(0.001)	0.003	ND(0.002)	0.003	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
Dup.	10/19/99	ND(0.001)	ND(0.001)	0.003	ND(0.002)	0.003	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.003	0.003	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	01/26/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	0.000	0.000	0.008
	04/21/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.002	0.000	0.000	0.006
	07/27/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.008
Dup.	10/19/00	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.002)	ND(0.001)	ND(0.002)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	01/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	04/12/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.004	ND(0.001)	ND(0.001)	ND(0.001)	0.004	ND(0.001)	0.000	0.010
	07/18/01	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	ND(0.002)	0.003	ND(0.002)	0.000	0.006
Dup.	10/18/01	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.003	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.000	0.007
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	01/12/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.005	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.012
	04/20/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.006	ND(0.001)	ND(0.001)	ND(0.001)	0.005	ND(0.001)	0.000	0.013
	07/24/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	ND(0.001)	0.006	ND(0.001)	0.000	0.015
Dup.	10/15/02	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	01/22/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.008	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	04/23/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	07/16/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
Dup.	10/15/03	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.017
	01/28/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.007	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.016
	04/19/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.001	ND(0.001)	0.009	ND(0.001)	ND(0.001)	0.001	0.006	ND(0.001)	0.000	0.017
	07/16/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.001	0.007	ND(0.001)	0.000	0.020
Dup.	10/29/04	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.010	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.021
	01/14/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021
	04/16/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.011	ND(0.001)	ND(0.001)	0.002	0.006	ND(0.001)	0.000	0.021

Table 2 - Summary of Laboratory Analytical Results, Ground-Water Samples, Schlumberger Oilfield Services Facility, Artesia, New Mexico

WELL NUMBER	SAMPLE DATE	ETHYL-		TOTAL		1,1-DCA (mg/L)	1,2-DCA (mg/L)	1,1-DCE (mg/L)	1,2-DCE (mg/L)	TOTAL 1,1,1-TCA (mg/L)	TCE (mg/L)	PCE (mg/L)	CHLORO- ETHANE (mg/L)	TOTAL BTEX (mg/L)	TOTAL HALO- CARBONS (mg/L)
		BENZENE (mg/L)	BENZENE (mg/L)	TOLUENE (mg/L)	XYLENES (mg/L)										
MW-30 (Cont.) Dup.	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.013	ND(0.001)	ND(0.001)	0.002	0.008	ND(0.001)	0.000	0.025
	07/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.007	ND(0.001)	0.000	0.027
	10/08/05	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.015	ND(0.001)	ND(0.001)	0.002	0.009	ND(0.001)	0.000	0.029
	01/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.002	ND(0.001)	0.017	ND(0.001)	ND(0.001)	0.003	0.007	ND(0.001)	0.000	0.029
	04/18/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.019	ND(0.001)	ND(0.001)	0.003	0.010	ND(0.001)	0.000	0.034
	07/11/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.022	ND(0.001)	ND(0.001)	0.003	0.011	ND(0.001)	0.000	0.040
	10/10/06	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.003	ND(0.001)	0.023	ND(0.001)	ND(0.001)	0.004	0.009	ND(0.001)	0.000	0.039

Analytical method used prior to 10/95 = EPA Method 8240

Analytical method used during and after 10/95 = EPA Method 8260

NOTES:

mg/L = milligrams per liter (equivalent to parts per million)

dup. = duplicate sample

ND(0.001) = chemical not detected at concentration above detection limit shown in parentheses

J = chemical detected at concentration above instrument detection limit but below method detection limit

* = other chemicals also detected (see previous laboratory reports)

= other chemicals also detected (see laboratory analytical reports - Appendix A)

italicized value - is below the method detection limit.

< - analyte detected above the method detection limit but table is reported only to 1 part per billion

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

**Table 3 - Field Parameters at the Schlumberger Oilfield Services Facility,
Artesia, New Mexico**

Location	Date	pH standard	Conductivity uM/cm	Temperature Celcius	Dissolved Oxygen mg/l	Redox Potential mv
MW-1	10/19/1999	6.94	2340	20.55	0.33	58
	10/19/2000	6.71	2730	21.12	0.39	47
	10/18/2001	6.83	3050	19.93	0.41	152
	10/15/2002	6.88	3190	20.78	0.14	210
	10/15/2003	6.98	3220	21.76	0.04	299
	10/29/2004	6.92	3160	21.23	0.18	182
	10/8/2005	5.90	3300	19.69	0.39	87
	10/10/2006	6.71	3000	21.09	0.2	74
MW-2	10/20/1999	6.95	1019	19.66	0.28	-120
	10/19/2000	6.92	1390	20.64	0.36	-18
	10/18/2001	6.99	1740	19.67	0.37	89
	10/15/2002	6.99	2360	20.98	0.13	169
	10/15/2003	7.00	2700	21.48	0.06	268
	10/29/2004	6.91	3070	21.16	0.21	116
	10/8/2005	6.23	3270	19.43	0.19	127
	10/10/2006	6.79	3160	21.13	0.16	63
MW-3	10/20/1999	6.39	3440	20.26	0.25	-168
	10/19/2000	6.32	4940	20.80	0.35	-133
MW-4	10/20/1999	6.85	1530	19.32	0.24	-102
	10/19/2000	6.70	3000	20.37	0.26	-35
	10/18/2001	6.96	2610	19.38	0.43	174
	10/15/2002	7.00	3100	20.83	0.13	248
	10/15/2003	7.00	3200	21.20	0.04	299
	10/29/2004	6.91	3300	20.43	0.29	153
	10/8/2005	6.35	3380	19.40	0.18	94
	10/10/2006	6.77	3160	20.34	0.20	80.00
MW-5	10/20/1999	6.98	965	20.24	0.44	-90
	10/19/2000	6.97	1180	20.25	0.42	-37
	10/18/2001	7.05	1466	19.60	0.20	67
	10/15/2002	7.08	2110	21.60	0.14	132
	10/15/2003	7.13	2670	22.18	0.06	295
	10/29/2004	7.02	3290	21.48	0.28	204
	10/8/2005	5.84	3360	19.27	0.27	125
	10/10/2006	6.78	3100	20.79	0.25	89
MW-6	10/19/1999	7.01	2850	18.40	0.44	30
	10/19/2000	6.73	3620	18.67	0.67	166
	10/17/2001	6.84	3210	19.32	0.27	226
	10/15/2002	7.00	3270	18.77	0.15	270
	10/15/2003	7.00	3520	19.74	0.31	405
	10/29/2004	6.92	3910	18.65	0.26	211
	10/8/2005	6.22	3810	18.73	0.27	117
	10/10/2006	6.81	3700	18.53	0.41	114
MW-7	10/19/1999	6.52	4950	18.48	0.36	78
	10/19/2000	6.34	5990	18.55	0.54	178
	10/17/2001	6.69	4790	19.80	0.27	246
	10/15/2002	6.79	5740	18.35	0.35	687
	10/15/2003	6.74	5710	18.73	0.37	655
	10/29/2004	6.72	8500	18.32	0.47	252
	10/8/2005	6.28	5000	18.53	0.16	133
	10/10/2006	6.76	5020	17.98	0.28	128
MW-8	10/19/1999	6.95	2950	18.34	0.35	45
	10/19/2000	6.62	3840	18.78	0.53	179
	10/17/2001	6.41	4860	19.78	0.40	181
	10/15/2002	6.59	4900	18.29	0.32	329
	10/15/2003	6.65	4970	19.14	0.21	375
	10/29/2004	6.58	4950	20.04	0.45	158
	10/8/2005	6.34	5890	19.23	0.17	135
	10/10/2006	6.46	5310	18.66	0.31	128

Table 3 - Field Parameters at the Schlumberger Oilfield Services Facility,
Artesia, New Mexico

Location	Date	pH standard	Conductivity uM/cm	Temperature Celcius	Dissolved Oxygen mg/l	Redox Potential mv
MW-9	10/19/1999	6.65	2800	19.25	0.26	-137
	10/19/2000	6.37	3810	19.36	0.62	-138
	10/17/2001	6.29	5380	20.43	0.34	-64
	10/15/2002	6.40	4770	20.04	0.67	-36
	10/16/2003	6.30	5950	19.41	0.06	19
	10/29/2004	6.70	3610	21.89	0.14	-168
	10/8/2005	6.39	4000	19.44	0.25	-144
	10/10/2006	6.58	3730	20.50	0.14	-152
MW-10	10/19/1999	6.99	2950	18.46	0.36	76
	10/19/2000	6.77	3550	18.78	0.54	34
	10/17/2001	6.84	3540	19.52	0.26	183
	10/15/2002	6.86	3570	19.30	0.36	169
	10/16/2003	6.76	3660	18.52	0.06	220
	10/29/2004	6.82	4060	20.45	0.36	140
	10/8/2005	5.94	4150	19.26	0.20	40
	10/10/2006	6.71	3670	19.86	0.20	-14
MW-11	10/19/1999	6.43	4900	18.30	0.29	2
	10/19/2000	6.10	7800	18.92	0.49	121
	10/17/2001	6.49	5830	20.28	0.36	209
	10/15/2002	6.14	6680	18.69	0.26	338
	10/15/2003	6.60	8520	20.04	0.20	385
	10/29/2004	6.51	11590	19.26	0.46	225
	10/8/2005	6.28	6640	19.43	0.21	137
	10/10/2006	6.73	7840	19.26	0.41	141
MW-12	10/19/1999	6.43	3250	18.51	0.23	-124
	10/19/2000	6.28	3940	19.15	0.15	-93
	10/18/2001	6.48	4000	18.62	0.31	-10
	10/15/2002	6.66	3500	19.77	0.24	-12
	10/16/2003	6.45	3440	19.47	0.24	-4
	10/29/2004	6.61	3600	20.69	0.45	-239
	10/8/2005	6.32	3670	19.87	0.38	-210
	10/10/2006	6.56	3210	20.39	0.18	-306
MW-13	10/20/1999	6.82	1650	19.97	0.34	-22
	10/19/2000	6.70	2800	20.85	0.42	-20
	10/18/2001	6.89	2210	19.88	0.29	85
	10/15/2002	6.95	1920	20.58	0.17	252
	10/16/2003	6.75	2230	19.80	0.13	341
	10/29/2004	6.95	2720	20.82	0.24	203
	10/8/2005	5.93	2960	19.48	0.26	138
	10/10/2006	6.80	2850	20.76	0.17	-52
MW-14	10/20/1999	6.76	2370	19.72	0.33	11
	10/19/2000	6.70	2830	20.46	0.36	45
	10/15/2002	6.92	3730	20.99	1.49	270
	10/16/2003	7.00	3490	20.11	1.04	172
	10/29/2004	6.89	4790	20.53	1.48	170
	10/8/2005	6.27	4540	20.07	1.19	56
	10/10/2006	6.79	4150	20.51	0.88	-42
MW-15	10/20/1999	6.29	3700	20	0.21	-118
	10/19/2000	6.34	3690	20.81	0.41	-104
	10/15/2002	6.84	2160	21.04	0.13	20
	10/16/2003	6.62	2080	20.27	0.11	115
	10/29/2004	6.92	2080	22.59	0.13	-82
	10/8/2005	5.92	2500	19.83	0.20	-102
	10/10/2006	6.67	2600	21.15	0.26	-78

Table 3 - Field Parameters at the Schlumberger Oilfield Services Facility,
Artesia, New Mexico

Location	Date	pH standard	Conductivity uM/cm	Temperature Celcius	Dissolved Oxygen mg/l	Redox Potential mv
MW-17A	10/19/1999	6.56	4080	18.66	0.31	-6
	10/19/2000	6.31	4970	19.17	0.35	-45
	10/17/2001	6.55	4310	19.84	0.26	120
	10/15/2002	6.80	3980	19.99	0.19	199
	10/16/2003	6.76	4490	19.49	0.19	143
	10/29/2004	6.74	4560	20.24	0.31	23
	10/8/2005	6.78	4540	19.42	0.20	21
	10/10/2006	6.75	4180	20.24	0.21	-232
MW-17B	10/19/1999	6.44	4360	18.47	0.27	-13
	10/19/2000	6.53	4480	18.97	0.39	55
	10/17/2001	6.79	3640	19.73	0.30	118
	10/15/2002	6.91	3510	20.06	0.22	220
	10/16/2003	6.81	3840	19.25	0.15	153
	10/29/2004	6.82	4370	19.89	0.32	24
	10/8/2005	6.53	4170	18.84	0.22	-4
	10/10/2006	6.80	3810	19.88	0.19	-248
MW-17C	10/19/1999	6.13	8580	18.25	0.23	-35
	10/19/2000	5.80	10390	18.95	0.40	-53
	10/17/2000	6.53	3890	20.95	0.50	22
	10/15/2002	6.76	3490	20.70	0.20	49
	10/16/2003	6.78	3510	19.09	0.19	73
	10/29/2004	6.87	3310	19.78	0.33	-5
	10/8/2005	6.17	3470	19.19	0.29	5
	10/10/2006	6.90	3100	19.82	0.26	-243
MW-17D	10/19/1999	6.48	4900	18.90	0.24	-6
	10/19/2000	6.32	4380	19.68	0.48	18
	10/17/2001	6.54	4000	20.40	0.42	119
	10/15/2002	6.73	3950	20.40	0.21	124
	10/16/2003	6.72	4170	19.82	0.22	97
	10/29/2004	6.74	4600	20.74	0.31	20
	10/8/2005	6.69	4560	18.94	0.28	28
	10/10/2006	6.75	4110	21.71	0.18	-236
MW-18	10/19/1999	6.51	4640	18.64	0.34	86
	10/19/2000	6.32	5400	18.54	0.62	182
	10/17/2001	6.49	4690	19.83	0.40	252
	10/15/2002	6.66	4660	18.12	0.31	303
	10/15/2003	6.72	4940	19.80	0.18	388
	10/29/2004	6.61	6340	18.40	0.82	226
	10/8/2005	6.23	6190	18.44	0.17	137
	10/10/2006	6.55	5620	18.30	0.56	130
MW-19	10/19/1999	6.74	4670	18.66	0.32	83
	10/19/2000	6.66	5560	18.90	0.52	170
	10/17/2001	6.86	4480	20.47	0.26	245
	10/15/2002	6.99	4450	18.39	0.22	294
	10/15/2003	7.02	4700	19.95	0.19	367
	10/29/2004	6.96	5660	20.07	0.23	208
	10/8/2005	6.25	5990	19.54	0.22	133
	10/10/2006	6.82	5350	18.65	0.28	128
MW-20	10/19/1999	7.02	2890	18.38	0.34	67
	10/19/2000	6.78	3360	17.73	0.36	170
	10/17/2001	6.91	3020	19.88	0.29	171
	10/15/2002	6.93	3370	18.97	0.23	235
	10/15/2003	6.87	3430	20.66	0.15	287
	10/29/2004	6.89	4240	18.18	0.43	174
	10/8/2005	6.11	4220	19.30	0.13	129
	10/10/2006	6.75	4230	18.18	0.45	215

**Table 3 - Field Parameters at the Schlumberger Oilfield Services Facility,
Artesia, New Mexico**

Location	Date	pH standard	Conductivity uM/cm	Temperature Celcius	Dissolved Oxygen mg/l	Redox Potential mv
MW-21	10/19/1999	6.97	2780	19.12	0.48	132
	10/19/2000	6.74	3340	19.10	0.48	178
	10/17/2001	6.84	3380	20.33	0.22	288
	10/15/2002	6.92	3920	18.86	0.26	505
	10/15/2003	6.93	3790	20.46	0.23	379
	10/29/2004	6.75	5390	19.09	0.27	217
	10/8/2005	6.24	5420	19.53	0.20	131
	10/10/2006	6.53	5400	18.95	0.41	185
MW-22	10/19/1999	6.79	4470	19.07	0.31	81
	10/19/2000	6.54	5330	18.99	0.56	254
	10/17/2001	6.68	5110	20.58	0.24	319
	10/15/2002	6.80	5400	19.22	0.12	535
	10/15/2003	6.66	5500	20.62	0.15	640
	10/29/2004	6.82	5680	20.09	0.26	221
	10/8/2005	6.12	6410	19.69	0.21	139
	10/10/2006	6.67	5610	19.11	0.24	183
MW-23	10/19/1999	7.02	3210	18.91	0.38	56
	10/19/2000	6.76	3830	18.96	0.54	183
	10/17/2001	6.94	3570	20.17	0.22	212
	10/15/2002	7.04	3730	19.40	0.14	285
	10/15/2003	6.83	3780	21.06	0.05	359
	10/29/2004	7.04	4350	19.08	0.26	209
	10/8/2005	6.32	3920	19.96	0.15	126
	10/10/2006	6.83	4090	18.41	0.25	187
MW-24	10/19/1999	7.06	2180	18.59	2.59	63
	10/19/2000	6.86	2630	18.42	1.61	193
	10/17/2001	6.83	2900	19.85	2.55	145
	10/15/2002	6.78	2520	19.18	2.15	225
	10/15/2003	6.83	2670	19.70	2.42	300
	10/29/2004	6.69	3010	18.19	1.59	158
	10/8/2005	6.29	2970	19.80	0.62	116
	10/10/2006	6.66	2940	18.34	0.74	212
MW-25	10/19/1999	6.96	3530	19.43	0.30	247
	10/19/2000	6.63	4270	19.32	0.40	377
	10/17/2001	6.75	4140	20.93	0.26	522
	10/15/2002	6.89	4400	19.41	0.18	635
	10/15/2003	6.71	4870	20.04	0.16	683
	10/29/2004	6.79	5480	19.53	0.27	265
	10/8/2005	6.21	5620	19.86	0.18	158
	10/10/2006	6.63	5420	19.27	0.31	187
MW-26	10/19/1999	6.99	2650	19.06	0.33	61
	10/19/2000	6.73	3510	18.88	0.49	234
	10/17/2001	6.87	3280	20.09	0.22	240
	10/15/2002	6.94	3730	19.81	0.19	605
	10/15/2003	6.83	3040	24.28	0.11	537
	10/29/2004	6.83	4890	18.80	0.28	212
	10/8/2005	6.14	5010	19.56	0.18	130
	10/10/2006	6.72	4800	18.68	0.23	190
MW-27	10/19/1999	7.04	2590	18.74	0.29	32
	10/19/2000	6.78	3180	18.65	0.46	162
	10/17/2001	6.92	3300	19.50	0.39	210
	10/15/2002	7.04	3270	18.99	0.19	377
	10/15/2003	6.82	3520	20.30	0.36	535
	10/29/2004	7.00	4110	18.40	0.44	206
	10/8/2005	6.26	3910	18.94	0.24	122
	10/10/2006	6.84	3840	18.09	0.28	189

**Table 3 - Field Parameters at the Schlumberger Oilfield Services Facility,
Artesia, New Mexico**

Location	Date	pH standard	Conductivity uM/cm	Temperature Celcius	Dissolved Oxygen mg/l	Redox Potential mv
MW-28	10/19/1999	7.02	2920	18.29	0.37	70
	10/19/2000	6.78	3530	18.22	0.51	204
	10/17/2001	6.89	3270	19.15	0.28	211
	10/15/2002	7.12	3400	19.22	0.19	260
	10/15/2003	6.78	3590	19.55	0.33	337
	10/29/2004	6.92	4040	18.12	0.40	193
	10/8/2005	6.16	4010	18.78	0.19	126
	10/10/2006	6.76	3860	18.05	0.26	207
MW-29	10/19/1999	7.07	3360	18.87	0.73	58
	10/19/2000	6.85	4040	18.88	0.68	205
	10/17/2001	6.97	3510	19.30	0.30	209
	10/15/2002	7.10	3860	19.22	0.28	264
	10/15/2003	6.98	3260	26.89	0.13	331
	10/29/2004	7.00	4450	18.51	0.31	195
	10/8/2005	6.20	4440	19.40	0.22	124
	10/10/2006	6.87	4220	18.19	0.44	210
MW-30	10/19/1999	7.03	2860	18.88	0.29	60
	10/19/2000	6.81	3380	18.66	0.53	99
	10/17/2001	6.98	3020	21.50	0.39	189
	10/15/2002	7.06	3110	19.58	0.19	264
	10/15/2003	6.89	3300	20.52	0.20	341
	10/29/2004	6.98	3840	18.32	0.48	204
	10/8/2005	6.30	3970	19.21	0.20	122
	10/10/2006	6.81	3960	18.39	0.25	198

Note: mg/l = milligrams per liter
uM/cm = micro moses per centimeter
mv = millivolts

TABLE 4. OPERATIONAL CONDITIONS, WASH BAY SVE SYSTEM, SCHLUMBERGER FACILITY, ARTESIA, NEW MEXICO

SAMPLE DATE	HOUR METER	VACUUM (inches of water)					
		ZONE 1 MANIFOLD	ZONE 1 BLOWER	ZONE 2 MANIFOLD	ZONE 2 BLOWER	ZONE 3 MANIFOLD	ZONE 3 BLOWER
01/31/94	0.0						
02/01/94	5.3	43	44	41	42	43	44
02/02/94	20.6	40	42				
02/03/94	45.3	38	42			43	45
02/10/94	217.7	34	38				
02/16/94	359.7					41	43
02/23/94	528.5					39	42
03/04/94	746.2	32	36				
03/11/94	912.0					39	40
03/18/94	1083.9			33	37		
03/28/94	1322.8	32	36				
04/08/94	1581.2			32	36		
04/19/94	1855.2	31	34	33	36	35	38
05/06/94	2253.8	41	44	45	46	43	44
05/18/94						43	44
06/01/94		44	44				
06/16/94	3241.2	44	45	46	47	46	47
07/06/94	3712.1	43	44	44	45	45	45
07/21/94	3858.3	43	45	48	48	50	51
08/09/94	3859.7	43	44	45	46	45	46
09/07/94	4519.5	44	45	46	47		
09/30/94	5073.4	44	47	44	46	49	50
10/11/94	5328.8	48	50	41	44	48	50
11/03/94	5864.3	39	43	57	58	58	58
12/05/94	6546.8	57	58	57	58	58	59
01/25/95	7738.0	45	50	58	58	60	58

Note: In April 1995, the wash bay SVE system was expanded. Each of the three zones now has a south (S) and a north (N) subzone.

SAMPLE DATE	HOUR METER	VACUUM (inches of water)					
		ZONE 1 MANIFOLD	ZONE 1 BLOWER	ZONE 2 MANIFOLD	ZONE 2 BLOWER	ZONE 3 MANIFOLD	ZONE 3 BLOWER
04/05/95	8682.1	(S)42 (N)40	44	(S)54 (N)52	48	(S)55 (N)55	48
05/09/95	9489.0	(S)47 (N)45	42				
06/18/95	10424.0	(S)26 (N)25	30	(S)44 (N)42	44	(S)58 (N)53	38
07/11/95	10483.6	(S)42 (N)40	40	(S)43 (N)40	40	(S)45 (N)42	41

**TABLE 4. OPERATIONAL CONDITIONS, WASH BAY SVE SYSTEM,
SCHLUMBERGER FACILITY, ARTESIA, NEW MEXICO**

Note: Beginning in October 1995, vacuum was measured on the combined south subzones of Zones 1,2, and 3, and on the combined north subzones.

SAMPLE DATE	HOUR METER	VACUUM (inches of water)		
		BLOWER	MANIFOLD (Zones 1,2,3 combined) SOUTH SUBZONES	NORTH SUBZONES
10/20/95	11774.0	46	60	57
11/15/95	12404.2	35	34	26
11/30/95	12756.7	37	35	35
01/11/96	13742.0	42	44	29
07/24/96	18411.0	39	56	42
10/22/96	20572.9	49	41	35
04/09/97	24621.7	41	33	28
07/30/97	27308.7	65	20	18
10/17/97	29169.7	65	20	19
01/06/98	31106.3	59	39	34
04/15/98	33462	60+	32	25
07/18/98	35702.2	60+	40	42
10/28/98	38125.5	60+	22	22
02/10/99	40640.1	38	30	32
04/22/99	42368.7	60+	32	29
07/13/99	44335.1	59	38	36
10/20/99	46690.4	41	60	48
01/26/00	49063.7	43	36	30
04/18/00	51084.3	38	33	30
07/27/00		42	35	37
10/19/00	55437.8	40	34	32
01/18/01	55687.0	48	40	38
04/11/01	57130.3	37	30	28
07/19/01	59292.7	36	25	20
10/18/01	61476.2	53.5	40	38
01/12/02	63544.4	42	36	38
04/20/02	Down			
07/24/02	68073.0	38	37	37
10/15/02	70071.2	35	31	31
01/23/03	72425.8	36	31	30
04/24/03	74606.6	36	32	32
07/16/03	76621.9	36	29	31
10/16/03	78805.8	36	30	28
01/29/04	81327.5	49	46	44
04/19/04	83274.0	52	49	48
07/16/04	85380.0	42	41	38
10/29/04	87899.9	50	37	35
01/17/05	89814.9	56	44	43
04/15/05	89966.5	down		
07/08/05	90002.3	35	33	32
10/08/05	92242.7	34	32	31
01/19/06	93613.0	30	25	22
04/18/06	95773.3	27	23	22
07/11/06	97789.6	30	20	27
10/10/06	2183.6*	40	35	35

* new meter

TABLE 5. PID READINGS - VOLATILE ORGANIC COMPOUNDS,
WASH BAY SVE SYSTEM,
SCHLUMBERGER FACILITY, ARTESIA, NEW MEXICO

SAMPLE DATE	HOUR METER	PID READING (ppm)				
		EXHAUST	ZONE 1	ZONE 2	ZONE 3	ALL ZONES
06/17/96						212
07/24/96						156
10/22/96						163
04/09/97		29				38.9
07/29/97						63
10/17/97		18				20.5
01/06/98	31106.3	15				14.4
04/15/98	33462	0				8
07/18/98	35702	35.7				38.7
10/28/98	38125.5	32				41
02/10/99	40640.1	20				29
04/22/99	42368.7	31				13.8
07/13/99	44335.1	---				---
10/20/99	46690.4	---				5.2
01/26/00	49063.7					17.0
04/18/00	51084.3					9.0
07/26/00	---					8.3
10/19/00	55437.8					17.0
1/18/2001	55687.0					7.1
4/11/2001	57130.3					8.3
07/19/01	59292.7					17.2
10/18/01	61476.2					43.0
01/12/02	63544.4					39
04/20/02	Down					---
07/24/02	68073.0					84
10/15/02	70071.2					116
01/23/03	72425.8					69
04/24/03	74606.6					44
07/16/03	76621.9					78
10/16/03	78805.8					112
01/29/04	81327.5					88
04/19/04	83274.0					104
07/16/04	85380.0					116
10/29/04	87899.9					124
01/17/05	89814.9					36
04/15/05	89988.5					--
07/10/05	90002.3					72
10/19/05	92242.7					116
01/19/06	93613.0					156
04/18/06	95773.3					161
07/11/06	97789.6					60
10/10/06	2183.6*					7

note --- = no data available * new meter

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL- BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1- TCA (mg/m3)	1,1,2- TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2- BUTANONE (mg/m3)
MS-1	02/10/94	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	7.00
	02/16/94	ND(1)	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(1)	ND(2)
	02/23/94	ND(0.5)	ND(0.5)	0.51	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	1.40
	03/04/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/11/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(0.5)	3.00
	03/18/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	5.60	ND(1)	ND(1)	ND(0.5)	ND(1)
	03/28/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	1.10	ND(1)	ND(1)	ND(0.5)	ND(1)
	04/20/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	21.30	ND(1)	ND(1)	ND(0.5)	1.90
	05/06/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	6.20	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
	05/18/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	4.00	ND(0.5)	ND(0.5)	ND(0.5)	ND(10)
*	06/01/94	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	4.00	ND(1)	ND(1)	0.20	NA
	12/05/94	ND(0.001)	ND(0.001)	ND(0.001)	NA	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.20	NA
	10/18/95	ND(0.2)	2.02	ND(0.2)	8.07	ND(0.2)	ND(0.2)	ND(0.2)	4.98	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)
	07/24/96	ND(0.3)	ND(0.3)	ND(0.3)	ND(0.6)	ND(0.3)	ND(0.3)	ND(0.3)	1.70	ND(0.3)	ND(0.3)	0.40	NA
	10/22/96	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	ND(0.2)	1.61	ND(0.2)	ND(0.2)	0.41	NA
MS-2	01/21/97	ND(1.0)	ND(1.0)	ND(1.0)	ND(2.0)	ND(1.0)	ND(1.0)	ND(1.0)	1.07	ND(1.0)	ND(1.0)	ND(1.0)	NA
	02/03/94	0.70	0.2J	ND(0.5)	ND(0.5)	1.60	ND(0.5)	ND(0.5)	2.20	ND(0.5)	0.68	140.00	ND(2)
	02/10/94	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	27.25	ND(2)
	02/16/94	ND(1)	ND(1)	ND(1)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	14.50	ND(2)
	02/23/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	50.20	1.80
	03/04/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	8.50	ND(1)
	03/11/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	17.60	ND(1)
	03/18/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	15.90	ND(1)
	03/28/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	1.20	ND(1)	ND(1)	6.90	ND(1)
	04/08/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	1.20	ND(1)	ND(1)	ND(0.5)	ND(1)
*	04/20/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	ND(1)	ND(1)	2.50	ND(1)	ND(1)	12.10	2.50
	05/06/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	1.60	ND(0.5)	ND(0.5)	6.80	ND(10)
	05/18/94	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1)	4.00	ND(0.5)	ND(0.5)	6.90	ND(10)
	06/01/94	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	4.00	ND(1)	ND(1)	12.00	ND(1)
	09/07/94	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)	0.31	ND(0.001)	ND(0.001)	ND(0.001)	ND(0.001)
	01/25/95	ND(0.04)	ND(0.04)	ND(0.04)	0.12	ND(0.04)	ND(0.04)	ND(0.04)</					

Table 6 - Summary of Laboratory Analytical Results, SVE Soil Vapor Samples (Maintenance Shop and Wash Bay SVE Systems), Schlumberger Oilfield Services Facility, Artesia, New Mexico

SVE ZONE	SAMPLE DATE	BENZENE (mg/m3)	ETHYL-BENZENE (mg/m3)	TOLUENE (mg/m3)	TOTAL XYLENES (mg/m3)	1,1-DCA (mg/m3)	1,2-DCA (mg/m3)	1,1-DCE (mg/m3)	1,1,1-TCA (mg/m3)	1,1,2-TCA (mg/m3)	TCE (mg/m3)	PCE (mg/m3)	2-BUTANONE (mg/m3)
WB-COMP (cont.)	01/23/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/16/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/16/03	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/29/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/19/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/19/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	11/01/04	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	01/17/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/11/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/10/05	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	3.00	ND(1.0)
	01/18/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	04/18/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	07/11/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
	10/10/06	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)

Prior to January 1995, the laboratory analytical method used was EPA Method 8240.

During and after January 1995, the laboratory analytical method used was EPA Method 8260.

See laboratory reports for concentrations of additional analytes.

In April 1995, the wash bay SVE system was expanded. Each of the three zones now consists of an old south (S) and a new north (N) zone.

NOTES:

mg/m3 = milligrams per cubic meter

* = units reported as "ppm" or "mg/L". Detection limit may be incorrect.

**=laboratory results may not be an accurate representation of the emissions

J = chemical present above instrument detection limit but below method detection limit

NA = not analyzed

MS = Maintenance Shop SVE system

WB = Wash Bay SVE system

WB-N1 = north subzone of Wash Bay Zone 1

WB-N2 = north subzone of Wash Bay Zone 2

WB-N3 = north subzone of Wash Bay Zone 3

WB-COMP = composite sample from Wash Bay zones 1, 2, and 3

MS-COMP = composite sample from Maintenance Shop zones 1 and 2

CHEMICAL ABBREVIATIONS:

1,1-DCA = 1,1-dichloroethane

1,2-DCA = 1,2-dichloroethane

1,1-DCE = 1,1-dichloroethene

1,1,1-TCA = 1,1,1-trichloroethane

1,1,2-TCA = 1,1,2-trichloroethane

TCE = trichloroethene

PCE = tetrachloroethene

APPENDIX A

Laboratory Analytical Reports



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-001
Client Sample ID: 90125-24.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 07:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 15:08 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 15:08 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 15:08 / jlr
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	10/16/06 15:08 / jlr
Surr: Dibromofluoromethane	94.0	%REC			70-130	SW8260B	10/16/06 15:08 / jlr
Surr: p-Bromofluorobenzene	91.0	%REC			80-120	SW8260B	10/16/06 15:08 / jlr
Surr: Toluene-d8	100	%REC			80-120	SW8260B	10/16/06 15:08 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-002
Client Sample ID: 90125-20.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,1-Dichloroethene	15	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-002
Client Sample ID: 90125-20.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 15:47 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 15:47 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 15:47 / jlr
Surr: 1,2-Dichlorobenzene-d4	103	%REC			80-120	SW8260B	10/16/06 15:47 / jlr
Surr: Dibromofluoromethane	89.0	%REC			70-130	SW8260B	10/16/06 15:47 / jlr
Surr: p-Bromofluorobenzene	90.0	%REC			80-120	SW8260B	10/16/06 15:47 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/16/06 15:47 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-003
Client Sample ID: 90125-28.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-003
Client Sample ID: 90125-28.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 16:27 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 16:27 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 16:27 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC			80-120	SW8260B	10/16/06 16:27 / jlr
Surr: Dibromofluoromethane	92.0	%REC			70-130	SW8260B	10/16/06 16:27 / jlr
Surr: p-Bromofluorobenzene	90.0	%REC			80-120	SW8260B	10/16/06 16:27 / jlr
Surr: Toluene-d8	106	%REC			80-120	SW8260B	10/16/06 16:27 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-004
Client Sample ID: 90125-29.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-004
Client Sample ID: 90125-29.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 17:07 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 17:07 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 17:07 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	10/16/06 17:07 / jlr
Surr: Dibromofluoromethane	94.0	%REC			70-130	SW8260B	10/16/06 17:07 / jlr
Surr: p-Bromofluorobenzene	90.0	%REC			80-120	SW8260B	10/16/06 17:07 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/16/06 17:07 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-005
Client Sample ID: 90125-30.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,1-Dichloroethane	3.0	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,1-Dichloroethene	23	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-005
Client Sample ID: 90125-30.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 08:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 23:04 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 23:04 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Tetrachloroethene	8.6	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Trichloroethene	4.0	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 23:04 / jlr
Surr: 1,2-Dichlorobenzene-d4	107	%REC			80-120	SW8260B	10/16/06 23:04 / jlr
Surr: Dibromofluoromethane	95.0	%REC			70-130	SW8260B	10/16/06 23:04 / jlr
Surr: p-Bromofluorobenzene	94.0	%REC			80-120	SW8260B	10/16/06 23:04 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/16/06 23:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-006
Client Sample ID: 90125-26.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,1-Dichloroethane	11	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,1-Dichloroethene	67	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-006
Client Sample ID: 90125-26.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 17:46 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 17:46 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Tetrachloroethene	56	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Trichloroethene	22	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 17:46 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	10/16/06 17:46 / jlr
Surr: Dibromofluoromethane	89.0	%REC			70-130	SW8260B	10/16/06 17:46 / jlr
Surr: p-Bromofluorobenzene	92.0	%REC			80-120	SW8260B	10/16/06 17:46 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/16/06 17:46 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-007
Client Sample ID: 90125-26A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,1-Dichloroethane	11	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,1-Dichloroethene	66	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Benzene	2.1	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-007
Client Sample ID: 90125-26A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 18:26 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 18:26 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Tetrachloroethene	47	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Trichloroethene	19	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 18:26 / jlr
Surr: 1,2-Dichlorobenzene-d4	97.0	%REC			80-120	SW8260B	10/16/06 18:26 / jlr
Surr: Dibromofluoromethane	87.0	%REC			70-130	SW8260B	10/16/06 18:26 / jlr
Surr: p-Bromofluorobenzene	91.0	%REC			80-120	SW8260B	10/16/06 18:26 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/16/06 18:26 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-008
Client Sample ID: 90125-27.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-008
Client Sample ID: 90125-27.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 23:44 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 23:44 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 23:44 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/16/06 23:44 / jlr
Surr: Dibromofluoromethane	94.0	%REC			70-130	SW8260B	10/16/06 23:44 / jlr
Surr: p-Bromofluorobenzene	93.0	%REC			80-120	SW8260B	10/16/06 23:44 / jlr
Surr: Toluene-d8	100	%REC			80-120	SW8260B	10/16/06 23:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-009
Client Sample ID: 90125-23.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,1-Dichloroethene	2.1	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-009
Client Sample ID: 90125-23.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 09:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 00:24 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 00:24 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Tetrachloroethene	1.4	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 00:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	99.0	%REC			80-120	SW8260B	10/17/06 00:24 / jlr
Surr: Dibromofluoromethane	94.0	%REC			70-130	SW8260B	10/17/06 00:24 / jlr
Surr: p-Bromofluorobenzene	90.0	%REC			80-120	SW8260B	10/17/06 00:24 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/17/06 00:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-010
Client Sample ID: 90125-22A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,1-Dichloroethane	17	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,1-Dichloroethene	83	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Benzene	2.2	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-010
Client Sample ID: 90125-22A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 01:04 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 01:04 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Tetrachloroethene	62	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Trichloroethene	26	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 01:04 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC			80-120	SW8260B	10/17/06 01:04 / jlr
Surr: Dibromofluoromethane	87.0	%REC			70-130	SW8260B	10/17/06 01:04 / jlr
Surr: p-Bromofluorobenzene	89.0	%REC			80-120	SW8260B	10/17/06 01:04 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/17/06 01:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-011
Client Sample ID: 90125-22.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,1-Dichloroethane	11	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,1-Dichloroethene	83	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Benzene	3.1	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-011
Client Sample ID: 90125-22.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 01:44 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 01:44 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Tetrachloroethene	59	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Trichloroethene	23	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 01:44 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 01:44 / jlr
Surr: Dibromofluoromethane	88.0	%REC			70-130	SW8260B	10/17/06 01:44 / jlr
Surr: p-Bromofluorobenzene	92.0	%REC			80-120	SW8260B	10/17/06 01:44 / jlr
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	10/17/06 01:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-012
Client Sample ID: 90125-25.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,1-Dichloroethane	17	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,1-Dichloroethene	97	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Benzene	6.2	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-012
Client Sample ID: 90125-25.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 02:23 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 02:23 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Tetrachloroethene	82	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Trichloroethene	30	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 02:23 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 02:23 / jlr
Surr: Dibromofluoromethane	85.0	%REC			70-130	SW8260B	10/17/06 02:23 / jlr
Surr: p-Bromofluorobenzene	92.0	%REC			80-120	SW8260B	10/17/06 02:23 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/17/06 02:23 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-013
Client Sample ID: 90125-21.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,1-Dichloroethane	24	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,1-Dichloroethene	49	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Benzene	1.8	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
cis-1,2-Dichloroethene	2.2	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-013
Client Sample ID: 90125-21.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 10:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 03:03 / jlr
Methyl tert-butyl ether (MTBE)	8.0	ug/L		2.0		SW8260B	10/17/06 03:03 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Tetrachloroethene	42	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Trichloroethene	22	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 03:03 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	10/17/06 03:03 / jlr
Surr: Dibromofluoromethane	88.0	%REC			70-130	SW8260B	10/17/06 03:03 / jlr
Surr: p-Bromofluorobenzene	91.0	%REC			80-120	SW8260B	10/17/06 03:03 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/17/06 03:03 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-014
Client Sample ID: 90125-18.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 11:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,1-Dichloroethane	15	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,1-Dichloroethene	27	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
cis-1,2-Dichloroethene	1.6	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-014
Client Sample ID: 90125-18.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 11:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 19:45 / jlr
Methyl tert-butyl ether (MTBE)	3.3	ug/L		2.0		SW8260B	10/16/06 19:45 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Tetrachloroethene	32	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Trichloroethene	9.8	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 19:45 / jlr
Surr: 1,2-Dichlorobenzene-d4	104	%REC			80-120	SW8260B	10/16/06 19:45 / jlr
Surr: Dibromofluoromethane	88.0	%REC			70-130	SW8260B	10/16/06 19:45 / jlr
Surr: p-Bromofluorobenzene	91.0	%REC			80-120	SW8260B	10/16/06 19:45 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/16/06 19:45 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-015
Client Sample ID: 90125-11.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,1-Dichloroethane	14	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,1-Dichloroethene	4.6	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-015
Client Sample ID: 90125-11.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 03:43 / jlr
Methyl tert-butyl ether (MTBE)	2.8	ug/L		2.0		SW8260B	10/17/06 03:43 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Tetrachloroethene	6.2	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Trichloroethene	8.6	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 03:43 / jlr
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	10/17/06 03:43 / jlr
Surr: Dibromofluoromethane	90.0	%REC			70-130	SW8260B	10/17/06 03:43 / jlr
Surr: p-Bromofluorobenzene	92.0	%REC			80-120	SW8260B	10/17/06 03:43 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/17/06 03:43 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-016
Client Sample ID: 90125-8.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,1-Dichloroethane	15	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,1-Dichloroethene	13	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
cis-1,2-Dichloroethene	4.1	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-016
Client Sample ID: 90125-8.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 04:23 / jlr
Methyl tert-butyl ether (MTBE)	9.2	ug/L		2.0		SW8260B	10/17/06 04:23 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Tetrachloroethene	11	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Trichloroethene	11	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 04:23 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 04:23 / jlr
Surr: Dibromofluoromethane	87.0	%REC			70-130	SW8260B	10/17/06 04:23 / jlr
Surr: p-Bromofluorobenzene	92.0	%REC			80-120	SW8260B	10/17/06 04:23 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/17/06 04:23 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-017
Client Sample ID: 90125-7.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,1-Dichloroethane	4.8	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,1-Dichloroethene	14	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-017
Client Sample ID: 90125-7.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 05:03 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 05:03 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Tetrachloroethene	15	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 05:03 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 05:03 / jlr
Surr: Dibromofluoromethane	88.0	%REC			70-130	SW8260B	10/17/06 05:03 / jlr
Surr: p-Bromofluorobenzene	93.0	%REC			80-120	SW8260B	10/17/06 05:03 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/17/06 05:03 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-018
Client Sample ID: 90125-19.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,1-Dichloroethane	1.5	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,1-Dichloroethene	4.8	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-018
Client Sample ID: 90125-19.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 12:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 05:43 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 05:43 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Tetrachloroethene	4.2	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 05:43 / jlr
Surr: 1,2-Dichlorobenzene-d4	105	%REC			80-120	SW8260B	10/17/06 05:43 / jlr
Surr: Dibromofluoromethane	90.0	%REC			70-130	SW8260B	10/17/06 05:43 / jlr
Surr: p-Bromofluorobenzene	96.0	%REC			80-120	SW8260B	10/17/06 05:43 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/17/06 05:43 / jlr

Report Definitions: RL - Analyte reporting limit.
QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-019
Client Sample ID: 90125-6.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-019
Client Sample ID: 90125-6.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 16:28 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 16:28 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 16:28 / jlr
Surr: 1,2-Dichlorobenzene-d4	96.0	%REC			80-120	SW8260B	10/16/06 16:28 / jlr
Surr: Dibromofluoromethane	106	%REC			70-130	SW8260B	10/16/06 16:28 / jlr
Surr: p-Bromofluorobenzene	97.0	%REC			80-120	SW8260B	10/16/06 16:28 / jlr
Surr: Toluene-d8	103	%REC			80-120	SW8260B	10/16/06 16:28 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-020
Client Sample ID: 90125-1.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-020
Client Sample ID: 90125-1.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 17:08 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 17:08 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
sec-Butylbenzene	6.4	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 17:08 / jlr
Surr: 1,2-Dichlorobenzene-d4	96.0	%REC			80-120	SW8260B	10/16/06 17:08 / jlr
Surr: Dibromofluoromethane	105	%REC			70-130	SW8260B	10/16/06 17:08 / jlr
Surr: p-Bromofluorobenzene	94.0	%REC			80-120	SW8260B	10/16/06 17:08 / jlr
Surr: Toluene-d8	103	%REC			80-120	SW8260B	10/16/06 17:08 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-021
Client Sample ID: 90125-4.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-021
Client Sample ID: 90125-4.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 17:48 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 17:48 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 17:48 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	10/16/06 17:48 / jlr
Surr: Dibromofluoromethane	104	%REC			70-130	SW8260B	10/16/06 17:48 / jlr
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	10/16/06 17:48 / jlr
Surr: Toluene-d8	104	%REC			80-120	SW8260B	10/16/06 17:48 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-022
Client Sample ID: 90125-5.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-022
Client Sample ID: 90125-5.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 13:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 18:28 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 18:28 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 18:28 / jlr
Surr: 1,2-Dichlorobenzene-d4	97.0	%REC			80-120	SW8260B	10/16/06 18:28 / jlr
Surr: Dibromofluoromethane	104	%REC			70-130	SW8260B	10/16/06 18:28 / jlr
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	10/16/06 18:28 / jlr
Surr: Toluene-d8	96.0	%REC			80-120	SW8260B	10/16/06 18:28 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-023
Client Sample ID: 90125-2.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-023
Client Sample ID: 90125-2.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 19:08 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 19:08 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
sec-Butylbenzene	1.3	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Tetrachloroethene	17	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Trichloroethene	3.1	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 19:08 / jlr
Surr: 1,2-Dichlorobenzene-d4	97.0	%REC			80-120	SW8260B	10/16/06 19:08 / jlr
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	10/16/06 19:08 / jlr
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	10/16/06 19:08 / jlr
Surr: Toluene-d8	101	%REC			80-120	SW8260B	10/16/06 19:08 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-024
Client Sample ID: 90125-15.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,1-Dichloroethane	1.6	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
cis-1,2-Dichloroethene	1.3	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-024
Client Sample ID: 90125-15.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 19:47 / jlr
Methyl tert-butyl ether (MTBE)	7.0	ug/L		2.0		SW8260B	10/16/06 19:47 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Trichloroethene	23	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 19:47 / jlr
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	10/16/06 19:47 / jlr
Surr: Dibromofluoromethane	103	%REC			70-130	SW8260B	10/16/06 19:47 / jlr
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	10/16/06 19:47 / jlr
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	10/16/06 19:47 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-025
Client Sample ID: 90125-9.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,1-Dichloroethane	5.8	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
cis-1,2-Dichloroethene	3.1	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-025
Client Sample ID: 90125-9.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 01:45 / jlr
Methyl tert-butyl ether (MTBE)	31	ug/L		2.0		SW8260B	10/17/06 01:45 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Tetrachloroethene	1.7	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Trichloroethene	5.5	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 01:45 / jlr
Surr: 1,2-Dichlorobenzene-d4	93.0	%REC			80-120	SW8260B	10/17/06 01:45 / jlr
Surr: Dibromofluoromethane	104	%REC			70-130	SW8260B	10/17/06 01:45 / jlr
Surr: p-Bromofluorobenzene	101	%REC			80-120	SW8260B	10/17/06 01:45 / jlr
Surr: Toluene-d8	102	%REC			80-120	SW8260B	10/17/06 01:45 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-026
Client Sample ID: 90125-10.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,1-Dichloroethane	1.3	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,1-Dichloroethene	8.2	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-026
Client Sample ID: 90125-10.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 14:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 02:24 / jlr
Methyl tert-butyl ether (MTBE)	36	ug/L		2.0		SW8260B	10/17/06 02:24 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 02:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 02:24 / jlr
Surr: Dibromofluoromethane	103	%REC			70-130	SW8260B	10/17/06 02:24 / jlr
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	10/17/06 02:24 / jlr
Surr: Toluene-d8	101	%REC			80-120	SW8260B	10/17/06 02:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-027
Client Sample ID: 90125-12.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,1,1-Trichloroethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,1,2-Trichloroethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,1-Dichloroethane	94	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,1-Dichloroethene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,1-Dichloropropene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2,3-Trichlorobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2,3-Trichloropropane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2,4-Trichlorobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2,4-Trimethylbenzene	830	ug/L	D	25		SW8260B	10/16/06 20:27 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2-Dibromoethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2-Dichlorobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2-Dichloroethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,2-Dichloropropane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,3,5-Trimethylbenzene	14	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,3-Dichlorobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,3-Dichloropropane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
1,4-Dichlorobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
2,2-Dichloropropane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
2-Chloroethyl vinyl ether	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
2-Chlorotoluene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
4-Chlorotoluene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Benzene	28	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Bromobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Bromochloromethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Bromodichloromethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Bromoform	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Bromomethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Carbon tetrachloride	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Chlorobenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Chlorodibromomethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Chloroethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Chloroform	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Chloromethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
cis-1,2-Dichloroethene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
cis-1,3-Dichloropropene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Dibromomethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Dichlorodifluoromethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Ethylbenzene	400	ug/L	D	25		SW8260B	10/16/06 20:27 / jlr
Hexachlorobutadiene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.
D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-027
Client Sample ID: 90125-12.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	240	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
m+p-Xylenes	180	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 21:07 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Methylene chloride	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Naphthalene	130	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
n-Butylbenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
n-Propylbenzene	350	ug/L	D	25		SW8260B	10/16/06 20:27 / jlr
o-Xylene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
p-Isopropyltoluene	3.0	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
sec-Butylbenzene	15	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Styrene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
tert-Butylbenzene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Tetrachloroethene	28	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Toluene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
trans-1,2-Dichloroethene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
trans-1,3-Dichloropropene	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Trichloroethene	9.1	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Trichlorofluoromethane	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Vinyl chloride	ND	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Xylenes, Total	180	ug/L	D	2.5		SW8260B	10/16/06 21:07 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	10/16/06 21:07 / jlr
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	10/16/06 21:07 / jlr
Surr: p-Bromofluorobenzene	103	%REC			80-120	SW8260B	10/16/06 21:07 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/16/06 21:07 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.
D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-028
Client Sample ID: 90125-17C.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,1-Dichloroethane	3.5	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,1-Dichloroethene	4.4	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-028
Client Sample ID: 90125-17C.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 03:04 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 03:04 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Trichloroethene	2.2	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 03:04 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 03:04 / jlr
Surr: Dibromofluoromethane	107	%REC			70-130	SW8260B	10/17/06 03:04 / jlr
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	10/17/06 03:04 / jlr
Surr: Toluene-d8	100	%REC			80-120	SW8260B	10/17/06 03:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-029
Client Sample ID: 90125-17B.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,1-Dichloroethane	1.4	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-029
Client Sample ID: 90125-17B.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 03:44 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 03:44 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Tetrachloroethene	1.2	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 03:44 / jlr
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	10/17/06 03:44 / jlr
Surr: Dibromofluoromethane	97.0	%REC			70-130	SW8260B	10/17/06 03:44 / jlr
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	10/17/06 03:44 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/17/06 03:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-030
Client Sample ID: 90125-17A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,1-Dichloroethane	11	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,1-Dichloroethene	3.2	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-030
Client Sample ID: 90125-17A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 15:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 04:24 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 04:24 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Tetrachloroethene	3.8	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Trichloroethene	2.9	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 04:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	92.0	%REC			80-120	SW8260B	10/17/06 04:24 / jlr
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	10/17/06 04:24 / jlr
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	10/17/06 04:24 / jlr
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	10/17/06 04:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-031
Client Sample ID: 90125-17D.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 16:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,1-Dichloroethane	19	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,1-Dichloroethene	4.8	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-031
Client Sample ID: 90125-17D.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 16:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 05:04 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 05:04 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Tetrachloroethene	5.4	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Trichloroethene	5.8	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 05:04 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 05:04 / jlr
Surr: Dibromofluoromethane	99.0	%REC			70-130	SW8260B	10/17/06 05:04 / jlr
Surr: p-Bromofluorobenzene	96.0	%REC			80-120	SW8260B	10/17/06 05:04 / jlr
Surr: Toluene-d8	96.0	%REC			80-120	SW8260B	10/17/06 05:04 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-032
Client Sample ID: 90125-14.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 16:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-032
Client Sample ID: 90125-14.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 16:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 05:44 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 05:44 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 05:44 / jlr
Surr: 1,2-Dichlorobenzene-d4	99.0	%REC			80-120	SW8260B	10/17/06 05:44 / jlr
Surr: Dibromofluoromethane	106	%REC			70-130	SW8260B	10/17/06 05:44 / jlr
Surr: p-Bromofluorobenzene	97.0	%REC			80-120	SW8260B	10/17/06 05:44 / jlr
Surr: Toluene-d8	100	%REC			80-120	SW8260B	10/17/06 05:44 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-033
Client Sample ID: 90125-13.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 16:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-033
Client Sample ID: 90125-13.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 16:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 06:24 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 06:24 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Tetrachloroethene	2.0	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Trichloroethene	1.5	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 06:24 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 06:24 / jlr
Surr: Dibromofluoromethane	104	%REC			70-130	SW8260B	10/17/06 06:24 / jlr
Surr: p-Bromofluorobenzene	96.0	%REC			80-120	SW8260B	10/17/06 06:24 / jlr
Surr: Toluene-d8	101	%REC			80-120	SW8260B	10/17/06 06:24 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-034
Client Sample ID: 90125-A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 07:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,1-Dichloroethene	15	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-034
Client Sample ID: 90125-A.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 07:15
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 09:01 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 09:01 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 09:01 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/17/06 09:01 / jlr
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	10/17/06 09:01 / jlr
Surr: p-Bromofluorobenzene	103	%REC			80-120	SW8260B	10/17/06 09:01 / jlr
Surr: Toluene-d8	96.0	%REC			80-120	SW8260B	10/17/06 09:01 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-035
Client Sample ID: 90125-B.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 07:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,1-Dichloroethane	12	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,1-Dichloroethene	97	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Benzene	3.1	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-035
Client Sample ID: 90125-B.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 07:00
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 09:39 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 09:39 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Tetrachloroethene	67	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Trichloroethene	22	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 09:39 / jlr
Surr: 1,2-Dichlorobenzene-d4	94.0	%REC			80-120	SW8260B	10/17/06 09:39 / jlr
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	10/17/06 09:39 / jlr
Surr: p-Bromofluorobenzene	102	%REC			80-120	SW8260B	10/17/06 09:39 / jlr
Surr: Toluene-d8	100	%REC			80-120	SW8260B	10/17/06 09:39 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-036
Client Sample ID: 90125-C.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 06:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-036
Client Sample ID: 90125-C.10/06

Report Date: 10/19/06
Collection Date: 10/10/06 06:45
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/17/06 10:17 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/17/06 10:17 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
sec-Butylbenzene	1.2	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Tetrachloroethene	17	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Trichloroethene	3.1	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/17/06 10:17 / jlr
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	10/17/06 10:17 / jlr
Surr: Dibromofluoromethane	105	%REC			70-130	SW8260B	10/17/06 10:17 / jlr
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	10/17/06 10:17 / jlr
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	10/17/06 10:17 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-037
Client Sample ID: Trip Blank

Report Date: 10/19/06
Collection Date: 10/10/06 16:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,1,1-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,1,2-Trichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,1-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,1-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,1-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2,3-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2,3-Trichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2,4-Trichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2,4-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2-Dibromo-3-chloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2-Dibromoethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2-Dichloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,3,5-Trimethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,3-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,3-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
1,4-Dichlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
2,2-Dichloropropane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
2-Chloroethyl vinyl ether	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
2-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
4-Chlorotoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Benzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Bromobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Bromochloromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Bromodichloromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Bromoform	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Bromomethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Chlorobenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Chlorodibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Chloroethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Chloroform	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Chloromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
cis-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
cis-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Dibromomethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Dichlorodifluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Ethylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Hexachlorobutadiene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100589-037
Client Sample ID: Trip Blank

Report Date: 10/19/06
Collection Date: 10/10/06 16:30
Date Received: 10/12/06
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
Isopropylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
m+p-Xylenes	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Methyl ethyl ketone	ND	ug/L		20		SW8260B	10/16/06 15:25 / jlr
Methyl tert-butyl ether (MTBE)	ND	ug/L		2.0		SW8260B	10/16/06 15:25 / jlr
Methylene chloride	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Naphthalene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
n-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
n-Propylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
o-Xylene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
p-Isopropyltoluene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
sec-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Styrene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
tert-Butylbenzene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Tetrachloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Toluene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
trans-1,2-Dichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
trans-1,3-Dichloropropene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Trichloroethene	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Trichlorofluoromethane	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Vinyl chloride	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Xylenes, Total	ND	ug/L		1.0		SW8260B	10/16/06 15:25 / jlr
Surr: 1,2-Dichlorobenzene-d4	98.0	%REC			80-120	SW8260B	10/16/06 15:25 / jlr
Surr: Dibromofluoromethane	104	%REC			70-130	SW8260B	10/16/06 15:25 / jlr
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	10/16/06 15:25 / jlr
Surr: Toluene-d8	96.0	%REC			80-120	SW8260B	10/16/06 15:25 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



Chain of Custody and Analytical Request Record



ENERGY LABORATORIES, INC. • 2393 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: <u>DEVELL ENVIRONMENTAL</u>		Project Name, PWS #, Permit #, Etc.: <u>70125 ARTESA</u>	
Report Mail Address: <u>1053 DIAMOND HEAD CT</u> <u>LARAMIE WY 82092</u>		Contact Name, Phone, Fax, E-mail: <u>Rick Develle</u> <u>307.460.3277</u>	
Invoice Address: <u>SAME</u>		Purchase Order #: <u>70125.4</u>	
Report Required For: ☐ POTWWTP ☐ DW ☐ Other _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____		Comments:	
EDD/EDT ☐ Format _____		Shipped by: <u>MDA</u>	
		Cooler ID(s) <u>2126</u>	
		Receipt Temp <u>9.0</u> °C	
		Custody Seal <u>Y</u> <u>Y</u> <u>Y</u> <u>Y</u>	
		Intact <u>Y</u> <u>Y</u> <u>Y</u> <u>Y</u>	
		Signature Match _____	
		Lab ID _____	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		LABORATORY USE ONLY	
1 70125 - 24.10.06		Normal Turnaround (TAT)	
2 70125 - 20.10.06		RUSH Turnaround (TAT)	
3 70125 - 28.10.06			
4 70125 - 27.10.06			
5 70125 - 30.10.06			
6 70125 - 26.10.06			
7 70125 - 26A.10.06			
8 70125 - 27.10.06			
9 70125 - 23.10.06			
10 70125 - 22A.10.06			
Signature: <u>Rick Develle</u>		Signature: _____	
Date/Time: <u>10/10/06 10:30</u>		Date/Time: <u>10/12/06 9:45</u>	
Relinquished by (print): _____		Relinquished by (print): _____	
Date/Time: _____		Date/Time: _____	
Custody Record MUST be Signed		LABORATORY USE ONLY	
Sample Disposal: _____		Sample Type: _____	
Return to client: _____		# of fractions _____	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Chain of Custody and Analytical Request Record



ENERGY LABORATORIES, INC. • 2393 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: <u>DAVEY ENVIRONMENTAL</u>		Project Name, PWS #, Permit #, Etc.: <u>90125 ARTESIA</u>	
Report Mail Address: <u>1653 DIAMOND HEAD CT.</u>		Contact Name, Phone, Fax, E-mail: <u>rick dewell</u>	
Invoice Address: <u>SAME</u>		Invoice Contact & Phone #: <u>307 760 3277</u>	
Report Required For: ☐ POTWWTP ☐ DW ☐ Other _____		Purchase Order #: <u>90125.4</u>	
Special Report Formats - ELI must be notified prior to sample submittal for the following: ☐ NELAC ☐ A2LA ☐ Level IV ☐ Other _____		ELI Quote #:	
EDD/EDT ☐ Format _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Comments:	
Collection Date		RUSH Turnaround (TAT)	
Collection Time		Normal Turnaround (TAT)	
Number of Containers		SEE ATTACHED	
Sample Type: A W S V B O		SEE ATTACHED	
Air Water Soils/Solids Vegetation		SEE ATTACHED	
Bioassay Other		SEE ATTACHED	
Matrix		SEE ATTACHED	
1 90125-22.10.06		3W	
2 90125-25.10.06		10:30	
3 90125-21.10.06		10:45	
4 90125-18.10.06		11:45	
5 90125-11.10.06		12:00	
6 90125-8.10.06		12:15	
7 90125-7.10.06		12:30	
8 90125-19.10.06		12:45	
9 90125-6.10.06		13:00	
10 90125-1.10.06		13:15	
Relinquished by (print): <u>Rick Dewell</u>		Received by (print): <u>[Signature]</u>	
Date/Time: <u>10/10/06 10:30</u>		Date/Time: <u>10/12/06 7:45</u>	
Signature: <u>[Signature]</u>		Signature: <u>[Signature]</u>	
Custody Record MUST be Signed		LABORATORY USE ONLY	
Sample Disposal: _____		Sample Type: _____	
Return to client: _____		# of fractions _____	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.



ENERGY LABORATORIES, INC. • 2393 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: DEUEL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 70125 ARTESIA	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name, Phone, Fax, E-mail: Rick Deuel 307 760 3277	
Invoice Address: SAME		Purchase Order #: 90125.4	
Report Required For: ☐ POTWWTP ☐ DW ☐ Other _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____		Comments:	
EDD/EDT ☐ Format _____		Shipped by: NEA	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Cooler ID(s) 2126	
1 70125-4.10.06 10/10/06 13:30		Receipt Temp 90 °C	
2 70125-5.10.06 10/10/06 13:45		Custody Seal Y	
3 70125-2.10.06 10/10/06 14:00		Intact Y	
4 70125-15.10.06 10/10/06 14:15		Signature Match Y	
5 70125-7.10.06 10/10/06 14:30		Lab ID	
6 70125-10.10.06 10/10/06 14:45			
7 70125-12.10.06 10/10/06 15:00			
8 70125-17C.10.06 10/10/06 15:15			
9 70125-17B.10.06 10/10/06 15:30			
10 70125-17A.10.06 10/10/06 15:45			
Custody Record MUST be Signed		LABORATORY USE ONLY	
Reinquired by (print): Rick Deuel Date/Time: 10/10/06 10:30		Received by (print): [Signature] Date/Time: 10/12/06 9:45	
Return to client: _____		Signature: _____	
Sample Disposal: _____		LABORATORY USE ONLY # of fractions	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Chain of Custody and Analytical Request Record

Page 4 of 4

ENERGY LABORATORIES, INC. • 2393 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: DEUEL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 70125 APES ID	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name, Phone, Fax, E-mail: rick deuel 307 760 3277	
Invoice Address: SAME		Sampler Name if other than Contact:	
Report Required For: POTW/WWTP ☐ DW ☐ Other _____		Purchase Order #: 70125,4	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____ EDD/EDT ☐ Format _____		ELI Quote #:	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
1 70125-17D-10/06		Comments:	
2 70125-14-10/06		RUSH Turnaround (TAT)	
3 70125-13-10/06		Normal Turnaround (TAT)	
4 70125-A-10/06		SEE ATTACHED	
5 70125-B-10/06		APD (260)	
6 70125-C-10/06		Sample Type: A W S V B O	
7 TRIP BLANK		Matrix	
8		Number of Containers	
9		Air Water Soils/Solids Vegetation	
10		Bioassay Other	
11		ANALYSIS REQUESTED	
12		Shipped by:	
13		Cooler ID(s)	
14		Receipt Temp	
15		7.0 °C	
16		Custody Seal	
17		Intact	
18		Signature	
19		Match	
20		Lab ID	
21		LABORATORY USE ONLY	
22		LABORATORY USE ONLY	
23		LABORATORY USE ONLY	
24		LABORATORY USE ONLY	
25		LABORATORY USE ONLY	
26		LABORATORY USE ONLY	
27		LABORATORY USE ONLY	
28		LABORATORY USE ONLY	
29		LABORATORY USE ONLY	
30		LABORATORY USE ONLY	
31		LABORATORY USE ONLY	
32		LABORATORY USE ONLY	
33		LABORATORY USE ONLY	
34		LABORATORY USE ONLY	
35		LABORATORY USE ONLY	
36		LABORATORY USE ONLY	
37		LABORATORY USE ONLY	
38		LABORATORY USE ONLY	
39		LABORATORY USE ONLY	
40		LABORATORY USE ONLY	
41		LABORATORY USE ONLY	
42		LABORATORY USE ONLY	
43		LABORATORY USE ONLY	
44		LABORATORY USE ONLY	
45		LABORATORY USE ONLY	
46		LABORATORY USE ONLY	
47		LABORATORY USE ONLY	
48		LABORATORY USE ONLY	
49		LABORATORY USE ONLY	
50		LABORATORY USE ONLY	
51		LABORATORY USE ONLY	
52		LABORATORY USE ONLY	
53		LABORATORY USE ONLY	
54		LABORATORY USE ONLY	
55		LABORATORY USE ONLY	
56		LABORATORY USE ONLY	
57		LABORATORY USE ONLY	
58		LABORATORY USE ONLY	
59		LABORATORY USE ONLY	
60		LABORATORY USE ONLY	
61		LABORATORY USE ONLY	
62		LABORATORY USE ONLY	
63		LABORATORY USE ONLY	
64		LABORATORY USE ONLY	
65		LABORATORY USE ONLY	
66		LABORATORY USE ONLY	
67		LABORATORY USE ONLY	
68		LABORATORY USE ONLY	
69		LABORATORY USE ONLY	
70		LABORATORY USE ONLY	
71		LABORATORY USE ONLY	
72		LABORATORY USE ONLY	
73		LABORATORY USE ONLY	
74		LABORATORY USE ONLY	
75		LABORATORY USE ONLY	
76		LABORATORY USE ONLY	
77		LABORATORY USE ONLY	
78		LABORATORY USE ONLY	
79		LABORATORY USE ONLY	
80		LABORATORY USE ONLY	
81		LABORATORY USE ONLY	
82		LABORATORY USE ONLY	
83		LABORATORY USE ONLY	
84		LABORATORY USE ONLY	
85		LABORATORY USE ONLY	
86		LABORATORY USE ONLY	
87		LABORATORY USE ONLY	
88		LABORATORY USE ONLY	
89		LABORATORY USE ONLY	
90		LABORATORY USE ONLY	
91		LABORATORY USE ONLY	
92		LABORATORY USE ONLY	
93		LABORATORY USE ONLY	
94		LABORATORY USE ONLY	
95		LABORATORY USE ONLY	
96		LABORATORY USE ONLY	
97		LABORATORY USE ONLY	
98		LABORATORY USE ONLY	
99		LABORATORY USE ONLY	
100		LABORATORY USE ONLY	
101		LABORATORY USE ONLY	
102		LABORATORY USE ONLY	
103		LABORATORY USE ONLY	
104		LABORATORY USE ONLY	
105		LABORATORY USE ONLY	
106		LABORATORY USE ONLY	
107		LABORATORY USE ONLY	
108		LABORATORY USE ONLY	
109		LABORATORY USE ONLY	
110		LABORATORY USE ONLY	
111		LABORATORY USE ONLY	
112		LABORATORY USE ONLY	
113		LABORATORY USE ONLY	
114		LABORATORY USE ONLY	
115		LABORATORY USE ONLY	
116		LABORATORY USE ONLY	
117		LABORATORY USE ONLY	
118		LABORATORY USE ONLY	
119		LABORATORY USE ONLY	
120		LABORATORY USE ONLY	
121		LABORATORY USE ONLY	
122		LABORATORY USE ONLY	
123		LABORATORY USE ONLY	
124		LABORATORY USE ONLY	
125		LABORATORY USE ONLY	
126		LABORATORY USE ONLY	
127		LABORATORY USE ONLY	
128		LABORATORY USE ONLY	
129		LABORATORY USE ONLY	
130		LABORATORY USE ONLY	
131		LABORATORY USE ONLY	
132		LABORATORY USE ONLY	
133		LABORATORY USE ONLY	

Sample ID	Sample Type	# of Infections
In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.		
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name **Deuell Environmental LLC**

Date and Time Received: **10/12/2006 9:40:00 AM**

Work Order Number **C06100589**

Received by **Lc**

Login completed by: **LeaAnn Caulfield**

10/12/2006 9:40:00

Reviewed by **Roger Garling**

10/12/2006

Signature

Date

Initials

Date

Carrier name **Next Day Air**

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	9.0 °C On Ice
Water - VOA vials have zero headspace?	Yes ☒	No ☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	Yes ☒	No ☐	Not Applicable ☐

Adjusted? _____ Checked by _____

Contact and Corrective Action Comments:

Per client, the COC on Page 2 is correct 90125-22.10/6 -10/10/06 10:15 - container is incorrect. Lc



Date: 19-Oct-06

CLIENT: Deuell Environmental LLC
Project: 90125 Artesia
Sample Delivery Group: C06100589

CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

SAMPLE TEMPERATURE COMPLIANCE: 4°C (±2°C)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

ENERGY LABORATORIES, INC. - CASPER, WY certifies that certain method selections contained in this report meet requirements as set forth by NELAC. Some client specific reporting requirements may not require NELAC reporting protocol. NELAC Certification Number E87641.

PCB ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

The total number of pages of this report are indicated by the page number located in the lower right corner.



Chain of Custody and Analytical Request Record

Page 1 of 4

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: DEUEL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 70125 ARTESA	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE WY 82072		Contact Name, Phone, Fax, E-mail: Rick Deuel 307760 3277	
Invoice Address: SAME		Purchase Order #: 70125.4	
Report Required For: POT/WWTP ☐ DW ☐ Other _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____		Comments:	
EDD/EDT ☐ Format _____		Shipped by: MDA	
		Cooler ID(s) 2126	
		Receipt Temp 9.0 °C	
		Custody Seal Intact ☒ Y ☐ N	
		Signature Match ☒ Y ☐ N	
		Lab ID	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Normal Turnaround (TAT)	
Collection Date		RUSH Turnaround (TAT)	
Collection Time			
1 70125-24.10.06 10/10/06 07:30		SEE ATTACHED	
2 70125-20.10.06 10/10/06 08:00		ANALYSIS REQUESTED	
3 70125-28.10.06 10/10/06 08:15		Number of Containers	
4 70125-29.10.06 10/10/06 08:30		Sample Type: A W S V B O	
5 70125-30.10.06 10/10/06 08:45		Air Water Soils/Solids Vegetation	
6 70125-26.10.06 10/10/06 09:00		Bioassay Other	
7 70125-26A.10.06 10/10/06 09:15		MATRIX	
8 70125-27.10.06 10/10/06 09:30		X	
9 70125-23.10.06 10/10/06 09:45		↓	
10 70125-22A.10.06 10/10/06 10:00		↓	
Relinquished by (print): Rick Deuel		Received by (print): [Signature]	
Date/Time: 10/10/06 16:30		Date/Time: 10/12/06 9:45	
Relinquished by (print):		Received by (print):	
Signature:		Signature:	
Custody Record MUST be Signed		LABORATORY USE ONLY	
Sample Disposal: _____		# of fractions	
Return to client: _____		LABORATORY USE ONLY	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Chain of Custody and Analytical Request Record

Page 2 of 4

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: DEMUELL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 90125 ARTESIA	
Report Mail Address: 1653 DIAMOND HEAD CT. LARAMIE, WY 82072		Contact Name, Phone, Fax, E-mail: RICK DEMUELL 307 760 3277	
Invoice Address: SAME		Purchase Order #: 90125.4	
Report Required For: ☐ POTWWTP ☐ DW ☐ Other _____ Special Report Formats - ELI must be notified prior to sample submittal for the following: ☐ NELAC ☐ A2LA ☐ Level IV ☐ Other _____ EDD/EDT ☐ Format _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: RUSH Turnaround (TAT) Normal Turnaround (TAT)	
ANALYSIS REQUESTED		Shipped by: LOA Cooler ID(s) 2126 Receipt Temp 7.8 °C Custody Seal ☒ N Intact ☒ Y N Signature ☒ Y N Match ☒ Y N Lab ID	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		LABORATORY USE ONLY	
1 90125-22.10.06 * 10/10/06 10:15 3W			
2 90125-25.10.06 10:30			
3 90125-21.10.06 10:45			
4 90125-18.10.06 11:45			
5 90125-11.10.06 12:00			
6 90125-8.10.06 12:15			
7 90125-7.10.06 12:30			
8 90125-19.10.06 12:45			
9 90125-6.10.06 13:00			
10 90125-1.10.06 13:15			
Relinquished by (print): Rick Demuell		Received by (print): R. Demuell	
Date/Time: 10/10/06 16:30		Date/Time: 10/12/06 9:45	
Relinquished by (print):		Received by (print):	
Signature: Rick Demuell		Signature:	
Date/Time:		Date/Time:	
Sample Disposal: _____		Sample Type: _____	
Return to client: _____		LABORATORY USE ONLY # of fractions	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: DEVELL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 9012S ARTESIA	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name, Phone, Fax, E-mail: Rick Devel 307 760 3277	
Invoice Address: SAME		Purchase Order #: 9012S.4 ELI Quote #:	
Report Required For: ☐ POTW/WWTP ☐ DW ☐ Other _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____		Comments:	
EDD/EDT ☐ Format _____		Shipped by: NA Cooler ID(s): 2126 Receipt Temp: 90 °C Custody Seal: Y Intact: Y Signature Match: Y Lab ID	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		SEE ATTACHED	
Number of Containers		Normal Turnaround (TAT)	
Sample Type: A W S V B O Air Water Soils/Solids Vegetation Bioassay Other		RUSH Turnaround (TAT)	
MATRIX		LABORATORY USE ONLY	
Collection Date		Collection Time	
1 9012S-4.10/06		10/10/06 13:30	
2 9012S-5.10/06		13:45	
3 9012S-2.10/06		14:00	
4 9012S-15.10/06		14:15	
5 9012S-9.10/06		14:30	
6 9012S-10.10/06		14:45	
7 9012S-12.10/06		15:00	
8 9012S-17C.10/06		15:15	
9 9012S-17B.10/06		15:30	
10 9012S-17A.10/06		15:45	
Relinquished by (print): Rick Devel		Received by (print): Rick Devel	
Date/Time: 10/10/06 10:30		Date/Time: 10/12/06 9:45	
Signature: _____		Signature: _____	
Relinquished by (print):		Received by (print):	
Date/Time:		Date/Time:	
Custody Record MUST be Signed		LABORATORY USE ONLY # of fractions	
Sample Disposal: _____		Sample Type: _____	
Return to client: _____		Lab Disposal: _____	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: DEUEL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 90125 ARTESIA	
Report Mail Address: 1653 DIAMOND HEAD CT LARAMIE, WY 82072		Contact Name, Phone, Fax, E-mail: rick deuell 307 760 3277	
Invoice Address: SAME		Purchase Order #: 90125.4	
Report Required For: ☐ POTW/WWTP ☐ DW ☐ Other _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____		Comments:	
EDD/EDT ☐ Format _____		RUSH Turnaround (TAT)	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Normal Turnaround (TAT)	
1 90125-17D.10/06		SEE ATTACHED	
2 90125-14.10/06		X	
3 90125-13.10/06		1	
4 90125-A.10/06		1	
5 90125-B.10/06		1	
6 90125-C.10/06		1	
7 TRIP BLANK		1	
8			
9			
10			
Relinquished by (print): rick deuell		Received by (print): [Signature]	
Date/Time: 10/10/06 16:30		Date/Time: 10/12/06 9:45	
Relinquished by (print):		Received by (print):	
Signature: [Signature]		Signature: [Signature]	
Custody Record MUST be Signed		LABORATORY USE ONLY	
Sample Disposal: _____		Sample Type: _____	
Return to client: _____		LABORATORY USE ONLY # of fractions	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly noted on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



ANALYTICAL SUMMARY REPORT

November 02, 2006

Rick Deuell

Deuell Environmental LLC

1653 Diamond Head Court

Laramie, WY 82072

Workorder No.: C06100513

Project Name: 90125 Artesia

Energy Laboratories, Inc. received the following 1 sample from Deuell Environmental LLC on 10/11/2006 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C06100513-001	9012-WD.10/06	10/10/06 12:00	10/11/06	Air	SW8260B VOCs, Standard List

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative or Report.

If you have any questions regarding these tests results, please call.

Report Approved By:


ROGER GARLING
LABORATORY SUPERVISOR



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100513-001
Client Sample ID: 9012-WD.10/06

Report Date: 11/02/06
Collection Date: 10/10/06 12:00
Date Received: 10/11/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
1,1,1,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,1,1-Trichloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,1,2,2-Tetrachloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,1,2-Trichloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,1-Dichloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,1-Dichloroethene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,1-Dichloropropene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2,3-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2,3-Trichloropropane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2,4-Trichlorobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2,4-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2-Dibromo-3-chloropropane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2-Dibromoethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2-Dichloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,3,5-Trimethylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,3-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,3-Dichloropropane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
1,4-Dichlorobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
2,2-Dichloropropane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
2-Chlorotoluene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
4-Chlorotoluene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Benzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Bromobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Bromochloromethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Bromodichloromethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Bromoform	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Bromomethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Carbon tetrachloride	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Chlorobenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Chlorodibromomethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Chloroethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Chloroform	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Chloromethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
cis-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
cis-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Dibromomethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Dichlorodifluoromethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Ethylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Hexachlorobutadiene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Isopropylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Deuell Environmental LLC
Project: 90125 Artesia
Lab ID: C06100513-001
Client Sample ID: 9012-WD.10/06

Report Date: 11/02/06
Collection Date: 10/10/06 12:00
Date Received: 10/11/06
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
VOLATILE ORGANIC COMPOUNDS							
m+p-Xylenes	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Methyl ethyl ketone	ND	mg/m3		20		SW8260B	10/11/06 13:41 / jlr
Methylene chloride	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Naphthalene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
n-Butylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
n-Propylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
o-Xylene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
p-Isopropyltoluene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
sec-Butylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Styrene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
tert-Butylbenzene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Tetrachloroethene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Toluene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
trans-1,2-Dichloroethene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
trans-1,3-Dichloropropene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Trichloroethene	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Trichlorofluoromethane	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Vinyl chloride	ND	mg/m3		1.0		SW8260B	10/11/06 13:41 / jlr
Surr: 1,2-Dichlorobenzene-d4	96.0	%REC			80-120	SW8260B	10/11/06 13:41 / jlr
Surr: Dibromofluoromethane	106	%REC			80-120	SW8260B	10/11/06 13:41 / jlr
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	10/11/06 13:41 / jlr
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	10/11/06 13:41 / jlr

Report RL - Analyte reporting limit.
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.
ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Report Date: 11/02/06

Project: 90125 Artesia

Work Order: C06100513

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B							Batch: R73916		
Sample ID: 11-Oct-06_LCS_2			Laboratory Control Sample			Run: GCMS3-C_061011A			10/11/06 10:45
1,1,1,2-Tetrachloroethane	4.60	mg/m3	1.0	92	70	130			
1,1,1-Trichloroethane	5.12	mg/m3	1.0	102	70	130			
1,1,2,2-Tetrachloroethane	4.76	mg/m3	1.0	95	70	130			
1,1,2-Trichloroethane	5.64	mg/m3	1.0	113	70	130			
1,1-Dichloroethane	4.84	mg/m3	1.0	97	70	130			
1,1-Dichloroethene	4.96	mg/m3	1.0	99	70	130			
1,1-Dichloropropene	5.12	mg/m3	1.0	102	70	130			
1,2,3-Trichlorobenzene	4.80	mg/m3	1.0	96	70	130			
1,2,3-Trichloropropane	4.64	mg/m3	1.0	93	70	130			
1,2,4-Trichlorobenzene	4.52	mg/m3	1.0	90	70	130			
1,2,4-Trimethylbenzene	4.64	mg/m3	1.0	93	70	130			
1,2-Dibromo-3-chloropropane	4.76	mg/m3	1.0	95	70	130			
1,2-Dibromoethane	4.40	mg/m3	1.0	88	70	130			
1,2-Dichlorobenzene	4.24	mg/m3	1.0	85	70	130			
1,2-Dichloroethane	4.80	mg/m3	1.0	96	70	130			
1,2-Dichloropropane	5.68	mg/m3	1.0	114	70	130			
1,3,5-Trimethylbenzene	4.80	mg/m3	1.0	96	70	130			
1,3-Dichlorobenzene	4.68	mg/m3	1.0	94	70	130			
1,3-Dichloropropane	4.16	mg/m3	1.0	83	70	130			
1,4-Dichlorobenzene	4.44	mg/m3	1.0	89	70	130			
2,2-Dichloropropane	5.44	mg/m3	1.0	109	70	130			
2-Chlorotoluene	4.84	mg/m3	1.0	97	70	130			
4-Chlorotoluene	4.56	mg/m3	1.0	91	70	130			
Benzene	5.16	mg/m3	1.0	103	70	130			
Bromobenzene	4.64	mg/m3	1.0	93	70	130			
Bromochloromethane	4.96	mg/m3	1.0	99	70	130			
Bromodichloromethane	4.72	mg/m3	1.0	94	70	130			
Bromoform	4.76	mg/m3	1.0	95	70	130			
Bromomethane	6.08	mg/m3	1.0	122	70	130			
Carbon tetrachloride	5.20	mg/m3	1.0	104	70	130			
Chlorobenzene	4.76	mg/m3	1.0	95	70	130			
Chlorodibromomethane	4.96	mg/m3	1.0	99	70	130			
Chloroethane	4.88	mg/m3	1.0	98	70	130			
Chloroform	5.12	mg/m3	1.0	102	70	130			
Chloromethane	5.64	mg/m3	1.0	113	70	130			
cis-1,2-Dichloroethene	5.40	mg/m3	1.0	108	70	130			
cis-1,3-Dichloropropene	4.88	mg/m3	1.0	98	70	130			
Dibromomethane	5.32	mg/m3	1.0	106	70	130			
Dichlorodifluoromethane	4.68	mg/m3	1.0	94	70	130			
Ethylbenzene	4.96	mg/m3	1.0	99	70	130			

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Project: 90125 Artesia

Report Date: 11/02/06

Work Order: C06100513

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B							Batch: R73916		
Sample ID: 11-Oct-06_LCS_2	Laboratory Control Sample			Run: GCMS3-C_061011A			10/11/06 10:45		
Hexachlorobutadiene	4.88	mg/m3	1.0	98	70	130			
Isopropylbenzene	5.00	mg/m3	1.0	100	70	130			
m+p-Xylenes	9.80	mg/m3	1.0	98	70	130			
Methyl ethyl ketone	45.2	mg/m3	20	90	70	130			
Methylene chloride	4.88	mg/m3	1.0	98	70	130			
Naphthalene	4.44	mg/m3	1.0	89	70	130			
n-Butylbenzene	4.68	mg/m3	1.0	94	70	130			
n-Propylbenzene	4.96	mg/m3	1.0	99	70	130			
o-Xylene	4.68	mg/m3	1.0	94	70	130			
p-Isopropyltoluene	4.76	mg/m3	1.0	95	70	130			
sec-Butylbenzene	4.64	mg/m3	1.0	93	70	130			
Styrene	4.48	mg/m3	1.0	90	70	130			
tert-Butylbenzene	4.72	mg/m3	1.0	94	70	130			
Tetrachloroethene	5.20	mg/m3	1.0	104	70	130			
Toluene	5.12	mg/m3	1.0	102	70	130			
trans-1,2-Dichloroethene	5.24	mg/m3	1.0	105	70	130			
trans-1,3-Dichloropropene	4.88	mg/m3	1.0	98	70	130			
Trichloroethene	4.92	mg/m3	1.0	98	70	130			
Trichlorofluoromethane	5.12	mg/m3	1.0	102	70	130			
Vinyl chloride	5.16	mg/m3	1.0	103	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	93	80	120			
Surr: Dibromofluoromethane			1.0	104	80	120			
Surr: p-Bromofluorobenzene			1.0	94	80	120			
Surr: Toluene-d8			1.0	102	80	120			
Sample ID: 11-Oct-06_MBLK_5	Method Blank			Run: GCMS3-C_061011A			10/11/06 12:45		
1,1,1,2-Tetrachloroethane	ND	mg/m3	0.5						
1,1,1-Trichloroethane	ND	mg/m3	0.5						
1,1,2,2-Tetrachloroethane	ND	mg/m3	0.5						
1,1,2-Trichloroethane	ND	mg/m3	0.5						
1,1-Dichloroethane	ND	mg/m3	0.5						
1,1-Dichloroethene	ND	mg/m3	0.5						
1,1-Dichloropropene	ND	mg/m3	0.5						
1,2,3-Trichlorobenzene	ND	mg/m3	0.5						
1,2,3-Trichloropropane	ND	mg/m3	0.5						
1,2,4-Trichlorobenzene	ND	mg/m3	0.5						
1,2,4-Trimethylbenzene	ND	mg/m3	0.5						
1,2-Dibromo-3-chloropropane	ND	mg/m3	0.5						
1,2-Dibromoethane	ND	mg/m3	0.5						
1,2-Dichlorobenzene	ND	mg/m3	0.5						
1,2-Dichloroethane	ND	mg/m3	0.5						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC
Project: 90125 Artesia

Report Date: 11/02/06
Work Order: C06100513

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B							Batch: R73916		
Sample ID: 11-Oct-06_MBLK_5	Method Blank		Run: GCMS3-C_061011A				10/11/06 12:45		
1,2-Dichloropropane	ND	mg/m3	0.5						
1,3,5-Trimethylbenzene	ND	mg/m3	0.5						
1,3-Dichlorobenzene	ND	mg/m3	0.5						
1,3-Dichloropropane	ND	mg/m3	0.5						
1,4-Dichlorobenzene	ND	mg/m3	0.5						
2,2-Dichloropropane	ND	mg/m3	0.5						
2-Chlorotoluene	ND	mg/m3	0.5						
4-Chlorotoluene	ND	mg/m3	0.5						
Benzene	ND	mg/m3	0.5						
Bromobenzene	ND	mg/m3	0.5						
Bromochloromethane	ND	mg/m3	0.5						
Bromodichloromethane	ND	mg/m3	0.5						
Bromoform	ND	mg/m3	0.5						
Bromomethane	ND	mg/m3	0.5						
Carbon tetrachloride	ND	mg/m3	0.5						
Chlorobenzene	ND	mg/m3	0.5						
Chlorodibromomethane	ND	mg/m3	0.5						
Chloroethane	ND	mg/m3	0.5						
Chloroform	ND	mg/m3	0.5						
Chloromethane	ND	mg/m3	0.5						
cis-1,2-Dichloroethene	ND	mg/m3	0.5						
cis-1,3-Dichloropropene	ND	mg/m3	0.5						
Dibromomethane	ND	mg/m3	0.5						
Dichlorodifluoromethane	ND	mg/m3	0.5						
Ethylbenzene	ND	mg/m3	0.5						
Hexachlorobutadiene	ND	mg/m3	0.5						
Isopropylbenzene	ND	mg/m3	0.5						
m+p-Xylenes	ND	mg/m3	0.5						
Methyl ethyl ketone	ND	mg/m3	10						
Methylene chloride	ND	mg/m3	0.5						
Naphthalene	ND	mg/m3	0.5						
n-Butylbenzene	ND	mg/m3	0.5						
n-Propylbenzene	ND	mg/m3	0.5						
o-Xylene	ND	mg/m3	0.5						
p-Isopropyltoluene	ND	mg/m3	0.5						
sec-Butylbenzene	ND	mg/m3	0.5						
Styrene	ND	mg/m3	0.5						
tert-Butylbenzene	ND	mg/m3	0.5						
Tetrachloroethene	ND	mg/m3	0.5						
Toluene	ND	mg/m3	0.5						

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Project: 90125 Artesia

Report Date: 11/02/06

Work Order: C06100513

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B							Batch: R73916		
Sample ID: 11-Oct-06_MBLK_5	Method Blank		Run: GCMS3-C_061011A				10/11/06 12:45		
trans-1,2-Dichloroethene	ND	mg/m3	0.5						
trans-1,3-Dichloropropene	ND	mg/m3	0.5						
Trichloroethene	ND	mg/m3	0.5						
Trichlorofluoromethane	ND	mg/m3	0.5						
Vinyl chloride	ND	mg/m3	0.5						
Surr: 1,2-Dichlorobenzene-d4			0.5	93	80	120			
Surr: Dibromofluoromethane			0.5	101	80	120			
Surr: p-Bromofluorobenzene			0.5	101	80	120			
Surr: Toluene-d8			0.5	100	80	120			
Sample ID: C06100513-001AMS							Run: GCMS3-C_061011A		
Sample Matrix Spike							10/11/06 14:20		
1,1,1-Trichloroethane	9.96	mg/m3	1.0	100	70	130			
1,1-Dichloroethene	9.52	mg/m3	1.0	95	70	130			
1,2-Dichlorobenzene	7.72	mg/m3	1.0	77	70	130			
1,2-Dichloroethane	8.92	mg/m3	1.0	89	70	130			
1,2-Dichloropropane	9.64	mg/m3	1.0	96	70	130			
1,4-Dichlorobenzene	8.68	mg/m3	1.0	87	70	130			
Benzene	9.56	mg/m3	1.0	96	70	130			
Bromodichloromethane	8.96	mg/m3	1.0	90	70	130			
Bromoform	8.96	mg/m3	1.0	90	70	130			
Carbon tetrachloride	9.68	mg/m3	1.0	97	70	130			
Chlorobenzene	8.92	mg/m3	1.0	89	70	130			
Chlorodibromomethane	9.12	mg/m3	1.0	91	70	130			
Chloroform	9.32	mg/m3	1.0	93	70	130			
cis-1,2-Dichloroethene	9.60	mg/m3	1.0	96	70	130			
Ethylbenzene	9.48	mg/m3	1.0	95	70	130			
m+p-Xylenes	19.0	mg/m3	1.0	95	70	130			
o-Xylene	8.84	mg/m3	1.0	88	70	130			
Styrene	8.72	mg/m3	1.0	87	70	130			
Tetrachloroethene	9.68	mg/m3	1.0	97	70	130			
Toluene	9.44	mg/m3	1.0	94	70	130			
trans-1,2-Dichloroethene	9.88	mg/m3	1.0	99	70	130			
Trichloroethene	9.08	mg/m3	1.0	91	70	130			
Vinyl chloride	9.00	mg/m3	1.0	90	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	94	80	120			
Surr: Dibromofluoromethane			1.0	101	80	120			
Surr: p-Bromofluorobenzene			1.0	96	80	120			
Surr: Toluene-d8			1.0	106	80	120			
Sample ID: C06100513-001AMSD							Run: GCMS3-C_061011A		
Sample Matrix Spike Duplicate							10/11/06 14:59		
1,1,1-Trichloroethane	10.4	mg/m3	1.0	104	70	130	3.9	20	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



QA/QC Summary Report

Client: Deuell Environmental LLC

Project: 90125 Artesia

Report Date: 11/02/06

Work Order: C06100513

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B							Batch: R73916		
Sample ID: C06100513-001AMSD	Sample Matrix Spike Duplicate			Run: GCMS3-C_061011A			10/11/06 14:59		
1,1-Dichloroethene	9.72	mg/m3	1.0	97	70	130	2.1	20	
1,2-Dichlorobenzene	8.80	mg/m3	1.0	88	70	130	13	20	
1,2-Dichloroethane	9.24	mg/m3	1.0	92	70	130	3.5	20	
1,2-Dichloropropane	8.44	mg/m3	1.0	84	70	130	13	20	
1,4-Dichlorobenzene	9.44	mg/m3	1.0	94	70	130	8.4	20	
Benzene	9.32	mg/m3	1.0	93	70	130	2.5	20	
Bromodichloromethane	8.72	mg/m3	1.0	87	70	130	2.7	20	
Bromoform	9.32	mg/m3	1.0	93	70	130	3.9	20	
Carbon tetrachloride	10.4	mg/m3	1.0	104	70	130	7.2	20	
Chlorobenzene	9.28	mg/m3	1.0	93	70	130	4.0	20	
Chlorodibromomethane	9.28	mg/m3	1.0	93	70	130	1.7	20	
Chloroform	9.48	mg/m3	1.0	95	70	130	1.7	20	
cis-1,2-Dichloroethene	10.1	mg/m3	1.0	101	70	130	4.9	20	
Ethylbenzene	9.48	mg/m3	1.0	95	70	130	0.0	20	
m+p-Xylenes	18.4	mg/m3	1.0	92	70	130	3.4	20	
o-Xylene	9.52	mg/m3	1.0	95	70	130	7.4	20	
Styrene	9.24	mg/m3	1.0	92	70	130	5.8	20	
Tetrachloroethene	9.40	mg/m3	1.0	94	70	130	2.9	20	
Toluene	8.96	mg/m3	1.0	90	70	130	5.2	20	
trans-1,2-Dichloroethene	9.80	mg/m3	1.0	98	70	130	0.8	20	
Trichloroethene	9.04	mg/m3	1.0	90	70	130	0.4	20	
Vinyl chloride	9.36	mg/m3	1.0	94	70	130	3.9	20	
Surr: 1,2-Dichlorobenzene-d4			1.0	99	80	120	0.0	10	
Surr: Dibromofluoromethane			1.0	101	80	120	0.0	10	
Surr: p-Bromofluorobenzene			1.0	99	80	120	0.0	10	
Surr: Toluene-d8			1.0	96	80	120	0.0	10	

Qualifiers:

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.



Company Name: <u>DEUEL ENVIRONMENTAL</u> Report Mail Address: <u>1653 DIAMOND HEAD CT</u> <u>LEWISVILLE, WY 82422</u> Invoice Address: <u>same</u>		Project Name, PWS #, Permit #, Etc.: <u>70125 ARTESIA</u> Contact Name, Phone, Fax, E-mail: <u>TRICK DEUEL</u> <u>307 760 3277</u>		Sampler Name if other than Contact: Purchase Order #: <u>70125.5</u> ELI Quote #:		Shipped by: <u>DDP</u> Cooler ID(s): <u>1111</u> Receipt Temp: <u>1111</u> °C Custody Seal: <u>ZZZ</u> Signature Match: <u>ZZZ</u> Lab ID:	
Report Required For: POTW/WWTP ☐ DW ☐ Other _____ Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____ EDD/EDT ☐ Format _____		ANALYSIS REQUESTED Number of Containers: _____ Sample Type: AWSVB0 _____ Air Water Soils/Solids Vegetation _____ Bioassay Other _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling Comments: _____ RUSH Turnaround (TAT) _____ Normal Turnaround (TAT) _____		LABORATORY USE ONLY Date/Time: _____ Received by (print): _____ Signature: _____ Date/Time: _____ Received by (print): _____ Signature: _____	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) 1 <u>70125-WB-10100</u> <u>10/10/06</u> <u>12:00</u> 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____		MATRIX 1 <u>LA</u> 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____		SEE ATTACHED 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____		Date/Time: _____ Received by (print): <u>TRICK DEUEL</u> Signature: _____ Date/Time: <u>10/10/06 12:30</u> Received by (print): <u>TRICK DEUEL</u> Signature: _____	
Custody Record MUST be Signed		Sample Disposal: _____ Return to client: _____		Sample Type: _____ LABORATORY USE ONLY # of fractions _____		Signature: _____ Signature: _____	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.



Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name **Deuell Environmental LLC**

Date and Time Received: **10/11/2006 09:35:00**

Work Order Number **C06100513**

Received by **em**

Login completed by: Edith McPike 10/11/2006 09:35:0
Signature Date

Reviewed by _____
Initials Date

Carrier name: Next Day Air

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☐	No ☒	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	N/A °C Tedlar
Water - VOA vials have zero headspace?	Yes ☐	No ☐	No VOA vials submitted ☒
Water - pH acceptable upon receipt?	Yes ☐	No ☐	Not Applicable ☒

Adjusted? _____ Checked by _____

Contact and Corrective Action Comments:

None



Date: 02-Nov-06

CLIENT: Deuell Environmental LLC

Project: 90125 Artesia

Sample Delivery Group: C06100513

CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID
eli-g - Energy Laboratories, Inc. - Gillette, WY
eli-h - Energy Laboratories, Inc. - Helena, MT
eli-r - Energy Laboratories, Inc. - Rapid City, SD
eli-t - Energy Laboratories, Inc. - College Station, TX

ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

SAMPLE TEMPERATURE COMPLIANCE: 4°C (±2°C)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

ENERGY LABORATORIES, INC. - CASPER, WY certifies that certain method selections contained in this report meet requirements as set forth by NELAC. Some client specific reporting requirements may not require NELAC reporting protocol. NELAC Certification Number E87641.

PCB ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page www.energylab.com.

The total number of pages of this report are indicated by the page number located in the lower right corner.

Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: DEUEL ENVIRONMENTAL		Project Name, PWS #, Permit #, Etc.: 90125 ARTESIA	
Report Mail Address: 1653 DIAMOND HEAD CT		Contact Name, Phone, Fax, E-mail: RIC DEUEL	
Invoice Address: LODAMIE, WY 82072		Sampler Name if other than Contact: 307 720 3277	
Report Required For: POTW/WWTP ☐ DW ☐ Other _____		Purchase Order #: 90125.5	
Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC ☐ A2LA ☐ Level IV ☐ Other _____		ELI Quote #:	
EDD/EDT ☐ Format _____		Notify ELI prior to RUSH sample submittal for additional charges and scheduling	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)		Comments:	
1 90125-WB-10106		RUSH Turnaround (TAT)	
2		Normal Turnaround (TAT)	
3		SEE ATTACHED	
4		SEE ATTACHED	
5		SEE ATTACHED	
6		SEE ATTACHED	
7		SEE ATTACHED	
8		SEE ATTACHED	
9		SEE ATTACHED	
10		SEE ATTACHED	
Relinquished by (print): RIC DEUEL		Received by (print): RIC DEUEL	
Date/Time: 10/10/06 12:30		Date/Time: 10/10/06 9:38	
Signature: RIC DEUEL		Signature: RIC DEUEL	
Relinquished by (print): RIC DEUEL		Received by (print): RIC DEUEL	
Date/Time: 10/10/06 12:30		Date/Time: 10/10/06 9:38	
Signature: RIC DEUEL		Signature: RIC DEUEL	
Custody Record MUST be Signed		LABORATORY USE ONLY	
Sample Disposal:		Sample Type:	
Return to client:		# of fractions	
Lab Disposal:		LABORATORY USE ONLY	


In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.

Visit our web site at www.energylab.com for additional information, downloadable fee schedule, forms, & links.


APPENDIX B

Halocarbons vs. Water Levels


Monitoring Well MW-1




Monitoring Well MW-2




Monitoring Well MW-3




Monitoring Well MW-4




Monitoring Well MW-5




Monitoring Well MW-6




Monitoring Well MW-7




Monitoring Well MW-8




Monitoring Well MW-9




Monitoring Well MW-10




Monitoring Well MW-11




Monitoring Well MW-12




Monitoring Well MW-13




Monitoring Well MW-14




Monitoring Well MW-15




Monitoring Well MW-17A




Monitoring Well MW-17B




Monitoring Well MW-17C




Monitoring Well MW-17D




Monitoring Well MW-18




Monitoring Well MW-19




Monitoring Well MW-20




Monitoring Well MW-21




Monitoring Well MW-22




Monitoring Well MW-23




Monitoring Well MW-24




Monitoring Well MW-25




Monitoring Well MW-26




Monitoring Well MW-27



Monitoring Well MW-28



Monitoring Well MW-29



Monitoring Well MW-30

