

GW - 188-2

**PERMITS,
RENEWALS,
& MODS
Application**

ATTACHMENT TO THE DISCHARGE PLAN RENEWAL GW-188-2
ENTERPRISE PRODUCTS OPERATING, L.P.
HART CANYON #2 COMPRESSOR STATION
DISCHARGE PLAN APPROVAL CONDITIONS
December 20, 2005


1. Payment of Discharge Plan Fees: The \$100 filing fee has been received by the NMOCD. There is a required flat fee of \$1,700, which is due and payable upon receipt of this approval. Please make all checks payable to:

Water Quality Management Fund
c/o Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87505
2. Commitments: Enterprise will abide by all commitments submitted in the discharge plan renewal application letter dated June 10, 2005 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an NMOCD-approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an NMOCD approved facility upon proper waste determination per 40 CFR Part 261. Any waste stream that is not listed in the discharge plan will be approved by NMOCD on a case-by-case basis.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
6. Above-Ground Tanks: All above-ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.
7. Above-Ground Saddle Tanks: Above-ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.
9. Below-Grade Tanks/Sumps: All below-grade tanks, sumps, and pits must be approved by the NMOCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design.

10. Class V Wells: No Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be closed unless it can be demonstrated that groundwater will not be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at NMOCD-regulated facilities which inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
11. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.
12. Spill Reporting: All spills/releases will be reported pursuant to NMOCD Rule 116 and WQCC 1203 to the NMOCD Aztec District Office.
13. Transfer of Discharge Plan: The NMOCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the NMOCD prior to transfer.
14. Storm Water Plan: The facility will have an approved storm water run-off plan.
16. Closure: The NMOCD will be notified when operations of the Hart Canyon #2 Compressor Station are discontinued for a period in excess of six months. Prior to closure of the Hart Canyon #2 Compressor Station, the operator will submit a closure plan for approval. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
17. Conditions accepted by: Enterprise, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Enterprise further acknowledges that the Division for good cause shown as necessary to protect fresh water, human health and the environment may change these conditions and requirements of this permit administratively.

Enterprise Products Operating, L.P.

Print Name: Terry L. Hurlburt

Signature: 

Title: V.P. & General Manager of Operations

Date: 1/12/06



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop
Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

December 20, 2005

Mr. Terry L. Hurlburt
Enterprise Products Operating, L.P.
P.O. Box 4324
Houston, TX 77210-4324

RE: Discharge Plan Renewal GW 188-2
Enterprise Products Operating, L.P.
Hart Canyon #2 Compressor Station
San Juan County, New Mexico

Dear Mr. Hurlburt:

The ground water discharge plan renewal GW 188-2 for the Enterprise Products Operating, L.P. (Enterprise) Hart Canyon #2 Compressor Station located in the NE/4 of Section 29, Township 30 North, Range 9 West, NMPM, San Juan County, New Mexico, is hereby approved under the conditions contained in the enclosed attachment. Enclosed are two copies of the conditions of approval. Please sign and return one copy to the New Mexico Oil Conservation Division (NMOCD) Santa Fe office within 10 working days of receipt of this letter.

The discharge plan renewal application letter, dated June 10, 2005, submitted pursuant to Section 3106 of the New Mexico Water Quality Control Commission (WQCC) Regulations also includes all earlier applications and all conditions later placed on those approvals. The discharge plan is renewed pursuant to Section 3109.C. Please note Section 3109.G, which provides for possible future amendment of the plan. Please be advised that approval of this plan does not relieve Enterprise of responsibility should operations result in pollution of surface water, ground water or the environment. Nor does it relieve Enterprise of responsibility to comply with any other governmental authority's rules and regulations.

Please be advised that all exposed pits, including lined pits and open tanks (exceeding 16 feet in diameter) shall be screened, netted or otherwise rendered non-hazardous to wildlife including migratory birds.


Please note that Section 3104 of the regulations provides: "When a plan has been approved, discharges must be consistent with the terms and conditions of the plan." Pursuant to Section 3107.C, Enterprise is required to notify the Director of any facility expansion, production increase or process modification that would result in any change in the discharge of water quality or volume.

Pursuant to Section 3109.H.4, this renewal plan is for a period of five years. This renewal will expire on August 3, 2010, and Enterprise should submit an application in ample time before this date. Note that under Section 3106.F of the regulations, if a discharger submits a discharge plan renewal application at least 120 days before the discharge plan expires and is in compliance with the approved plan, then the existing discharge plan will not expire until the application for renewal has been approved or disapproved. It should be noted that all discharge plan facilities will be required to submit the results of an underground drainage testing program as a requirement for discharge plan.

The discharge plan renewal application for the Enterprise Hart Canyon #2 Compressor Station is subject to WQCC Regulation 3114. Every facility submitting a discharge plan application will be assessed a filing fee of \$100. There is a renewal flat fee assessed for gas compressor station facilities with horsepower rating greater than 3,000 horsepower of \$1,700.

On behalf of the staff of the NMOCD, I wish to thank you and your staff for your cooperation during this discharge plan review.

Sincerely,

A handwritten signature in black ink, appearing to read 'Roger C. Anderson', written over a horizontal line.

Roger C. Anderson
Chief, Environmental Bureau
Oil Conservation Division

RCA/eem
Attachment

Copy: NMOCD Aztec Office

ATTACHMENT TO THE DISCHARGE PLAN RENEWAL GW-188-2
ENTERPRISE PRODUCTS OPERATING, L.P.
HART CANYON #2 COMPRESSOR STATION
DISCHARGE PLAN APPROVAL CONDITIONS
December 20, 2005

1. Payment of Discharge Plan Fees: The \$100 filing fee has been received by the NMOCD. There is a required flat fee of \$1,700, which is due and payable upon receipt of this approval. Please make all checks payable to:

Water Quality Management Fund
c/o Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87505
2. Commitments: Enterprise will abide by all commitments submitted in the discharge plan renewal application letter dated June 10, 2005 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an NMOCD-approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an NMOCD approved facility upon proper waste determination per 40 CFR Part 261. Any waste stream that is not listed in the discharge plan will be approved by NMOCD on a case-by-case basis.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design.
6. Above-Ground Tanks: All above-ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.
7. Above-Ground Saddle Tanks: Above-ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.
9. Below-Grade Tanks/Sumps: All below-grade tanks, sumps, and pits must be approved by the NMOCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design.

10. Class V Wells: No Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be closed unless it can be demonstrated that groundwater will not be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at NMOCD-regulated facilities which inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
11. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.
12. Spill Reporting: All spills/releases will be reported pursuant to NMOCD Rule 116 and WQCC 1203 to the NMOCD Aztec District Office.
13. Transfer of Discharge Plan: The NMOCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the previously approved discharge plan must be submitted by the purchaser and approved by the NMOCD prior to transfer.
14. Storm Water Plan: The facility will have an approved storm water run-off plan.
16. Closure: The NMOCD will be notified when operations of the Hart Canyon #2 Compressor Station are discontinued for a period in excess of six months. Prior to closure of the Hart Canyon #2 Compressor Station, the operator will submit a closure plan for approval. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
17. Conditions accepted by: Enterprise, by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. Enterprise further acknowledges that the Division for good cause shown as necessary to protect fresh water, human health and the environment may change these conditions and requirements of this permit administratively.

Enterprise Products Operating, L.P.

Print Name: _____

Signature: _____

Title: _____

Date: _____



ENTERPRISE

ENTERPRISE PRODUCTS COMPANY, P.O. BOX 4324 HOUSTON, TEXAS 77210

INVOICE DATE	INVOICE NUMBER	COMMENTS	GROSS DISC.	NET DOLLARS	VENDOR
06-JAN-06	170000JAN0	GW 188-2 HART 2	0.00	1,700.00	86292

TOTAL 1,700.00

DETATCH BEFORE DEPOSITING

I hereby acknowledge receipt of check No. [REDACTED] dated 1-11-06,
or cash received on 1-19-06 in the amount of \$ 1,700
from ENTERPRISE PRODUCTS OPERATING, L.P.
for GW-188-2
(Facility Name)
Submitted by: _____ Date: _____ (DP No.)
Submitted to ASD by: EO MARTIN Date: 1-19-06
Received in ASD by: _____ Date: _____
Filing Fee _____ New Facility _____ Renewal ☒
Modification _____ Other _____
(specify)
Organization Code 521.07 Applicable FY 2001

To be deposited in the Water Quality Management Fund.
Full Payment ☒ or Annual Increment _____



56-1544/441

DATE

11-JAN-06

PAY EXACTLY

AMOUNT

One Thousand Seven Hundred And No/100 Dollars

\$*****1,700.00

REGULAR ACCOUNT
VOID AFTER 180 DAYS

W. Randolph Farley

ACKNOWLEDGEMENT OF RECEIPT OF CHECK/CASH

I hereby acknowledge receipt of check No. [REDACTED] dated 6-15-05,
or cash received on 7-21-05 in the amount of \$ 300.00
from ENTERPRISE PRODUCTS OPERATING, L.P.
for GW-188-1, 188-2 AND 188-3

Submitted by: _____ Date: _____

Submitted to ASD by: ED MARTIN Date: 7-21-05

Received in ASD by: _____ Date: _____

Filing Fee ✓ New Facility _____ Renewal _____
Modification _____ Other _____

Organization Code 521.07 Applicable FY 2001

To be deposited in the Water Quality Management Fund.

Full Payment ✓ or Annual Increment

THE FACE OF THIS DOCUMENT CONTAINS SECURITY PRINTING



ENTERPRISE PRODUCTS OPERATING L.P.
P.O. BOX 4324
HOUSTON, TEXAS 77210

BANK ONE NA

56-15441-441

DATE _____

15-JUN-05

'AY EXACTLY

Three Hundred And No/100 Dollars

AMOUNT

\$*****300.00

PAY TO THE
ORDER OF

STATE OF NEW MEXICO
NATURAL RESOURCES DEPT
WATER QUALITY MGMNT FUND
1220 SOUTH ST FRANCIS DR
SANTA FE, NM 87505
United States

REGULAR ACCOUNT
VOID AFTER 180 DAYS

W. Randolph Farber



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

GARY E. JOHNSON
Governor
Jennifer A. Salisbury
Cabinet Secretary

Lori Wrotenberg
Director
Oil Conservation Division

October 27, 2000

CERTIFIED MAIL
RETURN RECEIPT NO. 3771-6852

Mr. David Bays
El Paso Field Services Co.
614 Reilly Avenue
Farmington, New Mexico 87401

RE: Discharge Plan Renewal GW-188-2
El Paso Field Services Co.
Hart Canyon #2 Compressor Station
San Juan County, New Mexico

Dear Mr. Bays:

The ground water discharge plan renewal **GW-188-2** for the **El Paso Field Services Co. Hart Canyon #2 Compressor Station** located in the $\frac{1}{4}$ $\frac{1}{4}$ of Section 29, Township 30 North, Range 9 West, NMPM, San Juan County, New Mexico, is hereby approved under the conditions contained in the enclosed attachment. Enclosed are two copies of the conditions of approval. **Please sign and return one copy to the New Mexico Oil Conservation Division (OCD) Santa Fe office within 10 working days of receipt of this letter.**

The original discharge plan application was submitted on June 9, 1995 and approved August 3, 1995. The discharge plan renewal application letter, dated July 27, 2000, submitted pursuant to Section 3106 of the New Mexico Water Quality Control Commission (WQCC) Regulations also includes all earlier applications and all conditions later placed on those approvals. The discharge plan is renewed pursuant to Section 3109.C. Please note Section 3109.G, which provides for possible future amendment of the plan. Please be advised that approval of this plan does not relieve El Paso Field Services Co. of responsibility should operations result in pollution of surface water, ground water or the environment. Nor does it relieve El Paso Field Services Co. of responsibility to comply with any other government authority's rules and regulations.

Please be advised that all exposed pits, including lined pits and open tanks (exceeding 16 feet in diameter) shall be screened, netted or otherwise rendered nonhazardous to wildlife including migratory birds.

U.S. Postal Service
CERTIFIED MAIL RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

2589 1226 3771 6852

Postage	\$
Certified Fee	\$ 1.20
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$ 1.20

Postmark Here

GW-188-2

Recipient's Name (Please Print Clearly) (To be completed by mailer)
DAVID BAYS c/o EPFS
Street, Apt. No., or PO Box No.
614 REILLY AVE.
City, State, ZIP+4
FARMINGTON, NM 87401

PS Form 3800, February 2000 See Reverse for Instructions

Mr. David Bays
GW-188-2
October 27, 2000
Page 2

Please note that Section 3104 of the regulations provides: "When a plan has been approved, discharges must be consistent with the terms and conditions of the plan." Pursuant to Section 3107.C, El Paso Field Services Co. is required to notify the Director of any facility expansion, production increase or process modification that would result in any change in the discharge of water quality or volume.

Pursuant to Section 3109.H.4, this renewal plan is for a period of five years. This renewal will expire on **August 3, 2005**, and El Paso Field Services Co. should submit an application in ample time before this date. Note that under Section 3106.F of the regulations, if a discharger submits a discharge plan renewal application at least 120 days before the discharge plan expires and is in compliance with the approved plan, then the existing discharge plan will not expire until the application for renewal has been approved or disapproved. It should be noted that all discharge plan facilities will be required to submit the results of an underground drainage testing program as a requirement for discharge plan.

The discharge plan renewal application for the El Paso Field Services Co. Hart Canyon #2 Compressor Station is subject to WQCC Regulation 3114. Every billable facility submitting a discharge plan application will be assessed a fee equal to the filing fee of \$50.00. There is a renewal flat fee assessed for gas compressor station facilities with horsepower rating greater than 3000 horsepower equal to one-half of the original flat fee or \$690.00.

On behalf of the staff of the OCD, I wish to thank you and your staff for your cooperation during this discharge plan review.

Sincerely,



Roger C. Anderson
Chief, Environmental Bureau
Oil Conservation Division

RCA/eem
Attachment

Xc: OCD Aztec Office

ATTACHMENT TO THE DISCHARGE PLAN RENEWAL GW-188-2
EL PASO FIELD SERVICES CO.
HART CANYON #2 COMPRESSOR STATION
DISCHARGE PLAN APPROVAL CONDITIONS
October 27, 2000

1. Payment of Discharge Plan Fees: The OCD has not received the \$50.00 filing fee. There is a required flat fee equal to one-half of the original flat fee for natural gas compressor stations with horsepower rating greater than 3000 horsepower. The renewal flat fee required for this facility is \$690.00 which may be paid in a single payment due at the time of approval, or in equal annual installments over the duration of the discharge plan, with the first payment due upon receipt of this approval. The filing fee is payable at the time of application and is due upon receipt of this approval. Please make all checks payable to:

Water Quality Management Fund
c/o Oil Conservation Division
2040 South Pacheco
Santa Fe, New Mexico 87505

2. Commitments: El Paso Field Services Co. will abide by all commitments submitted in the discharge plan renewal application letter dated July 27, 2000 and these conditions for approval.
3. Waste Disposal: All wastes will be disposed of at an OCD approved facility. Only oilfield exempt wastes shall be disposed of down Class II injection wells. Non-exempt oilfield wastes that are non-hazardous may be disposed of at an OCD approved facility upon proper waste determination per 40 CFR Part 261. Any waste stream that is not listed in the discharge plan will be approved by OCD on a case-by-case basis.
4. Drum Storage: All drums containing materials other than fresh water must be stored on an impermeable pad with curbing. All empty drums will be stored on their sides with the bungs in and lined up on a horizontal plane. Chemicals in other containers such as sacks or buckets will also be stored on an impermeable pad and curb type containment.
5. Process Areas: All process and maintenance areas which show evidence that leaks and spills are reaching the ground surface must be either paved and curbed or have some type of spill collection device incorporated into the design. During the NMOCD inspection prior to renewal of the Discharge Plan, it was

observed that oil was leaking from the compressor and flowing onto the ground. A plan for correcting this problem, thereby preventing future contamination, must be submitted to the NMOCD no later than December 31, 2000.

6. Above Ground Tanks: All above ground tanks which contain fluids other than fresh water must be bermed to contain a volume of one-third more than the total volume of the largest tank or of all interconnected tanks. All new tanks or existing tanks that undergo a major modification, as determined by the Division, must be placed within an impermeable bermed enclosure.
7. Above Ground Saddle Tanks: Above ground saddle tanks must have impermeable pad and curb type containment unless they contain fresh water or fluids that are gases at atmospheric temperature and pressure.
8. Labeling: All tanks, drums and containers will be clearly labeled to identify their contents and other emergency notification information.
9. Below Grade Tanks/Sumps: All below grade tanks, sumps, and pits must be approved by the OCD prior to installation or upon modification and must incorporate secondary containment and leak-detection into the design.
10. Class V Wells: No Class V wells that inject non-hazardous industrial wastes or a mixture of industrial wastes and domestic wastes will be closed unless it can be demonstrated that groundwater will not be impacted in the reasonably foreseeable future. Leach fields and other wastewater disposal systems at OCD regulated facilities which inject non-hazardous fluid into or above an underground source of drinking water are considered Class V injection wells under the EPA UIC program. Class V wells that inject domestic waste only must be permitted by the New Mexico Environment Department.
11. Housekeeping: All systems designed for spill collection/prevention will be inspected weekly and after each storm event to ensure proper operation and to prevent overtopping or system failure. A record of inspections will be retained on site for a period of five years.
12. Spill Reporting: All spills/releases will be reported pursuant to OCD Rule 116 and WQCC 1203 to the OCD Aztec District Office.
13. Transfer of Discharge Plan: The OCD will be notified prior to any transfer of ownership, control, or possession of a facility with an approved discharge plan. A written commitment to comply with the terms and conditions of the

Mr. David Bays

GW-188-2

October 27, 2000

Page 5

previously approved discharge plan must be submitted by the purchaser and approved by the OCD prior to transfer.

14. Storm Water Plan: The facility will have an approved storm water run-off plan by December 31, 2000. December 31, 2000
16. Closure: The OCD will be notified when operations of the Hart Canyon #2 Compressor Station are discontinued for a period in excess of six months. Prior to closure of the Hart Canyon #2 Compressor Station, the Director will submit a closure plan for approval. Closure and waste disposal will be in accordance with the statutes, rules and regulations in effect at the time of closure.
17. Conditions accepted by: El Paso Field Services Co., by the officer whose signature appears below, accepts this permit and agrees to comply with all terms and conditions contained herein. El Paso Field Services Co. further acknowledges that these conditions and requirements of this permit may be changed administratively by the Division for good cause shown as necessary to protect fresh water, human health and the environment.

El Paso Field Services Co.

Print Name: _____

Signature: _____

Title: _____

Date: _____

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of check No. [REDACTED] dated 8/24/95
or cash received on 8/29/95 in the amount of \$ 1380.00
from EPNG

for Hart Canyon #2 C.S. GW 188-2
(Facility Name) (DP No.)

Submitted by: _____ Date: _____

Submitted to ASD by: Roger A. Kinder Date: 9/1/95

Received in ASD by: Angie Ware Date: 9/1/95

Filing Fee _____ New Facility ☒ Renewal _____

Modification _____ Other _____
(specify)

Organization Code 521.07 Applicable FY 96

To be deposited in the Water Quality Management Fund.

Full Payment ☒ or Annual Increment _____



P.O. BOX 1492
EL PASO, TX 79978

232 CBD

62-20
311

08/24/95
Date

PAYABLE AT
CITIBANK DELAWARE
A SUBSIDIARY OF CITICORP
ONE PENN'S WAY
NEW CASTLE, DE 19720


PAY TO THE ORDER OF

NMED WATER QUALITY MANAGEMENT
P O BOX 6429
SANTA FE NM 87505

PAY AMOUNT

\$1,380.00

Void After 1 Year



EL PASO NATURAL GAS COMPANY

REMITTANCE ADVICE

Vendor Number

018711 001

Check Date

08/24/95

Check Number

VOUCHER
NUMBER

INVOICE
NUMBER

AMOUNT

Invoice

Discount

Net

REFER PAYMENT INQUIRIES TO ACCOUNTS PAYABLE (915) 541-5354

VOUCHER NO

INVOICE NO

GROSS

DISCOUNT

NET

000513804

CKREQ950807

1,380.00

.00

1,380.00

HART CANYON # 2 DISCHARGE PLAN FEE

TOTALS

1,380.00

.00

1,380.00

GW 188-2

OIL CONSERVATION DIVISION

August 3, 1995

CERTIFIED MAIL
RETURN RECEIPT NO. Z-765-963-104

Mr. David Bays
El Paso Natural Gas Company
P.O. Box 4990
Farmington, NM 87499

**RE: Approval of Discharge Plan GW-188-2
Hart Canyon #2 Compressor Station
San Juan County, New Mexico**

Dear Mr. Bays:

The discharge plan GW-188-2 for the El Paso Hart Canyon #2 Compressor Station located in SE/4, Section 29, Township 30 North, Range 9 West, NMPM, San Juan County, New Mexico, is hereby approved under the conditions contained in the enclosed attachment. The discharge plan consists of the application and its contents dated June 16, 1995.

The discharge plan application was submitted pursuant to Section 3-106 of the New Mexico Water Quality Control Commission Regulations. Please note Sections 3-109.E and 3-109.F which provide for possible future amendments or modifications of the plan. Please be advised that the approval of this plan does not relieve El Paso Natural Gas Company of liability should the operations associated with this facility result in pollution of surface water, ground water, or the environment.

Please be advised that all exposed pits, including lined pits and open top tanks (tanks exceeding 16 feet in diameter), shall be screened, netted, or otherwise rendered nonhazardous to wildlife including migratory birds.

Please note that Section 3-104 of the regulations requires that "When a plan has been approved, discharges must be consistent with the terms and conditions of the plan." Pursuant to Section 3-107.C you are required to notify the Director of any facility expansion, production increase, or process modification that would result in any change in the discharge of water quality or volume.


Pursuant to Section 3-109.G.4, this plan is for a period of five (5) years. This approval will expire August 3, 2000, and you should submit an application for renewal six (6) months before this date.

The discharge plan application for the Hart Canyon #2 Compressor Station is subject to the WQCC Regulation 3-114 discharge plan fee. Every billable facility submitting a discharge plan will be assessed a fee equal to the filing fee of fifty dollars (\$50) plus the flat fee of one-thousand, three-hundred and eighty dollars (\$1380.00) for Compressor Stations exceeding 3,000 Horsepower at site conditions.

The \$50 filing fee has been received by the OCD. The flat fee for an approved discharge plan has not been received by the OCD. The flat fee check should be submitted to the **NMED - Water Quality Management** through the NMOCD office in Santa Fe, New Mexico.

On behalf of the staff of the Oil Conservation Division, I wish to thank you and your staff for your cooperation during this discharge plan review.

Sincerely,



William J. LeMay
Director

WJL/pws
Attachment

xc: Denny Foust , OCD Aztec Office

ATTACHMENT TO DISCHARGE PLAN GW-188-2 APPROVAL
El Paso Natural Gas Company - Hart Canyon #2 Compressor Station
DISCHARGE PLAN REQUIREMENTS

(August 3, 1995)

1. Tank Berming: All tanks that contain materials other than fresh water that, if released, could contaminate surface or ground water or the environment will be bermed to contain 1 1/3 times the capacity of the tank or 1 1/3 times the volume of all interconnected tanks.
2. Drum Storage: All drums will be stored on pad and curb type containment.
3. Spills: All spills and/or leaks will be reported to the OCD district office pursuant to WQCC Rule 1-203 and OCD Rule 116.
4. Modifications: All proposed modifications that include the construction of any below grade facilities or the excavation and disposal of wastes or contaminated soils will have OCD approval prior to excavation, construction or disposal.
5. Payment of Discharge Plan Fees: The one thousand three hundred and eighty dollar (\$1380) flat fee shall be submitted upon receipt of this approval. The flat fee may be paid in a single payment due at the time of approval, or in equal annual installments over the five (5) year duration of the plan, with the first payment due upon receipt of this approval.

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of check No. [REDACTED] dated 6/15/95,

or cash received on 6/26/95 in the amount of \$ 50.00

from EPNG

for Hart Canyon #2 188-2
(Facility Name) (DP No.)

Submitted by: _____ Date: _____

Submitted to ASD by: Roger Anderson Date: 7/10/95

Received in ASD by: [Signature] Date: 7-11-95

Filing Fee ☒ New Facility _____ Renewal _____

Modification _____ Other _____
(specify)

Organization Code 521.07 Applicable FY 96

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

THIS MULTI-TONE AREA OF THE DOCUMENT CHANGES COLOR GRADUALLY AND EVENLY FROM DARK TO LIGHT WITH DARKER



P.O. BOX 1482
EL PASO, TX 79978

232 CSD

PAYABLE AT
CITIBANK DELAWARE
A SUBSIDIARY OF CITICORP
ONE PENN'S WAY
NEW CASTLE, DE 19720

62-20
311

06/15/95
Date


PAY TO THE ORDER OF

NMED WATER QUALITY MANAGEMENT
2040 S PACHECO
SANTA FE NM 87505

PAY AMOUNT

\$50.00

Void After 1 Year



EL PASO NATURAL GAS COMPANY

REMITTANCE ADVICE

Vendor Number

018711 001

Check Date

06/15/95

Check Number



VOUCHER NUMBER	INVOICE NUMBER	AMOUNT		
		Invoice	Discount	Net
REFER PAYMENT INQUIRIES TO ACCOUNTS PAYABLE (915) 541-5354 VOUCHER NO 000490715 NMOCD DISCHARGE PLAN APPLICATIONS FOR HART CANYON # 2	INVOICE NO	GROSS	DISCOUNT	NET
	CKREQ950608	50.00	.00	50.00
	TOTALS	50.00	.00	50.00
	188-2			



P.O. BOX 1492
EL PASO, TX 79978

2 CBD

PAYABLE AT
CITIBANK DELAWARE
A SUBSIDIARY OF CITICORP
ONE PENN'S WAY
NEW CASTLE, DE 19720

62-20
311

06/15/95
Date


PAY TO THE ORDER OF

NMED WATER QUALITY MANAGEMENT
2040 S PACHECO
SANTA FE NM 87505

PAY AMOUNT

\$50.00

Void After 1 Year



Detach and retain this statement for your records
EL PASO NATURAL GAS COMPANY

Vendor Number
018711 001

Check Date
06/15/95

REMITTANCE ADVICE
Check Number

VOUCHER NUMBER	INVOICE NUMBER	AMOUNT	
		Invoice	Net
REFER PAYMENT INQUIRIES TO ACCOUNTS PAYABLE (915) 541-5354			
VOUCHER NO	INVOICE NO	GROSS	NET
000490715	CKREQ950608	50.00	50.00
NMOCD DISCHARGE PLAN APPLICATIONS FOR			
HART CANYON # 2			
	TOTALS	50.00	50.00

District I - (505) 393-6161

P. O. Box 1980

Hobbs, NM 88241-1980

District II - (505) 748-1283

811 S. First

Artesia, NM 88210

District III - (505) 334-6178

1000 Rio Brazos Road

Aztec, NM 87410

District IV - (505) 827-7131

New Mexico

Energy Minerals and Natural Resources Departments

Oil Conservation Division

1220 South Saint Francis Drive

Santa Fe, New Mexico 87505

(505) 827-7131

Revised 12/1/95

Submit Original

Plus 1 Copy

to Santa Fe

1 Copy to appropriate

District Office

DISCHARGE PLAN APPLICATION FOR SERVICE COMPANIES,
GAS PLANTS, REFINERIES, COMPRESSOR, AND CRUDE OIL PUMP STATIONS

(Refer to OCD Guidelines for assistance in completing the application)

☐ New

☒ Renewed

☐ Modification

1. Type: Hart Canyon #2 Compressor Station
2. Operator: Enterprise Products Operating, L.P.
Address: P.O. Box 4324, Houston, Texas 77210-4324
Contact Person: Doug Jordan
3. Location: NE/4 Section 29 Township 30 North Range 9 West
4. Attach the name, telephone number and address of the landowner of the facility site.
5. Attach the description of the facility with a diagram indicating location of fences, pits, dikes and tanks on the facility.
6. Attach a description of all materials stored or used at the facility.
7. Attach a description of present sources of effluent and waste solids. Average daily quality and daily volume of waste water must be included.
8. Attach a description of current liquid waste and solid waste collection/treatment/disposal systems.
9. Attach a description of proposed modifications to existing collection/treatment/disposal systems.
10. Attach a routine inspection and maintenance plan to ensure permit compliance.
11. Attach a contingency plan for reporting and clean-up of spills or releases.
12. Attach geological/hydrological information for the facility. Depth to and quality of ground water must be included.
13. Attach a facility closure plan, and other information as is necessary to demonstrate compliance with any other rules, regulations, and/or orders.
14. CERTIFICATION

I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

NAME: Terry L. Hurlburt

Title: Vice President & General Manager Operations

Signature: 

Date: June 10, 2005