3R - <u>307</u>

GENERAL CORRESPONDENCE

YEAR(S): 1998

Public Service Company of New Mexico 603 W. Elm - P.O. Box 4750 Farmington, NM 87499 505 950-1997 Fax 505 325-7365

July 27, 1998

Oil Conservation Division Attention: Bill Olson 2040 South Pacheco Santa Fe, NM 87505

RECEIVED

PN Gas Services

JUL 3 1 1998

Subject: OCD Closure Reports
2nd Reporting Quarter, 1998

ENVIRONMENTAL BUREAU
OIL CONSERVATION DIVISION

Dear Mr. Olson:

PNM Gas Services is submitting closure reports to the Oil Conservation Division for the sites listed below.

1. Breech D #345 Drip	12. Knauff B #1E	23. McDaniel B #1
2. Davis #13	13. Kutz J Federal #2	24. Miller #1E
3. Davis #18	14. Kutz J Federal #2 Drip	25. Miller ML Drip
4. Davis #3	15. Kutz Wash Drip	26. Patterson B Com #1A
5. Davis #7	16. Largo S;ur A #1 Drip	27. Patterson B Com #1E
6. Eaton Federal #1E	17. Lunt #62R	28. R.P. Hargrave F #2
7. EH Pipken #10	18. Lunt #62R Drip	29. R.P. Hargrave F #3
8. EH Pipken #8	19. Lunt #63 Drip	30. Richardson #8
9. Johnson #1R	20. Lunt #64 Drip	31. Richardson #8E
10. Johnson Com B #1	21. Lybrook Federal 19-1	32. Witt #1 (Burlington)
11. Johnson Com B #1E	22. M.N. Galt J #2	33. Witt #1 (Dugan)

We are also submitting the following groundwater sites for closure:

1. Breech #354

2. Mangum #1

If you have any questions, please call me at 324-3764.

Sincerely,

Kathy Juckes
Staff Assistant III

cc: Denny Foust BLM - Farmington Williams Field Services



District I P.O. Box 1980, Hobbs, NM

District II P.O. Drawer DD, Artesia, NM 88221

District III 1000 Rio Brazos Rd, Aztec, NM 87410 State of New Mexico Energy, Minerals and Natural Resources Department

JUL 3 1 1998

SUBMIT I COPY TO APPROPRIATE DISTRICT OFFICE AND I COPY TO SANTA FE OFFICE

OIL CONSERVATION DIVISION

ENVIRONMENTAL BUREAU OIL CONSERVATION DIVISION

2040 South Pacheco Street Santa Fe, New Mexico 87505


PIT REMEDIATION AND CLOSURE REPORT APPROVED

Operator:	PNM Gas Services (Caulkins) Telephone: 324-3764	
Address:	603 W. Elm Street Farmington, NM 87401	_ [
Facility or We	Il Name: Breech #354	_
Location:	Unit H Sec 24 T 26N R 7W County Rio Arriba	_
Pit Type:	Separator Dehydrator Other	
Land Type:	BLM State	
Pit Location:	Pit dimensions: length 20 width 20 depth 3	
(Attach diagram	Reference: wellhead other	
	Footage from reference: 200'	_
	Direction from reference: 20 Degrees East North	
	of West South	
Depth to Grou (Vertical distance from or seasonal high water eleval water	50 feet to 99 feet (10 points) Greater than 100 feet (0 points)	20
Wellhead Prot	ection Area: Yes (20 points) No (0 points)	0
(Less than 200 feet from domestic water source, or feet from all other water	less than 1,000	
Distance to Su	200 feet to 1,000 feet (10 points) Greater than 1,000 feet (0 points)	10
ponds, rivers, streams, co canals and ditches		30

Breech #354			
Date Remediation Started:	6/11/97	Date Completed:	6/12/97
Remediation Method:	Excavation X	Approx. Cubic Yard	476
(Check all appropriate sections)	Landfarmed X	Amount Landfarmed (co	ubic yds) 300
sections)	Other		
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite X	Offsite	
Backfill Material Location:			
General Description of Rem	nedial Action:		
	I to a pit size of 21' X 34' X 18' a lisking/plowing until soil met rec	and landfarmed soil onsite within a berr gulatory levels.	med area at a depth of 6"
Ground Water Encountered	d: No	Yes De	pth <u>18'</u>
Final Pit Closure Sampling:		re soil sample was not taken. See atta and groundwater report.	ched excavation work
(if multiple samples, attach sample result and diagram of	Sample depth		
sample locations and depths.)	Sample date	Sample time	
	Sample Results		
	Benzene (ppm)		
	Total BTEX (ppm)		
	Field headspace (ppr	n)	
	TPH (ppm)	Method	
Vertical Extent (ft)		Risk Analysis form attached Yes	☐ No 🔽
Ground Water Sample:	Yes N	o (If yes, see attached (Summary Report)	Groundwater Site
I HEREBY CERTIFY THA KNOWLEDGE AND MY E		VE IS TRUE AND COMPLETE TO T	HE BEST OF MY
DATE July 27, 1998 SIGNATURE Mau	adaren	PRINTED NAME Maur AND TITLE Proje	reen Gannon ct Manager

ŧ

		Excava	ation Work	Sheet			
Well	Name	Operator	S	Т	R	UI	
Breech .	#354	Caulkins	24	260	アル	Н	
Pit D	imensions at	Start	Ex	cavation Din	nensions at E	nd	
20	X20 X 3		21 X.	34X18			
Excavate	d Cu. Yds.	Over	rburden Cu.	Yds.	Spoil C	Cu. Yds.	
474	, 		174		300		
		PIT	PID READI	NGS			
Feet	Center	N. Wall	S. Wall	E. Wall	W. Wall	Soil Type	
3'	467	C	O	0	0	sad lch	
6'	822	U	0	0	0	sondlely	
9'	222	0	0	0	0	sold leh	
12'	245	U		٥	0	10	
15'	148		5.8	0	6	sand Ich	BILLGAY
18'	153	(0	So. of chy	BILLGAY BILLGA BAN
A 22	29					SA. d	Ban
Composite	Sample #						
Loc	ation	De	pth		PID Reading	g	
Nort	h Wall						
Sout	h Wall						
East	t Wall						
Wes	t Wall						
Pit B	Bottom						
Land Farm	Location:	On luc	cation				
Back Fill L	ocation:	Bem was	shot La	erja Scha	el Ho-se	1.0 m:le	NN
Comments	•						



Breech #354 Landfarm_ 7-7-47 @0850



OFF: (505) 325-5667

LAB: (505) 325-1556

TECHNOLOGIES, LTD.

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

17-Jul-97

Company: PNM Gas Services

COC No.:

5184

Address:

Sample No.:

15253

City, State: Farmington, NM 87401

603 W. Elm

Job No.:

2-1000

PNM Gas Services - Breech #354 Landfarm

Project Name: **Project Location:**

9707070850; 10pt. Composite

Date:

7-Jul-97 Time:

8:50

Sampled by: Analyzed by: RH DC

Date:

16-Jul-97

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	10	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0548-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
Diesel Range (C10 - C28)	ND	ppm	200	183	8.7	15%

Matrix Spike

Parameter	1- Percent Recovered	2 - Percent Recovered	Limit	RPD	RPD Limit
Diesel Range (C10-C28)	120	108	(70-130)	10	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499

True of a Right of the first and for terms and



OFF: (505) 325-5667

LAB: (505) 325-1556

TECHNOLOGIES, LTD.

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

17-Jul-97

Company: PNM Gas Services

COC No.:

5184

Address:

Sample No.:

15253

603 W. Elm

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Breech #354 Landfarm

Project Location:

9707070850; 10pt. Composite

Date:

7-Jul-97 Time:

8:50

Sampled by: Analyzed by: RH DC

Date:

16-Jul-97

Sample Matrix:

Soil

Laboratory Analysis

		Results	Unit of	Limit of	Unit of
Parameter		as Received	Measure	Quantitation	Measure
			_		_
Benzene		ND	ug/kg	1	ug/kg
Toluene		5	ug/kg	1	ug/kg
Ethylbenzene		4	ug/kg	1	ug/kg
m,p-Xylene		9	ug/kg	1	ug/kg
o-Xylene		3	ug/kg	1	ug/kg
•	TOTAL	21	ug/kg		

ND - Not Detected at Limit of Quantitation

Method - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

The second of the second

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499

PNMGS Well Site: Breech #354

Groundwater Site Summary Report

Copies: WFS(1)
Operator (1)
NMOCD District Office (1)
NMOCD Santa Fe (1)

Month/Year: July 1998

Operator: Caulkins

Sec: 24 Twn: 26N Rng: 7W Unit: H

Canyon: Largo

Vulnerable Class: Expanded

OCD Ranking: 30 Lead Agency: NMOCD

Activities:

On June 11, 1997, PNM commenced excavation of their former pit location at the Breech #354. At 18 feet below ground surface, groundwater was encountered. PNM was unable to obtain a groundwater sample from the bottom of the excavation due to sloughing of the sidewalls. After the excavation was complete, the pit was backfilled. No final closure soil sample was collected due to the presence of groundwater; however, during excavation, PNM conducted PID measurements at successive depths along the sidewalls as documented in the attached Excavation Work Sheet.

PNM returned to the Breech #354 and installed a groundwater monitoring well (MW-2) in the center of the former pit. The well was sampled and delivered to OnSite Technologies, Farmington, New Mexico for analysis of BTEX using EPA Method 8020. Laboratory analysis indicated that BTEX concentrations in the well are below WQCC standards (see attached results from OnSite Technologies dated August 6, 1997).

Further Action:

Consistent with PNM's San Juan Basin Groundwater Management Plan, PNM requests closure of our former pit at the Breech 354 well site. A sample from MW-2 in the center of the pit area indicates that groundwater is clean at the site.



OFF: (505) 325-5667

LAB: (505) 325-1556

TECHNOLOGIES, LTD.

ANALYTICAL REPORT

Attn:

Denver Bearden

Date: 18-Aug-97

Company: PNM Gas Services

COC No.:

5646

Address:

603 W. Elm

Sample No.:

15689

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Breech 354

Project Location:

9708061500; MW-2 MG/MS

Date:

7-Aug-97 Time:

14:20

Sampled by: Analyzed by:

DC

Date:

15-Aug-97

Sample Matrix:

Liquid

•		Results as	Unit of	Limit of	Unit of
Parameter		Received	Measure	Quantitation	Measure
			_		_
Benzene		4	ug/L	1	ug/L
Toluene		44	ug/L	1	ug/L
Ethylbenzene		33	ug/L	1	ug/L
m,p-Xylene		145	ug/L	1	ug/L
o-Xylene		73	ug/L	1	ug/L
	TOTAL	300	ug/L]	

ND - Not Detected at Limit of Quantitation

Method - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

Approved By:

P.O. BOX 2606 • FARMINGTON, NM 87499 - Transport Horizon by it was to produce it in