District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Incident ID	NRM2016949793
District RP	
Facility ID	
Application ID	

# **Release Notification**

### **Responsible Party**

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

#### **Location of Release Source**

Latitude	Longitude
	(NAD 83 in decimal degrees to 5 decimal places)
Site Name	Site Type

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: \_

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

	Page 2 of
Incident ID	NRM2016949793
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release?
🗌 Yes 🗌 No	
If YES, was immediate ne	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?

## **Initial Response**

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name	Title:
Signature:	Date:
email:	Telephone:
OCD Only	
Received by: <u>Ramona Marcus</u>	Date:6/17/2020

#### Received by OCD: 6/15/2020 9:26:14 AM

.

#### NRM2016949793

Page 3 of 3

				LIQUI	DSFILLS		IME CALCULATION						
Locatio	on of spill	l:	COG -Sopo	opilla Sta	te 1H		Date of Spill:	30-Ma	iy-202	:0			
			If the leak/sp	ill is ass	ociated with p	roductior	equipment, i.e wellhead,	stuffing box,	_				
		flo	owline, tank ba	ttery, pro	oduction vessel,	transfer p	ump, or storage tank place	an "X" here: 🌔	C				
						Input [	Data:	OIL:		WATER:			
							wn enter the volumes here:	0.0 B		0.0 BB			
lf "known" s	-		given, input	data for	the following	"Area Cal	culations" is optional. The	above will ove				umes.	
	Total A				wet soil				quiu	Carculation	13		
Total Surface Area Rectangle Area #1	width 130 ft		length 75 ft	Х	depth 0.75 in	oil (%)	Standing Liquid Area Rectangle Area #1	width 0 ft	Х	length 0 ft	Х	liquid depth 0 in	oil (%) 0%
Rectangle Area #2	0 ft	х	0 0	x	0.00 in	0%	Rectangle Area #2	0 ft		0 ft	x	0 in	0%
Rectangle Area #3	0 ft	Х	0 ft	Х	0 in	0%	Rectangle Area #3	0 ft			Х	0 in	0%
Rectangle Area #4	0 ft	Х	0 ft	Х	0 in	0%	Rectangle Area #4	0 ft		0 ft	Х	0 in	0%
Rectangle Area #5	0 ft	X	0 ft	X	0 in	0%	Rectangle Area #5	0 ft		0 ft		0 in	0%
Rectangle Area #6 Rectangle Area #7	0 ft 0 ft	X X	0 ft 0 ft	X X	0 in 0 in	0% 0%	Rectangle Area #6 Rectangle Area #7	0 ft 0 ft		0 ft 0 ft	X	0 in 0 in	0% 0%
Rectangle Area #8	0 ft		0 ft	x	0 in	0%	Rectangle Area #8	0 ft		0 ft		0 in	0%
						okay							
							DUCTION DATA REQUIRED	)					
Average Daily Production:	Oil 0	BBL	Water 0	BBL	0 Gas	(MCFD)	Total Hydrocarbon Co	ontent in gas:	0%	(percentage)			
Did leak occur before the separa	ator?:	Y	'ES	N/A	(place an "X")	)	H2S Content in Pr	oduced Gas:	0	PPM			
					. ,		H2S Content in T	Tank Vapors:	0				
Amount of Free Liquid Recovered:	0 BE	3L		okay			H2S Content in T Percentage of Oil i	n Eree Liquid	0 0%	PPM (percentage)			
	0 BE 0.14 ga		* Sar * Gra * Sar	the followin nd = <b>0.08</b> g ivelly (calio ndy clay loa	n <mark>g when the spill we</mark> gallon (gal.) liquid p she) loam = <b>0.14</b> ga am soil = <b>0.14</b> gal li <b>.16</b> gal. liquid per g	<del>ets the grains</del> ber gal. volur al. liquid per gal	Percentage of Oil i	n Free Liquid Recovered: <u>Use the following w</u>	0% <u>hen the</u> bill soal gal. liqu loam =	PPM (percentage) e liquid completely ked soil is containe uid per gal. volume 0.25 gal. liquid per	ed by b e of soi er gal. v	volume of soil.	
Recovered: Liquid holding factor *:		l per gal	* Sar * Gra * Sar	the following and = 0.08 y avelly (calic ady clay loa y loam = 0	gallon (gal.) liquid p che) loam = <b>0.14</b> ga am soil = <b>0.14</b> gal li	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i	n Free Liquid Recovered: Use the following w Occurs when the sş * Clay Ioam = 0.20 * Gravelly (caliche) * Sandy Ioam = 0.5	0% <u>hen the</u> bill soal gal. liqu loam =	PPM (percentage) e liquid completely ced soil is containe sid per gal. volume vid per gal. volume	ed by b e of soi er gal. v	arriers, natural (or n l. volume of soil.	ot).
Recovered: Liquid holding factor *:	0.14 ga 9,750 sq	l per gal	* Sar * Gra * Sar * Cla 609 Cu. 1	the following and = 0.08 y avelly (calic ady clay loa y loam = 0	gallon (gal.) liquid p che) loam = 0.14 ga am soil = 0.14 gal li .16 gal. liquid per g Cu. fi	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5	0% hen the bill soal gal. liqu loam = gal. liq gal. liq	PPM (percentage) e liquid completely aced soil is containe uid per gal. volume 0.25 gal. liquid pe uid per gal. volum	ed by b e of soi er gal. v e of so	arriers, natural (or n l. rolume of soil. il. <b>CU.</b>	ot).
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes S</u> Liquid ii	0.14 ga 9,750 sq Spilled n Soil:	l per gal	• Sar • Gra • Sar • Cla 609 Cu. • <u>H20</u> 15.2 BBL	the followin and = 0.08 g avelly (calid ady clay loa y loam = 0 ft.	gallon (gal.) liquid p she) loam = 0.14 gal am soil = 0.14 gal li .16 gal. liquid per g cu. fi <u>OIL</u> 0.0 BBL	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 \$ Volumes Lost	0% hen the bill soal gal. liqu loam = gal. liq gal. liq	PPM (percentage) e liquid completely ced soil is containe sid per gal. volume vid per gal. volume	ed by b e of soi er gal. v e of so . ft.	arriers, natural (or n l. /olume of soil. il.	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes S</u> Liquid i Free L	0.14 ga 9,750 sq Spilled n Soil:	l per gal	* Sar * Gra * Sar * Cla 609 cu. * <u>H20</u>	the following and = 0.08 welly (calic hdy clay loa y loam = 0 ft.	gallon (gal.) liquid p she) loam = 0.14 ga am soil = 0.14 gal li .16 gal. liquid per g cu. fi	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 Sc • Volumes Lost action Spilled:	0% hen the bill soal gal. liq loam = gal. liq <b>q. ft.</b>	PPM (percentage) e liquid completely ked soil is contain id per gal. volume 0.25 gal. liquid p uid per gal. volume cu H2O	ed by b e of soi er gal. v e of so . ft.	arriers, natural (or n l. volume of soil. il. <b>cu.</b> <u>OIL</u>	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes S</u> Liquid i Free L	0.14 ga 9,750 sq Spilled n Soil: Liquid: Fotals:	l per gal	• Sar • Gra • Sar • Cla 609 cu. • <u>H20</u> 15.2 BBL 0.0 BBL	the followir dd = 0.08 e avelly (calid ndy clay loa y loam = 0 ft.	gallon (gal.) liquid p the) loam = 0.14 gal li am soil = 0.14 gal li .16 gal. liquid per g cu. fr OIL 0.0 BBL 0.0 BBL	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i sof the soil. me of soil. gal. volume of soil. volume of soil. f soil. Total Free Liquid Volume: Estimated Production Estimated Produ	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 sc • Volumes Lost inction Spilled: :e Damage	0% hen the pill soal gal. liq loam = gal. liq <b>q. ft.</b>	PPM (percentage) e liquid completely ked soil is contain id per gal. volume 0.25 gal. liquid p uid per gal. volume cu H2O	ed by b e of soi er gal. v e of so . ft.	arriers, natural (or n l. volume of soil. il. <b>cu.</b> <u>OIL</u>	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes S</u> Liquid i Free L	0.14 ga 9,750 sq 5pilled n Soil: Liquid: Fotals:	l per gal	- Sar - Gra - Sar - Cla - Cla	the followir dd = 0.08 e avelly (calid ndy clay loa y loam = 0 ft.	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i sof the soil. me of soil. agal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Produc Estimated Surface Surface Area:	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 Sandy loam = 0.5 Sa	0% hen the pill soal gal. liq loam = gal. liq <b>q. ft.</b>	PPM (percentage) e liquid completely ked soil is contain id per gal. volume 0.25 gal. liquid p uid per gal. volume cu H2O	ed by b e of soi er gal. v e of so . ft.	arriers, natural (or n l. volume of soil. il. <b>cu.</b> <u>OIL</u>	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L T Total Liquid Spill L	0.14 ga 9,750 sq 5pilled n Soil: Liquid: Fotals:	l per gal	• Sar • Gra • Sar • Sar	the followir dd = 0.08 e avelly (calid ndy clay loa y loam = 0 ft.	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i a of the soil. a of the soil. a olume of soil. volume of soil. t soil. Total Free Liquid Volume: Estimated Production Estimated Production Surface Area: Surface Area:	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 Sandy loam = 0.5 Sa	0% hen the will soal gal. liq gal. liq gal. liq <b>q. ft.</b> cre	PPM (percentage) e liquid completely ked soil is contain id per gal. volume 0.25 gal. liquid p uid per gal. volume cu H2O	ed by b e of soi er gal. \ e of so <b>ft.</b>	arriers, natural (or n l. volume of soil. il. <b>cu.</b> <u>OIL</u>	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid i Free L T Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered:	0.14 ga 9,750 sq Spilled In Soil: Liquid: Fotals: Liquid: Mes BE	l per gal . ft. BL BL	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i sof the soil. ne of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Surface Surface Area: Surface Area: Surface Area: Total Liquid = Total Liquid =	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 So • Volumes Lost uction Spilled: ee Damage 9,750 sc .2238 ac and Volumes 68,250 lb 15 Bl	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely (ved soil is contained 0.25 gal. liquid per uid per gal. volume Cu H2O 0.0 BB	ed by b e of soi er gal. \ e of so <b>ft.</b>	arriers, natural (or n l. rolume of soil. il. Cu. OIL 0.0 BBI	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L T Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: Estimated water recovered:	0.14 ga 9,750 sq spilled n Soil: Liquid: Totals: Liquid: BE BE	l per gal	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	<del>ets the grains</del> er gal. volur al. liquid per gal iquid per gal gal. volume o	Percentage of Oil i a of the soil. ne of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Production Surface Area: Surface Area: Surface Area: Surface Area: Total Estimated Weights, Saturated Soil = Total Liquid =	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 • Volumes Lost • Volumes Lost • Volumes Lost • Columes Lost	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely ecd soil is contained id per gal. volume 0.25 gal. liquid per uid per gal. volume cu <u>H20</u> 0.0 BB 609 cu. 638 gal	ed by b e of soi er gal. \ e of so <b>. ft.</b> IL	arriers, natural (or n l. rolume of soil. il. Cu. OIL 0.0 BBI	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L T Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: Estimated water recovered: Main Emission from flowii Volume of oil spill:	0.14 ga 9,750 sq Spilled n Soil: Liquid: Liquid: les BE BE BE BE BE BE BE BE BE BE BE	l per gal	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	ats the grains er gal. volur al. liquid per gal jal. volume o <b>t.</b>	Percentage of Oil i a of the soil. me of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Production Surface Area: Surface Area: Surf	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 * Gravelly (caliche) * Sandy loam = 0.5 sc • Volumes Lost nction Spilled: • Damage 9,750 sc .2238 ac and Volumes 68,250 lb 15 Bl	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely eed soli is contain id per gal. volume 0.25 gal. liquid pe uid per gal. volum Cu H2O 0.0 BB 609 cu. 638 gal	ed by b e of soi er gal. \ e of so <b>.</b> ft. iL ft. llon <u>.</u> xas	arriers, natural (or n l. rolume of soil. il. Cu. OIL 0.0 BBI	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L T Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: Stimated water recovered: Nolume of oil spill: Separator gas calculated:	0.14 ga 9,750 sq 5pilled n Soil: Liquid: Totals: Liquid: BE BE BE BE BE BE BE BE BE BE BE	I per gal	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	ats the grains er gal. volur al. liquid per gal jal. volume o <b>t.</b>	Percentage of Oil i a of the soil. ne of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Solface Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Mathemated Soil = Total Liquid = Air Emission of Reportin -IC gas release reportable?	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 0 * Gravelly (caliche) * Sandy loam = 0.5 • Volumes Lost action Spilled: • Damage 9,750 sc .2238 ac and Volumes 68,250 lb 15 Bl 09 Requiremen New Mexico NO	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely eed soli is contain id per gal. volume 0.25 gal. liquid pe uid per gal. volum cu H2O 0.0 BB 609 cu. 638 gal	ed by b e of soi er gal. \ e of so <b>ft.</b> iL ft. llon <u>xas</u>	arriers, natural (or n l. rolume of soil. il. Cu. OIL 0.0 BBI	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L T Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: Estimated water recovered: Main Emission from flowii Volume of oil spill:	0.14 ga	I per gal	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	ats the grains er gal. volur al. liquid per gal jal. volume o <b>t.</b>	Percentage of Oil i a of the soil. me of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Production Surface Area: Surface Area: Surf	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 0 * Gravelly (caliche) * Sandy loam = 0.5 • Volumes Lost action Spilled: • Damage 9,750 sc .2238 ac and Volumes 68,250 lb 15 Bl 09 Requiremen New Mexico NO	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely eed soli is contain id per gal. volume 0.25 gal. liquid pe uid per gal. volum Cu H2O 0.0 BB 609 cu. 638 gal	ed by b e of soi er gal. \ e of so <b>ft.</b> iL ft. llon <u>xas</u>	arriers, natural (or n l. rolume of soil. il. Cu. OIL 0.0 BBI	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L T Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated oil recovered: Estimated water recovered: Mir Emission from flowlin Volume of oil spill: Separator gas calculated: Separator gas released:	0.14 ga 9,750 sq 5pilled n Soil: Liquid: Totals: Liquid: BE BE BE BE BE BE BE BE BE BE BE	I per gal	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	ats the grains er gal. volur al. liquid per gal jal. volume o <b>t.</b>	Percentage of Oil i a of the soil. ne of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Solface Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Mathemated Soil = Total Liquid = Air Emission of Reportin -IC gas release reportable?	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 0 * Gravelly (caliche) * Sandy loam = 0.5 • Volumes Lost action Spilled: • Damage 9,750 sc .2238 ac and Volumes 68,250 lb 15 Bl 09 Requiremen New Mexico NO	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely eed soli is contain id per gal. volume 0.25 gal. liquid pe uid per gal. volum cu H2O 0.0 BB 609 cu. 638 gal	ed by b e of soi er gal. \ e of so <b>ft.</b> iL ft. llon <u>xas</u>	arriers, natural (or n l. rolume of soil. il. <b>Cu.</b> <u>OIL</u> 0.0 BBI	ft.
Recovered: Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L Total Liquid Spill L <u>Recovered Volum</u> Estimated oil recovered: Estimated oil recovered: Estimated water recovered: Separator gas calculated: Separator gas released from oil:	0.14 ga 9,750 sq Spilled n Soil: Liquid: Fotals: Liquid: Mes BE BE BE BE BE BE BE BE BE BE BE BE BE	I per gal	• Sar • Gra • Sar • Sar	the followin d = 0.08 welly (calic dy clay los y loarm = 0 ft. - - - - - - - - - - - - -	gallon (gal.) liquid p che) loam = 0.14 ga li 16 gal. liquid per g cu. fr <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.0 BBL	ats the grains er gal. volur al. liquid per gal jal. volume o <b>t.</b>	Percentage of Oil i a of the soil. ne of soil. gal. volume of soil. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Solface Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: Mathemated Soil = Total Liquid = Air Emission of Reportin -IC gas release reportable?	n Free Liquid Recovered: Use the following w Occurs when the sp * Clay loam = 0.20 0 * Gravelly (caliche) * Sandy loam = 0.5 • Volumes Lost action Spilled: • Damage 9,750 sc .2238 ac and Volumes 68,250 lb 15 Bl 09 Requiremen New Mexico NO	0% hen the iill soal iig gal. liq gal. liq gal. liq <b>q. ft.</b> cre s BL	PPM (percentage) e liquid completely eed soli is contain id per gal. volume 0.25 gal. liquid pe uid per gal. volum cu H2O 0.0 BB 609 cu. 638 gal	ed by b e of soi er gal. \ e of so <b>ft.</b> iL ft. llon <u>xas</u>	arriers, natural (or n l. rolume of soil. il. <b>Cu.</b> <u>OIL</u> 0.0 BBI	ft.