

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Wednesday, May 22, 2019 2:46 PM
To: DeHoyos, Kendra; 'rmann@slo.state.nm.us'; Bratcher, Mike, EMNRD; Hamlet, Robert, EMNRD
Cc: Davis, Amanda; Mathews, Wesley
Subject: RE: C-141_Diamond PWU 22 #001H Battery

RE: C-141_Diamond PWU 22 #001H Battery

All,
The OCD tracking number for this release event is **2RP-5434**.
Thank you,

Victoria Venegas
EMNRD
OCD-District II
811 S First St. Artesia
NM 88210
Victoria.Venegas@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: DeHoyos, Kendra <Kendra.DeHoyos@dvn.com>
Sent: Thursday, May 16, 2019 10:00 AM
To: 'rmann@slo.state.nm.us' <rmann@slo.state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>
Cc: Davis, Amanda <Amanda.Davis@dvn.com>; Mathews, Wesley <Wesley.Mathews@dvn.com>
Subject: [EXT] C-141_Diamond PWU 22 #001H Battery

Good Morning,

Please see the attached initial C-141 of the spill that occurred at the Diamond PWU 22 #001H Battery on 5/08/2019.

Thank you,

Kendra DeHoyos
EHS Associate
Devon Energy Corporation
PO Box 250
Artesia, NM 88211



Devon - Internal

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.