

Form C-141

Page 6

State of New Mexico
Oil Conservation Division

Incident ID	NRM2016955206
District RP	
Facility ID	
Application ID	


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate OCD District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Norman Title: Regional Project Manager
 Signature:  Date: 7/16/2020
 email: knorman@tasman-geo.com Telephone: (575) 318-5017

OCD Only

Received by: Cristina Eads Date: 07/17/2020

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment not does not relieve the responsible party of compliance with any other federal, state or local laws and/or regulations.

Signature: D E N I E D Date: 09/15/2020



July 16, 2020

Mike Bratcher
New Mexico Energy, Minerals and Natural Resources Department
Oil Conservation Division, District 1
1625 French Drive
Hobbs, NM 88240

Re: Closure Report
N-Line Leak 3
GPS: Latitude 32.734912 Longitude -103.772112
UL "F", Sec. 21, T18S, R32E
Lea County, NM
NMOCD Ref. No.

Tasman Geosciences (Tasman), on behalf of DCP Midstream (DCP), has prepared this *Closure Report* for the historical Release Site known as the **N-Line Leak 3**. Details of the release are summarized below:

RELEASE DETAILS			
Type of Release:	Natural Gas, Condensate	Volume of Release:	Unknown
		Volume Recovered:	Unknown
Source of Release:	Historical	Date of Discovery:	Not Applicable
Was Immediate Notice Given?	Not Required	If, YES, to Whom?	Not Applicable
Was a Watercourse Reached?	No	If YES, Volume Impacting the Watercourse:	N/A
Surface Owner:	BLM	Mineral Owner:	BLM
Describe Cause of Problem and Remedial Action Taken:			
Historical release assigned to environmental consultant for investigation and subsequent remediation.			

Site Characteristics Map is provided as Attachment #1. General Site Photographs are provided as Attachment #5. Remediation activities at the release site were completed within the 15 day time frame for reporting a minor release. A Copy of an Initial Release Notification and Corrective Action (NMOCD Form C-141) is provided as Attachment #7 to be in compliance with 19.15.29.10 NMAC.

REGULATORY FRAMEWORK

Surface impacts from unauthorized releases of crude oil, gases, produced water, condensate or other oil field waste which occur during normal oilfield operations are generally regulated by the New Mexico Oil Conservation Division (NMOCD) in accordance with 19.15.29 of the New Mexico Administrative Code (NMAC). 19.15.29 NMAC establishes reporting, site assessment/characterization, remediation, closure, variance and enforcement procedures. Table I of 19.15.29.12 NMAC determines the closure criteria for soils impacted by a release based on the depth to groundwater and the following site characteristics:

Site Characteristics		
Approximate Depth to Groundwater		~275 ft
Within 300 ft. of any continuously flowing or significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within 200 ft. of any lakebed, sinkhole, or playa lake?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within 500 ft. of a spring or private, domestic fresh water well?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within 1,000 ft. of any fresh water well?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within the incorporated municipal boundaries or within a municipal well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within 300 ft. of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within the area overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within an unstable area?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	

A search of a groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) was conducted to determine the average depth to groundwater within a 1 Mile radius of the release site and identify any registered water wells within a 1/2 Mile of the release site. If none were identified, the approximate depth to groundwater was extrapolated from a Depth to Groundwater Map utilized by the NMOCD. Depth to groundwater information is provided as Attachment #3.

Based on the approximate depth to groundwater and site characteristics, the NMOCD Closure Criteria are as follows:

Table I Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within the horizontal boundary of the release to ground	Constituent	Method*	Limit**
> 100 ft	Chloride***	EPA 300.0	20,000 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	1,000 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

SUMMARY OF FIELD ACTIVITIES

Impacted soil within the release margins was excavated and temporarily stockpiled on-site, atop an impermeable liner, pending final disposition. The floor and sidewalls of the excavated area were advanced until laboratory analytical results from confirmation soil samples indicated TPH concentrations were below the NMOCD Closure Criteria. Upon excavating impacted soil from within the release margins, four (4) confirmation soil samples were collected from the floor and sidewalls of the excavated area representing no more than 200 SqFt. The collected soil samples were submitted to an NMOCD-approved laboratory for analysis of TPH, BTEX, and chloride concentrations. Upon receiving laboratory analytical data showing samples were below NMOCD Closure Criteria, impacted soil was transported under manifest to a NMOCD-approved disposal facility and the excavated area was backfilled with locally sourced, non-impacted "like" material. A table summarizing laboratory analytical results from confirmation soil samples is provided below:

Concentrations of Benzene, BTEX, and/or TPH in Soil											
Sample ID	Date	Depth	Soil Status	SW 846 8021B		SW 846 8015M Ext.					4500 C-B
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₅ (mg/kg)	TPH C ₆ -C ₃₅ (mg/kg)	Chloride (mg/kg)
Bottom Comp 1 @ 5'	5/13/2020	5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
Bottom Comp 2 @ 5'	5/13/2020	5'	In-Situ	<0.050	<0.300	<10.0	320	320	36.8	356.8	16.0
Wall Comp 1	5/13/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
Wall Comp 2	5/13/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
Closure Criteria				10	50	-	-	-	-	1,000	20,000

SITE CLOSURE REQUEST

Based on laboratory analytical results from soil samples collected during the final site assessment, impacted soil within the release margins has been determined to be remediated below the Table I of 19.15.29.12 NMAC Closure Criteria for Soils Impacted by a Release. Tasman on behalf of DCP Midstream, respectfully requests the NMOCD grant closure approval for the historical release site known as N-Line Leak 3.

RESTORATION, RECLAMATION AND RE-VEGETATION

Areas affected by the Release and associated remediation activities will be substantially restored to the condition which existed prior to the Release to the maximum extent practicable. Excavated areas will be backfilled with locally sourced, non-impacted "like" material. The affected area will be contoured and/or compacted to achieve erosion control, stability and preservation of surface water flow to the extent practicable. Affected areas not on production pads and/or lease roads will be reseeded with the applicable areal mixture during the first favorable growing season following closure of the site in accordance with the applicable regulatory agency.


If you have any questions, or if additional information is required, please feel free to contact either of the undersigned by phone or email.


Respectfully,

Zachary Conder
Senior Project Manager
zconder@tasman-geo.com
(806) 724-5943

Kyle Norman
Regional Project Manager
knorman@tasman-geo.com
(575) 318-5017

Attachments:	Attachment #1-	Figure 1 - Site Characteristics Map
	Attachment #2-	Figure 2 - Site Sample Location Map
	Attachment #3-	Depth to Groundwater Information
	Attachment #4-	Field Data
	Attachment #5-	General Site Photographs
	Attachment #6-	Laboratory Analytical Reports
	Attachment #7-	Release Notification and Corrective Action (FORM C-141)



DATE: June 2020	 <div><i>Tasman Geosciences, Inc.</i> 2620 W. Marland Blvd. Hobbs, NM 88240</div>	<div>DCP Midstream N Line Leak #3 (3.3.2020) GPS: 32.734912, -103.772112 UL "F", Section 21, Township 18 South, Range 32 East Lea County, New Mexico</div>	Site Characteristics Map	Figure 1
DESIGNED BY : BC				
DRAWN BY: BC				


LEGEND:

5' Excavated Area (640 sq.ft.)

⊗

5 Point Comp. Sample Area

Approximate N-Line Pipeline Location



Google Earth

DATE: May 2020
DESIGNED BY : BC
DRAWN BY: BC



Tasman Geosciences, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240

DCP Midstream
N Line Leak #3 (3.3.2020)
GPS: 32.734912, -103.772112
Lea County, New Mexico

Site Sample Location
Map

Figure
2



New Mexico Office of the State Engineer

Water Column/Average Depth to Water


No records found.

UTMNAD83 Radius Search (in meters):

Easting (X): 614908

Northing (Y): 3622605

Radius: 1610



SW

W

NW

N

210

240

270

300

330

0

● 32.734882°, -103.772127° ±22ft





● 32.734921°, -103.772298° ±36ft





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 14, 2020

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: DCP

Enclosed are the results of analyses for samples received by the laboratory on 05/13/20 13:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-19-12. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/13/2020
 Reported: 05/14/2020
 Project Name: DCP
 Project Number: N LINE LEAK 3
 Project Location: NONE GIVEN

Sampling Date: 05/13/2020
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BOTTOM COMP 1 @ 5' (H001321-01)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTEX	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	05/14/2020	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	<10.0	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 84.7 % 44.3-144

Surrogate: 1-Chlorooctadecane 75.2 % 42.2-156

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/13/2020
 Reported: 05/14/2020
 Project Name: DCP
 Project Number: N LINE LEAK 3
 Project Location: NONE GIVEN

Sampling Date: 05/13/2020
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: BOTTOM COMP 2 @ 5' (H001321-02)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTX	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	05/14/2020	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	320	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	36.8	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 91.7 % 44.3-144

Surrogate: 1-Chlorooctadecane 90.6 % 42.2-156

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/13/2020
 Reported: 05/14/2020
 Project Name: DCP
 Project Number: N LINE LEAK 3
 Project Location: NONE GIVEN

Sampling Date: 05/13/2020
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: WALL COMP 1 (H001321-03)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTEx	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	05/14/2020	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	<10.0	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 90.0 % 44.3-144

Surrogate: 1-Chlorooctadecane 84.9 % 42.2-156

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 05/13/2020
 Reported: 05/14/2020
 Project Name: DCP
 Project Number: N LINE LEAK 3
 Project Location: NONE GIVEN

Sampling Date: 05/13/2020
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: WALL COMP 2 (H001321-04)

BTEx 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11		
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14		
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24		
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97		
Total BTEx	<0.300	0.300	05/13/2020	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	05/14/2020	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	<10.0	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 83.2 % 44.3-144

Surrogate: 1-Chlorooctadecane 79.7 % 42.2-156

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

Page / of /



ORDINAL LABORATORIES

101 East Mariand, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603
(505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325) 673-7020

Rush

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

[illegible]

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District Office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsibly Party	DCP Midstream, LP	OGRID
Contact Name	Stephen W. Weathers	Contact Telephone (303) 605-1718
Contact Email	SWWeathers@dcpmidstream.com	Incident # (assigned by OCD)
Contact Mailing Address	370 17th Street, Suite 2500, Denver, CO 80202	

Location of Release Source

Latitude 32.214831 Longitude -103.722968
(Nad 83 in decimal degrees to 5 decimal places)

Site Name	N-Line Leak 3	Site Type	Historical
Date Release Discovered	Not Applicable	API # (if applicable)	

Unit Letter	Section	Township	Range	County
P	14	23S	36E	Lea County, NM

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls) 0	Volume Recovered (bbls) 0
<input type="checkbox"/> Produced Water	Volume Released (bbls) 0	Volume Recovered (bbls) 0
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA
<input checked="" type="checkbox"/> Condensate	Volume Released (bbls) Unknown	Volume Recovered (bbls) Unknown
<input checked="" type="checkbox"/> Natural Gas	Volume Released (Mcf) Unknown	Volume Recovered (Mcf) Unknown
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Released (provide units)

Form C-141

Page 2

State of New Mexico
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?

☐ Yes ☒ No

If YES, for what reason(s) does the responsible party consider this a major release?

If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means? (phone, email, etc)?

Initial Response


The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

- ☒ The source of the release has been stopped.
- ☒ The impacted area has been secured to protect human health and the environment.
- ☒ Release materials have been contained via the use of berms or dikes, absorbent pads, or other containment.
- ☒ All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11 (A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Norman Title: Regional Project Manager
 Signature:  Date: _____
 email: knorman@tasman-geo.com Telephone: 575-318-5017

OCD Only

Received by: _____ Date: _____