District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

)

Page 1 of 5

Incident ID	NRM2017061148
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude (NAD 83 in decimal de	Longitude
Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

	Page 2 of
Incident ID	NRM2017061148
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the responsible party consider this a major release?
release as defined by	
19.15.29.7(A) NMAC?	
🗌 Yes 🗌 No	
If YES, was immediate ne	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?
	- · · · · ·

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name	Title:
Signature:	Date:
email:	Telephone:
OCD Only	
Received by: Ramona Marcus	Date: <u>6/18/2020</u>

Received by OCD: 6/17/2020 8:24:49 AM

.

NRM2017061148

Page 3 of 5

_		-					JME CALCULATIO		~~		
Locatio	on of spill:	: C	OG -Gunner	8 Fede	ral 8H TB	_	Date of Spill:	29-May-20	20		
							n equipment, i.e wellhead, pump, or storage tank place				
						Input	Data:	0"			
If spill volu	umes from	measure	ement, i.e. me	etering, 1	tank volumes, e	etc. are kno	own enter the volumes here:	OIL: 0.0 BBL	WATER: 0.0 BBL		
lf "known" s	spill volur	nes are g	given, input	data for	the following	Area Ca	Iculations" is optional. The	e above will overrid	e the calculated vol	lumes.	
	Total A	rea Cal	culations					Standing Liquid	I Calculations		
Takal O arta a Ana			1		wet soil				la se se la	Par 11 Land	
Total Surface Area Rectangle Area #1	width 75 ft		length 15 ft	Х	depth 4.25 in	oil (%)	Standing Liquid Area Rectangle Area #1	width 0 ft X	length 0 ft X	liquid depth 0 in	oil (9
Rectangle Area #2	0 ft	Х	0 ft	Х	0.00 in	0%	Rectangle Area #2	0 ft X	0 ft X	0 in	Ċ
Rectangle Area #3	0 ft	Х	0 ft	Х	0 in	0%	Rectangle Area #3	0 ft X	0 ft X	0 in	(
Rectangle Area #4	0 ft	X	0 ft	Х	0 in	0%	Rectangle Area #4	0 ft X	0 ft X	0 in	0
Rectangle Area #5 Rectangle Area #6	0 ft 0 ft	X X	0 ft 0 ft	X X	0 in 0 in	0% 0%	Rectangle Area #5 Rectangle Area #6	0 ft X 0 ft X	0 ft X 0 ft X	0 in 0 in	C
Rectangle Area #7	0 ft	x	0 ft	x	0 in	0%	Rectangle Area #7	0 ft X	0 ft X	0 in	0
Rectangle Area #8	0 ft		0 ft	X	0 in	0%	Rectangle Area #8	0 ft X	0 ft X	0 in	0
						okay					
				_			DUCTION DATA REQUIRE	D			
Average Daily Production:	Oil 0	BBL	Water 0	BBL	0 Gas	s (MCFD)	Total Undrogorhan C	optopt in good 0%	()		
			_	_			Total Hydrocarbon Co	Ū.	(percentage)		
Did leak occur before the separa	ator?:	YE	ES	N/A	(place an "X	")	H2S Content in P	roduced Gas: 0	PPM		
							H2S Content in	Tank Vapors: 0	PPM		
Amount of Free Liquid											
Recovered:	0 BB	L		okay			Percentage of Oil	in Free Liquid Recovered: 0%	(percentage)		
Recovered: Liquid holding factor *:	0 BB		Use t		ng when the spill v	vets the grair	-			ne pore space of the	soil:
				he followi	<mark>ng when the spill v</mark> gallon (gal.) liquid		ns of the soil.	Recovered: 0%	le liquid completely fills the		
			* San * Gra	the followi and = 0.08 avelly (cali	gallon (gal.) liquid che) loam = 0.14 g	per gal. volu gal. liquid per	<u>is of the soil.</u> ime of soil. gal. volume of soil.	Recovered: Use the following when the	te liquid completely fills the	barriers, natural (or n	
			* San * Gra * San	the followi ad = 0.08 avelly (cali- ady clay lo	gallon (gal.) liquid che) loam = 0.14 g am soil = 0.14 gal	per gal. volu gal. liquid per liquid per ga	is of the soil. ime of soil. gal. volume of soil. I. volume of soil.	Recovered: U70 Use the following when th Occurs when the spill soa * Clay Ioam = 0.20 gal. lic * Gravelly (caliche) Ioam	te liquid completely fills the liked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal.	barriers, natural (or n bil. volume of soil.	
			* San * Gra * San	the followi ad = 0.08 avelly (cali- ady clay lo	gallon (gal.) liquid che) loam = 0.14 g	per gal. volu gal. liquid per liquid per ga	is of the soil. ime of soil. gal. volume of soil. I. volume of soil.	Recovered: Use the following when the Occurs when the spill soar * Clay loam = 0.20 gal. lice	te liquid completely fills the liked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal.	barriers, natural (or n bil. volume of soil.	
	0.14 gal	per gal	* San * Gra * San	the followi and = 0.08 welly (cali ady clay lo y loam = 0	gallon (gal.) liquid che) loam = 0.14 g am soil = 0.14 gal	per gal. volu gal. liquid per liquid per ga gal. volume	is of the soil. ime of soil. gal. volume of soil. I. volume of soil.	Recovered: U70 Use the following when th Occurs when the spill soa * Clay Ioam = 0.20 gal. lic * Gravelly (caliche) Ioam	te liquid completely fills the liked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal.	barriers, natural (or n bil. volume of soil.	ot).
Liquid holding factor *:	0.14 gal	per gal	* San * Gra * San * Clay 398 cu. 1	the followi and = 0.08 welly (cali ady clay lo y loam = 0	gallon (gal.) liquid che) loam = 0.14 g am soil = 0.14 gal 0.16 gal. liquid per CU.	per gal. volu gal. liquid per liquid per ga gal. volume	is of the soil. me of soil. gal. volume of soil. I. volume of soil. of soil.	Recovered: Use the following when th Occurs when the spill soc * Clay loam = 0.20 gal. lic * Gravelly (caliche) loam * Sandy loam = 0.5 gal. li sq. ft.	te liquid completely fills the ked soil is contained by l quid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc	barriers, natural (or n oil. volume of soil. oil.	ot).
Liquid holding factor *:	0.14 gal 1,125 sq.	per gal	* San * Gra * San * Clay 398 cu. 1 <u>H20</u>	the followi ad = 0.08 welly (cali- ady clay lo y loam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 g am soil = 0.14 gal 0.16 gal. liquid per Cu. OIL	per gal. volu jal. liquid per liquid per ga gal. volume ft.	ns of the soil. me of soil. gal. volume of soil. i. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Productior</u>	Recovered: Use the following when th Occurs when the spill soc * Clay loam = 0.20 gal. lic * Gravelly (caliche) loam * Sandy loam = 0.5 gal. li sq. ft.	te liquid completely fills the ked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H2O</u>	barriers, natural (or n vil. volume of soil. oil. CU. OIL	ot).
Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes S</u> Liquid ir	0.14 gal 1,125 sq. spilled n Soil:	per gal	* San * Gra * San * Clay 398 cu. 1 <u>H20</u> 9.9 BBL	the followi and = 0.08 vvelly (cali ady clay lo y loam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 ga am soil = 0.14 gal 0.16 gal. liquid per cu. <u>OIL</u> 0.0 BBL	per gal. volu gal. liquid per liquid per ga gal. volume ft.	is of the soil. me of soil. gal. volume of soil. I. volume of soil. of soil. Total Free Liquid Volume:	Recovered: Use the following when th Occurs when the spill soc * Clay loam = 0.20 gal. lic * Gravelly (caliche) loam * Sandy loam = 0.5 gal. li sq. ft.	te liquid completely fills the ked soll is contained by l quid per gal. volume of so = 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft.	barriers, natural (or n bil. volume of soil. oil. CU.	ot).
Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid ir Free L	0.14 gal 1,125 sq. spilled n Soil:	per gal	* San * Gra * San * Clay 398 cu. 1 <u>H20</u>	the following a second	gallon (gal.) liquid che) loam = 0.14 g am soil = 0.14 gal 0.16 gal. liquid per Cu. OIL	per gal. volu gal. liquid per liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. I. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surfac</u>	Recovered: U% Use the following when th Occurs when the spill soc * Clay loam = 0.20 gal. lic * Gravelly (caliche) loam * Sandy loam = 0.5 gal. li sq. ft. • Volumes Lost uction Spilled:	te liquid completely fills the ked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H2O</u>	barriers, natural (or n vil. volume of soil. oil. CU. OIL	ot).
Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid ir Free L	0.14 gal 1,125 sq. spilled n Soil: Liquid:	per gal	* San * Gra * San * Clay 398 cu. 1 <u>H2O</u> 9.9 BBL 0.0 BBL	the following a second	gallon (gal.) liquid che) loam = 0.14 ga am soil = 0.14 gal 0.16 gal. liquid per cu. 0.16 gal. by 0.16 gal. 0.16 gal. 0.16 gal. 0.0 BBL 0.0 BBL	per gal. volu gal. liquid per liquid per ga gal. volume ft.	is of the soil. me of soil. gal. volume of soil. I. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ	Recovered: U% Use the following when th Occurs when the spill soc * Clay loam = 0.20 gal. lic * Gravelly (caliche) loam * Sandy loam = 0.5 gal. li sq. ft. • Volumes Lost uction Spilled:	te liquid completely fills the ked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H2O</u>	barriers, natural (or n vil. volume of soil. oil. CU. OIL	ot).
Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes Sp</u> Liquid ir Free L	0.14 gal 1,125 sq. ipilled n Soil: iquid: otals:	per gal	* San * Gra * San * Clay 398 cu. 1 <u>H2O</u> 9.9 BBL 0.0 BBL	the following of the fo	gallon (gal.) liquid che) loam = 0.14 ga am soil = 0.14 gal 0.16 gal. liquid per cu. 0.16 gal. by 0.16 gal. 0.16 gal. 0.16 gal. 0.0 BBL 0.0 BBL	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. I. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surfac</u>	Recovered: U% Use the following when th Occurs when the spill soa Clay loam = 0.20 gal. lia Gravelly (caliche) loam Sandy loam = 0.5 gal. lia sq. ft. Volumes Lost uction Spilled: ce Damage	te liquid completely fills the ked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H2O</u>	barriers, natural (or n vil. volume of soil. oil. CU. OIL	ot).
Liquid holding factor *: Total Solid/Liquid Volume: <u>Estimated Volumes Si</u> Liquid in Free L Ti	0.14 gal 1,125 sq. ipilled n Soil: .iquid: iquid:	per gal	• San • Gra • San • Clay 398 cu. 1 9.9 BBL 0.0 BBL 9.9 BBL	the following of the fo	gallon (gal.) liquid che) loam = 0.14 g lam soil = 0.14 gal 0.16 gal. liquid per cu. <u>OIL</u> 0.0 BBL <u>0.0 BBL</u> 0.0 BBL	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. I. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface Area:</u>	Recovered: U% Use the following when th Occurs when the spill so Calay loam = 0.20 gal. lic Gravelly (caliche) loam Sandy loam = 0.5 gal. li Sandy loam = 0.5 gal. li Sandy loam = 0.5 gal. li Lation Spilled: Demage 1,125 sq. ft0258 acre	te liquid completely fills the ked soil is contained by liquid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H2O</u>	barriers, natural (or n vil. volume of soil. oil. CU. OIL	ot).
Liquid holding factor *:	0.14 gal 1,125 sq. pilled n Soil: .iquid: otals: .iquid: es	per gal	• San • Gra • San • Clay 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the following and a second sec	gallon (gal.) liquid che) loam = 0.14 g lam soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBI 0.0 BBI	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. I. volume of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: Surface Area:	Recovered: U% Use the following when th Occurs when the spill soa Cay loam = 0.20 gal. li Gravelly (caliche) loam Sandy loam = 0.5 gal. li Gravelly (caliche) loam sq. ft. Volumes Lost uction Spilled: De Damage 1,125 sq. ft0258 acre and Volumes	te liquid completely fills th taked soil is contained by l quid per gal. volume of so = 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H20</u> 0.0 BBL	barriers, natural (or n iil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft.
Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes Si Liquid ir Free L To Total Liquid Spill L <u>Recovered Volume</u> Estimated oil recovered:	0.14 gal 1,125 sq. spilled n Soil: iquid: iquid: es BB	per gal ft.	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. i. volume of soil. Total Free Liquid Volume: Estimated Production Estimated Production Construction Estimated Surface Area: Surface Area: Surf	Recovered: U% Use the following when th Occurs when the spill soc Clay loam = 0.20 gal. lic Gravelly (caliche) loam Sandy loam = 0.5 gal. li Sq. ft. Ovolumes Lost Lotion Spilled: De Damage 1,125 sq. ft0258 acre and Volumes 44,625 lbs	e liquid completely fills the taked soll is contained by l quid per gal. volume of so = 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H20</u> 0.0 BBL 398 cu. ft.	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *:	0.14 gal 1,125 sq. pilled n Soil: .iquid: otals: .iquid: es	per gal ft.	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the following and a second sec	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. I. volume of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: Surface Area:	Recovered: U% Use the following when th Occurs when the spill soa Cay loam = 0.20 gal. li Gravelly (caliche) loam Sandy loam = 0.5 gal. li Gravelly (caliche) loam sq. ft. Volumes Lost uction Spilled: De Damage 1,125 sq. ft0258 acre and Volumes	te liquid completely fills th taked soil is contained by l quid per gal. volume of so = 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H20</u> 0.0 BBL	barriers, natural (or n iil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft.
Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes Si Liquid in Free L Total Liquid Spill L <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered:	0.14 gal 1,125 sq. ipilled n Soil: iquid: iquid: es BB BB	per gal ft.	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. gal. volume of soil. I. volume of soil. I. volume of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: <u>Estimated Weights,</u> Saturated Soil = Total Liquid =	Recovered: U% Use the following when th Occurs when the spill soa Clay loam = 0.20 gal. li Gravelly (caliche) loam Sandy loam = 0.5 gal. ii Sandy loam = 0.5 gal. ii Sandy loam = 0.5 gal. fi Ution Spilled: Debugge 1,125 sq. ft0258 acre and Volumes 44,625 lbs 10 BBL	e liquid completely fills the taked soll is contained by l quid per gal. volume of so = 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H20</u> 0.0 BBL 398 cu. ft.	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *:	0.14 gal 1,125 sq. ipilled n Soil: iquid: otals: es BB BB ne leaks:	per gal	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per ga gal. volume ft.	as of the soil. me of soil. gal. volume of soil. I. volume of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface Area:</u> Surface Area: Surface Area: <u>Estimated Weights,</u> Saturated Soil = Total Liquid =	Recovered: U% Use the following when th Occurs when the spill soa Clay loam = 0.20 gal. lic Gravelly (caliche) loam Sandy loam = 0.5 gal. li Gravelly (caliche) loam Sq. ft. Ovolumes Lost Uction Spilled: De Damage 1,125 sq. ft0258 acre and Volumes 44,625 lbs 10 BBL DagRequirements:	te liquid completely fills th taked soil is contained by l quid per gal. volume of so = 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H2O</u> 0.0 BBL 398 cu. ft. 417 gallon	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes Si Liquid ir Free L Total Liquid Spill L <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlir</u> Volume of oil spill:	0.14 gal 1,125 sq. spilled n Soil: .iquid: otals: es BB BB ne leaks: - BB	per gal ft. L L	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per gal. volume ft.	ss of the soil. gal. volume of soil. i. volume of soil. of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Production Surface Area: Surface A	Recovered: U% Recovered: U% Use the following when th Occurs when the spill soc Clay loam = 0.20 gal. lic Gravelly (caliche) loam Sandy loam = 0.5 gal. li Gravelly (caliche) loam Sandy	e liquid completely fills the ked soll is contained by l quid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H20</u> 0.0 BBL 398 cu. ft. 417 gallon <u>Texas</u>	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes Si Liquid in Free L Total Liquid Spill L <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowlin</u> Volume of oil spill: Separator gas calculated:	0.14 gal 1,125 sq. ipilled n Soil: iquid: iquid: es BB BB BB BB BB BB BB BB BB B	per gal	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per gal. volume ft.	ss of the soil. me of soil. gal. volume of soil. i. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: Surface Area: Surface Area: <u>Estimated Weights,</u> Saturated Soil = Total Liquid = <u>Air Emission of Reportin</u> HC gas release reportable?	Recovered: U% Recovered: U% See the following when th Occurs when the spill soc Calay loam = 0.20 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic See Damage Calay loam Ca	te liquid completely fills th liked soil is contained by liquid per gal. volume of so e 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H2O</u> 0.0 BBL 398 cu. ft. 417 gallon <u>Texas</u> NO	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes S Liquid in Free L Total Liquid Spill L <u>Recovered Volume</u> Estimated oil recovered: Estimated oil recovered: Estimated water recovered: Mar Emission from flowlin Volume of oil spill: Separator gas calculated: Separator gas released:	0.14 gal 1,125 sq. ipilled n Soil: iquid: iquid: es BB BB ne leaks: - BB - MC - MC	per gal	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per gal. volume ft.	ss of the soil. gal. volume of soil. i. volume of soil. of soil. Total Free Liquid Volume: Estimated Production Estimated Production Estimated Production Surface Area: Surface A	Recovered: U% Recovered: U% See the following when th Occurs when the spill soc Calay loam = 0.20 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic See Damage Calay loam Ca	e liquid completely fills the ked soll is contained by l quid per gal. volume of sc = 0.25 gal. liquid per gal. quid per gal. volume of sc cu. ft. <u>H20</u> 0.0 BBL 398 cu. ft. 417 gallon <u>Texas</u>	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *: Total Solid/Liquid Volume: Estimated Volumes Si Liquid in Free L Total Liquid Spill L <u>Recovered Volume</u> Estimated oil recovered: Estimated water recovered: Estimated water recovered: Mir Emission from flowlin Volume of oil spill: Separator gas calculated: Separator gas calculated: Separator gas released from oil:	0.14 gal 1,125 sq. ipilled n Soil: iquid: iquid: es BB BB BB BB BB BB BB BB BB B	per gal	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per gal. volume ft.	ss of the soil. me of soil. gal. volume of soil. i. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: Surface Area: Surface Area: <u>Estimated Weights,</u> Saturated Soil = Total Liquid = <u>Air Emission of Reportin</u> HC gas release reportable?	Recovered: U% Recovered: U% See the following when th Occurs when the spill soc Calay loam = 0.20 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic See Damage Calay loam Ca	te liquid completely fills th liked soil is contained by liquid per gal. volume of so e 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H2O</u> 0.0 BBL 398 cu. ft. 417 gallon <u>Texas</u> NO	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.
Liquid holding factor *:	0.14 gal 1,125 sq. ipilled n Soil: iquid: otals: iquid: es BB BB DE BB C C C C C C C C C C C C C	per gal	• San • Gra • San • Clay 398 cu. 1 398 cu. 1 9.9 BBL 9.9 BBL 9.9 BBL 9.9 BBL	the followind = 0.08 welly (calindy clay logy logam = 0 ft.	gallon (gal.) liquid che) loam = 0.14 gal am soil = 0.14 gal .16 gal. liquid per cu. <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBI	per gal. volu gal. liquid per gal. volume ft.	ss of the soil. me of soil. gal. volume of soil. i. volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: Surface Area: Surface Area: <u>Estimated Weights,</u> Saturated Soil = Total Liquid = <u>Air Emission of Reportin</u> HC gas release reportable?	Recovered: U% Recovered: U% See the following when th Occurs when the spill soc Calay loam = 0.20 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic Gravelly (caliche) loam Calay loam = 0.5 gal. lic See Damage Calay loam Ca	te liquid completely fills th liked soil is contained by liquid per gal. volume of so e 0.25 gal. liquid per gal. quid per gal. volume of so cu. ft. <u>H2O</u> 0.0 BBL 398 cu. ft. 417 gallon <u>Texas</u> NO	barriers, natural (or n iil. volume of soil. cu. <u>OIL</u> 0.0 BBI 0.0 BBI	ot). ft.



Oil Conservation Division

Incident ID	NRM2017061148
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

<u>Closure Report Attachment Checklist</u> : Each of the following in	items must be included in the closure report.			
A scaled site and sampling diagram as described in 19.15.29.11 NMAC				
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)				
Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)				
Description of remediation activities				
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and re- human health or the environment. In addition, OCD acceptance of	ations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in			
Printed Name:	Title:			
Signature:	Date:			
email:	Telephone:			
OCD Only				
OCD Only	00/00/0004			
Received by: Cristina Eads	Date:02/23/2021			
Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.				
Closure Approved by: / Junta 2	Date: _02/23/2021			
Printed Name: Cristina Eads	Title: Environmental Specialist			

Page 6