

*E.C.
N.M.O.C.E.
1844*

UNITED STATES
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY
P. O. Box 907
Roswell, New Mexico
March 21, 1943

RECEIVED
APR 8 - 1943
REGISTERED
HOBBS OFFICE

Stanolind Oil and Gas Company
Box F
Hobbs, New Mexico

Re: Santa Fe 05394.1

Gentlemen:

Receipt is acknowledged of your "Notice of Intention to Abandon Well" dated March 20, 1943 covering your Fuller No. 1 well on the subject land in the NE 1/4 Sec. 25, T. 3 N., R. 30 E.

The attached notice is approved on the condition that results of the proposed work will be submitted by proper written report to this office within 15 days after completion.

Very truly yours,

John A. Bennett
JOHN A. BENNETT,
District Engineer.

JAB:is



Indian Agency.....

(SUBMIT IN TRIPLICATE)

U. S. Land Office Santa Fe, N. M.

Allottee.....

Lease or permit No. 053941

Lease No.....

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 1 is located 660 ft. from [N] line and 660 ft. from [E] line of sec. 25
NE/4 of Sec. 25 8 North 30 East
Frio Dome (Wildcat) (Field) (County or Subdivision) New Mexico

The elevation of the derrick floor above sea level is 4459 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Subject well reached total depth of 6747' on March 20, 1943. Top of basement granite was encountered at 6736'. 11' of penetration was made by drill bit and core barrel. Core recovery was sufficient for satisfactory geological determination. We propose to abandon well in the following manner: Fill hole with heavy mud-laden fluid, set 10-sack cement plug in bottom of 9-5/8" casing, which is set at 4900', endeavor to recover approximately 4500' of 9-5/8" casing, set 10-sack cement plug in bottom of 13" casing set at 1024' and 10-sack cement plug in top of 13" casing, place a 4" pipe marker in the cement plug, said marker to extend 5' above ground level. Celler will be filled with earth and the mud and flow pits will be leveled to conform to the surrounding terrain.

Tentatively, we propose further to test the San Andres section from 2460' to 2670' for possible production of oil and/or gas by placing cement plug at approximately 2570' to 2700' and acidizing through tubing with marker set at approximately 2460'. Should this
(Continued on back of page)

Company Stanolind Oil and Gas Company
Address Box P
Hobbs, New Mexico
By [Signature]
Title Field Superintendent

Indian Agency
Office
No.

(SUBMIT IN TRIPlicate)

U.S. Land Office

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allegation
Case No.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

program be carried out, a detailed report of results obtained will be furnished your office upon completion of said work.

This confirms telephone conversation with Mr. John A. Barnett of your office as of this date. 3/20/43

(Signature)

(Signature)

(Signature)

The elevation of the derrick floor above sea level is

DETAILS OF WORK

(State names of and expected depths to objective sands, shales, etc., and location of proposed casing; indicate mudlogging jobs, cementing, etc., and all other important proposed work)