

Dry and abandoned at 2959 feet.

0'	- 118'	Sand Rock and Shale
118'	- 240'	Sand Rock and Shale
240'	- 268'	Shale and shells
268'	- 323'	Red Bed
323'	- 370'	Red Bed
370'	- 440'	Shale and Shells
440'	- 550'	Shale and Shells
550'	- 665'	Red Bed and Shells
665'	- 695'	Sandy Shale and Lime
695'	- 731'	Red and Gray Shale
731'	- 745'	Red and Gray Shale
745'	- 830'	Sandy Lime
830'	- 870'	Gray and Red Sandy Shale
870'	- 1052'	Shale and Sand
1052'	- 1095'	Hard Shells
1095'	- 1123'	Red and Yellow Shale
1123'	- 1264'	Red and Sandy
1264'	- 1327'	Red Shale
1327'	- 1380'	Gyp Blue and Red Shale
1380'	- 1409'	Lime and Shale Shells
1409'	- 1471'	Shale and Shells
1471'	- 1488'	Shale and Shells
1488'	- 1540'	Shale
1540'	- 1792'	Sand and Shale
1792'	- 1829'	Shale and Sand
1829'	- 1890'	Shale and Sand
1890'	- 2062'	Shale and Sand
2062'	- 2160'	Sand and Shale
2160'	- 2219'	Sand and Shale
2219'	- 2296'	Shale and Sand
2296'	- 2356'	Shale and Shells
2356'	- 2407'	Sandy Shale
2407'	- 2483'	Shale and Sand
2483'	- 2495'	Chert and Shale
2495'	- 2544'	Chert, Sand and Shale
2544'	- 2629'	Shale and Sand
2629'	- 2680'	Quartz and Shale
2680'	- 2700'	Quartz and Shale
2700'	- 2788'	Granite Wash
2788'	- 2802'	Granite Wash
2802'	- 2815'	Sand and Shale
2815'	- 2883'	Granite Wash
2883'	- 2917'	Chert and Shale
2917'	- 2936'	Granite Wash
2936'	- 2942'	Quartz and Shale
2942'	- 2950'	Granite Wash
2950'	- 2959'	Granite

MISCELLANEOUS REPORTS ON WELLS

NOV 7 1952

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

November 4, 1952
(Date)

Union County, N. C.
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Wayne Freeman, Jr.
(Company or Operator)

Smith No. 1
(Lease)

J. R. McGill
(Contractor)

, Well No. 1 in the NW 1/4 NW 1/4 of Sec. 22

T. 29, R. 32, NMPM, Wildcat Pool, Union County.

The Dates of this work were as follows: Commenced Sept. 9, 1952 Completed Oct. 20, 1952

Notice of intention to do the work (was) ~~XXXXXX~~ submitted on Form C-102 on September 1, 1952,
(Cross out incorrect words)

and approval of the proposed plan (was) ~~XXXXXX~~ obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Dry and abandoned at 2959 feet.

0' - 118'	Sand Rock and Shale
118' - 240'	Sand Rock and Shale
240' - 268'	Shale and shells
268' - 323'	Red Bed
323' - 370'	Red Bed
370' - 440'	Shale and Shells
440' - 550'	Shale and Shells
550' - 665'	Red Bed and Shells
665' - 695'	Sandy Shale and Lime
695' - 731'	Red and Gray Shale
731' - 745'	Red and Gray Shale
745' - 830'	Sandy Lime
830' - 870'	Gray and Red Sandy Shale
870' - 1052'	Shale and Sand
1052' - 1095'	Hard Shells
1095' - 1123'	Red and Yellow Shale
1123' - 1264'	Red and Sandy
1264' - 1327'	Red Shale
1327' - 1380'	Gyp Blue and Red Shale
1380' - 1409'	Lime and Shale Shells
1409' - 1471'	Shale and Shells
1471' - 1488'	Shale and Shells
1488' - 1540'	Shale
1540' - 1792'	Sand and Shale
1792' - 1829'	Shale and Sand
1829' - 1890'	Shale and Sand
1890' - 2062'	Shale and Sand
2062' - 2160'	Sand and Shale
2160' - 2219'	Sand and Shale
2219' - 2296'	Shale and Sand
2296' - 2356'	Shale and Shells
2356' - 2407'	Sandy Shale
2407' - 2483'	Shale and Sand
2483' - 2495'	Chert and Shale
2495' - 2544'	Chert, Sand and Shale
2544' - 2629'	Shale and Sand
2629' - 2680'	Quartz and Shale
2680' - 2700'	Quartz and Shale
2700' - 2788'	Granite Wash
2788' - 2802'	Granite Wash
2802' - 2815'	Sand and Shale
2815' - 2883'	Granite Wash
2883' - 2917'	Chert and Shale
2917' - 2936'	Granite Wash
2936' - 2942'	Quartz and Shale
2942' - 2950'	Granite Wash
2950' - 2959'	Granite

Witnessed by.....Wayne Freeman, Jr.Owner
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION

.....
(Name)

.....
(Title) (Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name.....Wayne Freeman, Jr.

Position.....

Representing.....

Address.....