From: Patterson, Heather, EMNRD

To: "Chase Settle"; Bratcher, Mike, EMNRD

Cc: Bob Asher

Subject: RE: Catclaw/Huisache Battery Work Plan Amendment

Date: Thursday, October 09, 2014 10:16:00 AM

Chase,

The OCD approves the use of this caliche stockpile.

Heather Patterson Environmental Specialist NMOCD District II (575)748-1283 ext.101

From: Chase Settle [mailto:CSettle@yatespetroleum.com]

Sent: Tuesday, October 07, 2014 11:09 AM

To: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD

Cc: Bob Asher

Subject: Catclaw/Huisache Battery Work Plan Amendment

Re: Catclaw/Huisache Battery

30-015-26303

Section 2, T20S-R24E Eddy County, New Mexico

Mr. Bratcher,

There is currently a stockpile of caliche on the above mentioned location that analytical results (Total BTEX: <0.3, Chloride: 272, GRO C6-C10: <10.0, DRO >C10-C28: 48.0) show is under the RRAL for the site ranking zero (0). Yates Petroleum Corporation would like to use this caliche as backfill in the S1 area of remediation. A composite sample was collected at multiple depths and at 3 different sample points of the stockpiled caliche. Samples were obtained by using a backhoe to dig from the top of the stockpiled caliche to the bottom, and grab samples taken at random depths of the digging process.

Thanks,

Chase Settle

Environmental Regulatory Agent Yates Petroleum Corporation 105 S. 4th Street Artesia, NM 88210 575-748-4171 (Office) This message may contain confidential information and is intended for the named recipient only. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. If verification is required please request a hard-copy version.