From: <u>Crissy Forrest</u>

To: <u>Bratcher, Mike, EMNRD</u>

Cc: Patterson, Heather, EMNRD; Gayle Kirkland; Casey Snow (csnow@matadorresources.com)

Subject: Re: Salt Draw No. 1

Date: Tuesday, June 30, 2015 5:07:18 PM

Mike,

Yes, it is my understanding that the tanks have already been removed from the area.

Crissy

Sent from my iPhone

On Jun 30, 2015, at 5:42 PM, Bratcher, Mike, EMNRD < mike.bratcher@state.nm.us > wrote:

Crissy,

The status of your June 2, 2015 submittal is "under review". I do have some questions and concerns about this release site and proposal, so it may take a little more time to address them. A question I have at this point is the following:

<!--[if !supportLists]-->• <!--[endif]-->Does Matador intend on removing the tanks to facilitate excavation of the bermed battery area?

Mike Bratcher NMOCD District 2 811 S. First Street Artesia, NM 88210 O: 575-748-1283 X108

C: 575-626-0857 F: 575-748-9720

From: Crissy Forrest [mailto:forrest@sphere3env.com]

Sent: Tuesday, June 30, 2015 1:26 PM

To: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD

Cc: Gayle Kirkland; Casey Snow (csnow@matadorresources.com)

Subject: Salt Draw No. 1

Mike.

Could you please let us know the status is of the work plan submitted on June 2 for the remediation activities at the Salt Draw No. 1 location? Matador is ready to begin the work on the site.

If you have any concerns or questions please let me know!

Crissy Forrest

Water Rights Discipline Leader Sr. Associate Sphere 3 Environmental, Inc. 1501 Bill Owens Parkway Longview, TX 75604 office: 903.297.4673

cell: 617.833.7016 fax: 903.297.4675

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message.