



8/14/15

Heather Patterson

Environmental Specialist

NMOCD District II

Office (575)748-1283 ext.101

Cell (575)703-0228

Re: Gissler B 3-1 Tank Battery - API# 30-015-37240(RP# 2954)

Mrs. Patterson:

Burnett Oil Co., Inc. is presenting the Closure Letter Report for the location referenced above, for the release of Hydrocarbon and Produced Water on April 9th, 2015. The location is located in Section 11, T17S R30E, unit B in Eddy County New Mexico.

The incident released an estimated total of 31 BBLS of Hydrocarbon and 30 BBLS of Produced water. We recovered an estimated total of 11 BBLS of Hydrocarbon and 10 BBLS of Produced water. The release impacted an area measured approximately 15' x135'. The entire area that was impacted was in the pasture surrounded by equipment and flow lines.

On April 16th, 2015 Burnett Oil Co., Inc. went out to location and to delineate impacted areas of AH-1 and AH-2 as well as collect samples. The samples were taken to Cardinal Laboratories for Total Petroleum Hydrocarbons (TPH) by Method 8015M, BTEX by Method 8021B, and Chlorides SM4500Cl-B.

On May 27th, 2015 and August 5th 2015, Burnett Oil Co., Inc. went out to location to collect soil samples in the area of AH-3 to help determine the extent of the impacted soil. Soil samples were submitted to Cardinal Laboratories for Total Petroleum Hydrocarbons (TPH) analysis by Method 8015M, BTEX by Method 8021B, and Chlorides SM4500Cl-B.

The areas of AH-1 and AH-2 have all been excavated to a depth of 3' below surface, and the area of Ah-3 was excavated to a depth of 2' below surface. The impacted soil was hauled to Lea Land Disposal.

Based on the analytical results of confirmation soil samples collected from the excavated area, impacted soil was removed and the area was remediated to below regulatory levels. Consequently, no further

action is required or planned for this location and Burnett Oil Co., Inc. respectfully requests the NMOCD to grant closure of the Gissler 3-1 Tank Battery (RP# 2954).

If you have any questions, or if additional information is need, feel free to contact me at 432-425-2891.

Thank you,


A handwritten signature in blue ink, appearing to read 'JT', is written over a horizontal line.

Johnny Titsworth

HSE Coordinator

Burnett Oil Co., Inc.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report


Name of Company Burnett Oil Co., Inc.	Contact Leslie Garvis	
Address 801 Cherry Street - Suite 1500, Fort Worth, TX 76102	Telephone No. 817-583-8730	
Facility Name Gissler B 3-1	Facility Type Tank Battery	
Surface Owner BLM	Mineral Owner BLM	API No. 30-015-37240

LOCATION OF RELEASE

Unit Letter B	Section 11	Township 17S	Range 30E	Feet from the 765	North/South Line North	Feet from the 1857	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	----------------------	---------------------------	-----------------------	------------------------	----------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release Oil/Water	Volume of Release 11 bbls/31 bbls	Volume Recovered 10 bbls/30 bbls
Source of Release Separator Screen	Date and Hour of Occurrence 4/9/15	Date and Hour of Discovery 4/9/15 06:30
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Jim Amos - BLM & M.Bratcher/H. Patterson - OCD	
By Whom? Leslie Garvis	Date and Hour 4/9/15 1609	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.* Screen in separator plugged up and sent oil/water into the vent line. Spill was contained in low lying areas to the South of the pad. Eleven (11) barrels of oil released with ten (10) barrels recovered. Thirty one (31) barrels of water released with thirty (30) barrels recovered.		
Describe Area Affected and Cleanup Action Taken.* Two areas approximately 20' x70' & 15'x100' were affected on the location pad and nearby pasture. Area will be assessed and cleaned up as per regulatory standards.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Leslie Garvis	Approved by Environmental Specialist:	
Title: Regulatory Coordinator	Approval Date:	Expiration Date:
E-mail Address: lgarvis@burnettoil.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 4/15/15	Phone: 817-583-8730	

* Attach Additional Sheets If Necessary




Google earth



3/10/5 Gasser 3-1 TB



3-1 TB



32,85403 - 103,93960

AH-1 0-1' 1' BEB
1'-1.5'
2'-2.5'
3'-3.5'

* Refusal

32,85397 - 103,93956

AH-2 0-1' 1' BEB
1'-1.5'
2'-2.5'
3'-3.5'

* Refusal

32,85395 - 103,93981

AH-3 0-1' 1' BEB
1'-1.5'

Table 1 - Analytical Results

Date	Sample ID	Depth	Chloride	TPH - GRO	TPH - DRO	Benzene	Toluene	ethylbenzene	Xylene	BTEX
4/16/2015	AH-1	0-1'	5860	3220	6040	35.5	156	101	96.3	389
4/16/2015	AH-1	1-1.5'	8800	<10.0	24.9	<0.050	<0.050	0.076	<0.150	<0.300
4/16/2015	AH-1	2'-2.5'	1020							
4/16/2015	AH-1	3'-3.5'	528							
4/16/2015	AH-2	0-1'	3440	81.5	296	0.219	0.606	0.601	0.71	2.14
4/16/2015	AH-2	1'-1.5'	17000							
4/16/2015	AH-2	2'-2.5'	112							
4/16/2015	AH-2	3'-3.5'	48							
5/27/2015	AH-3 (AH-1)	0-1'	6200	8930	19300	38.8	170	30.4	206	446
8/5/2015	AH-3 (AH-1)	1'-1.5' (1' BEB)	48	<50.0	1540	<0.050	<0.050	<0.050	<0.150	<0.300



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

April 22, 2015

JOHNNY TITSWORTH

Burnett Oil Co., Inc

24 SMITH ROAD, SUITE 100

MIDLAND, TX 79705

RE: GISSLER B 3-1 TB

Enclosed are the results of analyses for samples received by the laboratory on 04/16/15 11:31.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Coley D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

Burnett Oil Co., Inc
JOHNNY TITSWORTH
24 SMITH ROAD, SUITE 100
MIDLAND TX, 79705
Fax To: None

Received: 04/16/2015
Reported: 04/22/2015
Project Name: GISSLER B 3-1 TB
Project Number: NONE GIVEN
Project Location: EDDY COUNTY, NM

Sampling Date: 04/16/2015
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: AH-1 0-1' 1' BEB (H500998-01)

BTEX 8021B			mg/kg		Analyzed By: ms				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	35.5	2.00	04/16/2015	ND	1.92	96.0	2.00	5.77	
Toluene*	156	2.00	04/16/2015	ND	1.79	89.3	2.00	4.31	
Ethylbenzene*	101	2.00	04/16/2015	ND	1.69	84.7	2.00	7.29	
Total Xylenes*	96.3	6.00	04/16/2015	ND	5.44	90.6	6.00	7.92	
Total BTEX	389	12.0	04/16/2015	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 124 % 61-154

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	5860	16.0	04/16/2015	ND	432	108	400	7.69	
TPH 8015M									S-06

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	3220	100	04/16/2015	ND	207	104	200	0.181	
DRO >C10-C28	6040	100	04/16/2015	ND	215	107	200	0.0470	

Surrogate: 1-Chlorooctane 220 % 47.2-157

Surrogate: 1-Chlorooctadecane 171 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Burnett Oil Co., Inc
JOHNNY TITSWORTH
24 SMITH ROAD, SUITE 100
MIDLAND TX, 79705
Fax To: None

Received: 04/16/2015
Reported: 04/22/2015
Project Name: GISSLER B 3-1 TB
Project Number: NONE GIVEN
Project Location: EDDY COUNTY, NM

Sampling Date: 04/16/2015
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: AH-1 1-1.5' (H500998-02)

BTEX 8021B			mg/kg		Analyzed By: ms				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/20/2015	ND	2.01	101	2.00	0.0320	
Toluene*	<0.050	0.050	04/20/2015	ND	1.81	90.7	2.00	1.79	
Ethylbenzene*	0.076	0.050	04/20/2015	ND	1.69	84.7	2.00	0.715	
Total Xylenes*	<0.150	0.150	04/20/2015	ND	5.51	91.8	6.00	0.577	
Total BTEX	<0.300	0.300	04/20/2015	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 107 % 61-154

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8800	16.0	04/16/2015	ND	432	108	400	7.69	
TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/20/2015	ND	209	104	200	0.220	
DRO >C10-C28	24.9	10.0	04/20/2015	ND	229	114	200	0.0455	

Surrogate: 1-Chlorooctane 94.1 % 47.2-157

Surrogate: 1-Chlorooctadecane 91.9 % 52.1-176

Sample ID: AH-1 2-2.5' (H500998-03)

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1020	16.0	04/16/2015	ND	432	108	400	7.69	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Burnett Oil Co., Inc
JOHNNY TITSWORTH
24 SMITH ROAD, SUITE 100
MIDLAND TX, 79705
Fax To: None

Received: 04/16/2015
Reported: 04/22/2015
Project Name: GISSLER B 3-1 TB
Project Number: NONE GIVEN
Project Location: EDDY COUNTY, NM

Sampling Date: 04/16/2015
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Jodi Henson

Sample ID: AH-1 3-3.5' (H500998-04)

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	04/16/2015	ND	432	108	400	3.77	

Sample ID: AH-2 0-1' 1' BEB (H500998-05)

BTEX 8021B		mg/kg	Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.219	0.050	04/16/2015	ND	1.92	96.0	2.00	5.77	
Toluene*	0.606	0.050	04/16/2015	ND	1.79	89.3	2.00	4.31	
Ethylbenzene*	0.601	0.050	04/16/2015	ND	1.69	84.7	2.00	7.29	
Total Xylenes*	0.710	0.150	04/16/2015	ND	5.44	90.6	6.00	7.92	
Total BTEX	2.14	0.300	04/16/2015	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 115 % 61-154

Chloride, SM4500Cl-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3440	16.0	04/16/2015	ND	432	108	400	3.77	

TPH 8015M		mg/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	81.5	10.0	04/16/2015	ND	207	104	200	0.181	
DRO >C10-C28	296	10.0	04/16/2015	ND	215	107	200	0.0470	

Surrogate: 1-Chlorooctane 119 % 47.2-157

Surrogate: 1-Chlorooctadecane 122 % 52.1-176

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Burnett Oil Co., Inc
 JOHNNY TITSWORTH
 24 SMITH ROAD, SUITE 100
 MIDLAND TX, 79705
 Fax To: None

 Received: 04/16/2015
 Reported: 04/22/2015
 Project Name: GISSLER B 3-1 TB
 Project Number: NONE GIVEN
 Project Location: EDDY COUNTY, NM

 Sampling Date: 04/16/2015
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Jodi Henson

Sample ID: AH-2 1-1.5' (H500998-06)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	17000	16.0	04/16/2015	ND	432	108	400	3.77	

Sample ID: AH-2 2-2.5' (H500998-07)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	04/16/2015	ND	432	108	400	3.77	

Sample ID: AH-2 3-3.5' (H500998-08)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	04/16/2015	ND	432	108	400	3.77	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Burnett Oil Co. Inc. (13042)

Project Manager: Johnny Townsend

Address: 241 Smith Road, Smith Co

City: Midland State: TX Zip: 79705

Phone #: (432) 425-2891 Fax #: Project Owner: Burnett

Project #: Project Name: Gasolier B 3-1 TB State: Zip:

Project Location: Fddly A. NM Phone #: Fax #:

Sampler Name: MATRIX PRESERV. SAMPLING

FOR LAB USE ONLY

Lab I.D. Sample I.D.

H50098

1 AH-1 0-1' 1' BEI3

2 AH-1 1-1.5'

3 AH-1 2-2.5'

4 AH-1 3-3.5'

5 AH-2 0-1' 1' BEI3

6 AH-2 1-1.5'

7 AH-2 2-2.5'

8 AH-2 3-3.5'

(G)RAB OR (C)OMP
CONTAINERS
GROUNDWATER
WASTEWATER
SOIL
OIL
SLUDGE
OTHER:
ACID/BASE:
ICE / COOL
OTHER:

DATE TIME

4/14/15

Chloride
TICW 8015
BTX 8021
added 4/17

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients exclusive remedy for any claim arising hereunder shall be limited to the amount paid by the client for the service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors, arising out of or related to the performance of services hereunder by Cardinal. Signature of member state attorney is required upon any of the above stated reasons for otherwise.

Relinquished By: Date: 4/16/15 Received By: Date: 4/16/15
Relinquished By: Time: 11:31 Received By: Time: 11:31

Delivered By: (Circle One)

Sampler - UPS - Bus - Other:

Sample Condition
Cool Intact
Yes Yes
No No

CHECKED BY: (initials)

REMARKS:

If 7TH sample exceeds 5000
2- deeper samples, some with BTX 50ppm
to lab. #54

+ Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

June 02, 2015

JOHNNY TITSWORTH

Burnett Oil Co., Inc

24 SMITH ROAD, SUITE 100

MIDLAND, TX 79705

RE: GISSLER 3-1 TANK BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 05/27/15 15:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 Burnett Oil Co., Inc
 JOHNNY TITSWORTH
 24 SMITH ROAD, SUITE 100
 MIDLAND TX, 79705
 Fax To: None

 Received: 05/27/2015
 Reported: 06/02/2015
 Project Name: GISSLER 3-1 TANK BATTERY
 Project Number: NONE GIVEN
 Project Location: EDDY COUNTY, NM

 Sampling Date: 05/27/2015
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: PASTURE AREA - 1' (H501328-01)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	38.8	5.00	05/29/2015	ND	1.97	98.4	2.00	1.54	
Toluene*	170	5.00	05/29/2015	ND	2.00	100	2.00	1.57	
Ethylbenzene*	30.4	5.00	05/29/2015	ND	1.97	98.4	2.00	1.91	
Total Xylenes*	206	15.0	05/29/2015	ND	5.73	95.4	6.00	2.20	
Total BTEX	446	30.0	05/29/2015	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 119 % 61-154

Chloride, SM4500CI-B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6200	16.0	06/01/2015	ND	432	108	400	3.77	
TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	8930	100	05/28/2015	ND	186	92.9	200	0.301	
DRO >C10-C28	19300	100	05/28/2015	ND	203	102	200	0.397	

Surrogate: 1-Chlorooctane 444 % 47.2-157

Surrogate: 1-Chlorooctadecane 427 % 52.1-176

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Burnett Oil Co., Inc.

Project Manager: Johnny Tisworth

Address: P.O. Box 188 / CR 220 North

City: Loco Hills

Phone #: (575) 677-2313

Project #:

Project Name: Gissler 3-1 Tank Battery

Project Location: Eddy Co.

Sample Name: Johnny Tisworth

P.O. #:

Company: Burnett Oil Co., Inc.

Attn: Amber Sherrell

Address: P.O. Box 188

City: Loco Hills

State: NM Zip: 88255

Phone #: (575) 208-1650

Fax #: (575) 677-2133

ANALYSIS REQUEST

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

HS01380

Pasture area - 1'

G

1

GROUNDWATER

WASTEWATER

X

SOIL

OIL

SLUDGE

OTHER :

ACID/BASE:

X

ICE / COOL

OTHER :

DATE

TIME

5/27/15

X

X

X

Chlorides

TPH 815 8015

BTEX 8260

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated remedies or otherwise.

Relinquished By:

Date: 5/27/15

Received By:

Phone Result: ☐ Yes ☐ No

Fax Result: ☐ Yes ☐ No

Add'l Phone #:

Add'l Fax #:

Relinquished By:

Date: 5-27-15

Received By:

REMARKS:

Delivered By: (Circle One)

Sample Condition

Cool Intact

Yes ☒ No ☐

Checked By: (Initials)

Sample - UPS - Bus - Other: 5.80e



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 11, 2015

JOHNNY TITSWORTH

Burnett Oil Co., Inc

P. O. BOX 188

LOCO HILLS, NM 88255

RE: GISSLER A 3-1 TB

Enclosed are the results of analyses for samples received by the laboratory on 08/05/15 9:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 Burnett Oil Co., Inc
 JOHNNY TITSWORTH
 P. O. BOX 188
 LOCO HILLS NM, 88255
 Fax To: None

 Received: 08/05/2015
 Reported: 08/11/2015
 Project Name: GISSLER A 3-1 TB
 Project Number: NONE GIVEN
 Project Location: EDDY COUNTY, NM

 Sampling Date: 08/05/2015
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: AH-1 1'-1.5' 1' BEB (H502019-01)

BTEX 8021B mg/kg			Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/06/2015	ND	1.93	96.4	2.00	1.12	
Toluene*	<0.050	0.050	08/06/2015	ND	1.92	96.2	2.00	0.00411	
Ethylbenzene*	<0.050	0.050	08/06/2015	ND	2.09	105	2.00	0.135	
Total Xylenes*	<0.150	0.150	08/06/2015	ND	5.47	91.2	6.00	0.0753	
Total BTEX	<0.300	0.300	08/06/2015	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 120 % 85.6-137

Chloride, SM4500Cl-B mg/kg			Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	08/06/2015	ND	416	104	400	0.00	

TPH 8015M mg/kg			Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<50.0	50.0	08/05/2015	ND	195	97.6	200	6.22	
DRO >C10-C28	1540	50.0	08/05/2015	ND	177	88.5	200	9.55	

Surrogate: 1-Chlorooctane 107 % 47.2-157

Surrogate: 1-Chlorooctadecane 162 % 52.1-176

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

BILL TO

ANALYSIS REQUEST

Company Name: Burnett Oil Co.

Project Manager: Johnny Tiscornth

Address: P.O. Box 188

City: Loco Hills State: NM Zip: 88255

Phone #: (432) 425-2841 Fax #:

Project #:

Project Name: Gusler A 3-1 T3

Project Location: Eddy Co., NM

Sampler Name: Johnny Tiscornth

P.O. #:

Company:

Attn:

Address:

City:

State:

Phone #:

Fax #:

Zip:

FOR LAB USE ONLY

Lab I.D.

Sample I.D.

H502019

AP-1 1'-1.5" 1' BEB

G1

(G)RAB OR (C)OMP.

CONTAINERS

GROUNDWATER

WASTEWATER

SOIL

OIL

SLUDGE

OTHER :

ACID/BASE:

ICE / COOL

OTHER :

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

DATE

TIME

BTEX 8260

TPH 2015

Chlorides

PLEASE NOTE: Liability and damages. Cardinal's facility and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruption, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:

Date: 8/5/15

Received By:

Bob Jensen

Relinquished By:

Date: 9/30

Received By:

Bob Jensen

Delivered By: (Circle One)

4.42

Sample Condition
Cool ☒ Intact ☒
Yes ☒ No ☒

CHECKED BY: (Initials)
BT

Sampler - UPS - Bus - Other:

Phone Result: ☐ Yes ☐ No Add'l Phone #:
Fax Result: ☐ Yes ☐ No Add'l Fax #:
REMARKS:

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company	Burnett Oil Co., Inc.	Contact	Leslie Garvis
Address	801 Cherry Street - Suite 1500, Fort Worth, TX 76102	Telephone No.	817-583-8730
Facility Name	Gissler B 3-1	Facility Type	Tank Battery
Surface Owner	BLM	Mineral Owner	BLM
		API No.	30-015-37240

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
B	11	17S	30E	765	North	1857	East	Eddy

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release	Oil/Produced Water	Volume of Release	31 bbls/30 bbls	Volume Recovered	11 bbls/10 bbls
Source of Release	Separator Screen	Date and Hour of Occurrence	4/9/15	Date and Hour of Discovery	4/9/15 06:30
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Jim Amos - BLM & M.Bratcher/H. Patterson - OCD		
By Whom?	Leslie Garvis	Date and Hour	4/9/15 1609		
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	N/A		

If a Watercourse was Impacted, Describe Fully.*

N/A


Describe Cause of Problem and Remedial Action Taken.*

Screen in separator plugged up and sent oil/water into the vent line. Spill was contained in low lying areas to the South of the pad. Thirty one (31) barrels of oil released with eleven (11) barrels recovered. Thirty (30) barrels of produced water released with ten (10) barrels recovered.

Describe Area Affected and Cleanup Action Taken.*

The total area affected was approx 15'X135' within the pasture surrounding the equipment and flowlines. AH-1 and AH-2 were delineated on 4/16/15 and soil samples taken. Addtl samples taken on AH-3. AH-1 & AH-2 have been excavated to 3' below surface and AH-3 to 2' below surface. Impacted soil hauled to Lea Land Disposal. Impacted soil removed & area remediated to below regulatory levels. Closure Report Attached.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<u>OIL CONSERVATION DIVISION</u>		
Printed Name: Leslie Garvis	Approved by Environmental Specialist:		
Title: Regulatory Coordinator	Approval Date:	Expiration Date:	
E-mail Address: lgarvis@burnettoil.com	Conditions of Approval:		Attached <input type="checkbox"/>
Date: 8/20/15	Phone: 817-583-8730		

* Attach Additional Sheets If Necessary