

October 9, 2015

AMARILLO lorth Bivins

921 North Bivins Amarillo, Texas 79107 Phone 806.467.0607 Fax 806.467.0622 Mr. Mike Bratcher **NMOCD District 2** 811 S. 1st Street Artesia, NM 88210

Subject:

Soil Assessment and Remediation Work Plan

ARTESIA

408 West Texas Ave. Artesia, New Mexico 88210 Phone 575.746.8768 Fax 575.746.8905 Devon Energy

Cotton Draw Unit #65 30-015-10843 2RP-3167

Amended

HOBBS

318 East Taylor Street Hobbs, New Mexico 88240 Phone 575.393.4261 Fax 575.393.4658 Dear Mr. Nettles,

Devon Energy has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced location. The results of our soil assessment and proposed remediation activities consist of the following.

MIDLAND

2901 State Hwy 349 Midland, Texas 79706 Phone 432.522.2133 Fax 432.522.2180 **Incident Date**

The date of release was July 24, 2015

Background Information

OKLAHOMA CITY 7700 North Hudson Avenue Suite IO Oklahoma City, Oklahoma 73II6 Phone 405,486,7030 Fax 806,467,0622

The Cotton Draw Unit #65 is located approximately forty-five (45) miles southeast of Carlsbad, New Mexico. The legal location for this site is Unit Letter G, Section 2, Township 25 South, and Range 31 East in Eddy County, New Mexico. More specifically the latitude and longitude for the release are 32.161085918° North and -103.746039442° West. See site plan in Appendix I.

SAN ANTONIO II Commercial Place Schertz, Texas 78154 Phone 210.265.8025 Fax 210.568.2191

According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of Berino complex with 0 to 3 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology is Quaternary in age and is comprised of eolian sands and piedmont deposits which include silty soils under lain with a sandy clay loam and hard caliche. Drainage courses in this area are normally dry. According to the New Mexico Office of the State Engineer there are 5 wells in the vicinity and they all appear to be dry wells. See Appendix II for the referenced groundwater data.

The ranking for this site is 0 based on the following:

ENVIRONMENTAL CONSULTING

ENGINEERING
DRILLING
CONSTRUCTION
SPILL MANAGEMENT
GENERAL CONTRACTING

Depth to ground water >100'

Wellhead Protection Area >1000'
Distance to surface water body >1000'

Page 1 of 3

Toll Free: 866.742.0742 www.talonlpe.com

Incident Description

On July 24, 2015 the fiberglass line to the gun barrel malfunctioned causing a release of 1442 barrels of produced water. 1,440 barrels of fluid stayed inside the metal containment with 2 barrels overflowing on the west corner of the containment which stayed on the location. The SWD was shut in and vac truck was immediately called to the location and recovered 1440 barrels of fluid out of the containment and 1.5 fluids from the location. See the site plan and pictures in Appendix I.

Actions Taken

Talon mobilized personnel to begin the site assessment and soil sampling activities for the construction of a work plan. Grab soil samples were collected utilizing a hand auger. Laboratory results from the soil sampling event are summarized in the table below. See Table 1.

On September 24, 2015 Talon personnel returned to the site to obtain deeper vertical delineation samples which were required by NMOCD with a drill rig to a total depth of 40-feet below ground surface. The summarized laboratory results are presented in Table 2.

All soil samples were collected by Talon personnel wearing clean nitrile gloves. The soil samples were placed in laboratory provided sample containers, iced and transported to Cardinal Laboratories in Hobbs, New Mexico for analysis. The samples were tested for TPH (Total Petroleum Hydrocarbons) using EPA Method 8015M, and volatile organics (BTEX) using EPA Method 8021B. The chloride samples were analyzed per Method SM4500Cl-B.

Laboratory Results

See Appendix III for complete report of laboratory results.

July 29, 2015 Table 1

| Sample ID | Depth (feet) | BTEX (mg/kg) | Chlorides (mg/kg) | TPH (mg/kg) GRO | TPH (mg/kg) DRO |
|-----------|-----------------|-----------------|----------------------|--------------------|--------------------|
| S-1 | 0' | < 0.300 | 28800 | <50 | 2410 |
| | 1' | < 0.300 | 336 | <10 | <10 |
| | 2' | < 0.300 | 512 | <10 | <10 |
| | 3' | < 0.300 | 1280 | <10 | <10 |
| | 3.5' | < 0.300 | 2880 | <10 | <10 |
| S-2 | 0' | < 0.300 | 22800 | <10 | 274 |
| | 1' | < 0.300 | 12 | <10 | <10 |
| | 2' | < 0.300 | 32 | <10 | <10 |
| | 3' | < 0.300 | 32 | <10 | <10 |
| | 4' | < 0.300 | <16 | <10 | <10 |
| S-3 | 0' | < 0.300 | 23200 | <10 | 237 |
| | 1' | < 0.300 | 416 | <10 | <10 |
| | 2' | < 0.300 | 432 | <10 | <10 |
| | 3' | < 0.300 | 576 | <10 | <10 |
| | 4' | < 0.300 | 1180 | <10 | <10 |

September 28, 2015

Table 2

| Sample ID | Depth (feet) | BTEX (mg/kg) | Chlorides (mg/kg) | TPH (mg/kg) GRO | TPH (mg/kg) DRO |
|-----------|--------------|-------------------|----------------------|--------------------|--------------------|
| DS-1 | 5' | | 3360 | | 11532 |
| | 7' | | 1920 | | |
| | 10' | Land of the later | 624 | | und a trick |
| | 15' | | 304 | | |
| | 20' | | 408 | - | |
| | 25' | | 528 | | |
| | 30' | | 320' | | |
| | 35' | | 176' | | |
| | 40' | | 160' | | 4-191 |

DS – Delineation Sample

Based upon the site ranking of 0, NMOCD Recommended Remedial Action Levels (RRAL) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, and 5,000 mg/kg for TPH. The chloride standard is considered to be 1,000 mg/kg.

Proposed Remedial Actions

- The impact areas will be excavated to a depth of 0.5-feet deep. All contaminated soil will be transported to Lea Land, LLC disposal facility.
- Once the backfill activities are complete the work area will be compacted and re-contoured to match the surrounding location.
- On behalf of Devon Energy we are respectfully requesting that the historical chloride impacts be remediated upon the facility closure.
- A final closure report documenting all remedial actions and analytical results will be provided to the NMOCD Artesia Office along with a Final C-141 Form.

Should you have any questions or if further information is required, please do not hesitate to contact our office at (575)-746-8768

Respectfully submitted,

TALON/LPE


ely M. Wilson Kimberly M. Wilson

Project Manager

David J. Adkins District Manager

⁻⁻ Analyte Not Tested

APPENDIX I SITE MAP





Legend

- Sample Location Delineation Sample Location
 - Injection Well

Date: 10/08/2015

Scale: 1" = 20'

Drawn By: TJS

Cotton Draw #65 Devon Energy Corporation Eddy County, New Mexico Figure 1 - Site Plan

APPENDIX II GROUNDWATER DATA INITIAL C-141



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned,

C=the file is

(quarters are smallest to largest) closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(NAD83 UTM in meters)

(In feet)

| | | | | | | | | | | | | | 57 |
|--------------|-------------|----|---|---|---|-------|---|-----|--------|------------|----------|-------|-----------------------------|
| | POD Sub- | | Q | 0 | 0 | | | | | | | David | D41- W-4 |
| POD Number | Code basin | | | | | Sec 1 | Tws | Rng | Х | Υ | Distance | | Depth Water Water Column |
| C 02572 | | ED | | | | | 0.0000000000000000000000000000000000000 | 31E | | | 200 | 852 | |
| C 02571 | | ED | 4 | 1 | 2 | 02 | 25S | 31E | 618292 | 3559294* 🌑 | 203 | 860 | |
| C 02573 | | ED | 1 | 4 | 2 | 02 | 25S | 31E | 618499 | 3559091* 🌑 | 203 | | |
| C 02574 | | ED | 1 | 1 | 2 | 02 | 25S | 31E | 618092 | 3559494* | 449 | | |
| C 02569 | | ED | 4 | 4 | 2 | 02 | 25S | 31E | 618699 | 3558891* 🌑 | 451 | 1016 | |
| C 02568 | | ED | 4 | 3 | 1 | 01 | 25S | 31E | 619103 | 3558892* | 728 | 1025 | |
| C 02570 | | ED | 4 | 2 | 4 | 02 | 25S | 31E | 618704 | 3558489* 🌑 | 831 | 895 | |
| C 03830 POD1 | CUB | ED | 4 | 2 | 4 | 02 | 25S | 31E | 618632 | 3558432 🌑 | 872 | 450 | |

Average Depth to Water:

Minimum Depth:

Maximum Depth:

Record Count: 8

UTMNAD83 Radius Search (in meters):

Easting (X): 618495 Northing (Y): 3559294 Radius: 4000

NM OIL CONSERVATION

<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III District IV 1020 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

ARTESIA DISTRICT

Form C-141 Revised August 8, 2011

JUL 27 2015

Revised August 8, 2011

Submit I Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED

| | | | Rele | ase Notifica | ation | and | Cor | rrectiv | e A | ction | l | | | | |
|--|---|--|--|---|-----------------------------------|-------------------------------------|-----------------|--|-------------------------------------|---|---|--|--|---|--------------------|
| nAB1 | 520958 | 5287 | | , | . and | OPER | AT | OR | | | | al Repo | rt [| Final | Report |
| | | | | ion Company 🕢 | | | | | | | on Forem | an | | | |
| | | Rivers Hwy . Draw Unit | | NM 88210 | | | | lo. 575-5 e Salt Wa | | | - | · | | | |
| | | | | T | | | Тур | e Sait Wa | | sposai | | | | | |
| Surface Ov | vner Feder | al | | Mineral C |)wner | State | | | | | API No | 30-015 | 5-1084 | 13 | |
| | | | | LOCA | TION | OF R | REL | EASE | | | | | | | |
| Unit Letter G | Section 2 | Township 25S | Range 31E | Feet from the 1980 | | South List North | ne | Feet from 1980 | | | West Line East | County Eddy | y | | |
| | | | Latitude | e: 32.161085918 | | | Long | gitude: - | 103.74 | 160394 | 142 | 8 | | | |
| | | | | NAT | URE | OF RE | ELE | ASE | | | | | | | |
| | | ed water relea | | | | 1 | _ | Release 1, | | | | | | 11.5 BBLS | |
| Source of Re | | | let line | | | | | our of Oc 5 8:45 A | | ice | Date and July 24, 2 | | | overy | |
| Was Immed | iate Notice | | Yes [| No ☐ Not Red | quired | | | Whom? ner; OCD a | & Jim A | Amos; | BLM | | | | |
| | | oduction Fore | man; Mat | Nettles | | | | our July | | | | | | 494 | |
| Was a Wate | rcourse Rea | | Yes 🛛 | No | | If YES | 5, Vol | ume Imp | acting | the Wa | atercourse | | | | |
| If a Waterco | ourse was In | mpacted, Des | cribe Ful | ly.* | | <u></u> | | 100-30-00 | | | | -13 (82 | | | |
| It appears the | glue conne | elem and Ren ecting two piece diately shut | ces of 8 in | ion Taken.* ch fiberglass inlet I out to prevent fu | line to t | the gun balease. | arrels | failed allo | owing (| the piec | ces to separ | rate. The | e inlet v | alves to th | ne salt |
| I,442 BBLS were found in containment | of produced n the liner. 2 on the west | BBLS of proside of the co | leased fro duced wa ntainment | Caken.* m an 8 inch fibergler did overflow or . It flowed in a weightly be analyzed. Cl | nto the p sterly d | pad from irection a | the co | ontainmer Tected an | nt. The area ap | 2 BBL proxim | S produced ately 20 ft | l water o | verflow | ved from th | |
| regulations a public health should their or or the enviro | II operators or the envir operations h nment. In a | are required to ronment. The ave failed to a | o report ar acceptance adequately OCD accep | is true and completed file certain rese of a C-141 report investigate and restance of a C-141 report and restance of a C-141 research | lease no rt by the emediate | otification e NMOCI e contami | ns and D mai | d perform rked as "F on that pose the opera | correctinal Re e a threator of r | tive act eport" d eat to gr espons | ions for rel loes not rel round wate ibility for c | leases whieve the er, surface complian | operato operato e water ce with | iy endange or of liabili r, human he n any other | er ity ealth |
| Signature: S | andy Fo | urley | | | | | | | | | ATION | DIVI | SION | [| |
| Printed Name | e: Sandra Fa | ırley | | | | Approved | l by E | Environme | Signe ental Sp | d By pecialis | PM1/4 | Bran | THE ST | <u></u> | |
| Title: Field A | Admin Supp | port | | | | Approval | Date | 1128 | 115 | | Expiration | Date: N | I/A | | |
| E-mail Addre | ess: sandy.f | arley@dvn.c | om | | | | | Approval: | | | | | hed [| 7 | |
| Date: July 27 | | | one: 575.7 | 46.5587 | | | | | | | & Guidel | ines | neu [| | |
| * Attach Addi | tional Shee | ets If Necess | ary | | | ATER T | | | 30 | 15 | — | | | 2RP-3 | 3167 |

APPENDIX III LABORATORY RESULTS



August 05, 2015

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #65

Enclosed are the results of analyses for samples received by the laboratory on 07/30/15 10:46.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.qov/field/qa/lab accredited certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

07/30/2015

08/05/2015

Reported:

Sampling Type:

Project Name:

COTTON DRAW #65

Sampling Condition:

Soil Cool & Intact

Project Number:

70079416101

Sample Received By:

Sampling Date:

Judy Garcia

07/29/2015

Project Location:

LEA

Sample ID: S-1 0' (H501978-01)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 116 % | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | 'kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 28800 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | 'kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <50.0 | 50.0 | 07/30/2015 | ND | 199 | 99.3 | 200 | 1.26 | |
| DRO >C10-C28 | 2410 | 50.0 | 07/30/2015 | ND | 176 | 88.2 | 200 | 7.78 | |
| Surrogate: 1-Chlorooctane | 106 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | | | | | | | | | |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celley D. Keine



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name: Project Number: COTTON DRAW #65

Project Location:

70079416101 LEA Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Judy Garcia

Sample ID: S-1 1' (H501978-02)

| BTEX 8021B | mg/ | 'kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 118 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500Cl-B | mg/ | 'kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 336 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | 'kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 199 | 99.3 | 200 | 1.26 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 176 | 88.2 | 200 | 7.78 | |
| Surrogate: 1-Chlorooctane | 103 5 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 125 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysiss. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keens



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number: Project Location: 70079416101 LEA Sampling Date:

Jamping Date.

07/29/2015

Sampling Type:

Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Judy Garcia

Sample ID: S-1 2' (H501978-03)

| BTEX 8021B | mg/ | 'kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 119 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500Cl-B | mg, | /kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 512 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg | /kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 199 | 99.3 | 200 | 1.26 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 176 | 88.2 | 200 | 7.78 | |
| Surrogate: 1-Chlorooctane | 101 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 126 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its value of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

70079416101

Project Name:

COTTON DRAW #65

Project Number: Project Location:

LEA

/2015 Sampling Date:

Sampling Type:

07/29/2015

Sampling Type: Sampling Condition: Soil

Sample Received By:

Cool & Intact

Judy Garcia

Sample ID: S-1 3' (H501978-04)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 119 % | 6 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 1280 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 101 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 125 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number: Project Location:

70079416101

LEA

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Judy Garcia

Sample ID: S-1 3.5' (H501978-05)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 118 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 2880 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 97.1 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 120 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celeg D. Keine



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number: Project Location: 70079416101 LEA

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Judy Garcia

Sample ID: S-2 0' (H501978-06)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 117 % | 6 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 22800 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | 274 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 109 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 126 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keene



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name: Project Number: COTTON DRAW #65

Project Location:

70079416101 LEA Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Judy Garcia

Sample ID: S-2 1' (H501978-07)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 117 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 112 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 101 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 127 9 | 6 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subdishiers, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keens



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

Project Number:

Project Location:

COTTON DRAW #65

70079416101 LEA

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Judy Garcia

Sample ID: S-2 2' (H501978-08)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 122 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500Cl-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 32.0 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 104 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 131 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & treens



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number:

70079416101

Project Location:

LEA

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Judy Garcia

Sample ID: S-2 3' (H501978-09)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 116 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 32.0 | 16.0 | 07/30/2015 | ND | 416 | 104 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 101 5 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 127 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celey D. Keine



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number:

70079416101

Project Location:

LEA

Sampling Date:

Date.

07/29/2015 Soil

Sampling Type:

2011

Sampling Condition: Sample Received By: Cool & Intact

Judy Garcia

Sample ID: S-2 4' (H501978-10)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 119 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | 'kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | <16.0 | 16.0 | 08/04/2015 | ND | 432 | 108 | 400 | 3.64 | |
| TPH 8015M | mg/ | 'kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/30/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/30/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 104 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 130 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number: Project Location: 70079416101 LEA

07/30/2015

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By:

Cool & Intact

Judy Garcia

Sample ID: S-3 0' (H501978-11)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 120 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 23200 | 16.0 | 08/04/2015 | ND | 432 | 108 | 400 | 3.64 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/31/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | 237 | 10.0 | 07/31/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 109 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 145 % | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keens



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210

Fax To:

(575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

70079416101

Project Name:

COTTON DRAW #65

Project Number: Project Location:

LEA

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Judy Garcia

Sample ID: S-3 1' (H501978-12)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 120 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500Cl-B | mg/ | 'kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 416 | 16.0 | 08/04/2015 | ND | 432 | 108 | 400 | 3.64 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/31/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/31/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 104 9 | % 47.2-15 | 7 | 9 | | | | | |
| Surrogate: 1-Chlorooctadecane | 129 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's fability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number:

70079416101

Project Location:

LEA

Sampling Date:

ate:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Judy Garcia

Sample ID: S-3 2' (H501978-13)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|--------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 102 | 2.00 | 0.0308 | |
| Toluene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.03 | 101 | 2.00 | 0.154 | |
| Ethylbenzene* | <0.050 | 0.050 | 07/31/2015 | ND | 2.14 | 107 | 2.00 | 1.86 | |
| Total Xylenes* | <0.150 | 0.150 | 07/31/2015 | ND | 5.62 | 93.7 | 6.00 | 1.47 | |
| Total BTEX | <0.300 | 0.300 | 07/31/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 117 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 432 | 16.0 | 08/04/2015 | ND | 432 | 108 | 400 | 3.64 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/31/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/31/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 100 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 129 9 | % 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celeg & Keene



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported:

BTEX 8021B

07/30/2015

08/05/2015

COTTON DRAW #65

Project Name: Project Number:

70079416101

mg/kg

Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By:

Cool & Intact Judy Garcia

Project Location: LEA.

Sample ID: S-3 3' (H501978-14)

| DILX 8021D | mg/ | r kg | Allalyze | u by. 143 | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 08/03/2015 | ND | 1.98 | 99.2 | 2.00 | 3.64 | |
| Toluene* | <0.050 | 0.050 | 08/03/2015 | ND | 2.02 | 101 | 2.00 | 4.60 | |
| Ethylbenzene* | <0.050 | 0.050 | 08/03/2015 | ND | 2.17 | 108 | 2.00 | 5.97 | |
| Total Xylenes* | <0.150 | 0.150 | 08/03/2015 | ND | 5.68 | 94.7 | 6.00 | 6.65 | |
| Total BTEX | <0.300 | 0.300 | 08/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 114 9 | % 85.6-13 | 7 | | | | | | |
| Chloride, SM4500CI-B | mg/ | /kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 576 | 16.0 | 08/04/2015 | ND | 432 | 108 | 400 | 3.64 | |
| TPH 8015M | mg/ | /kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/31/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/31/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 104 : | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 131 | % 52.1-17 | 6 | | | | | | |
| | | | | | | | | | |

Analyzed By: MS

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celey D. Keene



TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210

Fax To:

(575) 745-8905

Received:

07/30/2015

Reported:

08/05/2015

Project Name:

COTTON DRAW #65

Project Number: Project Location: 70079416101 LEA Sampling Date:

07/29/2015

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Judy Garcia

Sample ID: S-3 4' (H501978-15)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 08/03/2015 | ND | 1.98 | 99.2 | 2.00 | 3.64 | |
| Toluene* | <0.050 | 0.050 | 08/03/2015 | ND | 2.02 | 101 | 2.00 | 4.60 | |
| Ethylbenzene* | <0.050 | 0.050 | 08/03/2015 | ND | 2.17 | 108 | 2.00 | 5.97 | |
| Total Xylenes* | <0.150 | 0.150 | 08/03/2015 | ND | 5.68 | 94.7 | 6.00 | 6.65 | |
| Total BTEX | <0.300 | 0.300 | 08/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PIL | 116% | 6 85.6-13 | 7 | * | | | | | |
| Chloride, SM4500Cl-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 1180 | 16.0 | 08/04/2015 | ND | 432 | 108 | 400 | 3.64 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 07/31/2015 | ND | 209 | 105 | 200 | 1.89 | |
| DRO >C10-C28 | <10.0 | 10.0 | 07/31/2015 | ND | 188 | 94.1 | 200 | 1.68 | |
| Surrogate: 1-Chlorooctane | 99.7 9 | % 47.2-15 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 109 % | 6 52.1-17 | 6 | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kune



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

| | | | Mo. | No No | 2.6c | S - Bus - Other: | Sampler - UPS - |
|-----------------|------------|---|---|--|---|--|--|
| | | | (Initials) | Cool Intact | 2/0 | Delivered By: (Circle One) | Delivered B |
| | | | | | J4: 1941 | | 1 |
| | | | | Received by: | 19750/5 Ked | N. | Relinquished By |
| | | VERBONNO. | Muca | man c | Time: | Dos | 1200 |
| Add'I Fax#: | □ Yes □ No | Fax Result: | 2000 | Received By: | Date: Reco | By: | Relinguished By: |
| Add'l Phone #: | Yes No | Bhone Destift | sed upon any of the above stated rea | gardless of whether such claim is ba | of services hereunder by Cardinal, re | eryce. In o event shall Cardinal be labble for indefends or consequents samples, microsing would be made to such some better the state of samples and the state of samples and the state of samples of consequents samples. Microsing would be made to such state of samples of the state of samples of s | service. In no event shall |
| | able . | r completion of the applications, its subsidiaries, | elyed by Cardinal within 30 days after of use, or loss of profits incurred by o | ising whether based in contract or a alved unless made in writing and rec | ent's exclusive remedy for any claim a cause whatsoever shall be deemed w | PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim acting weather pasce in required to the control within 30 days after completion of the applicable arrayses. All claims including those for negligence and any other cause whatever shall be deviced unless the control and received by Control within 30 days after completion of the applicable arrayses. All claims including those for negligence and any other cause whatever shall be deviced unless the control and | PLEASE NOTE: Liability analyses, All claims inci- |
| 7 | × | by the client for the | The limited to the amount ball | × | 6 | 18-24 | 21 |
| *** | × | | × | × | G | 2 2 3 | 9 |
| × | × | | × | × | 22 | 0 - 2 2 | 8 |
| * | × | 10:13 X | × | × | 0 | 0 | 20 |
| × | × | 10:110 X | X | × | <u>س</u> | 3 | 50 |
| * | × | (0:02 x | X | × | 3 | 2 25 | 7 |
| × | × | 9:57 x | × | × | ادر | 71 | 7 |
| × | × | 9:53 X | × - | × | J-1 | 3 | NZ. |
| × | × | 4:44 x | × | ×. | 27 | A | 2 |
| × | × | 4:45 4 | X 7-39-3 | × | - | P - 9, | 1 |
| | I | TIME | ACID/ | GROL | - | X | 大のの大 |
| TPI- | STE | Tota | BASE: | JNDWATER EWATER GE | B OR (C)O | Sample I.D. | Lab I.D. |
| 1 | 5.7 | | PRESERV | MATRIX | MP. | | FOR LAB USE ONLY |
| | <u> </u> | 1 | 1 | | Barza | | Sampler Name: |
| | | 10 | Phone #: | Ph | | 7 | Project Location: |
| | | or! | State: Zip: | 5 Str | Jam #C | Cott | Ä |
| | | de | y: | even city: | Project Owner: | 019111880 | Project #: 70 |
| | | C | Address: | | Fax #: 575-746-8905 | Phone #: 575-746-8768 | Phone #: 575 |
| | | | in: | Zip: 88210 Attn: | State: NM Zip: 8 | | сіtу: Artesia |
| | | m | Company: Talon/LPE | Co | • | Texas Av | Address: 408 W. |
| | | | P.O. #: | P.C | 3 | er: 人 () : sen | Project Manager: |
| ANALTOIO ARGORO | | | | | | e: Talon/LPE | Company Name: |
| | | description of the second | | | FAX (5/5) 393-24/6 | (5/5) 393-2326 FAX | |



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

| Company Name: Talon/LPE | utov | | | ٠ | ANALYSIS | ANALYSIS REQUEST | |
|--|--|--|----------------------------|--------|----------|------------------|--|
| Project Manager: | 1 | P.O. #: | , | | | | |
| Address: 408 W. Texas Ave. | | Company: Talon/LPE | PE | | | | |
| City: Artesia state: NM zip: 88210 | | Attn: | | 5 | | | |
| Phone #: 575-746-8768 Fax #: 575-746-8905 | | Address: | | d | | | |
| Project #: 700 79416/ 6/Project Owner: | $O_{e \cup bn}$ | City: | | Ci | | | |
| Project Name: Cotton Oraco | #65 | State: Zip: | 1 | 10 | | | |
| Project Location: (c.c. | 71 | Phone #: | 1 | 4 | | | |
| Sampler Name: (5. Bacza | 77 | Fax #: | 0 | C | | | |
| FOR LAB USE ONLY | MATRIX | PRESERV. SAMPLING | LING |) × | | | |
| Lab I.D. Sample I.D. | (G)RAB OR (C)OMI # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE | OTHER: ACID/BASE: ICE / COOL OTHER: | TIME | BIE | TPH | | |
| 1. S. 3 O. | | | 10:30 | × | × | | |
| a.s. 3 , | | | 10:33 | X | X | | |
| ØS-32 | | | 10:35 | × | × | | |
| 14.8.33 | | | 10:38 | X | × | | |
| 15IS - 3 Y | | | 84:01 | メ | ∀ | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| PLEASE NOTE: Linkilly and Damanes. Cardeal's linkilly and oberts evaluate remedy for any plain station whether based in contract or too, that it is limited to the amount paid by the client for the | relain arising whether based in contract or | to shall be imited to the amount of | paid by the client for the | | | | |
| TERMINE NOTE: Lightly and partiages. Cardinal's liability and client's explisive remody for any | A TOPPHIND IN DOSED JOINGUM BUILDING IN | tott strait of number to the without h | bein by the chain for the | | | | |

de T

analyses. All claims including those for negligence and any other cause whatseever shall be determed valved unless made in writing and received by Continui within 30 days after completion of the applicable service. In in event shall Cardinal be labele for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, efficiency accordance or superiors arising out of or related to the performance of teaches hereunder by Continui, regardless of whether such claim is based upon any of the above stated treators or otherwise.

Received By: Relinquished By Delivered By: (Circle One) Time: Received By: Phone Result:
Fax Result:
REMARKS:

☐ Yes ☐ No

Add'I Phone #:

Sample-Condition CHECKED BY:
Cool Intact (Initials)
Yes Yes
No No

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

Sampler - UPS - Bus - Other:

Page 19 of 19



September 28, 2015

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #65

Enclosed are the results of analyses for samples received by the laboratory on 09/25/15 11:38.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

09/25/2015

Reported:

09/28/2015

Project Name:

COTTON DRAW #65

Project Number: Project Location: 700791.161.01 **EDDY CTY**

Sampling Date:

Sampling Type:

Soil

Sampling Condition: Sample Received By: ** (See Notes)

09/24/2015

Judy Garcia

Sample ID: DS-1 5' (H502557-01)

Chloride, SM4500CI-B

Chloride

Chloride

mg/kg

Analyzed By: CK

Analyte

Result 3360 Reporting Limit 16.0

Reporting Limit

16.0

Analyzed 09/26/2015

Analyzed

09/26/2015

Method Blank ND

Method Blank

ND

BS 464 % Recovery 116

% Recovery

116

True Value QC 400

True Value QC

400

RPD 0.00 Qualifier

Sample ID: DS-1 7' (H502557-02)

Chloride, SM4500Cl-B

Analyte

mg/kg

Result

1920

Analyzed By: CK

BS

464

RPD

0.00

Qualifier

Sample ID: DS-1 10' (H502557-03)

Chloride, SM4500CI-B

mg/kg

Analyzed By: CK

| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
|----------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Chloride | 624 | 16.0 | 09/26/2015 | ND | 464 | 116 | 400 | 0.00 | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise, Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene

Celey D. Keene, Lab Director/Quality Manager

Page 2 of 4



ND

Notes and Definitions

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Analyte NOT DETECTED at or above the reporting limit

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

| (575) 393-2326 FAX (575) 393-24/6 | | ANALYSIS REQUEST |
|--|--|---------------------|
| company Name: Talon/LPE | | |
| 1 1 | | |
| | Atta: | |
| State: NM | | |
| -746-8768 Fax#: 5/5-/40- | 1 | |
| 1.01 Project Owner: | | |
| me: Cotto | 21p: | |
| ž į | # | |
| Figure Name: Will Wilson | Fax#: | |
| * XIMOON | MATRIX PRESERV SAMPLING | |
| | R | |
| Lab I.D. Sample I.D. | oundwater Stewater Il | |
| | G V S C S S | |
| , | | |
| 3 DS-1 10' G | | |
| | | |
| | | |
| | | |
| | | |
| PLEASE NOTE: Unbilly and Damages. Cardinal's liability and client's exclusive namedy for any claim arising whether based in contract or fort, shall be limited to the amount paid by the client for the approximate the property of the proper | PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive namedy for any claim arising whether based in contract or for, shall be limited to the amount paid by the client for the applicable. | |
| analyzes, All claims including those for negligence and art your season when the control of the | | |
| affiliate or successors arising out of or related to the performance of services hereunder by cardinal, requires by: Relinquished By: | 1 | □ Yes □ No AddTFax# |
| Time: | | |
| Relinquished By: | Received By: | KUDA |
| September 1 | Sample Condition CHECKED BY: | |
| | - 0 | |
| Sampler - UPS - Bus - Other: | No I No | |



September 28, 2015

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #65

Enclosed are the results of analyses for samples received by the laboratory on 09/25/15 11:38.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

09/25/2015

Reported: 09/28/2015

Project Name: **COTTON DRAW #65**

Project Number: 700794.161.01

Project Location: **EDDY CTY** Sampling Date:

09/24/2015 Sampling Type: Soil

Sampling Condition:

** (See Notes)

Sample Received By: Judy Garcia

Sample ID: DS-1 15' (H502558-01)

Received:

Chloride, SM4500CI-B Analyzed By: CK mg/kg

Reporting Limit Analyzed Method Blank BS % Recovery True Value QC RPD Qualifier Analyte Result Chloride 304 16.0 09/26/2015 ND 432 108 400 0.00

Sample ID: DS-1 20' (H502558-02)

Chloride, SM4500Cl-B Analyzed By: CK mg/kg RPD Analyte Result Reporting Limit Analyzed Method Blank BS % Recovery True Value QC Qualifier 480 09/26/2015 ND 432 108 400 0.00 Chloride 16.0

Sample ID: DS-1 25' (H502558-03)

Chloride, SM4500CI-B Analyzed By: CK mg/kg Reporting Limit Analyzed Method Blank BS % Recovery True Value QC RPD Qualifier Analyte Result Chloride 528 16.0 09/26/2015 ND 464 116 400 0.00

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey Ditreme



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240

| (575) 393-2326 FAX (5/5) 353-24/6 | | |
|---|--|---|
| Company Name: Talon/LPE | | ANALISIS |
| Project Manager: Kim WILSON | P.O. #: | |
| Ave. | Company: Talon/LPE | |
| | O Attn: | |
| -746-8768 F | Address: | |
| Project #: 700 794 161, 01 Project Owner: 05000 | City: | |
| Project Name: COTTON DRAW #CS | State: Zip: | 5 |
| Project Location: EDDY | Phone #: | |
| K | Fax#: | 7/12 |
| | MATRIX PRESERV. SAMPLING | 01 |
| Sample I.D. AB OR (C)OM ONTAINERS DUNDWATER | DGE JER: //COOL JER: | CHL |
| # | × S S S × C | X |
| / | * | |
| 1 | X | X |
| | | |
| | | |
| | | |
| | | |
| PILEASE NOTE; Liability and Damages, Cardina's liability and client's exclusive remedy for any claim anising whether based in contract or tot, shall be limited to the smouth paid by the client for the PILEASE NOTE; Liability and Damages, Cardina's liability and client's exclusive remedy for any characteristic by deemed walved unless made in writing and received by Cardinal within 30 days after completion of the applicable analyses, All claims including those for registerior any other cause whatsever shall be deemed walved unless made in writing and received by Cardinal within the contraction that the profits incurred by client, its substitution, business interruptions, loss of true, or loss of profits incurred by client, its substitution, business interruptions, loss of true, or loss of profits incurred by client, its substitution business interruptions, loss of true, or loss of profits incurred by client, its substitution and profits in the contraction of the profits incurred by client, its substitution and profits in the contraction of the | ther based in contract or tent, shall be limited to the amount paid by the cile ss made in writing and received by Cardinal within 30 days after completio usiness interruptions, loss of use, or loss of profits incurred by client, its su | . to the optimate control of the applicable extension. |
| afflates or successors affing out of or related to the performance of services hereunder by Cardinal, regardless of whether such claims a succession and the Received By: | Phone Rest | Phone Result: ☐ Yes ☐ No Add'I Phone #: Fax Result: ☐ Yes ☐ No Add'I Fax #: |
| 11/809 Time: | | (KS:) (1 <) |
| Relinquished By: Bars 5 15 Received By: | 1 Gara | DOD |
| Delivered By: (Circle One) | Cool Intact (Ipitials) | |
| Sampler - UPS - Bus - Other: | No O No | |



September 28, 2015

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #65

Enclosed are the results of analyses for samples received by the laboratory on 09/25/15 11:38.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE KIMBERLY WILSON 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

09/25/2015

Reported:

09/28/2015

Project Name:

Project Number:

Project Location:

COTTON DRAW #65

700794.161.01

EDDY CTY

Sampling Date:

Sampling Type:

Soil

Sampling Condition:

Sample Received By:

Judy Garcia

** (See Notes)

09/24/2015

Sample ID: DS-1 30' (H502559-01)

mg/kg

Analyzed By: CK

Analyte

Analyte

Result Reporting Limit

Method Blank Analyzed

% Recovery

True Value QC

RPD 0.00

RPD

0.00

Qualifier

Chloride

Chloride

320

Result

176

16.0 09/26/2015

432

BS

108

400

Sample ID: DS-1 35' (H502559-02)

| Chloride | , SM4500CI-B |
|----------|--------------|
|----------|--------------|

mg/kg

Reporting Limit

16.0

Analyzed By: CK

Analyzed

09/26/2015

Method Blank ND

ND

BS 432 % Recovery 108

True Value QC

400

Qualifier

Sample ID: DS-1 40' (H502559-03)

Chloride, SM4500CI-B

mg/kg

Analyzed By: CK

| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
|----------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Chloride | 160 | 16.0 | 09/26/2015 | ND | 432 | 108 | 400 | 0.00 | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be lable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed varied unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celey D. Keene



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Project Manager: Kimber Company Name: Talon/LPE Project Name: ('offon Project #: 760744. Phone #: 575-746-8768 city: Artesia Address: 408 W. Texas Ave Project Location: Sampler Name: PLEASE NOTE: Lability and Damages. Cardinal's lability and client's exclusive namedy for any claim arising whether based in contract or fact, shall be limited to the amount paid by the client for the pplicable plans of the policable within an arising whether based in contract or fact, shall be limited to the amount paid by the client for applicable analyses. All claims including those for negligence and any other cause whatbeever shall be deemed walved unless made in writing and received by Cardinal within 30 days after completion of the above stated research subclidates. In the event shall Cardinal be liable for incidental or consequented damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subclidates, in the event shall Cardinal be liable for incidental or consequented damages, including whether such claim is based upon any of the above stated research secretary. FOR LAB USE ONLY arillates or successors arising out of or related to the person Rellinguished By: Lab I.D. 101 East Mariand, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476 KWilson Sample I.D. NOW #65 40 201 15.5 aty Project Owner: Fax#: 575-746-8905 State: NM Zip: 88210 Wilson (G)RAB OR (C)OMP Received By: # CONTAINERS GROUNDWATER WASTEWATER MATRIX SOIL OIL SLUDGE P.O. #: City: Attn: Company: Address: Fax #: Phone #: State: OTHER: ACID/BASE: PRESERV ICE / COOL 01.118 OTHER: Talon/LPE Zip: DATE SAMPLING 24 Phone Result: Fax Result: REMARKS: TIME Parides ☐ Yes ☐ No Add'l Phone #: ANALYSIS REQUEST

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:

Time:

Received By

RUSH !

CHECKED BY: