


PHONE (575) 397-6388 • FAX (575) 397- 0397 • 1324 W. MARLAND • P.O. BOX 805 • HOBBS, NM 88241-0805 E-MAIL: cbrunson@bbcinternational.com

OXY – CEDAR CANYON 15 SWD #1

REMEDIATION PLAN

OXY will excavate the spill area as depicted on the following site diagram. The spill area near sample points SP1, SP2, SP3, and SP4 will be excavated to a depth of 1 foot. In the area of sample points SP5 and SP6, 2 feet will be excavated. The entire site will be backfilled with clean soil.


All excavated materials will be disposed of at an NMOCD-approved disposal facility.





Groundwater Plot


Oxy Cedar Canyon 15 SWD #001





Section Quarters

Oxy Cedar Canyon 15 SWD #001



Laboratory Analytical Results Summary Cedar Canyon 15 SWD #1

.

| | | Sample | SP1 @ 1' | SP1 @ 2' | SP1 @ 3' |
|---------------|------------|--------|----------|----------|----------|
| Analyte | Method | Date | 11/24/15 | 11/24/15 | 11/24/15 |
| | | | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | <0.050 | n/a | n/a |
| Toluene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Ethylbenzene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Total Xylenes | BTEX 8021B | | <0.150 | n/a | n/a |
| Total BTEX | BTEX 8021B | | < 0.300 | n/a | n/a |
| Chloride | SM4500CI-B | | 3160 | 336 | 192 |
| GRO | TPH 8015M | | <10.0 | n/a | n/a |
| DRO | TPH 8015M | | <10.0 | n/a | n/a |

| | | Sample | SP2 @ 1' | SP2 @ 2' | SP2 @ 3' |
|---------------|------------|--------|----------|----------|----------|
| Analyte | Method | Date | 11/24/15 | 11/24/15 | 11/24/15 |
| | | | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | <0.050 | n/a | n/a |
| Toluene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Ethylbenzene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Total Xylenes | BTEX 8021B | | <0.150 | n/a | n/a |
| Total BTEX | BTEX 8021B | | < 0.300 | n/a | n/a |
| Chloride | SM4500CI-B | | 3280 | 224 | 128 |
| GRO | TPH 8015M | | <10.0 | n/a | n/a |
| DRO | TPH 8015M | | <10.0 | n/a | n/a |

| | | Sample | SP5 @ 1' | SP5 @ 2' | SP5 @ 3' | SP5 @ 4' |
|---------------|------------|--------|----------|----------|----------|----------|
| Analyte | Method | Date | 11/25/15 | 11/25/15 | 11/25/15 | 11/25/15 |
| | | | mg/Kg | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | <0.050 | n/a | n/a | n/a |
| Toluene | BTEX 8021B | | <0.050 | n/a | n/a | n/a |
| Ethylbenzene | BTEX 8021B | | <0.050 | n/a | n/a | n/a |
| Total Xylenes | BTEX 8021B | | <0.150 | n/a | n/a | n/a |
| Total BTEX | BTEX 8021B | | <0.300 | n/a | n/a | n/a |
| Chloride | SM4500CI-B | | 1100 | 432 | 1040 | 192 |
| GRO | TPH 8015M | | <10.0 | n/a | n/a | n/a |
| DRO | TPH 8015M | | <10.0 | n/a | n/a | n/a |

| | | Sample | SP6 @ 1' | SP6 @ 2' | SP6 @ 3' | SP6 @ 4' |
|---------------|------------|--------|----------|----------|----------|----------|
| Analyte | Method | Date | 11/25/15 | 11/25/15 | 11/25/15 | 11/25/15 |
| | | | mg/Kg | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | < 0.050 | n/a | n/a | n/a |
| Toluene | BTEX 8021B | | < 0.050 | n/a | n/a | n/a |
| Ethylbenzene | BTEX 8021B | | < 0.050 | n/a | n/a | n/a |
| Total Xylenes | BTEX 8021B | | <0.150 | n/a | n/a | n/a |
| Total BTEX | BTEX 8021B | | < 0.300 | n/a | n/a | n/a |
| Chloride | SM4500CI-B | | 1200 | 1120 | 768 | 192 |
| GRO | TPH 8015M | | <10.0 | n/a | n/a | n/a |
| DRO | TPH 8015M | | <10.0 | n/a | n/a | n/a |

| | | Sample | SP3 @ 1' | SP3 @ 2' | SP3 @ 3' |
|---------------|------------|--------|----------|----------|----------|
| Analyte | Method | Date | 11/24/15 | 11/24/15 | 11/24/15 |
| | | | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Toluene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Ethylbenzene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Total Xylenes | BTEX 8021B | | <0.150 | n/a | n/a |
| Total BTEX | BTEX 8021B | | < 0.300 | n/a | n/a |
| Chloride | SM4500CI-B | | 13200 | 96 | 128 |
| GRO | TPH 8015M | | <10.0 | n/a | n/a |
| DRO | TPH 8015M | | <10.0 | n/a | n/a |

| | | Sample | SP4 @ 1' | SP4 @ 2' | SP4 @ 3' |
|---------------|------------|--------|----------|----------|----------|
| Analyte | Method | Date | 11/25/15 | 11/25/15 | 11/25/15 |
| | | | mg/Kg | mg/Kg | mg/Kg |
| Benzene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Toluene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Ethylbenzene | BTEX 8021B | | < 0.050 | n/a | n/a |
| Total Xylenes | BTEX 8021B | | <0.150 | n/a | n/a |
| Total BTEX | BTEX 8021B | | < 0.300 | n/a | n/a |
| Chloride | SM4500CI-B | | 400 | 272 | 192 |
| GRO | TPH 8015M | | <10.0 | n/a | n/a |
| DRO | TPH 8015M | | <10.0 | n/a | n/a |



December 08, 2015

Cliff Brunson

BBC International, Inc.

P.O. Box 805

Hobbs, NM 88241

RE: CEDAR CANYON 15 SWD #1

Enclosed are the results of analyses for samples received by the laboratory on 12/01/15 14:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

| Method EPA 552.2 | Haloacetic Acids (HAA-5) |
|------------------|------------------------------|
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3) |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keine

Celey D. Keene Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/24/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 1 @ 1' (H503145-01)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.862 | |
| Toluene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.866 | |
| Ethylbenzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.77 | 88.4 | 2.00 | 1.29 | |
| Total Xylenes* | <0.150 | 0.150 | 12/03/2015 | ND | 5.34 | 89.0 | 6.00 | 1.20 | |
| Total BTEX | <0.300 | 0.300 | 12/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 104 % | 6 73.6-14 | 0 | | | | | | |
| Chloride, SM4500Cl-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 3160 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 12/03/2015 | ND | 193 | 96.3 | 200 | 4.68 | |
| DRO >C10-C28 | <10.0 | 10.0 | 12/03/2015 | ND | 190 | 94.8 | 200 | 6.86 | |
| Surrogate: 1-Chlorooctane | 96.8 9 | % 35-147 | | | | | | | |
| | | 6 28-171 | | | | | | | |

Sample ID: SP 1 @ 2' (H503145-02)

| Chloride, SM4500Cl-B | mg, | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 336 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/24/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 1 @ 3' (H503145-03)

| Chloride, SM4500Cl-B | mg | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 192 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |

Sample ID: SP 2 @ 1' (H503145-04)

| BTEX 8021B | mg/kg | | Analyze | Analyzed By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.862 | |
| Toluene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.866 | |
| Ethylbenzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.77 | 88.4 | 2.00 | 1.29 | |
| Total Xylenes* | <0.150 | 0.150 | 12/03/2015 | ND | 5.34 | 89.0 | 6.00 | 1.20 | |
| Total BTEX | <0.300 | 0.300 | 12/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 104 % | 6 73.6-14 | 0 | | | | | | |
| Chloride, SM4500CI-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 3280 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |

| | | 2010 | 12,01,2010 | | | 200 | 100 | 0.00 | |
|-------------------------------|--------|-----------------|-----------------|--------------|-----|------------|---------------|------|-----------|
| TPH 8015M | mg/kg | | Analyzed By: MS | | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 12/03/2015 | ND | 193 | 96.3 | 200 | 4.68 | |
| DRO >C10-C28 | <10.0 | 10.0 | 12/03/2015 | ND | 190 | 94.8 | 200 | 6.86 | |
| Surrogate: 1-Chlorooctane | 90.6 | % 35-147 | 7 | | | | | | |
| Surrogate: 1-Chlorooctadecane | 102 | % 28-171 | , | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/24/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 2 @ 2' (H503145-05)

| Chloride, SM4500Cl-B | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|-----------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 224 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |

Sample ID: SP 2 @ 3' (H503145-06)

| Chloride, SM4500Cl-B | mg/kg | | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 128 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the sample identified above. This report shall not be reproduced except in full with written approval of Cardinal Loratories.

Celeg D. Keine



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/24/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 3 @ 1' (H503145-07)

| EX 8021B | mg/ | 'kg | Analyzed By: MS | | | | | | |
|--------------------------------------|--------|-----------------|-----------------|--------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.862 | |
| Toluene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.866 | |
| Ethylbenzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.77 | 88.4 | 2.00 | 1.29 | |
| Total Xylenes* | <0.150 | 0.150 | 12/03/2015 | ND | 5.34 | 89.0 | 6.00 | 1.20 | |
| Total BTEX | <0.300 | 0.300 | 12/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 104 9 | 73.6-14 | 0 | | | | | | |
| Chloride, SM4500Cl-B | mg/kg | | Analyzed By: AP | | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 13200 | 16.0 | 12/04/2015 | ND | 432 | 108 | 400 | 0.00 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 12/03/2015 | ND | 193 | 96.3 | 200 | 4.68 | |
| DRO >C10-C28 | <10.0 | 10.0 | 12/03/2015 | ND | 190 | 94.8 | 200 | 6.86 | |
| Surrogate: 1-Chlorooctane | 96.3 | % 35-147 | , | | | | | | |
| | | % 28-171 | | | | | | | |

Sample ID: SP 3 @ 2' (H503145-08)

| Chloride, SM4500Cl-B | mg/kg | | Analyzed By: AP | | | | | | |
|----------------------|--------|-----------------|-----------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 96.0 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/24/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 3 @ 3' (H503145-09)

| Chloride, SM4500Cl-B mg, | | /kg | Analyzed By: AP | | | | | | |
|--------------------------|--------|-----------------|-----------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 128 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Sample ID: SP 4 @ 1' (H503145-10)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.862 | |
| Toluene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.866 | |
| Ethylbenzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.77 | 88.4 | 2.00 | 1.29 | |
| Total Xylenes* | <0.150 | 0.150 | 12/03/2015 | ND | 5.34 | 89.0 | 6.00 | 1.20 | |
| Total BTEX | <0.300 | 0.300 | 12/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 104 % | 6 73.6-14 | 0 | | | | | | |
| Chloride, SM4500Cl-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 400 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |

| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
|-------------------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| GRO C6-C10 | <10.0 | 10.0 | 12/03/2015 | ND | 193 | 96.3 | 200 | 4.68 | |
| DRO >C10-C28 | <10.0 | 10.0 | 12/03/2015 | ND | 190 | 94.8 | 200 | 6.86 | |
| Surrogate: 1-Chlorooctane | 92.3 % | 6 35-147 | | | | | | | |
| Surrogate: 1-Chlorooctadecane | 101 % | 6 28-171 | | | | | | | |

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/25/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 4 @ 2' (H503145-11)

| Chloride, SM4500CI-B | mg | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 272 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Sample ID: SP 4 @ 3' (H503145-12)

| Chloride, SM4500Cl-B | mg, | /kg | Analyzed By: AP | | | Analyzed By: AP | | | | | | | |
|----------------------|--------|-----------------|-----------------|--------------|-----|-----------------|---------------|------|-----------|--|--|--|--|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier | | | | |
| Chloride | 192 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | | | | | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatscever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, whot limitation, business interruptions, loss of gronts incurred by client, its subsidiaries, affiliates or successor arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/25/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 5 @ 1' (H503145-13)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifie |
| Benzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.862 | |
| Toluene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.866 | |
| Ethylbenzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.77 | 88.4 | 2.00 | 1.29 | |
| Total Xylenes* | <0.150 | 0.150 | 12/03/2015 | ND | 5.34 | 89.0 | 6.00 | 1.20 | |
| Total BTEX | <0.300 | 0.300 | 12/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 104 9 | 73.6-14 |) | | | | | | |
| Chloride, SM4500Cl-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 1100 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 12/03/2015 | ND | 193 | 96.3 | 200 | 4.68 | |
| DRO >C10-C28 | <10.0 | 10.0 | 12/03/2015 | ND | 190 | 94.8 | 200 | 6.86 | |
| Surrogate: 1-Chlorooctane | 98.4 | % 35-147 | | | | | | | |
| | | | | | | | | | |

Sample ID: SP 5 @ 2' (H503145-14)

| Chloride, SM4500Cl-B | mg, | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 432 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/25/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 5 @ 3' (H503145-15)

| Chloride, SM4500Cl-B | mg | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 1040 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Sample ID: SP 5 @ 4' (H503145-16)

| Chloride, SM4500CI-B | -B mg/kg Analyzed By: AP | | | | | | | | |
|----------------------|--------------------------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 192 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatscever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, whot limitation, business interruptions, loss of gronts incurred by client, its subsidiaries, affiliates or successor arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/25/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 6 @ 1' (H503145-17)

| BTEX 8021B | mg/ | kg | Analyze | d By: MS | | | | | |
|--------------------------------------|--------|-----------------|------------|--------------|------|------------|---------------|-------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Benzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.862 | |
| Toluene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.71 | 85.5 | 2.00 | 0.866 | |
| Ethylbenzene* | <0.050 | 0.050 | 12/03/2015 | ND | 1.77 | 88.4 | 2.00 | 1.29 | |
| Total Xylenes* | <0.150 | 0.150 | 12/03/2015 | ND | 5.34 | 89.0 | 6.00 | 1.20 | |
| Total BTEX | <0.300 | 0.300 | 12/03/2015 | ND | | | | | |
| Surrogate: 4-Bromofluorobenzene (PID | 104 % | 73.6-14 | 0 | | | | | | |
| Chloride, SM4500Cl-B | mg/ | kg | Analyze | d By: AP | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 1200 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |
| TPH 8015M | mg/ | kg | Analyze | d By: MS | | | | | |
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| GRO C6-C10 | <10.0 | 10.0 | 12/03/2015 | ND | 193 | 96.3 | 200 | 4.68 | |
| DRO >C10-C28 | <10.0 | 10.0 | 12/03/2015 | ND | 190 | 94.8 | 200 | 6.86 | |
| Surrogate: 1-Chlorooctane | 87.7 9 | % 35-147 | , | | | | | | |
| | 95.19 | % 28-171 | | | | | | | |

Sample ID: SP 6 @ 2' (H503145-18)

| Chloride, SM4500Cl-B | mg | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 1120 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Cardinal Laboratories

*=Accredited Analyte

Celeg D. Keine

Celey D. Keene, Lab Director/Quality Manager



BBC International, Inc. Cliff Brunson P.O. Box 805 Hobbs NM, 88241 Fax To: (575) 397-0397

| Received: | 12/01/2015 | Sampling Date: | 11/25/2015 |
|-------------------|------------------------|---------------------|---------------|
| Reported: | 12/08/2015 | Sampling Type: | Soil |
| Project Name: | CEDAR CANYON 15 SWD #1 | Sampling Condition: | Cool & Intact |
| Project Number: | NONE GIVEN | Sample Received By: | Jodi Henson |
| Project Location: | NOT GIVEN | | |

Sample ID: SP 6 @ 3' (H503145-19)

| Chloride, SM4500Cl-B | mg, | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 768 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Sample ID: SP 6 @ 4' (H503145-20)

| Chloride, SM4500Cl-B | mg, | /kg | Analyze | d By: AP | | | | | |
|----------------------|--------|-----------------|------------|--------------|-----|------------|---------------|------|-----------|
| Analyte | Result | Reporting Limit | Analyzed | Method Blank | BS | % Recovery | True Value QC | RPD | Qualifier |
| Chloride | 192 | 16.0 | 12/04/2015 | ND | 464 | 116 | 400 | 3.51 | |

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the sample identified above. This report shall not be reproduced except in full with written approval of Cardinal Loratories.

Celeg D. Keine



Notes and Definitions

- ND
 Analyte NOT DETECTED at or above the reporting limit

 RPD
 Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the sample identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine

| Project Manager: Cliff Brunson Address: P.O. Box 805 | | P.O. #: Company: | | |
|---|---|---|---|--------------------------------|
| State: N | Zip: 88241 | Attn: | | |
| Phone #: 3/3-39/-0300 Fax #: 5/ | 79-28/-038/ | Address: | | |
| Project #: Project Owner: | Her: OXY | City: | | |
| Project Name: CEDAP CANYON 1: | 1 # dws S. | State: Zip: | E | |
| Project Location: | | Phone #: | 0 | |
| Sampler Name: Perse Henrindez | | Fax #: | 21 | |
| FOR LAB USE ONLY | MATRIX | PRESERV. SAMPLING | Y DR | |
| Lab I.D. Sample I.D. | | IER : D/BASE: / COOL | TPH BTE CHL | |
| H503145 | # CON GROU | OTHE ACID/ ICE / 0 OTHE DATE | TIME | |
| ISple I' | | V | 1111 | |
| 1 1 0 0 | G | V 11-24-K 10 | 780 | |
| 4502011 | C V | 1 1. 24.11 1 | 181 | |
| 5 6 21 | 0 | C 11 24 15 12 | 25 | |
| 1 02001 | | 1 1/12 11 V | 108 1 10 | |
| 2 2070 | 69 | 51.1 | 3.00 | |
| 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 61 | N 11.24 - 17 3 | | |
| ability and client's exclusive rem nd any other cause whatsoever | dy for any claim arising whether based in contract or tort, shall hall be deemed waived unless made in writing and received by | be limited to the amount paid by Cardinal within 30 days after cc | | |
| out of or related to the performance of services hereur | by Cardinal, regardless of whether such claim | including without inimiation, pustness interruptions, loss or use, or loss or profits incurred by client, its subsolutaries nder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. | | |
| Relinquished By: For Amandel Times, 20 | S Received By: | Gulky REA | Phone Result: Yes No Fax Result: REMARKS: | Add'l Phone #: Add'l Fax #: |
| Relinquished By: Date: 12-1-15 | Received By: | MA AMA | | |
| Delivered By: (Circle One) | Sample Condition | tion CHECKED BY: | | |
| | | | | |

Page 13 of 14

| | | | ΔΝΔΙΥ | SIS REQUEST |
|--|---|------------------|--|-----------------|
| Company Name: BBC International, Inc. Project Manager: Cliff Brunson | | P.O. #: | ANALTOIS | |
| 0 | | Company: | | |
| obs | zip: 88241 | Attn: | | |
| 5-397-6388 Fax #: | 5-397-0397 | Address: | | |
| Project #: Project Owner: | | City: | | |
| ame: CEOAQ | 15 SWR#1 | State: Zip: | t. | |
| Project Location: | | Phone #: | DE | |
| Waser 4 | emandez F | Fax #: | 211 | |
| | MATRIX | PRESERV SAMPLING | X K | |
| Lab I.D. Sample I.D. | G)RAB OR (C)OM CONTAINERS GROUNDWATER VASTEWATER SOIL DIL SLUDGE | | TPH BTE CHLU | |
| | , # G V S O S S S | | | |
| 1 SOUC 21 | | - | Q39 V | |
| A R | | | | |
| 11 2400 2.1 | 0 | 2 | | |
| | G 1 1 | 5 | 145 | |
| 6 | 61 | N. 12.11 | 1200 | |
| 11 SD6 @ 1:V | 0 | 1.11.11 | 122 VVV | |
| 18 621 | 0 | 9 | (33 | |
| | 200-1 | 0, 22.11 | 192 1 | |
| Ind Damages. Cardinal's liability and client's exclusive ren ing those for negligence and any other cause whatsoever | nedy for any claim arising whether based in contract o shall be deemed waived unless made in writing and r | ays after com | he client for the pletion of the applicable | |
| shall Cardinal be liable for incidental or consequental damages, ors arising out of or related to the performance of services hereu | ding without limitation, busi vy Cardinal, regardless of v | | | |
| Date: 20 | Received By: | | Phone Result: Yes No Add'I Phone #: Fax Result: Yes No Add'I Fax #: | ione #: x #: |
| Denzo binanchi Time: 20 | Jennif | Gulfery RE | 1 | |
| a Giller Time: 1 | 15 Received By: | on Non | * | |
| ò | TO MUN OT | | | |
| | Cool Intact | on CHECKED BY: | | |
| Sampler - UPS - Bus - Other: | | CAM - | | |

Page 14 of 14

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

| | | and the second | | |
|---------|--------------|----------------|------------|--------|
| Release | Notification | and | Corrective | Action |

| N | OPERATOR | 🛛 Initial Report 🔲 Final Report |
|--|----------------------------|---------------------------------|
| Name of Company Oxy Permian Ltd. | Contact Dusty Wilson | |
| Address 6 Desta Drive, Midland, TX 79705 | Telephone No. 432-685-5771 | |
| Facility Name Codar Canyon 15 SWD #001 | Facility Type Battery | |
| | | |

Surface Owner Brantley- McDonald

Mineral Owner

API No. 30-015-42797

LOCATION OF RELEASE

| | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
|-------------|---------------------------------------|--------------------|-------|---------------------|--------------------|---------------|----------------|-----------|---|
| Unit Letter | Section | 1 Thomas and a lar | D | W1 | | | | ··· | |
| | Section | Township | Range | Feet from the | North/South Line | Feet from the | 17 | | and the second se |
| 47 | ۰. م | | | T ANT TO THE STREET | THOTHER DOMIN THUE | reet from the | East/West Line | County | 1 |
| IK | 1 15 | 245 | 29E | | | | | ocartey | |
| | 1.2 | L 477)J | 1 47C | 1 | | | | Phatata a | |
| | | | | | | | | Eddy | |
| | | | | | | | | | |

Latitude 32,21710 Longitude 103.97642

Type of Release Produced water Volume of Release 200 bbls Volume Recovered 0 bbls Source of Release Failure of a transfer line clamp Date and Hour of Occurrence Date and Hour of Discovery 10/11/15 Was Immediate Notice Given? If YES, To Whom? 🖾 Yes 🖾 No 🛄 Not Required Heather Patterson, Mike Bratcher By Whom? Kathy Purvis @ BBC International Date and Hour 10/13/15 11:45 am Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. 🗌 Yes 🖾 No If a Watercourse was Impacted, Describe Fully,* Describe Cause of Problem and Remedial Action Taken.* A transfer line clamp caused 200 bbls of produced water to leak on to the ground. No fluids were recovered and the clamp was replaced. Describe Area Affected and Cleanup Action Taken.* The affected area is approximately 100' x 250' on and off location. Remediation will be completed in accordance with the remediation plan approved by NMOCD. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Approved by Environmental Specialist: Wilson Printed Name: Dust Title: Environmental Advisor Approval Date: Expiration Date: E-mail Address: : Dusty_Wilson@oxy.com Conditions of Approval: Attached 🔲 115 11/11 Date: Phone: Attach Additional Sheets If Necessary

NATURE OF RELEASE