

From: [Audra Burton](#)
To: [Patterson, Heather, EMNRD](#)
Cc: [Bratcher, Mike, EMNRD](#); agroves@slo.state.nm.us
Subject: Re: Read: Emailing - Dorstate 5-2-16 c141.pdf
Date: Tuesday, May 10, 2016 9:33:24 PM

Heather,

This was not a release on the pad. It was in the containment and it was contained. Yes I sent in the c141. Jerry needs to speak with you on this. What is a good time to call you.

Thank you
Audra

Audra L. Burton

New Mexico Operations Assistant
Pyote Water Systems, LLC
110 S. Halagueno Suite. 1
Carlsbad, NM 88220
Office {575}689-8266
Office {432}448-5323
Fax {575} 689-8323
audra@pyotewatersystems.com

On Fri, May 6, 2016 at 8:27 AM, Patterson, Heather, EMNRD
<Heather.Patterson@state.nm.us> wrote:

Audra,

Please send me your revised C-141. You will need to go through both Amber with the State Land Office, and myself with the OCD on this release. It appears that there have been more releases on the pad also. Please make sure you include those releases in the revised C-141.

Thank you,

Heather Patterson

Environmental Specialist

NMOCD District II

Office [\(575\)748-1283 ext.101](tel:(575)748-1283)

Cell [\(575\)703-0228](tel:(575)703-0228)

From: Audra Burton [mailto:audra@pyotewatersystems.com]

Sent: Friday, May 06, 2016 12:20 AM

To: Patterson, Heather, EMNRD

Subject: Re: Read: Emailing - Dorstate 5-2-16 c141.pdf

SORRY THIS WAS WRONG PERSON AGAIN. AMBER GROVES IT GOES TOO

Audra L. Burton

New Mexico Operations Assistant

Pyote Water Systems, LLC

110 S. Halagueno Suite. 1

Carlsbad, NM 88220

Office {575}689-8266

Office {432}448-5323

Fax {575} 689-8323

audra@pyotewatersystems.com

On Thu, May 5, 2016 at 5:26 PM, Patterson, Heather, EMNRD
<Heather.Patterson@state.nm.us> wrote:

Your message

To: Patterson, Heather, EMNRD

Subject: Emailing - Dorstate 5-2-16 c141.pdf

Sent: Thursday, May 05, 2016 1:21:50 PM (UTC-07:00) Mountain Time (US & Canada)

was read on Thursday, May 05, 2016 5:26:45 PM (UTC-07:00) Mountain Time (US & Canada).