

## **Bratcher, Mike, EMNRD**

---

**From:** Bratcher, Mike, EMNRD  
**Sent:** Thursday, February 23, 2012 9:16 AM  
**To:** 'Vernon Black'; jamos@blm.gov  
**Cc:** 'Bebbington, Jon D'  
**Subject:** RE: DCP's Parkway Booster Remediation Work Plan

Vernon,

Your remediation proposal for DCP Parkway Booster release is approved. Please proceed on your schedule. Like approval may be required by BLM or any other regulatory authority as may be applicable.

NMOCD approval does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, please contact me.

***Mike Bratcher***

NMOCD District 2  
811 S. First Street  
Artesia, NM 88210  
575-748-1283 Ext. 108  
575-626-0857  
mike.bratcher@state.nm.us

---

**From:** Vernon Black [mailto:vernon@hungry-horse.com]  
**Sent:** Wednesday, February 22, 2012 10:13 AM  
**To:** Bratcher, Mike, EMNRD; jamos@blm.gov  
**Cc:** 'Bebbington, Jon D'  
**Subject:** DCP's Parkway Booster Remediation Work Plan

Good Morning Mike and Jim,

Please see the attached documents as they pertain to the remediation work plan at DCP's Parkway Booster. DCP's quick notification and our ability to respond timely allowed us to perform remedial action at the release site thus reducing the impact to the affected area. As always, please feel free to call me if you have any questions.

Thanks in advance for your help,  
Vernon