



EOG Resources, Inc.
Artesia Division Office
105 S. 4th Street
Artesia, N. M. 88210

January 13, 2017

Mr. Mike Bratcher/Ms. Crystal Weaver
NMOCD District II
811 S. First St.
Artesia, NM 88210

Re: Dagger ZW Battery
30-015-25787
Section 30, T19S-R25E
1980' FSL & 1980' FWL
Eddy County, New Mexico
2RP-3782

Mr. Bratcher/Ms. Weaver,

EOG Y Resources, Inc. is submitting the enclosed work plan for the above captioned well. The plan is being submitted in response to the C-141 report dated July 15, 2016.

If there are no objections with the scope of work described in the plan, EOG Y Resources, Inc. will have a contractor begin work on or after January 27, 2017.

If you have any questions, feel free to call me at (575) 748-4171

Thank you.

EOG Y Resources, Inc.

Chase Settle
Rep Safety & Environmental II

EOG Y Resources, Inc.

Dagger ZW Battery Work Plan

Section 30, T19S-R25E

Eddy County, New Mexico

January 13, 2017

2RP- 3782

I. Location

From the intersection of US 285 and Rocking R Red Road, take Rocking R Red Road west for 8.1 miles, then turn south onto Crossbuck Road and follow for 2.0 miles, then turn west onto the lease road for 0.3 mile, then turn south to the battery location.

II. Background

On July 15, 2016, EOG Y Resources, Inc. submitted to the NMOCD District II office a Form C-141 for the release of 11 B/O with 8 B/O recovered. The affected area is approximately 90 feet by 20 feet within the battery berm. A hole developed in a crude oil tank which caused the release. Initial delineation samples were taken (10/13/2016) and sent to a NMOCD approved laboratory (10/26/2016, results enclosed).

III. Surface and Ground Water

Area surface geology is Paleozoic Permian. The ChevronTexaco Trend Map displays at this location (Section 30, T19S-R25E) that depth to groundwater is approximately 235 feet making the site ranking for this site a zero (0). Watercourses in the area are dry except for infrequent flows in response to major precipitation events.

The ranking for this site is zero (0) based on the as following:


Depth to ground water	> 100'
Wellhead Protection Area	> 1000'
Distance to surface water body	> 1000'

IV. Soils

The area consists of soils that are loam based topsoil on top of a caliche layer that is further interspersed with clay seams providing a low permeability barrier to prohibit further migration of contaminants into the subsurface.

V. Scope of Work

Based on enclosed analytical results, the depth to groundwater (235'), and a decrease in TPH & BTEX below RRAL's, EOG Y Resources, Inc. will excavate to three (3) feet BSL in the S1 area and to five (5) feet BSL in the S2 area. All excavated soils will be hauled to a NMOCD approved facility for disposal. EOG Y Resources, Inc. will then backfill the excavated S1 area with three (3) feet of caliche and the S2 area with five (5) feet of caliche. There will be no re-vegetative measures taken since the release occurred within the berm of an active battery. The TPH & BTEX for the remaining soil are within the RRAL's for BTEX (50 ppm) and TPH (5000 ppm) for the Total Ranking Score of zero (0), no further analytical testing of TPH and/or BTEX will be conducted. When remediation work is completed a C-141 Final Report will be submitted to the NMOCD requesting closure of the site.



Dagger ZW Battery- NOT TO SCALE

Sample Area	Analytical	Sample Date	Sample Type	Depth	BTEX	GRO	DRO
S1-1'	1610868	10/13/2016	Backhoe	1'	430	2800	8800
S1-2'	1610868	10/13/2016	Backhoe	2'	514	2900	5000
S1-3'	1610868	10/13/2016	Backhoe	3'	12.32	68	90
S1-4'	1610868	10/13/2016	Backhoe	4'	30.8	190	140
S1-6'	1610868	10/13/2016	Backhoe	6'	2.76	23	59
S1-8'	1610868	10/13/2016	Backhoe	8'	ND	ND	ND
S1-10'	1610868	10/13/2016	Backhoe	10'	0.031	ND	ND
S2-1'	1610868	10/13/2016	Backhoe	1'	14.7	630	13000
S2-2'	1610868	10/13/2016	Backhoe	2'	14.7	560	15000
S2-3'	1610868	10/13/2016	Backhoe	3'	13.5	420	8700
S2-4'	1610868	10/13/2016	Backhoe	4'	15.9	450	8900
S2-6'	1610868	10/13/2016	Backhoe	6'	2.66	170	2700
S2-8'	1610868	10/13/2016	Backhoe	8'	ND	33	350
S2-10'	1610868	10/13/2016	Backhoe	10'	ND	ND	ND

Site Ranking is Zero (0). DTGW >100' (approx 235', Section 30, T19S-R25E, Trend Map)

All results are ppm. Released: 11 B/O; Recovered: 8 B/O Release Date: 7/1/2016



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

October 26, 2016

Chase Settle

EOG

105 South Fourth Street

Artesia, NM 88210

TEL: (575) 748-4111

FAX

RE: Dagger ZW Battery

OrderNo.: 1610868

Dear Chase Settle:

Hall Environmental Analysis Laboratory received 14 sample(s) on 10/18/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S1-1'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:03:00 AM

Lab ID: 1610868-001

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	8800	180		mg/Kg	20	10/20/2016 5:43:51 PM	28170
Surr: DNOP	0	70-130	S	%Rec	20	10/20/2016 5:43:51 PM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	2800	230		mg/Kg	50	10/19/2016 12:25:34 PM	28140
Surr: BFB	211	68.3-144	S	%Rec	50	10/19/2016 12:25:34 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	30	1.2		mg/Kg	50	10/19/2016 12:25:34 PM	28140
Toluene	140	2.3		mg/Kg	50	10/19/2016 12:25:34 PM	28140
Ethylbenzene	130	2.3		mg/Kg	50	10/19/2016 12:25:34 PM	28140
Xylenes, Total	130	4.6		mg/Kg	50	10/19/2016 12:25:34 PM	28140
Surr: 4-Bromofluorobenzene	129	80-120	S	%Rec	50	10/19/2016 12:25:34 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S1-2'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:05:00 AM

Lab ID: 1610868-002

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	5000	95		mg/Kg	10	10/20/2016 10:06:39 AM	28170
Surr: DNOP	0	70-130	S	%Rec	10	10/20/2016 10:06:39 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	2900	230		mg/Kg	50	10/19/2016 8:36:55 PM	28140
Surr: BFB	189	68.3-144	S	%Rec	50	10/19/2016 8:36:55 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	44	1.2		mg/Kg	50	10/19/2016 8:36:55 PM	28140
Toluene	210	2.3		mg/Kg	50	10/19/2016 8:36:55 PM	28140
Ethylbenzene	130	2.3		mg/Kg	50	10/19/2016 8:36:55 PM	28140
Xylenes, Total	130	4.6		mg/Kg	50	10/19/2016 8:36:55 PM	28140
Surr: 4-Bromofluorobenzene	133	80-120	S	%Rec	50	10/19/2016 8:36:55 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S1-3'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:06:00 AM

Lab ID: 1610868-003

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	90	9.9		mg/Kg	1	10/20/2016 10:29:27 AM	28170
Surr: DNOP	108	70-130		%Rec	1	10/20/2016 10:29:27 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	68	24		mg/Kg	5	10/19/2016 10:10:42 PM	28140
Surr: BFB	119	68.3-144		%Rec	5	10/19/2016 10:10:42 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	0.32	0.12		mg/Kg	5	10/19/2016 10:10:42 PM	28140
Toluene	4.0	0.24		mg/Kg	5	10/19/2016 10:10:42 PM	28140
Ethylbenzene	4.0	0.24		mg/Kg	5	10/19/2016 10:10:42 PM	28140
Xylenes, Total	4.0	0.48		mg/Kg	5	10/19/2016 10:10:42 PM	28140
Surr: 4-Bromofluorobenzene	112	80-120		%Rec	5	10/19/2016 10:10:42 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

CLIENT: EOG

Client Sample ID: S1-4'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:09:00 AM

Lab ID: 1610868-004

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	140	9.2		mg/Kg	1	10/20/2016 10:52:09 AM	28170
Surr: DNOP	110	70-130		%Rec	1	10/20/2016 10:52:09 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	190	25		mg/Kg	5	10/19/2016 10:34:00 PM	28140
Surr: BFB	113	68.3-144		%Rec	5	10/19/2016 10:34:00 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	4.7	0.12		mg/Kg	5	10/19/2016 10:34:00 PM	28140
Toluene	13	0.25		mg/Kg	5	10/19/2016 10:34:00 PM	28140
Ethylbenzene	7.2	0.25		mg/Kg	5	10/19/2016 10:34:00 PM	28140
Xylenes, Total	5.9	0.49		mg/Kg	5	10/19/2016 10:34:00 PM	28140
Surr: 4-Bromofluorobenzene	110	80-120		%Rec	5	10/19/2016 10:34:00 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

CLIENT: EOG

Client Sample ID: S1-6'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:11:00 AM

Lab ID: 1610868-005

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	59	9.9		mg/Kg	1	10/20/2016 11:15:03 AM	28170
Surr: DNOP	108	70-130		%Rec	1	10/20/2016 11:15:03 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	23	4.7		mg/Kg	1	10/19/2016 10:57:23 PM	28140
Surr: BFB	115	68.3-144		%Rec	1	10/19/2016 10:57:23 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	0.61	0.024		mg/Kg	1	10/19/2016 10:57:23 PM	28140
Toluene	0.69	0.047		mg/Kg	1	10/19/2016 10:57:23 PM	28140
Ethylbenzene	0.92	0.047		mg/Kg	1	10/19/2016 10:57:23 PM	28140
Xylenes, Total	0.54	0.095		mg/Kg	1	10/19/2016 10:57:23 PM	28140
Surr: 4-Bromofluorobenzene	111	80-120		%Rec	1	10/19/2016 10:57:23 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

CLIENT: EOG

Client Sample ID: S1-8'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:16:00 AM

Lab ID: 1610868-006

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	10/20/2016 12:23:33 PM	28170
Surr: DNOP	103	70-130		%Rec	1	10/20/2016 12:23:33 PM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	10/19/2016 11:20:49 PM	28140
Surr: BFB	84.1	68.3-144		%Rec	1	10/19/2016 11:20:49 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.025		mg/Kg	1	10/19/2016 11:20:49 PM	28140
Toluene	ND	0.050		mg/Kg	1	10/19/2016 11:20:49 PM	28140
Ethylbenzene	ND	0.050		mg/Kg	1	10/19/2016 11:20:49 PM	28140
Xylenes, Total	ND	0.099		mg/Kg	1	10/19/2016 11:20:49 PM	28140
Surr: 4-Bromofluorobenzene	97.3	80-120		%Rec	1	10/19/2016 11:20:49 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** EOG**Client Sample ID:** S1-10'**Project:** Dagger ZW Battery**Collection Date:** 10/13/2016 10:22:00 AM**Lab ID:** 1610868-007**Matrix:** SOIL**Received Date:** 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	10/20/2016 12:46:21 PM 28170	
Surr: DNOP	94.9	70-130		%Rec	1	10/20/2016 12:46:21 PM 28170	
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	10/19/2016 11:44:21 PM 28140	
Surr: BFB	85.6	68.3-144		%Rec	1	10/19/2016 11:44:21 PM 28140	
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	0.031	0.024		mg/Kg	1	10/19/2016 11:44:21 PM 28140	
Toluene	ND	0.048		mg/Kg	1	10/19/2016 11:44:21 PM 28140	
Ethylbenzene	ND	0.048		mg/Kg	1	10/19/2016 11:44:21 PM 28140	
Xylenes, Total	ND	0.096		mg/Kg	1	10/19/2016 11:44:21 PM 28140	
Surr: 4-Bromofluorobenzene	99.4	80-120		%Rec	1	10/19/2016 11:44:21 PM 28140	

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

CLIENT: EOG

Client Sample ID: S2-1'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:40:00 AM

Lab ID: 1610868-008

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	13000	990		mg/Kg	100	10/21/2016 8:44:31 AM	28170
Surr: DNOP	0	70-130	S	%Rec	100	10/21/2016 8:44:31 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	630	50		mg/Kg	10	10/20/2016 12:07:45 AM	28140
Surr: BFB	313	68.3-144	S	%Rec	10	10/20/2016 12:07:45 AM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	4.7	0.25		mg/Kg	10	10/20/2016 12:07:45 AM	28140
Toluene	ND	0.50		mg/Kg	10	10/20/2016 12:07:45 AM	28140
Ethylbenzene	1.4	0.50		mg/Kg	10	10/20/2016 12:07:45 AM	28140
Xylenes, Total	8.6	1.0		mg/Kg	10	10/20/2016 12:07:45 AM	28140
Surr: 4-Bromofluorobenzene	120	80-120	S	%Rec	10	10/20/2016 12:07:45 AM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S2-2'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:42:00 AM

Lab ID: 1610868-009

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	15000	980		mg/Kg	100	10/21/2016 9:07:00 AM	28170
Surr: DNOP	0	70-130	S	%Rec	100	10/21/2016 9:07:00 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	560	95		mg/Kg	20	10/20/2016 3:47:16 PM	28140
Surr: BFB	168	68.3-144	S	%Rec	20	10/20/2016 3:47:16 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	1.9	0.47		mg/Kg	20	10/20/2016 3:47:16 PM	28140
Toluene	ND	0.95		mg/Kg	20	10/20/2016 3:47:16 PM	28140
Ethylbenzene	1.8	0.95		mg/Kg	20	10/20/2016 3:47:16 PM	28140
Xylenes, Total	11	1.9		mg/Kg	20	10/20/2016 3:47:16 PM	28140
Surr: 4-Bromofluorobenzene	105	80-120		%Rec	20	10/20/2016 3:47:16 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S2-3'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:44:00 AM

Lab ID: 1610868-010

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	8700	960		mg/Kg	100	10/21/2016 9:29:34 AM	28170
Surr: DNOP	0	70-130	S	%Rec	100	10/21/2016 9:29:34 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	420	94		mg/Kg	20	10/20/2016 12:54:40 AM	28140
Surr: BFB	157	68.3-144	S	%Rec	20	10/20/2016 12:54:40 AM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	1.1	0.47		mg/Kg	20	10/20/2016 12:54:40 AM	28140
Toluene	ND	0.94		mg/Kg	20	10/20/2016 12:54:40 AM	28140
Ethylbenzene	1.4	0.94		mg/Kg	20	10/20/2016 12:54:40 AM	28140
Xylenes, Total	11	1.9		mg/Kg	20	10/20/2016 12:54:40 AM	28140
Surr: 4-Bromofluorobenzene	111	80-120		%Rec	20	10/20/2016 12:54:40 AM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S2-4'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:49:00 AM

Lab ID: 1610868-011

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	8900	95		mg/Kg	10	10/20/2016 2:17:57 PM	28170
Surr: DNOP	0	70-130	S	%Rec	10	10/20/2016 2:17:57 PM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	450	99		mg/Kg	20	10/20/2016 6:07:25 PM	28140
Surr: BFB	173	68.3-144	S	%Rec	20	10/20/2016 6:07:25 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	1.2	0.50		mg/Kg	20	10/20/2016 6:07:25 PM	28140
Toluene	ND	0.99		mg/Kg	20	10/20/2016 6:07:25 PM	28140
Ethylbenzene	1.7	0.99		mg/Kg	20	10/20/2016 6:07:25 PM	28140
Xylenes, Total	13	2.0		mg/Kg	20	10/20/2016 6:07:25 PM	28140
Surr: 4-Bromofluorobenzene	110	80-120		%Rec	20	10/20/2016 6:07:25 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S2-6'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:51:00 AM

Lab ID: 1610868-012

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	2700	95		mg/Kg	10	10/21/2016 9:38:45 AM	28170
Surr: DNOP	0	70-130	S	%Rec	10	10/21/2016 9:38:45 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	170	23		mg/Kg	5	10/20/2016 1:41:34 AM	28140
Surr: BFB	239	68.3-144	S	%Rec	5	10/20/2016 1:41:34 AM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.12		mg/Kg	5	10/20/2016 1:41:34 AM	28140
Toluene	ND	0.23		mg/Kg	5	10/20/2016 1:41:34 AM	28140
Ethylbenzene	0.46	0.23		mg/Kg	5	10/20/2016 1:41:34 AM	28140
Xylenes, Total	2.2	0.46		mg/Kg	5	10/20/2016 1:41:34 AM	28140
Surr: 4-Bromofluorobenzene	116	80-120		%Rec	5	10/20/2016 1:41:34 AM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Analytical Report

Lab Order 1610868

Date Reported: 10/26/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S2-8'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 10:56:00 AM

Lab ID: 1610868-013

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	350	9.3		mg/Kg	1	10/21/2016 9:25:21 AM	28170
Surr: DNOP	102	70-130		%Rec	1	10/21/2016 9:25:21 AM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	33	4.7		mg/Kg	1	10/20/2016 6:54:19 PM	28140
Surr: BFB	298	68.3-144	S	%Rec	1	10/20/2016 6:54:19 PM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.023		mg/Kg	1	10/20/2016 6:54:19 PM	28140
Toluene	ND	0.047		mg/Kg	1	10/20/2016 6:54:19 PM	28140
Ethylbenzene	ND	0.047		mg/Kg	1	10/20/2016 6:54:19 PM	28140
Xylenes, Total	ND	0.094		mg/Kg	1	10/20/2016 6:54:19 PM	28140
Surr: 4-Bromofluorobenzene	116	80-120		%Rec	1	10/20/2016 6:54:19 PM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: S2-10'

Project: Dagger ZW Battery

Collection Date: 10/13/2016 11:03:00 AM

Lab ID: 1610868-014

Matrix: SOIL

Received Date: 10/18/2016 9:35:00 AM

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: TOM
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	10/20/2016 4:12:26 PM	28170
Surr: DNOP	95.4	70-130		%Rec	1	10/20/2016 4:12:26 PM	28170
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	10/20/2016 12:35:37 AM	28140
Surr: BFB	84.3	68.3-144		%Rec	1	10/20/2016 12:35:37 AM	28140
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.024		mg/Kg	1	10/20/2016 12:35:37 AM	28140
Toluene	ND	0.047		mg/Kg	1	10/20/2016 12:35:37 AM	28140
Ethylbenzene	ND	0.047		mg/Kg	1	10/20/2016 12:35:37 AM	28140
Xylenes, Total	ND	0.095		mg/Kg	1	10/20/2016 12:35:37 AM	28140
Surr: 4-Bromofluorobenzene	99.6	80-120		%Rec	1	10/20/2016 12:35:37 AM	28140

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1610868

26-Oct-16

Client: EOG
Project: Dagger ZW Battery

Sample ID	LCS-28170		SampType: LCS		TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID:	LCSS		Batch ID: 28170		RunNo: 38068					
Prep Date:	10/19/2016		Analysis Date: 10/20/2016		SeqNo: 1187501		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	99.3	62.6	124			
Surr: DNOP	4.7		5.000		94.4	70	130			

Sample ID	MB-28170	SampType: MBLK			TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID:	PBS	Batch ID: 28170			RunNo: 38068					
Prep Date:	10/19/2016	Analysis Date: 10/20/2016			SeqNo: 1187502		Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Surr: DNOP	9.7		10.00		97.2	70	130			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1610868

26-Oct-16

Client: EOG

Project: Dagger ZW Battery

Sample ID	MB-28140	SampType:	MBLK	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	PBS	Batch ID:	28140	RunNo:	38051					
Prep Date:	10/18/2016	Analysis Date:	10/19/2016	SeqNo:	1186883	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	850		1000		84.9	68.3	144			

Sample ID	LCS-28140	SampType:	LCS	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	LCSS	Batch ID:	28140	RunNo:	38051					
Prep Date:	10/18/2016	Analysis Date:	10/19/2016	SeqNo:	1186884	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	28	5.0	25.00	0	112	74.6	123			
Surr: BFB	920		1000		92.2	68.3	144			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1610868

26-Oct-16

Client: EOG
Project: Dagger ZW Battery

Sample ID	MB-28140	SampType:	MBLK	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	PBS	Batch ID:	28140	RunNo:	38051					
Prep Date:	10/18/2016	Analysis Date:	10/19/2016	SeqNo:	1186908	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.99		1.000		99.2	80	120			

Sample ID	LCS-28140	SampType:	LCS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS	Batch ID:	28140	RunNo:	38051					
Prep Date:	10/18/2016	Analysis Date:	10/19/2016	SeqNo:	1186909	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.96	0.025	1.000	0	95.9	75.2	115			
Toluene	0.94	0.050	1.000	0	93.6	80.7	112			
Ethylbenzene	0.94	0.050	1.000	0	93.7	78.9	117			
Xylenes, Total	2.8	0.10	3.000	0	92.8	79.2	115			
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120			

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Value above quantitation range |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S % Recovery outside of range due to dilution or matrix | W Sample container temperature is out of limit as specified |



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: EOG/Yates

Work Order Number: 1610868

RcptNo: 1

Received by/date:

Logged By: Ashley Gallegos

10/18/2016 9:35:00 AM

Completed By: Ashley Gallegos

10/18/2016 2:18:25 PM

Reviewed By:

Chain of Custody

1. Custody seals intact on sample bottles? Yes ☐ No ☐ Not Present ☒
2. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
3. How was the sample delivered? Courier

Log In

4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. VOA vials have zero headspace? Yes ☐ No ☐ No VOA Vials ☒
11. Were any sample containers received broken? Yes ☐ No ☒
12. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH: _____
(<2 or >12 unless noted)
Adjusted? _____
Checked by: _____

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:	_____	Date	_____
By Whom:	_____	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	_____		
Client Instructions:	_____		

17. Additional remarks:

18. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	2.8	Good	Yes			

Chain-of-Custody Record

Client: EOG

Mailing Address:

105 South 4th Street Artesia, NM 88210

Phone #: 575-703-6537

email or Fax#: csettle@vatespetroleum.com

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)

Accreditation:

☐ NELAP ☐ Other

☐ EDD (Type)

Turn-Around Time:

☒ Standard ☐ Rush

Project Name:

Dagger ZW Battery

Project #:

30-015-25787

Project Manager:

Chase Settle

PO # 205. 0750

Sampler: Chase Settle

On Ice: ☒ Yes ☐ No

Sample Temperature: 2-8

Date Time Matrix Sample Request ID

10/13/16	10:03A	Soil	S1-1'
10/13/16	10:05A	Soil	S1-2'
10/13/16	10:06A	Soil	S1-3'
10/13/16	10:09A	Soil	S1-4'
10/13/16	10:11A	Soil	S1-6'
10/13/16	10:16A	Soil	S1-8'
10/13/16	10:22A	Soil	S1-10'

HEAL No.

110108108
-001
-002
-003
-004
-005
-006
-007

Container Type and #

1 - 4oz.
1 - 4oz.
1 - 4oz.
1 - 4oz.
1 - 4oz.
1 - 4oz.
1 - 4oz.

Preservative Type

ICE
ICE
ICE
ICE
ICE
ICE
ICE

BTEX + MTBE + TMBs (8021)

BTEX + MTBE + TPH (Gas only)

TPH Method 8015B (Gas/Diesel)

TPH (Method 418.1)

EDB (Method 504.1)

8310 (PNA or PAH)

RCRA 8 Metals

Anions (F, Cl, NO₃, NO₂, PO₄, SO₄)

8081 Pesticides / 8082 PCB's

8260B (VOA)

8270 (Semi-VOA)

Air Bubbles (Y or N)

Date: Time: Relinquished by:

Date: Time: Relinquished by:

Received by: Date Time

Received by: Date Time

Remarks: Page 1 of 2

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Chain-of-Custody Record

Client: EOG

☒ Standard ☐ Rush

Mailing Address:

105 South 4th Street Artesia, NM 88210

Phone #: 575-703-6537

email or Fax#: csettle@vatespetroleum.com

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)

Accreditation:

☐ NELAP ☐ Other

☐ EDD (Type)

Project Name: Dagger ZW Battery

Project #:

30-015-25787

Project Manager:

Chase Settle

PO # 205. 0750

Sampler: Chase Settle

On Ice: ☒ Yes ☐ No

Sample Temperature: 2.8

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.

Date

Time

Matrix

Sample Request ID

Container Type and #

Preservative Type

HEAL No.