

From: [Weaver, Crystal, EMNRD](#)
To: [Chase Settle](#); [Bratcher, Mike, EMNRD](#); stucker@blm.gov; jamos@blm.gov
Cc: [Bob Asher](#); [Amber Griffin](#); [Veronica Alvarado](#)
Subject: RE: Livingston Ridge SWD System C-141 Initial & Sundry
Date: Monday, March 6, 2017 12:01:00 PM
Attachments: [image001.png](#)
[1. 4129 - COAs & signed C-141 intial.pdf](#)

RE: EOG Y Resources * Livingston Ridge SWD * fJMW1330950158 * 2RP-4129

Chase,

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval. The OCD tracking number for this event is 2RP-4129.

Thank you,

Crystal Weaver

Environmental Specialist
OCD – Artesia District II
811 S. 1st Street
Artesia, NM 88210
Office: 575-748-1283 ext. 101
Cell: 575-840-5963
Fax: 575-748-9720

From: Chase Settle [mailto:Chase_Settle@eogresources.com]
Sent: Friday, February 24, 2017 2:26 PM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; stucker@blm.gov; jamos@blm.gov
Cc: Bob Asher <Bob_Asher@eogresources.com>; Amber Griffin <Amber_Griffin@eogresources.com>; Veronica Alvarado <Veronica_Alvarado@eogresources.com>
Subject: Livingston Ridge SWD System C-141 Initial & Sundry

Please find attached the C-141 Initial for the below listed location. Note that this release occurred on a site that already has been remediated for a release and has a synthetic liner installed underneath at 4' BSL. It should also be noted that samples were taken with a hand auger on 2/23/2017 to the depth of the liner and sent to an NMOC approved laboratory for analysis.

Livingston Ridge Water System
Section 1, T22S-R31E

Eddy County, New Mexico

Thank you,

Chase Settle, M.S.
Rep Safety & Environmental II

EOG Resources
105 S. 4th Street
Artesia, NM 88210
575-748-4171 (Office)
575-703-6537 (Cell)

