

From: [Weaver, Crystal, EMNRD](#)
To: ["Stuart Wittenbach"](#); [Oberding, Tomas, EMNRD](#); [Bo Vizcaino](#); [Chelsie Dugan](#); [Jeanne Eckhart](#); [Jeffery Morgan](#); [Jennifer Wilding](#); [Griswold, Jim, EMNRD](#); [Jim Stovall](#); [Lynn Wellman](#); [Bratcher, Mike, EMNRD](#); [Sloane, Michael B., DGF](#); [Susan Webster](#); [Terry Gregston](#); [Travis Tidwell](#)
Cc: [Tiffani Davis](#)
Subject: RE: Period 11 IAP and Lab Data
Date: Thursday, September 21, 2017 11:49:00 AM
Attachments: [23. 4367 - COAs and signed C-141 Initial.pdf](#)

Hello all,

OCD has issued this event a case number of 2RP-4366 and all documents and data have been uploaded into the OCD Online database for anyone to reference.
Per OCD protocol attached I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval.

Thank you,

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Stuart Wittenbach [mailto:SWittenbach@cimarex.com]

Sent: Sunday, September 17, 2017 12:55 PM

To: Oberding, Tomas, EMNRD <Tomas.Oberding@state.nm.us>; Bo Vizcaino <bo.vizcaino@rrc.texas.gov>; Chelsie Dugan <cdugan@blm.gov>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Jeanne Eckhart <Eckhart.Jeanne@epa.gov>; Jeffery Morgan <jeffery.morgan@rrc.texas.gov>; Jennifer Wilding <Jennifer.Wilding@chevron.com>; Griswold, Jim, EMNRD <Jim.Griswold@state.nm.us>; Jim Stovall <jstovall@blm.gov>; Lynn Wellman <Lynn_Wellman@fws.gov>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Sloane, Michael B., DGF <michael.sloane@state.nm.us>; Susan Webster <webster.susan@epa.gov>; Terry Gregston <tgregsto@blm.gov>; Travis Tidwell <travis.tidwell2@tpwd.texas.gov>

Cc: Tiffani Davis <TDavis@cimarex.com>

Subject: FW: Period 11 IAP and Lab Data

Good afternoon!

Attached is our IAP for the next two weeks for the Delaware project and we have included the updated chloride test graphs for your files.

The water sampling for standard water analysis will be continued until September 29th and will be ceased after this date. In addition we will be taking a sample of the produced water in the next two weeks and have the detailed analysis conducted by the third party – Cardno.

Please note that we conducted a flyover this past Thursday and since we are not observing any sheening or negative impacts to the river or surrounding shoreline, Cimarex will be discontinuing this operation.

Please contact me if you have any questions or concerns. Have a good and safe week!

Stuart A. Wittenbach
Cimarex Energy
Director of ES&H
Office - 918-560-7257
Cell - 918-404-1084

From: Tiffani Davis
Sent: Friday, September 15, 2017 9:29 AM
To: Stuart Wittenbach <SWittenbach@cimarex.com>
Subject: Period 11 IAP and Lab Data

Attached