

Bratcher, Mike, EMNRD

From: Alan.Brandon@ghd.com
Sent: Wednesday, October 25, 2017 11:59 AM
To: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD; stucker@blm.gov; YJORDAN@BLM.GOV
Cc: Zane Kurtz; Bernard.Bockisch@ghd.com; cctofiling@croworld.com
Subject: RE: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

Mike,

We do not anticipate encountering the 24 inch line during our excavation activities. However, if we do encounter it, we would only excavate to within 10 feet of it. Bernie is in the area today and will get coordinates of the pipe so we can add it to our Figure 2 to see how close it is to our proposed excavation limits. We will email you the updated drawing.

From: Bratcher, Mike, EMNRD [mailto:mike.bratcher@state.nm.us]
Sent: Wednesday, October 25, 2017 11:27 AM
To: Alan Brandon <Alan.Brandon@ghd.com>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; stucker@blm.gov; YJORDAN@BLM.GOV
Cc: Zane Kurtz <Zane_Kurtz@eogresources.com>; Bernard Bockisch <Bernard.Bockisch@ghd.com>; cctofiling@croworld.com
Subject: RE: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

RE: EOG Resources * Livingston Ridge SWD Water Line * 2RP-2044 * DOR: 10/27/13

Greetings,

At the time of this release, Transwestern had a 24" high pressure gas line that this release followed. The line was fairly shallow, and actually exposed in some areas of the release. The proposal is for a 4' excavation and liner placement, but no mention of the gas line. Assuming it still exists, what is your proposal in regard to that line?

Thank you,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

From: Alan.Brandon@ghd.com [mailto:Alan.Brandon@ghd.com]
Sent: Tuesday, October 17, 2017 9:27 AM
To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; stucker@blm.gov
Cc: Zane Kurtz <Zane_Kurtz@eogresources.com>; Bernard.Bockisch@ghd.com; cctofiling@croworld.com
Subject: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

Crystal, Mike and Shelly,

On behalf of EOG Resources, GHD is submitting the attached Assessment Summary Report for the Livingston Ridge SWD site (2RP-2044) for your review. If you have any questions, please contact either Bernard Bockisch or myself.

Thank you.

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

This e-mail has been scanned for viruses

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.
