From: <u>Weaver, Crystal, EMNRD</u>

To: "RDL Excavation and Construction"

Cc: Amber Groves (agroves@SLO.state.nm.us); Bratcher, Mike, EMNRD; Kasuboski, Robert

Subject: RE: State Caliche Pit 471

**Date:** Tuesday, November 21, 2017 2:30:00 PM

Attachments: <u>image001.png</u>

1. 4485 - COAs and signed C-141 Initial.pdf

RE: RDL Excavation & Construction \* Caliche Pit 471 \* fAB1732039240 \* 2RP-4485

Susan,

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval (COA). The OCD tracking number for this event is 2RP-4485, please refer to this tracking number on any and all submissions sent in to the OCD. Please remit a site characterization plan (see COA document included in attachment) or advise OCD of plan of action by no later than 11/30/17.

Thank you,

## **Crystal Weaver**

Environmental Specialist OCD – Artesia District II

811 S. 1<sup>st</sup> Street Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963 Fax: 575-748-9720

From: RDL Excavation and Construction [mailto:rdlec@live.com]

Sent: Thursday, September 28, 2017 2:34 PM

To: Weaver, Crystal, EMNRD < Crystal. Weaver@state.nm.us>

**Subject:** Re: State Caliche Pit 471

Thank You

Susan Cone

RDL

**From:** Weaver, Crystal, EMNRD < <u>Crystal.Weaver@state.nm.us</u>>

Sent: Tuesday, September 26, 2017 11:53 AM

**To:** Groves, Amber; <a href="mailto:rdlec@live.com">rdlec@live.com</a>

Cc: Kasuboski, Robert; Bratcher, Mike, EMNRD

Subject: RE: State Caliche Pit 471

Hello Ms. Cone,

OCD would like to concur with State Land Office (SLO) on requiring a C-141 for this release due to the volume size of the release and the field analysis efforts conducted thus far by the SLO. Sampling and delineation of this spill location will be required. Upon receipt of laboratory sample data (benzene, toluene, ethylbenzene, and total xylenes by either EPA Method 8260 or 8021, total petroleum hydrocarbons by EPA Method 8015 extended range (GRO+DRO+MRO;  $C_6$  thru  $C_{36}$ ), and for chloride by EPA Method 300.0) OCD and SLO can then determine what further action if any is required.

Please remit the requested Initial C-141 form on or before 10/2/17.

## **Crystal Weaver**

**Environmental Specialist** 

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Groves, Amber [mailto:agroves@slo.state.nm.us]

Sent: Monday, September 18, 2017 7:43 AM

To: rdlec@live.com

Cc: Kasuboski, Robert <<u>rkasuboski@slo.state.nm.us</u>>; Weaver, Crystal, EMNRD

<<u>Crystal.Weaver@state.nm.us</u>>; Bratcher, Mike, EMNRD <<u>mike.bratcher@state.nm.us</u>>

**Subject:** State Caliche Pit 471

Good Morning, Ms. Cone,

It is my understanding that RDL recently had a storage trailer parked in one of our caliche pits. It was observed during that time that there was a release from said trailer. I have been to the pit and taken a couple of samples for field tests and they are below.

Sample Point 1: 1,394 ppm

Sample Point 2: 3,482 ppm

Back Ground: 29 ppm

As the background sample was taken outside of the release area, the elevated chloride numbers indicate that this was not a fresh water release. NMSLO is requesting that a C-141 be filed with NMOCD, whom I have copied on this e-mail for your convenience.

Thank you,



**Amber Groves** 

Remediation Specialist

Field Operations Division

(575)392-3697

(575)263-3209 cell

New Mexico State Land Office
2827 N. Dal Paso Suite 117
Hobbs, NM 88240

CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

This email has been scanned by the Symantec Email Security.cloud service. For more information please visit <a href="http://www.symanteccloud.com">http://www.symanteccloud.com</a>