

**From:** [Weaver, Crystal, EMNRD](#)  
**To:** ["Melodie Sanjari"; Bratcher, Mike, EMNRD](#)  
**Cc:** [Austin Weyant](#); [Chase Settle](#); [Heather Patterson](#)  
**Subject:** RE: Mobil CI #4 Pipeline Workplan  
**Date:** Friday, April 20, 2018 3:43:00 PM  
**Attachments:** [image001.png](#)

---

RE: EOG \* Mobil CI #4 Pipeline \* 30-015-23212 \* 2RP-4565

Hello all,

As written this work plan is approved. As the plan mentions further side wall sampling is needed and confirmation side wall samples will need to be laboratory tested.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact Mike Bratcher and/or myself in the District II Office.

## Crystal Weaver

Environmental Specialist  
OCD – Artesia District II  
811 S. 1<sup>st</sup> Street  
Artesia, NM 88210  
Office: 575-748-1283 ext. 101  
Cell: 575-840-5963  
Fax: 575-748-9720

---

**From:** Melodie Sanjari <melodie.sanjari@soudermiller.com>  
**Sent:** Thursday, March 15, 2018 9:18 AM  
**To:** Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>  
**Cc:** Austin Weyant <austin.veyant@soudermiller.com>; Chase Settle <Chase\_Settle@eogresources.com>; Heather Patterson <heather.patterson@soudermiller.com>  
**Subject:** Mobil CI #4 Pipeline Workplan

Good Morning All,

Please find the attached Workplan for the Mobil CI #4 Pipeline. Don't hesitate to call with any questions or concerns.

**Melodie Sanjari**  
*Staff Scientist*



**Souder, Miller & Associates**

Engineering ♦ Environmental ♦ Surveying

201 S Halagueno Street

Carlsbad, NM 88220

[www.soudermiller.com](http://www.soudermiller.com)

(574) 370-9782 (cell)