



**EOG Resources, Inc.**  
Artesia Division Office  
104 S. 4<sup>th</sup> Street  
Artesia, N. M. 88210

February 27, 2019

NMOCD District II  
811 S. First St.  
Artesia, NM 88210

Re: Jackson B #57  
30-015-41003  
L-1-17S-30E  
Eddy County, NM  
2RP-5149

EOG Y Resources, Inc. is submitting the enclosed remediation work plan for the above referenced site. The plan is being submitted in reference to the C-141 report dated on December 13, 2018.

If you have any questions, feel free to call me at (575) 748-1471.

Respectfully,

Chase Settle  
Rep Safety & Environmental II  
EOG Y Resources, Inc.

## **I. Location**

From the intersection of US HWY 82 and Square Lake Road (CR 220), head north on Square Lake Road for 3.2 miles, the release point is the flow line sleeve under the county road.

## **II. Background**

A release was discovered on December 1, 2018, from the Jackson B #57 poly flow line that runs through a sleeve under Square Lake Road (CR 220) to the gathering facility. The release consisted of 2 B/CO and 6 B/PW with 2 B/CO and 5 B/PW recovered. A contractor was obtained to excavate soils that were impacted by the release. Approximately 67 cubic yards of soil were excavated, 22 cubic yards from the excavation named #1 on the east side of Square Lake Road and 45 cubic yards from the excavation named #2 on the west side of Square Lake Road, leaving both sites excavated to approximately six (6) feet below grade surface (bgs). All excavated soil was sent to a NMOCD approved disposal facility. The affected area in #1 is approximately ten (10) feet by ten (10) feet and in #2 is approximately twenty (20) feet by ten (10) feet. Initial vertical and horizontal soil sampling was conducted at the location with use of a backhoe on January 29, 2019.

## **III. Surface and Ground Water**

Area surface geology is Cenozoic Quaternary. Based on information from the United States Geological Survey National Water Information System (USGS) regarding this location (Section 1, T17S-R30E), the closest well to the release is 2.47 miles to the west at a depth of 361 feet bgs. Watercourses in the area are dry except for infrequent flows in response to major precipitation events, with the nearest body of significant surface water being the Flat Lake at 13 miles away.

## **IV. NMOCD Assessment Criteria**

The site assessment criteria are as follows:

Depth to ground water	> 100'
Wellhead Protection Area	> 1000'
Distance to surface water body	> 1000'

Based on the assessment criteria, the NMOCD established RRALs for this site are:

Benzene	10 mg/kg
BTEX	50 mg/kg
TPH	2,500 mg/kg
GRO + DRO	1,000 mg/kg
Chlorides	20,000 mg/kg

## **V. Soils**

USDA Natural Resources Conservation Service (NRCS) classifies soil in the area as Kermit-Berino fine sands, with 0-3% slopes, and very rapid permeability.

## VI. Scope of Work

Due to the presence of active flow lines, the asphalt county road, and the area consisting of sand soils, we are unable to sample any further vertically at this time. In order to fully delineate the sites, EOG Resources, Inc. proposes to install a Geosynthetic Clay Liner (GCL) under the flow lines and road sleeve that are already excavated at six (6) feet bgs. This would prevent any further vertical movement of contaminants and address the chloride issues identified in the #2 excavation area. Then the two excavated areas (#1 and #2) would be backfilled with caliche to grade in order to create a flat, stable surface with the ability to support an Air Rotary Core Rig. With the flow line positions clearly marked from previously being excavated, EOG will be able to safely complete vertical and horizontal delineation of the release areas. Once the bottom of the contamination has been determined, slotted PVC pipe (three inch if possible) will be installed into the bore holes, and these will serve to gravity flow a microbial bioremediation product (Liquid Remediact) into the impacted areas to perform in situ remediation. Approximately one (1) gallon of the mixed product will be used for every three feet of PVC pipe installed. The bioremediation product will be administered for five (5) consecutive days during each treatment cycle, with treatment cycles to occur every thirty (30) days for the anticipated 90-day remediation project. The initial design will have a minimum of four (4) treatment holes at each excavation site (#1 and #2), two (2) treatment holes on either side (north and south) of the road sleeve and flow lines (Figure 2). Treatment bore holes will be spaced enough that at the completion of the treatment process a confirmation bore hole can be completed between the two bore holes on each side of the sleeve used to apply the bioremediation product. Confirmation samples will be collected from each bore hole beginning at ten (10) feet bgs and to consist of sample collection every five (5) feet thereafter to a depth ten (10) feet past the known contamination depth. To identify horizontal extents, sample bore holes will be completed outside of the known impacted areas, with two bore holes to the north and two bore holes to the south at both the #1 and #2 excavation areas (Figure 1). Samples collected at these bore holes will begin a five (5) feet bgs, with sampling to occur every five (5) feet thereafter, and extend to the known uncontaminated depth of the bore holes completed in the excavation areas. Based on these analytical sample results, treatment area could be increased with more bore holes installed to meet the bioremediation needs of the site. Once the soils have completed bioremediation, EOG will use bentonite to plug the treatment and sample holes from eight (8) feet bgs to five (5) feet bgs. This will allow the GCL previously installed to bond to the plugs and create a seal to prevent any further chloride migration, but will also prevent any future releases that may occur from re-impacting this area.

At the completion of the remediation project, the remediated areas will be capped with one (1) foot of a similar type topsoil to support revegetation activities. The area will be revegetated with the appropriate BLM Grass Mix during the next planting season, which would occur the July following the completion of the remediation project. When remediation work is completed a C-141 Closure Report will be submitted to the NMOCD requesting closure of the site.

# Table 1

## Soil Analytical Data

---



**Soil Analytical Data**

Sample ID	Depth (ft. bgs)	Date	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX	TPH (GRO)	TPH (DRO)	TPH EXT DRO	Total TPH	Chlorides
#1 Sidewalls	0-6'	1/29/19	0.126	0.243	0.154	0.179	0.701	<10.0	20.1	<10.0	20.1	48
#1-7'	7'	1/29/19	92.7	440	277	293	1100	9720	15600	2230	27550	160
#1-9'	9'	1/29/19	159	516	292	301	1270	7250	11900	1790	20940	3280
#1-11'	11'	1/29/19	154	424	226	229	1030	5310	8520	1310	15140	8260
#1-13'	13'	1/29/19	94.4	347	210	216	867	4700	8200	1200	14100	4720
#1-15'	15'	1/29/19	183	491	265	264	1200	6990	10900	1660	19550	8000
#2 Sidewalls	0-6'	1/29/19	<0.050	0.085	0.073	<0.150	<0.300	<10.0	17.4	<10.0	17.4	176
#2-7'	7'	1/29/19	53.9	228	139	146	567	4460	7860	1170	13490	25600
#2-9'	9'	1/29/19	44.1	185	119	125	473	3730	7300	894	11924	24000
#2-11'	11'	1/29/19	21.7	109	78	83.9	292	1810	3970	554	6334	26400
#2-13'	13'	1/29/19	21.8	101	72.1	77.6	273	1810	4300	526	6636	26800
#2-15'	15'	1/29/19	150	439	243	256	1090	8570	13000	1930	23500	8800

# Figure 1

## Site Map with Sample and Treatment Points





✕ -Represents an initial soil testing bore hole and soil treatment bore hole

✕ -Represents a confirmation soil testing bore hole

✕ -Represents a horizontal soil testing bore hole and possible treatment bore hole (note: these will be placed as close to lines as SAFELY possible)






# Figure 2

## Treatment Point Design Diagram



## Impacted Area Remediation and Sampling Design



-  Represents a confirmation sample point
-  Represents a treatment point and initial sample point

# Photos











# **Appendix A**

## **Soil Sample Laboratory Data**



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 06, 2019

CHASE SETTLE

EOG Y RESOURCES, INC

105 SOUTH 4TH STREET

ARTESIA, NM 88210

RE: JACKSON B #57

Enclosed are the results of analyses for samples received by the laboratory on 01/30/19 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #1 SIDEWALLS (H900340-01)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>0.126</b>	0.050	02/04/2019	ND	2.19	110	2.00	1.83	
<b>Toluene*</b>	<b>0.243</b>	0.050	02/04/2019	ND	2.10	105	2.00	2.97	
<b>Ethylbenzene*</b>	<b>0.154</b>	0.050	02/04/2019	ND	2.06	103	2.00	3.15	
<b>Total Xylenes*</b>	<b>0.179</b>	0.150	02/04/2019	ND	5.99	99.8	6.00	0.740	
<b>Total BTX</b>	<b>0.701</b>	0.300	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 100 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>48.0</b>	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/01/2019	ND	167	83.5	200	0.387	
<b>DRO &gt;C10-C28*</b>	<b>20.1</b>	10.0	02/01/2019	ND	179	89.3	200	4.23	
EXT DRO >C28-C36	<10.0	10.0	02/01/2019	ND					


Surrogate: 1-Chlorooctane 94.4 % 41-142

Surrogate: 1-Chlorooctadecane 95.7 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

### Notes and Definitions


QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager







PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 06, 2019

CHASE SETTLE

EOG Y RESOURCES, INC

105 SOUTH 4TH STREET

ARTESIA, NM 88210

RE: JACKSON B #57

Enclosed are the results of analyses for samples received by the laboratory on 01/30/19 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #1 - 7' (H900337-01)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	92.7	5.00	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	440	5.00	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	277	5.00	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	293	15.0	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTX	1100	30.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	02/02/2019	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	9720	50.0	02/01/2019	ND	210	105	200	4.32		
DRO >C10-C28*	15600	50.0	02/01/2019	ND	210	105	200	0.805		
EXT DRO >C28-C36	2230	50.0	02/01/2019	ND						


Surrogate: 1-Chlorooctane 352 % 41-142

Surrogate: 1-Chlorooctadecane 446 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



**Analytical Results For:**

 EOG Y RESOURCES, INC  
 CHASE SETTLE  
 105 SOUTH 4TH STREET  
 ARTESIA NM, 88210  
 Fax To: (575) 748-4131

 Received: 01/30/2019  
 Reported: 02/06/2019  
 Project Name: JACKSON B #57  
 Project Number: 2RP-5149  
 Project Location: JACKSON B #57

 Sampling Date: 01/29/2019  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: #1 - 9' (H900337-02)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>159</b>	5.00	02/04/2019	ND	2.19	110	2.00	1.83	
<b>Toluene*</b>	<b>516</b>	5.00	02/04/2019	ND	2.10	105	2.00	2.97	
<b>Ethylbenzene*</b>	<b>292</b>	5.00	02/04/2019	ND	2.06	103	2.00	3.15	
<b>Total Xylenes*</b>	<b>301</b>	15.0	02/04/2019	ND	5.99	99.8	6.00	0.740	
<b>Total BTX</b>	<b>1270</b>	30.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 103 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>3280</b>	16.0	02/02/2019	ND	400	100	400	7.69	QM-07

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>7250</b>	50.0	02/01/2019	ND	210	105	200	4.32	
<b>DRO &gt;C10-C28*</b>	<b>11900</b>	50.0	02/01/2019	ND	210	105	200	0.805	
<b>EXT DRO &gt;C28-C36</b>	<b>1790</b>	50.0	02/01/2019	ND					

Surrogate: 1-Chlorooctane 283 % 41-142

Surrogate: 1-Chlorooctadecane 356 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #1 - 11' (H900337-03)**

BTEX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>154</b>	5.00	02/04/2019	ND	2.19	110	2.00	1.83	
<b>Toluene*</b>	<b>424</b>	5.00	02/04/2019	ND	2.10	105	2.00	2.97	
<b>Ethylbenzene*</b>	<b>226</b>	5.00	02/04/2019	ND	2.06	103	2.00	3.15	
<b>Total Xylenes*</b>	<b>229</b>	15.0	02/04/2019	ND	5.99	99.8	6.00	0.740	
<b>Total BTEX</b>	<b>1030</b>	30.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 102 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>8260</b>	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>GRO C6-C10*</b>	<b>5310</b>	50.0	02/01/2019	ND	210	105	200	4.32	
<b>DRO &gt;C10-C28*</b>	<b>8520</b>	50.0	02/01/2019	ND	210	105	200	0.805	
<b>EXT DRO &gt;C28-C36</b>	<b>1310</b>	50.0	02/01/2019	ND					


Surrogate: 1-Chlorooctane 230 % 41-142

Surrogate: 1-Chlorooctadecane 286 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #1 - 13' (H900337-04)**

BTEX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	94.4	5.00	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	347	5.00	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	210	5.00	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	216	15.0	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTEX	867	30.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 103 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4720	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	4700	50.0	02/01/2019	ND	210	105	200	4.32		
DRO >C10-C28*	8200	50.0	02/01/2019	ND	210	105	200	0.805		
EXT DRO >C28-C36	1200	50.0	02/01/2019	ND						


Surrogate: 1-Chlorooctane 180 % 41-142

Surrogate: 1-Chlorooctadecane 272 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #1 - 15' (H900337-05)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	183	5.00	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	491	5.00	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	265	5.00	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	264	15.0	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTX	1200	30.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PII) 104 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8000	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	6990	50.0	02/01/2019	ND	210	105	200	4.32		
DRO >C10-C28*	10900	50.0	02/01/2019	ND	210	105	200	0.805		
EXT DRO >C28-C36	1660	50.0	02/01/2019	ND						


Surrogate: 1-Chlorooctane 289 % 41-142

Surrogate: 1-Chlorooctadecane 347 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

### Notes and Definitions


S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager



(505) 393-2326 FAX (505) 393-2476

## CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Name: Jackson B #57

Project #: 2RP-5149

Project Loc: Jackson B #57

PO #: 205-0750

**Fax No:**

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

**e-mail:**

[Chase.Settle@geogresources.com](mailto:Chase.Settle@geogresources.com)

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

ORDER #: H9D0337

LAB # (lab use only)	
FIELD CODE	
Beginning Depth	
Ending Depth	
Date Sampled	
Time Sampled	
Field Filtered	
Total #. of Containers	
Ice	
HNO <sub>3</sub>	
HCl	
H <sub>2</sub> SO <sub>4</sub>	
NaOH	
Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	
None	
Other ( Specify )	
DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solid NP=Non-Potable Specify Other	
TPH: 8015B EXTENDED	
TPH: TX 1005	TX 1006
Cations (Ca, Mg, Na, K)	
Anions (Cl, SO <sub>4</sub> , Alkalinity)	
SAR / ESP / CEC	
Metals: As Ag Ba Cd Cr Pb Hg S	
Volatiles	
Semivolatiles	
BTEX: 8021B	
RCI	
N.O.R.M.	
Chlorides	
SAR	
RUSH TAT (Pre-Schedule) 24, 48	
Standard TAT	

TPH EXTENDED NEEDED!

Laboratory Comments:

Labels on container(s)

Sample Hand Delivered

UPS DHL FedEx Lone Star

by sampler/client rep.?	UPS	DHL	Fedex	Lone Star
by Courier?				
Temperature Upon Receipt:				°C



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

February 06, 2019

CHASE SETTLE

EOG Y RESOURCES, INC

105 SOUTH 4TH STREET

ARTESIA, NM 88210

RE: JACKSON B #57

Enclosed are the results of analyses for samples received by the laboratory on 01/30/19 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

 EOG Y RESOURCES, INC  
 CHASE SETTLE  
 105 SOUTH 4TH STREET  
 ARTESIA NM, 88210  
 Fax To: (575) 748-4131

 Received: 01/30/2019  
 Reported: 02/06/2019  
 Project Name: JACKSON B #57  
 Project Number: 2RP-5149  
 Project Location: JACKSON B #57

 Sampling Date: 01/29/2019  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: #2 SIDEWALLS (H900341-01)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	<b>0.085</b>	0.050	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	<b>0.073</b>	0.050	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	<0.150	0.150	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTX	<0.300	0.300	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 100 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<b>176</b>	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/01/2019	ND	167	83.5	200	0.387	
DRO >C10-C28*	<b>17.4</b>	10.0	02/01/2019	ND	179	89.3	200	4.23	
EXT DRO >C28-C36	<10.0	10.0	02/01/2019	ND					


Surrogate: 1-Chlorooctane 88.5 % 41-142

Surrogate: 1-Chlorooctadecane 89.8 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.




Celey D. Keene, Lab Director/Quality Manager



### Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report



---

Celey D. Keene, Lab Director/Quality Manager



(505) 393-2326 FAX (505) 393-2476

Project Manager: Chase Settle

**Project Name:** Jackson B #57

Company Name EOG Y Resources Inc

**Project #:** 2RP-5149

Company Address: 105 South 4th Street

**Project Loc:** Jackson B #57

City/State/Zip: Artesia, NM 88210

**PO #: 205-0750**

Telephone No: 575-748-4171

Fax No.:

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Sampler Signature:

e-mail:

[Chase.Settle@eogresources.com](mailto:Chase.Settle@eogresources.com)

(lab use only)

## Analyze For:

ORDER #:

H90034]

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 06, 2019

CHASE SETTLE

EOG Y RESOURCES, INC

105 SOUTH 4TH STREET

ARTESIA, NM 88210

RE: JACKSON B #57

Enclosed are the results of analyses for samples received by the laboratory on 01/30/19 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at

[www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #2 - 7' (H900338-01)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>53.9</b>	2.00	02/04/2019	ND	2.19	110	2.00	1.83	
<b>Toluene*</b>	<b>228</b>	2.00	02/04/2019	ND	2.10	105	2.00	2.97	
<b>Ethylbenzene*</b>	<b>139</b>	2.00	02/04/2019	ND	2.06	103	2.00	3.15	
<b>Total Xylenes*</b>	<b>146</b>	6.00	02/04/2019	ND	5.99	99.8	6.00	0.740	
<b>Total BTX</b>	<b>567</b>	12.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>25600</b>	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>GRO C6-C10*</b>	<b>4460</b>	50.0	02/01/2019	ND	210	105	200	4.32		
<b>DRO &gt;C10-C28*</b>	<b>7860</b>	50.0	02/01/2019	ND	210	105	200	0.805		
<b>EXT DRO &gt;C28-C36</b>	<b>1170</b>	50.0	02/01/2019	ND						

Surrogate: 1-Chlorooctane 216 % 41-142

Surrogate: 1-Chlorooctadecane 271 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #2 - 9' (H900338-02)**

BTEx 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	44.1	2.00	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	185	2.00	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	119	2.00	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	125	6.00	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTEx	473	12.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 104 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	24000	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS				S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	3730	50.0	02/01/2019	ND	210	105	200	4.32	
DRO >C10-C28*	7300	50.0	02/01/2019	ND	210	105	200	0.805	
EXT DRO >C28-C36	894	50.0	02/01/2019	ND					


Surrogate: 1-Chlorooctane 219 % 41-142

Surrogate: 1-Chlorooctadecane 263 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #2 - 11' (H900338-03)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Benzene*</b>	<b>21.7</b>	2.00	02/04/2019	ND	2.19	110	2.00	1.83	
<b>Toluene*</b>	<b>109</b>	2.00	02/04/2019	ND	2.10	105	2.00	2.97	
<b>Ethylbenzene*</b>	<b>78.0</b>	2.00	02/04/2019	ND	2.06	103	2.00	3.15	
<b>Total Xylenes*</b>	<b>83.9</b>	6.00	02/04/2019	ND	5.99	99.8	6.00	0.740	
<b>Total BTX</b>	<b>292</b>	12.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PII) 106 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>26400</b>	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
<b>GRO C6-C10*</b>	<b>1810</b>	50.0	02/01/2019	ND	210	105	200	4.32		
<b>DRO &gt;C10-C28*</b>	<b>3970</b>	50.0	02/01/2019	ND	210	105	200	0.805		
<b>EXT DRO &gt;C28-C36</b>	<b>554</b>	50.0	02/01/2019	ND						


Surrogate: 1-Chlorooctane 168 % 41-142

Surrogate: 1-Chlorooctadecane 193 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received: 01/30/2019  
Reported: 02/06/2019  
Project Name: JACKSON B #57  
Project Number: 2RP-5149  
Project Location: JACKSON B #57

Sampling Date: 01/29/2019  
Sampling Type: Soil  
Sampling Condition: Cool & Intact  
Sample Received By: Tamara Oldaker

**Sample ID: #2 - 13' (H900338-04)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	21.8	1.00	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	101	1.00	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	72.1	1.00	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	77.6	3.00	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTX	273	6.00	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 107 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	26800	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS					S-06	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	1810	50.0	02/01/2019	ND	210	105	200	4.32		
DRO >C10-C28*	4300	50.0	02/01/2019	ND	210	105	200	0.805		
EXT DRO >C28-C36	526	50.0	02/01/2019	ND						


Surrogate: 1-Chlorooctane 171 % 41-142

Surrogate: 1-Chlorooctadecane 197 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



**Analytical Results For:**

EOG Y RESOURCES, INC  
CHASE SETTLE  
105 SOUTH 4TH STREET  
ARTESIA NM, 88210  
Fax To: (575) 748-4131

Received:	01/30/2019	Sampling Date:	01/29/2019
Reported:	02/06/2019	Sampling Type:	Soil
Project Name:	JACKSON B #57	Sampling Condition:	Cool & Intact
Project Number:	2RP-5149	Sample Received By:	Tamara Oldaker
Project Location:	JACKSON B #57		

**Sample ID: #2 - 15' (H900338-05)**

BTX 8021B		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	150	5.00	02/04/2019	ND	2.19	110	2.00	1.83	
Toluene*	439	5.00	02/04/2019	ND	2.10	105	2.00	2.97	
Ethylbenzene*	243	5.00	02/04/2019	ND	2.06	103	2.00	3.15	
Total Xylenes*	256	15.0	02/04/2019	ND	5.99	99.8	6.00	0.740	
Total BTX	1090	30.0	02/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PII) 104 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	8800	16.0	02/02/2019	ND	400	100	400	7.69	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	8570	50.0	02/01/2019	ND	210	105	200	4.32	QM-07	
DRO >C10-C28*	13000	50.0	02/01/2019	ND	210	105	200	0.805	QM-07	
EXT DRO >C28-C36	1930	50.0	02/01/2019	ND						


Surrogate: 1-Chlorooctane 321 % 41-142

Surrogate: 1-Chlorooctadecane 393 % 37.6-147

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

### Notes and Definitions


S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

---

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



---

Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

## CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

**Jackson B #57**

**Project #:** 2RP-5149

**Jackson B #57**

**PO #:** 205-0750

**Report Format:**

[Chase.Settle@eogresources.com](mailto:Chase.Settle@eogresources.com)

ORDER #: H900338

[illegible]



# **Appendix B**

## **USGS Groundwater Data**



# National Water Information System: Map View

Sites    Map Layers


## Search Results

### Export Sites

Site Number	Site Name
<a href="#">3252101035801</a> <a href="#">01</a>	16S.30E.33.44233
<a href="#">3252161035757</a> <a href="#">01</a>	16S.30E.33.42443

Search Parameters

Explanation of Symbols







## National Water Information System: Web Interface

USGS Water Resources

Data Category: **Groundwater** Geographic Area: **United States** **GO**

Click to hideNews Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

Groundwater levels for the Nation

### Search Results -- 1 sites found

Agency code = usgs

site\_no list =  
• 325216103575701

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

### USGS 325216103575701 16S.30E.33.42443

Eddy County, New Mexico

Latitude 32°52'16", Longitude 103°57'57" NAD27

Land-surface elevation 3,729 feet above NAVD88

The depth of the well is 385 feet below land surface.

This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

#### Output formats

<a href="#">Table of data</a>
<a href="#">Tab-separated data</a>
<a href="#">Graph of data</a>
<a href="#">Reselect period</a>

Date	Time	? Water-level date-time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Water-level accuracy	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1986-04-25		D	362.44			2		U		U	A

#### Explanation

Section	Code	Description
<a href="#">Water-level date-time accuracy</a>	D	Date is accurate to the Day
<a href="#">Water-level accuracy</a>	2	Water level accuracy to nearest hundredth of a foot
<a href="#">Status</a>		The reported water-level measurement represents a static level
<a href="#">Method of measurement</a>	U	Unknown method.
<a href="#">Measuring agency</a>		Not determined
<a href="#">Source of measurement</a>	U	Source is unknown.
<a href="#">Water-level approval status</a>	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

Accessibility Plug-Ins FOIA Privacy Policies and Notices

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2018-12-19 11:58:31 EST

0.5 0.43 nadvw01







## National Water Information System: Web Interface

USGS Water Resources

Data Category: **Groundwater** Geographic Area: **United States** **GO**

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

Groundwater levels for the Nation

### Search Results -- 1 sites found

Agency code = usgs

site\_no list =  
• 325210103580101

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

### USGS 325210103580101 16S.30E.33.44233

Eddy County, New Mexico

Latitude 32°52'10", Longitude 103°58'01" NAD27

Land-surface elevation 3,725 feet above NAVD88

The depth of the well is 433 feet below land surface.

This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

#### Output formats

<a href="#">Table of data</a>
<a href="#">Tab-separated data</a>
<a href="#">Graph of data</a>
<a href="#">Reselect period</a>

Date	Time	? Water-level date-time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Water-level accuracy	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1986-04-25		D	361.26			2		U		U	A

#### Explanation

Section	Code	Description
<a href="#">Water-level date-time accuracy</a>	D	Date is accurate to the Day
<a href="#">Water-level accuracy</a>	2	Water level accuracy to nearest hundredth of a foot
<a href="#">Status</a>		The reported water-level measurement represents a static level
<a href="#">Method of measurement</a>	U	Unknown method.
<a href="#">Measuring agency</a>		Not determined
<a href="#">Source of measurement</a>	U	Source is unknown.
<a href="#">Water-level approval status</a>	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

Accessibility Plug-Ins FOIA Privacy Policies and Notices

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>

Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2018-12-19 11:58:58 EST

0.51 0.43 nadwv01



# Appendix C

## Form C-141

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

Incident ID	
District RP	2RP-5149
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party EOG Y Resources, Inc.	OGRID 25575
Contact Name Chase Settle	Contact Telephone 575-748-4171
Contact email chase_settle@eogresources.com	Incident # (assigned by OCD)
Contact mailing address 104 S. 4 <sup>th</sup>	

### Location of Release Source

Latitude 32.8623428 Longitude -103.9330673  
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Jackson B #57	Site Type Facility
Date Release Discovered 12/1/18	API# 30-015-41003

Unit Letter	Section	Township	Range	County
L	1	17S	30E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) 2	Volume Recovered (bbls) 2
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 6	Volume Recovered (bbls) 5
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

#### Cause of Release

Lease Operator found fluid on surface near roadway. Traced back to source and found it was coming from underground, most likely cased crossing. Shut off all wells utilizing crossing and isolated flowlines.




State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	2RP-5149
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?  <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?          
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?          	

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:          
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Chase Settle</u> Title: <u>Rep Safety &amp; Environmental II</u> Signature: <u></u> Date: <u>12/13/2018</u> email: <u>chase_settle@eogresources.com</u> Telephone: <u>575-748-4171</u>
<b><u>OCD Only</u></b> Received by: _____ Date: _____

Incident ID	
District RP	2RP-5149
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	361 (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

**Characterization Report Checklist:** *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	2RP-5149
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Chase SettleTitle: Rep Safety and Environmental IISignature: *Chase Settle*Date: 02/27/2019email: Chase\_Settle@eogresources.comTelephone: 575-748-1471**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_



State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	2RP-5149
Facility ID	
Application ID	

## Remediation Plan

**Remediation Plan Checklist:** *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

**Deferral Requests Only:** *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Chase Settle Title: Rep Safety and Environmental II  
 Signature: *Chase Settle* Date: 02/27/2019  
 email: Chase\_Settle@eogresources.com Telephone: 575-748-1471

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: \_\_\_\_\_ Date: \_\_\_\_\_