

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NAB1921754897
District RP	2RP-5553
Facility ID	
Application ID	pAB1921754701

Release Notification

Responsible Party

Responsible Party XTO Energy	OGRID 5380
Contact Name Kyle Littrell	Contact Telephone 432-221-7331
Contact email Kyle_Littrell@xtoenergy.com	Incident # (assigned by OCD) NAB1921754897
Contact mailing address 522 W. Mermod, Carlsbad, NM 88220	

Location of Release Source

Latitude 32.343260° Longitude -103.829906°
(NAD 83 in decimal degrees to 5 decimal places)

Site Name James Ranch Unit #034	Site Type Production Well Facility flow line
Date Release Discovered 7/10/2019	API# (if applicable) 30-015-31064

Unit Letter	Section	Township	Range	County
P	36	22S	30E	Eddy

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: New Mexico)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☒ Crude Oil	Volume Released (bbls) 2.32	Volume Recovered (bbls) 0
☒ Produced Water	Volume Released (bbls) 20.87	Volume Recovered (bbls) 0
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	☐ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

A weld failed on the poly flow line and fluids were released to the power line ROW. The section of line was repaired. Additional third party resources have been retained to assist with remediation.

Form C-141

State of New Mexico
Oil Conservation Division


Page 2

Incident ID	NAB1921754897
District RP	2RP-5553
Facility ID	
Application ID	pAB1921754701

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☒ No	If YES, for what reason(s) does the responsible party consider this a major release? N/A
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? N/A	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☐ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: No free fluids remained to be recovered.	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Kyle Littrell</u> Signature:  email: <u>Kyle.Littrell@xtoenergy.com</u>	Title: <u>SH&E Supervisor</u> Date: <u>7/19/2019</u> Telephone: <u>432-221-7331</u>
<u>OCD Only</u> Received by: <u>Amalia Bustamante</u> Date: <u>8/5/2019</u>	

Incident ID	NAB1921754897
District RP	2RP- 5553
Facility ID	
Application ID	pAB pAB1921754701

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>>100</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NAB1921754897
District RP	2RP- 5553
Facility ID	
Application ID	pAB pAB1921754701

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Kyle Littrell _____ Title: _____ SH&E Coordinator _____

Signature: _____  _____ Date: _____ 3/3/2020 _____

email: _____ Kyle_Littrell@xtoenergy.com _____ Telephone: _____ (432)-221-7331 _____

OCD Only

Received by: _____ Date: _____

Incident ID	NAB1921754897
District RP	2RP- 5553
Facility ID	
Application ID	pAB pAB1921754701

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 3/3/2020

email: Kyle_Littrell@xtoenergy.com Telephone: 432-221-7331

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



LT Environmental, Inc.

3300 North "A" Street
Building 1, Unit 222
Midland, Texas 79705
432.704.5178

March 3, 2020

Mr. Mike Bratcher
New Mexico Oil Conservation Division
811 South First Street
Artesia, New Mexico 88210

**RE: Closure Request
James Ranch Unit #034
Remediation Permit Number 2RP-5553
Eddy County, New Mexico**

Dear Mr. Bratcher:

LT Environmental, Inc. (LTE), on behalf of XTO Energy, Inc. (XTO), presents the following Closure Request detailing soil sampling and excavation activities at the James Ranch Unit #034 (Site) in Unit P, Section 36, Township 22 South, Range 30 East, in Eddy County, New Mexico (Figure 1). The purpose of the soil sampling and excavation activities was to address impacts to soil following the release of crude oil and produced water onto a power line right-of-way (ROW). Based on the excavation activities and results of the soil sampling event, XTO is submitting this Closure Request describing remediation activities and respectfully requesting no further action (NFA) for Remediation Permit (RP) 2RP-5553.

RELEASE BACKGROUND

On July 10, 2019, a weld failed on a poly flow line, resulting in the release of 2.32 barrels (bbls) of crude oil and 20.87 bbls of produced water onto a power line ROW. The section of the power line was repaired. No fluids were recovered. XTO reported the release to the New Mexico Oil Conservation Division (NMOCD) on a Form C-141 on July 19, 2019. NMOCD subsequently assigned RP Number 2RP-5553.

SITE CHARACTERIZATION

LTE characterized the Site according to Table 1, *Closure Criteria for Soils Impacted by a Release*, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC). Depth to groundwater at the Site is estimated to be greater than 100 feet below ground surface (bgs) based on the nearest groundwater well data. The nearest permitted groundwater well with depth to groundwater data is United States Geological Survey (USGS) well 321946103492001, located approximately 0.88 miles southeast of the Site. The groundwater well has a depth to groundwater of 144 feet bgs and a total depth of 180 feet bgs. Ground surface elevation at the groundwater well location is 3,305 feet above mean sea level (amsl), which is approximately four feet lower in elevation than the Site. Several USGS and New Mexico Office of



the State Engineer (NMOSE) wells are closer to the Site than USGS 321946103492001, however, those wells have no recorded depth to groundwater data.

The closest continuously flowing water or significant watercourse to the Site is an unnamed dry wash located approximately 6,522 feet southwest of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or wetland. The Site is greater than 1,000 feet to a freshwater well or spring and is not within a 100-year floodplain or overlying a subsurface mine. The Site is located in a medium potential karst area.

CLOSURE CRITERIA

Based on the results of the site characterization, the following NMOCD Table 1 Closure Criteria (Closure Criteria) apply:

- Benzene: 10 milligrams per kilogram (mg/kg)
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg
- Total petroleum hydrocarbons (TPH): 2,500 mg/kg
- TPH-gasoline range organics (GRO) and TPH-diesel range organics (DRO): 1,000 mg/kg
- Chloride: 20,000 mg/kg

SITE ASSESSMENT AND EXCAVATION SOIL SAMPLING ACTIVITIES

On August 15, 2019, LTE personnel conducted site reconnaissance at the Site to assess the Site following notification of the release. LTE personnel collected three preliminary soil samples (SS01 through SS03) within the release extent from a depth of approximately 0.5 feet bgs to confirm the presence or absence of impacted soil. Soil samples were field screened for volatile aromatic hydrocarbons and chloride utilizing a calibrated photoionization detector (PID) and Hach® chloride QuanTab® test strips, respectively. The release extent and preliminary soil sample locations were mapped utilizing a handheld Global Positioning System (GPS) unit and are depicted on Figure 2. All soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil samples were shipped at or below 4 degrees Celsius (°C) under strict chain-of-custody (COC) procedures to Xenco Laboratories (Xenco) in Midland, Texas, for analysis of BTEX following United States Environmental Protection Agency (EPA) Method 8021B; TPH-GRO, TPH-DRO, and TPH-oil range organics (ORO) following EPA Method 8015M/D; and chloride following EPA Method 300.0.

Laboratory analytical results for preliminary soil sample SS01 through SS03 indicated that TPH-GRO, TPH-DRO, and TPH concentrations exceeded Closure Criteria. In addition to laboratory



analytical results, field screenings, and visual observations indicated that excavation of impacted soil appeared to be warranted.

On December 16 and December 17, 2019, LTE personnel were at the Site to oversee excavation of impacted soil as indicated by visual observations and field screening results. To direct excavation activities, LTE screened soil for volatile aromatic hydrocarbons and chloride utilizing a PID and Hach® chloride QuanTab® test strips, respectively. Based on field screening and laboratory analytical results, an estimated 805 cubic yards of impacted soil were removed. Following removal of impacted soil, LTE collected 5-point composite soil samples every 200 square feet from the sidewalls and floor of the excavation. The 5-point composite samples were collected by depositing five aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing. Composite soil samples SW01 through SW09 were collected from the sidewalls of the excavations at depths ranging from ground surface to 10 feet bgs. Composite soil samples FS01 through FS11 were collected from the floor of the excavations at a depth of 10 feet bgs. The excavation soil samples were collected, handled, and analyzed as described above at Xenco in Carlsbad, New Mexico. The excavation extent and soil sample locations are depicted on Figure 3. Photographic documentation was conducted during excavation activities. Photographic logs are included in Attachment 1.

The total excavation extent measured approximately 2,175 square feet in area. A total of approximately 805 cubic yards of soil were removed from the excavation. The impacted soil was transported and properly disposed of at the R360 landfill facility located in Hobbs, New Mexico.

ANALYTICAL RESULTS

Laboratory analytical results for excavation sidewall samples SW01 through SW09, and excavation floor samples FS01 through FS11, indicated that benzene, BTEX, TPH-GRO, TPH-DRO, TPH, and chloride concentrations were compliant with the Closure Criteria. Laboratory analytical results are summarized in Table 1 and the complete laboratory analytical reports are included as Attachment 2.

CONCLUSIONS

Visual observations, field screening results, and laboratory analytical results for preliminary soil samples SS01 through SS03 indicated that TPH-GRO, TPH-DRO, and TPH concentrations were elevated along the power line ROW. As a result, excavation of impacted soil was conducted. A total of approximately 805 cubic yards of impacted soil were excavated, and laboratory analytical results for the delineation and confirmation soil samples collected from within and around the final excavation extent indicated that benzene, BTEX, TPH-GRO, TPH-DRO, TPH, and chloride concentrations were compliant with the NMOCD Closure Criteria. XTO respectfully requests NFA for RP Number 2RP-5553.



Bratcher, M.
Page 4

If you have any questions or comments, please do not hesitate to contact Ms. Ashley Ager at (970) 385-1096.

Sincerely,

LT ENVIRONMENTAL, INC.

A handwritten signature in black ink that reads "Tacoma Morrissey".

Tacoma Morrissey
Project Geologist

A handwritten signature in black ink that reads "Ashley L. Ager".

Ashley L. Ager, P.G.
Senior Geologist


cc: Kyle Littrell, XTO
Ryan Mann, SLO
Robert Hamlet, NMOCD
Victoria Venegas, NMOCD

Appendices:

Figure 1 Site Location Map
Figure 2 Preliminary Soil Sample Locations
Figure 3 Excavation Soil Sample Locations
Table 1 Soil Analytical Reports
Attachment 1 Photographic Log
Attachment 2 Laboratory Analytical Reports

FIGURES





SAMPLE ID@DEPTH BELOW GROUND SURFACE (FEET)
 SAMPLE DATE
 NMOCD TABLE 1 CLOSURE CRITERIA (NMAC 19.15.29.12)
 B = 10 mg/kg
 BTEX = 50 mg/kg
 GRO+DRO = 1,000 mg/kg
 TPH = 2,500 mg/kg
 Cl = 20,000 mg/kg
 ALL RESULTS IN MILLIGRAMS PER KILOGRAM (mg/kg)
 <: INDICATES RESULT IS LESS THAN THE
 LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE
 APPLICABLE STANDARD

SS01@0.5'
 08/15/2019
 B: <0.0199
 BTEX: 5.43
 GRO+DRO: **24,900**
 TPH: **26,300**
 Cl: 1,820

SS02@0.5'
 08/15/2019
 B: <0.00199
 BTEX: 0.0964
 GRO+DRO: **10,300**
 TPH: **11,300**
 Cl: 4,300

SS03@0.5'
 08/15/2019
 B: <0.00200
 BTEX: 0.00779
 GRO+DRO: **10,700**
 TPH: **11,900**
 Cl: 950

LEGEND



RELEASE LOCATION



PRELIMINARY SOIL SAMPLE WITH CONCENTRATIONS
 EXCEEDING APPLICABLE CLOSURE CRITERIA



ELECTRIC LINE



GAS/PIPELINE



RELEASE EXTENT

B: BENZENE

BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE,
 AND TOTAL XYLENES

GRO: GASOLINE RANGE ORGANICS

DRO: DIESEL RANGE ORGANICS

TPH: TOTAL PETROLEUM HYDROCARBONS

Cl: CHLORIDE

NMAC: NEW MEXICO ADMINISTRATIVE CODE

NMOCD: NEW MEXICO OIL CONSERVATION DIVISION

NOTE: REMEDIATION PERMIT NUMBER 2RP-5553

IMAGE COURTESY OF ESRI





FIGURE 2
 PRELIMINARY SOIL SAMPLE LOCATIONS
 JAMES RANCH UNIT 34
 UNIT O SEC 36 T22S R30E
 EDDY COUNTY, NEW MEXICO
 XTO ENERGY, INC.





TABLES



**TABLE 1
SOIL ANALYTICAL RESULTS**

**JAMES RANCH UNIT #034
REMEDIATION PERMIT NUMBER 2RP-5553
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.**

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table 1 Closure Criteria			10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	20,000
SS01	0.5	08/15/2019	<0.0199	0.651	0.837	3.94	5.43	1,040	23,900	1,400	24,900	26,300	1,820*
SS02	0.5	08/15/2019	<0.00199	0.0112	0.0170	0.0682	0.0964	203	10,100	963	10,300	11,300	4,300*
SS03	0.5	08/15/2019	<0.00200	<0.00200	0.00317	0.00462	0.00779	<125	10,700	1,240	10,700	11,900	950*
SW01	0 - 10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<49.9	<49.9	<49.9	<49.9	<49.9	537
SW02	0 - 10	12/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	51.7	<50.0	51.7	51.7	3,300
SW03	0 - 10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.1	<50.1	<50.1	<50.1	<50.1	3,150
SW04	0 - 10	12/17/2019	<0.00200	<0.00200	<0.00200	0.00248	0.00248	<50.2	544	59.0	544	603	2,420
SW05	0 - 10	12/17/2019	<0.00198	<0.00198	<0.00198	0.00519	0.00519	<50.0	<50.0	<50.0	<50.0	<50.0	4,230
SW06	0 - 10	12/17/2019	<0.00463	<0.0185	0.0527	0.191	0.243	93.0	3,450	345	3,540	3,890	4,590
SW07	0 - 10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.2	<50.2	<50.2	<50.2	<50.2	2,560
SW08	0 - 10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.1	<50.1	<50.1	<50.1	<50.1	525
SW09	0 - 10	01/27/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.9	<49.9	<49.9	<49.9	<49.9	136
FS01	10	12/17/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.1	<50.1	<50.1	<50.1	<50.1	2,660
FS02	10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.0	<50.0	<50.0	<50.0	<50.0	6,240
FS03	10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.1	<50.1	<50.1	<50.1	<50.1	1,260
FS04	10	12/17/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.1	<50.1	<50.1	<50.1	<50.1	89.7
FS05	10	12/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.3	<50.3	<50.3	<50.3	<50.3	207
FS06	10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.3	<50.3	<50.3	<50.3	<50.3	382
FS07	10	12/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.1	<50.1	<50.1	<50.1	<50.1	123
FS08	10	12/17/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<49.9	<49.9	<49.9	<49.9	<49.9	453
FS09	10	12/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.2	<50.2	<50.2	<50.2	<50.2	727

**TABLE 1
SOIL ANALYTICAL RESULTS**

**JAMES RANCH UNIT #034
REMEDIATION PERMIT NUMBER 2RP-5553
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.**

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table 1 Closure Criteria			10	NE	NE	NE	50	NE	NE	NE	1,000	2,500	20,000
FS10	10	12/17/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.2	<50.2	<50.2	<50.2	<50.2	739
FS11	10	01/27/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.1	<50.1	<50.1	<50.1	<50.1	137

Notes:

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

MRO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCD - New Mexico Oil Conservation Division

NE - not established

TPH - total petroleum hydrocarbons

Bold - indicates result exceeds the applicable regulatory standard

< - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 2018

* - indicates sample was collected in area to be reclaimed after remediation is complete; closure criteria for chloride concentrations in the top 4 feet of soil is 600 mg/kg

ATTACHMENT 1: PHOTOGRAPHIC LOG



PHOTOGRAPHIC LOG



Photograph 1: View south of the release extent.



Photograph 2: View north of excavation during hydro-excavation.



Photograph 3: View west of final excavation extent.



Photograph 4: View west of backfill prior to reseeding.

ATTACHMENT 2: LABORATORY ANALYTICAL REPORTS



Analytical Report 650395

for
LT Environmental, Inc.

Project Manager: Dan Moir

JRU 34

012919156

28-JAN-20

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



28-JAN-20

Project Manager: **Dan Moir**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **650395**

JRU 34

Project Address:

Dan Moir:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 650395. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 650395 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 650395****LT Environmental, Inc., Arvada, CO**

JRU 34

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SW09	S	01-27-20 11:32	0 - 10 ft	650395-001
FS11	S	01-27-20 11:55	10 ft	650395-002



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: JRU 34

Project ID: 012919156
Work Order Number(s): 650395

Report Date: 28-JAN-20
Date Received: 01/27/2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3114645 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 650395

LT Environmental, Inc., Arvada, CO

Project Name: JRU 34

Project Id: 012919156

Contact: Dan Moir

Project Location:

Date Received in Lab: Mon Jan-27-20 01:50 pm

Report Date: 28-JAN-20

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	650395-001	650395-002				
	Field Id:	SW09	FS11				
	Depth:	0-10 ft	10- ft				
	Matrix:	SOIL	SOIL				
	Sampled:	Jan-27-20 11:32	Jan-27-20 11:55				
BTEX by EPA 8021B	Extracted:	Jan-27-20 16:00	Jan-27-20 16:00				
	Analyzed:	Jan-27-20 18:39	Jan-27-20 19:00				
	Units/RL:	mg/kg RL	mg/kg RL				
Benzene		<0.00201 0.00201	<0.00200 0.00200				
Toluene		<0.00201 0.00201	<0.00200 0.00200				
Ethylbenzene		<0.00201 0.00201	<0.00200 0.00200				
m,p-Xylenes		<0.00402 0.00402	<0.00400 0.00400				
o-Xylene		<0.00201 0.00201	<0.00200 0.00200				
Total Xylenes		<0.00201 0.00201	<0.00200 0.00200				
Total BTEX		<0.00201 0.00201	<0.00200 0.00200				
Chloride by EPA 300	Extracted:	Jan-27-20 18:10	Jan-27-20 18:10				
	Analyzed:	Jan-28-20 04:47	Jan-28-20 04:56				
	Units/RL:	mg/kg RL	mg/kg RL				
Chloride		136 9.94	137 9.98				
TPH by SW8015 Mod	Extracted:	Jan-27-20 16:00	Jan-27-20 16:00				
	Analyzed:	Jan-27-20 17:28	Jan-27-20 17:49				
	Units/RL:	mg/kg RL	mg/kg RL				
Gasoline Range Hydrocarbons (GRO)		<49.9 49.9	<50.1 50.1				
Diesel Range Organics (DRO)		<49.9 49.9	<50.1 50.1				
Motor Oil Range Hydrocarbons (MRO)		<49.9 49.9	<50.1 50.1				
Total GRO-DRO		<49.9 49.9	<50.1 50.1				
Total TPH		<49.9 49.9	<50.1 50.1				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant



Certificate of Analytical Results 650395

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW09**
Lab Sample Id: 650395-001

Matrix: Soil
Date Collected: 01.27.20 11.32

Date Received: 01.27.20 13.50
Sample Depth: 0 - 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3114643

Date Prep: 01.27.20 18.10

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	136	9.94	mg/kg	01.28.20 04.47		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3114633

Date Prep: 01.27.20 16.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.27.20 17.28	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.27.20 17.28	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.27.20 17.28	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.27.20 17.28	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.27.20 17.28	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	01.27.20 17.28	
o-Terphenyl	84-15-1	102	%	70-135	01.27.20 17.28	



Certificate of Analytical Results 650395

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW09**
Lab Sample Id: 650395-001

Matrix: Soil
Date Collected: 01.27.20 11.32

Date Received: 01.27.20 13.50
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.27.20 16.00

Basis: Wet Weight

Seq Number: 3114645

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.27.20 18.39	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.27.20 18.39	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.27.20 18.39	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.27.20 18.39	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.27.20 18.39	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	01.27.20 18.39	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.27.20 18.39	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.27.20 18.39		
4-Bromofluorobenzene	460-00-4	98	%	70-130	01.27.20 18.39		



Certificate of Analytical Results 650395

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS11** Matrix: Soil Date Received: 01.27.20 13.50
 Lab Sample Id: 650395-002 Date Collected: 01.27.20 11.55 Sample Depth: 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.27.20 18.10 Basis: Wet Weight
 Seq Number: 3114643

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	137	9.98	mg/kg	01.28.20 04.56		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.27.20 16.00 Basis: Wet Weight
 Seq Number: 3114633

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.27.20 17.49	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.27.20 17.49	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.27.20 17.49	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.27.20 17.49	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.27.20 17.49	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	109	%	70-135	01.27.20 17.49	
o-Terphenyl	84-15-1	100	%	70-135	01.27.20 17.49	



Certificate of Analytical Results 650395

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS11**
Lab Sample Id: 650395-002

Matrix: Soil
Date Collected: 01.27.20 11.55

Date Received: 01.27.20 13.50
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.27.20 16.00

Basis: Wet Weight

Seq Number: 3114645

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.27.20 19.00	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.27.20 19.00	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.27.20 19.00	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.27.20 19.00	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.27.20 19.00	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	01.27.20 19.00	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.27.20 19.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.27.20 19.00		
4-Bromofluorobenzene	460-00-4	100	%	70-130	01.27.20 19.00		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

JRU 34

Analytical Method: Chloride by EPA 300

Seq Number: 3114643

MB Sample Id: 7695321-1-BLK

Matrix: Solid

LCS Sample Id: 7695321-1-BKS

Prep Method: E300P

Date Prep: 01.27.20

LCSD Sample Id: 7695321-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	256	102	257	103	90-110	0	20	mg/kg	01.28.20 03:07	

Analytical Method: Chloride by EPA 300

Seq Number: 3114643

Parent Sample Id: 650328-001

Matrix: Soil

MS Sample Id: 650328-001 S

Prep Method: E300P

Date Prep: 01.27.20

MSD Sample Id: 650328-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	151	202	362	104	361	104	90-110	0	20	mg/kg	01.28.20 08:01	

Analytical Method: Chloride by EPA 300

Seq Number: 3114643

Parent Sample Id: 650336-003

Matrix: Soil

MS Sample Id: 650336-003 S

Prep Method: E300P

Date Prep: 01.27.20

MSD Sample Id: 650336-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1.90	202	201	99	199	99	90-110	1	20	mg/kg	01.28.20 10:59	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114633

MB Sample Id: 7695260-1-BLK

Matrix: Solid

LCS Sample Id: 7695260-1-BKS

Prep Method: SW8015P

Date Prep: 01.27.20

LCSD Sample Id: 7695260-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1290	129	1270	127	70-135	2	35	mg/kg	01.27.20 12:51	
Diesel Range Organics (DRO)	<11.5	1000	1230	123	1250	125	70-135	2	35	mg/kg	01.27.20 12:51	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	102		122		122		70-135	%	01.27.20 12:51
o-Terphenyl	100		111		113		70-135	%	01.27.20 12:51

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114633

Matrix: Solid

MB Sample Id: 7695260-1-BLK

Prep Method: SW8015P

Date Prep: 01.27.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.27.20 12:31	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

JRU 34

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114633

Parent Sample Id: 650328-001

Matrix: Soil

MS Sample Id: 650328-001 S

Prep Method: SW8015P

Date Prep: 01.27.20

MSD Sample Id: 650328-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.3	1010	1180	117	1090	109	70-135	8	35	mg/kg	01.27.20 14:06	
Diesel Range Organics (DRO)	<50.3	1010	1190	118	1070	107	70-135	11	35	mg/kg	01.27.20 14:06	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	132		121		70-135	%	01.27.20 14:06
o-Terphenyl	121		115		70-135	%	01.27.20 14:06

Analytical Method: BTEX by EPA 8021B

Seq Number: 3114645

MB Sample Id: 7695326-1-BLK

Matrix: Solid

LCS Sample Id: 7695326-1-BKS

Prep Method: SW5030B

Date Prep: 01.27.20

LCSD Sample Id: 7695326-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0984	98	0.0979	98	70-130	1	35	mg/kg	01.27.20 16:57	
Toluene	<0.00200	0.100	0.0945	95	0.0933	93	70-130	1	35	mg/kg	01.27.20 16:57	
Ethylbenzene	<0.00200	0.100	0.0913	91	0.0896	90	71-129	2	35	mg/kg	01.27.20 16:57	
m,p-Xylenes	<0.00400	0.200	0.188	94	0.184	92	70-135	2	35	mg/kg	01.27.20 16:57	
o-Xylene	<0.00200	0.100	0.0945	95	0.0923	92	71-133	2	35	mg/kg	01.27.20 16:57	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		104		104		70-130	%	01.27.20 16:57
4-Bromofluorobenzene	97		97		98		70-130	%	01.27.20 16:57

Analytical Method: BTEX by EPA 8021B

Seq Number: 3114645

Parent Sample Id: 650395-001

Matrix: Soil

MS Sample Id: 650395-001 S

Prep Method: SW5030B

Date Prep: 01.27.20

MSD Sample Id: 650395-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0969	97	0.0859	86	70-130	12	35	mg/kg	01.27.20 17:38	
Toluene	<0.00200	0.100	0.0933	93	0.0836	84	70-130	11	35	mg/kg	01.27.20 17:38	
Ethylbenzene	<0.00200	0.100	0.0898	90	0.0808	81	71-129	11	35	mg/kg	01.27.20 17:38	
m,p-Xylenes	<0.00400	0.200	0.185	93	0.166	83	70-135	11	35	mg/kg	01.27.20 17:38	
o-Xylene	<0.00200	0.100	0.0916	92	0.0827	83	71-133	10	35	mg/kg	01.27.20 17:38	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		102		70-130	%	01.27.20 17:38
4-Bromofluorobenzene	95		98		70-130	%	01.27.20 17:38

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300, San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440, El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199, Phoenix, AZ (480) 355-0900
 Tampa, FL (813) 620-2000, Tallahassee, FL (850) 756-0747, Delray Beach, FL (561) 689-6701
 Atlanta, GA (770) 449-8800

Work Order No:

620395

www.xenco.com Page 1 of 1

Project Manager:	Dan Moir	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian Office	Company Name:	XTO Energy, Inc.
Address:	3300 North A Street	Address:	3104 E Greene St
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad, NM 88220
Phone:	(432) 236-3849	Email:	fsmith@ltenv.com, dmoir@ltenv.com

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRP ☐ Superfund State of Project:	
Reporting Level: ☐	Level ☐ PST/UST ☐ TRRP ☐ Level ☐
Deliverables: EDD ☐	Adapt ☐ Other: ☐

Project Name:	JRU 34	Turn Around	ANALYSIS REQUEST																Work Order Notes		
Project Number:	012919156	Routine: ☐																	TAT starts the day received by the lab, if received by 4:30pm		
PO #:	2RP-5553	Rush: 24 hrs																			
Sampler's Name:	Fatima Smith	Due Date:																			
Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☐ No ☒																		
Temperature (°C):	2.6	Thermometer ID	TMM001																Sample Comments		
Received Intact:	Yes ☒ No ☐	Correction Factor:	-0.2																		
Cooler Custody Seals:	Yes ☐ No ☒	Total Containers:	2																		
Sample Custody Seals:	Yes ☐ No ☒																				
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers																
SW09	S	1/27/20	1132	0-10'	1	X	X	X													
FS11	S	1/27/20	1155	10'	1	X	X	X													

Total 200.7 / 6010		200.8 / 6020:		8RCRA 13PPM Texas 11		Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn	
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U		1631 / 245.1 / 7470 / 7471 : Hg			
Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.							
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time		
1		1/27/20 13:50	2				
3			4				
5			6				

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 01.27.2020 01.50.00 PM

Work Order #: 650395

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	2.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:



Elizabeth McClellan

Date: 01.27.2020

Checklist reviewed by:



Jessica Kramer

Date: 01.28.2020

Analytical Report 634284

for
LT Environmental, Inc.

Project Manager: Dan Moir

JRU 34

21-AUG-19

Collected By: Client



1089 N Canal Street
Carlsbad, NM 88220

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-29), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142), North Carolina (681)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-19-19), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-20)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)



21-AUG-19

Project Manager: **Dan Moir**
LT Environmental, Inc.
4600 W. 60th Avenue
Arvada, CO 80003

Reference: XENCO Report No(s): **634284**
JRU 34
Project Address:

Dan Moir:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 634284. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 634284 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'. The signature is written in a cursive, flowing style.

Jessica Kramer
Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 634284****LT Environmental, Inc., Arvada, CO**

JRU 34

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS01	S	08-15-19 11:50	.5 ft	634284-001
SS02	S	08-15-19 12:00	.5 ft	634284-002
SS03	S	08-15-19 12:05	.5 ft	634284-003



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: JRU 34

Project ID:
Work Order Number(s): 634284

Report Date: 21-AUG-19
Date Received: 08/15/2019

Sample receipt non conformance and comments:

None

Sample receipt non conformance and comments per sample:

None

Analytical non conformance and comments:

Batch: LBA-3099158 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 634291-001 S, 634291-001 SD, 634284-002, 634284-003, 634284-001.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 634284

LT Environmental, Inc., Arvada, CO

Project Name: JRU 34

Project Id:

Contact: Dan Moir

Project Location:

Date Received in Lab: Thu Aug-15-19 04:45 pm

Report Date: 21-AUG-19

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	634284-001	634284-002	634284-003			
	Field Id:	SS01	SS02	SS03			
	Depth:	.5- ft	.5- ft	.5- ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Aug-15-19 11:50	Aug-15-19 12:00	Aug-15-19 12:05			
BTEX by EPA 8021B SUB: T104704400-18-16	Extracted:	Aug-17-19 12:30	Aug-17-19 12:30	Aug-17-19 12:30			
	Analyzed:	Aug-20-19 05:53	Aug-20-19 06:13	Aug-20-19 06:33			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		<0.0199 0.0199	<0.00199 0.00199	<0.00200 0.00200			
Toluene		0.651 0.0199	0.0112 0.00199	<0.00200 0.00200			
Ethylbenzene		0.837 0.0199	0.0170 0.00199	0.00317 0.00200			
m,p-Xylenes		2.13 0.0398	0.0212 0.00398	<0.00399 0.00399			
o-Xylene		1.81 0.0199	0.0470 0.00199	0.00462 0.00200			
Total Xylenes		3.94 0.0199	0.0682 0.00199	0.00462 0.00200			
Total BTEX		5.43 0.0199	0.0964 0.00199	0.00779 0.00200			
Chloride by EPA 300 SUB: T104704400-18-16	Extracted:	Aug-19-19 11:50	Aug-19-19 11:50	Aug-19-19 11:50			
	Analyzed:	Aug-20-19 11:26	Aug-20-19 11:33	Aug-20-19 11:39			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		1820 24.8	4300 25.1	950 4.95			
TPH by SW8015 Mod SUB: T104704400-18-16	Extracted:	Aug-19-19 13:00	Aug-19-19 13:00	Aug-19-19 13:00			
	Analyzed:	Aug-20-19 07:27	Aug-20-19 07:46	Aug-20-19 08:06			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Gasoline Range Hydrocarbons (GRO)		1040 125	203 125	<125 125			
Diesel Range Organics (DRO)		23900 125	10100 125	10700 125			
Motor Oil Range Hydrocarbons (MRO)		1400 125	963 125	1240 125			
Total TPH		26300 125	11300 125	11900 125			
Total GRO-DRO		24900 125	10300 125	10700 125			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.0%

Jessica Kramer
Project Assistant



Certificate of Analytical Results 634284

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SS01** Matrix: Soil Date Received: 08.15.19 16.45
 Lab Sample Id: 634284-001 Date Collected: 08.15.19 11.50 Sample Depth: .5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 08.19.19 11.50 Basis: Wet Weight
 Seq Number: 3099041 SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1820	24.8	mg/kg	08.20.19 11.26		5

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.19.19 13.00 Basis: Wet Weight
 Seq Number: 3099047 SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1040	125	mg/kg	08.20.19 07.27		5
Diesel Range Organics (DRO)	C10C28DRO	23900	125	mg/kg	08.20.19 07.27		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	1400	125	mg/kg	08.20.19 07.27		5
Total TPH	PHC635	26300	125	mg/kg	08.20.19 07.27		5
Total GRO-DRO	PHC628	24900	125	mg/kg	08.20.19 07.27		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	08.20.19 07.27	
o-Terphenyl	84-15-1	89	%	70-135	08.20.19 07.27	



Certificate of Analytical Results 634284

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SS01**
Lab Sample Id: 634284-001

Matrix: Soil
Date Collected: 08.15.19 11.50

Date Received: 08.15.19 16.45
Sample Depth: .5 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: AMB

Seq Number: 3099158

Prep Method: SW5030B

% Moisture:

Date Prep: 08.17.19 12.30

Basis: Wet Weight

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0199	0.0199	mg/kg	08.20.19 05.53	U	10
Toluene	108-88-3	0.651	0.0199	mg/kg	08.20.19 05.53		10
Ethylbenzene	100-41-4	0.837	0.0199	mg/kg	08.20.19 05.53		10
m,p-Xylenes	179601-23-1	2.13	0.0398	mg/kg	08.20.19 05.53		10
o-Xylene	95-47-6	1.81	0.0199	mg/kg	08.20.19 05.53		10
Total Xylenes	1330-20-7	3.94	0.0199	mg/kg	08.20.19 05.53		10
Total BTEX		5.43	0.0199	mg/kg	08.20.19 05.53		10
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	149	%	70-130	08.20.19 05.53	**	
1,4-Difluorobenzene	540-36-3	114	%	70-130	08.20.19 05.53		



Certificate of Analytical Results 634284

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: SS02
Lab Sample Id: 634284-002

Matrix: Soil
Date Collected: 08.15.19 12.00

Date Received: 08.15.19 16.45
Sample Depth: .5 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3099041

Date Prep: 08.19.19 11.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4300	25.1	mg/kg	08.20.19 11.33		5

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3099047

Date Prep: 08.19.19 13.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	203	125	mg/kg	08.20.19 07.46		5
Diesel Range Organics (DRO)	C10C28DRO	10100	125	mg/kg	08.20.19 07.46		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	963	125	mg/kg	08.20.19 07.46		5
Total TPH	PHC635	11300	125	mg/kg	08.20.19 07.46		5
Total GRO-DRO	PHC628	10300	125	mg/kg	08.20.19 07.46		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	122	%	70-135	08.20.19 07.46	
o-Terphenyl	84-15-1	123	%	70-135	08.20.19 07.46	



Certificate of Analytical Results 634284

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: SS02
Lab Sample Id: 634284-002

Matrix: Soil
Date Collected: 08.15.19 12.00

Date Received: 08.15.19 16.45
Sample Depth: .5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: AMB

Date Prep: 08.17.19 12.30

Basis: Wet Weight

Seq Number: 3099158

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	08.20.19 06.13	U	1
Toluene	108-88-3	0.0112	0.00199	mg/kg	08.20.19 06.13		1
Ethylbenzene	100-41-4	0.0170	0.00199	mg/kg	08.20.19 06.13		1
m,p-Xylenes	179601-23-1	0.0212	0.00398	mg/kg	08.20.19 06.13		1
o-Xylene	95-47-6	0.0470	0.00199	mg/kg	08.20.19 06.13		1
Total Xylenes	1330-20-7	0.0682	0.00199	mg/kg	08.20.19 06.13		1
Total BTEX		0.0964	0.00199	mg/kg	08.20.19 06.13		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	157		%	70-130	08.20.19 06.13	**
1,4-Difluorobenzene	540-36-3	102		%	70-130	08.20.19 06.13	



Certificate of Analytical Results 634284

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SS03** Matrix: Soil Date Received: 08.15.19 16.45
 Lab Sample Id: 634284-003 Date Collected: 08.15.19 12.05 Sample Depth: .5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 08.19.19 11.50 Basis: Wet Weight
 Seq Number: 3099041 SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	950	4.95	mg/kg	08.20.19 11.39		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 08.19.19 13.00 Basis: Wet Weight
 Seq Number: 3099047 SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<125	125	mg/kg	08.20.19 08.06	U	5
Diesel Range Organics (DRO)	C10C28DRO	10700	125	mg/kg	08.20.19 08.06		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	1240	125	mg/kg	08.20.19 08.06		5
Total TPH	PHC635	11900	125	mg/kg	08.20.19 08.06		5
Total GRO-DRO	PHC628	10700	125	mg/kg	08.20.19 08.06		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	100	%	70-135	08.20.19 08.06	
o-Terphenyl	84-15-1	121	%	70-135	08.20.19 08.06	



Certificate of Analytical Results 634284

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: SS03
Lab Sample Id: 634284-003

Matrix: Soil
Date Collected: 08.15.19 12.05

Date Received: 08.15.19 16.45
Sample Depth: .5 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: AMB

Seq Number: 3099158

Prep Method: SW5030B

% Moisture:

Date Prep: 08.17.19 12.30

Basis: Wet Weight

SUB: T104704400-18-16

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	08.20.19 06.33	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	08.20.19 06.33	U	1
Ethylbenzene	100-41-4	0.00317	0.00200	mg/kg	08.20.19 06.33		1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	08.20.19 06.33	U	1
o-Xylene	95-47-6	0.00462	0.00200	mg/kg	08.20.19 06.33		1
Total Xylenes	1330-20-7	0.00462	0.00200	mg/kg	08.20.19 06.33		1
Total BTEX		0.00779	0.00200	mg/kg	08.20.19 06.33		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	133		%	70-130	08.20.19 06.33	**
1,4-Difluorobenzene	540-36-3	98		%	70-130	08.20.19 06.33	



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

JRU 34

Analytical Method: Chloride by EPA 300

Seq Number: 3099041

MB Sample Id: 7684479-1-BLK

Matrix: Solid

LCS Sample Id: 7684479-1-BKS

Prep Method: E300P

Date Prep: 08.19.19

LCSD Sample Id: 7684479-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	241	96	239	96	90-110	1	20	mg/kg	08.19.19 15:04	

Analytical Method: Chloride by EPA 300

Seq Number: 3099041

Parent Sample Id: 634286-003

Matrix: Soil

MS Sample Id: 634286-003 S

Prep Method: E300P

Date Prep: 08.19.19

MSD Sample Id: 634286-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	15.4	249	282	107	283	107	90-110	0	20	mg/kg	08.20.19 11:58	

Analytical Method: Chloride by EPA 300

Seq Number: 3099041

Parent Sample Id: 634401-012

Matrix: Soil

MS Sample Id: 634401-012 S

Prep Method: E300P

Date Prep: 08.19.19

MSD Sample Id: 634401-012 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	93.2	250	349	102	348	102	90-110	0	20	mg/kg	08.19.19 15:23	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3099047

MB Sample Id: 7684493-1-BLK

Matrix: Solid

LCS Sample Id: 7684493-1-BKS

Prep Method: TX1005P

Date Prep: 08.19.19

LCSD Sample Id: 7684493-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	959	96	936	94	70-135	2	20	mg/kg	08.20.19 04:33	
Diesel Range Organics (DRO)	<25.0	1000	1000	100	977	98	70-135	2	20	mg/kg	08.20.19 04:33	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	97		122		119		70-135	%	08.20.19 04:33
o-Terphenyl	100		103		100		70-135	%	08.20.19 04:33

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

JRU 34

Analytical Method: TPH by SW8015 Mod

Seq Number: 3099047

Parent Sample Id: 634301-001

Matrix: Soil

MS Sample Id: 634301-001 S

Prep Method: TX1005P

Date Prep: 08.19.19

MSD Sample Id: 634301-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	973	97	976	98	70-135	0	20	mg/kg	08.20.19 05:30	
Diesel Range Organics (DRO)	<25.0	998	1020	102	1030	103	70-135	1	20	mg/kg	08.20.19 05:30	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	115		118		70-135	%	08.20.19 05:30
o-Terphenyl	105		106		70-135	%	08.20.19 05:30

Analytical Method: BTEX by EPA 8021B

Seq Number: 3099158

MB Sample Id: 7684441-1-BLK

Matrix: Solid

LCS Sample Id: 7684441-1-BKS

Prep Method: SW5030B

Date Prep: 08.17.19

LCSD Sample Id: 7684441-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0898	90	0.0909	91	70-130	1	35	mg/kg	08.20.19 02:53	
Toluene	<0.000456	0.100	0.0945	95	0.0982	98	70-130	4	35	mg/kg	08.20.19 02:53	
Ethylbenzene	<0.00200	0.100	0.0946	95	0.102	102	70-130	8	35	mg/kg	08.20.19 02:53	
m,p-Xylenes	<0.00101	0.200	0.181	91	0.196	98	70-130	8	35	mg/kg	08.20.19 02:53	
o-Xylene	<0.000344	0.100	0.0951	95	0.103	103	70-130	8	35	mg/kg	08.20.19 02:53	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	96		95		95		70-130	%	08.20.19 02:53
4-Bromofluorobenzene	102		107		109		70-130	%	08.20.19 02:53

Analytical Method: BTEX by EPA 8021B

Seq Number: 3099158

Parent Sample Id: 634291-001

Matrix: Soil

MS Sample Id: 634291-001 S

Prep Method: SW5030B

Date Prep: 08.17.19

MSD Sample Id: 634291-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.00139	0.0998	0.0611	60	0.0563	55	70-130	8	35	mg/kg	08.20.19 03:33	X
Toluene	0.0373	0.0998	0.0644	27	0.0547	17	70-130	16	35	mg/kg	08.20.19 03:33	X
Ethylbenzene	0.0180	0.0998	0.0518	34	0.0291	11	70-130	56	35	mg/kg	08.20.19 03:33	XF
m,p-Xylenes	0.0673	0.200	0.0652	0	0.0640	0	70-130	2	35	mg/kg	08.20.19 03:33	X
o-Xylene	0.107	0.0998	0.118	11	0.111	4	70-130	6	35	mg/kg	08.20.19 03:33	X

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		103		70-130	%	08.20.19 03:33
4-Bromofluorobenzene	186	**	207	**	70-130	%	08.20.19 03:33

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference


$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec

Work Order No.:

634284



Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)		www.xenco.com	Page <u>1</u> of <u>1</u>
Project Manager:	Dan Moir	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO
Address:	3300 North A Street	Address:	
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Midland, Tx 79705
Phone:	432.704.5178	Email:	ggreen@ltenv.com ; dmoir@ltenv.com
Project Name:	TBP1124		


Work Order Comments			
Program:	UST/PST	☐ PRP	☐ brownfields
State of Project:	☐ RC	☐ superfund	☐
Reporting Level:	Level II	☐ Level III	☐ UST/UST
Deliverables:	EDD	☐ ADAPT	☐ Other:
Reporting Level:	Level III	☐ RRP	☐ Level IV

ANALYSIS REQUEST										Work Order Notes	
Project Number:				Turn Around							
P.O. Number:		2RFS553		Routine		☒					
Sampler's Name:		Garrett Green		Rush:							
				Due Date:							
SAMPLE RECEIPT				Temp Blank:		☒ Yes ☐ No		Wet Ice:		☒ Yes ☐ No	
Temperature (°C):		1.0		Thermometer ID							
Received Intact:		☒ Yes ☐ No		Correction Factor:		-0.2					
Cooler Custody Seals:		Yes ☒ No ☐		Total Containers:		2					
Sample Custody Seals:		Yes ☒ No ☐									
of Containers											
(8015)											
(A 0=8021)											
(EPA 300.0)											
TAT starts the day received by the											

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	Analytes						Sample Comments	
						TPH (EPA)	BTEX (EPA)	Chloride (EPA)	Other 1	Other 2	Other 3		Other 4
SS01	S	08/15/14	1150	.5	1	X	X	X					
SS02	S		1200		1	↖	↗	↖					
SS03	S		1205		1	↖	↗	↖					
SS04													
SS05													
SS06													
SS07													
SS08													
SS09													
SS10													
SS11													
SS12													
SS13													
SS14													
SS15													
SS16													
SS17													
SS18													
SS19													
SS20													
SS21													
SS22													
SS23													
SS24													
SS25													
SS26													
SS27													
SS28													
SS29													
SS30													
SS31													
SS32													
SS33													
SS34													
SS35													
SS36													
SS37													
SS38													
SS39													
SS40													
SS41													
SS42													
SS43													
SS44													
SS45													
SS46													
SS47													
SS48													
SS49													
SS50													
SS51													
SS52													
SS53													
SS54													
SS55													
SS56													
SS57													
SS58													
SS59													
SS60													
SS61													
SS62													
SS63													
SS64													
SS65													
SS66													
SS67													
SS68													
SS69													
SS70													
SS71													
SS72													
SS73													
SS74													
SS75													
SS76													
SS77													
SS78													
SS79													
SS80													
SS81													
SS82													
SS83													
SS84													
SS85													
SS86													
SS87													
SS88													
SS89													
SS90													
SS91													
SS92													
SS93													
SS94													
SS95													
SS96													
SS97													
SS98													
SS99													
SS100													

[illegible]

Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		8/15/19 16:45			



Inter-Office Shipment

Page 1 of 1

IOS Number **46432**

Date/Time: 08/16/19 10:39

Created by: Elizabeth McClellan

Please send report to: Jessica Kramer

Lab# From: **Carlsbad**

Delivery Priority:

Address: 1089 N Canal Street

Lab# To: **Midland**

Air Bill No.: 7760 0892 0480

E-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
634284-001	S	SS01	08/15/19 11:50	SW8021B	BTEX by EPA 8021B	08/21/19	08/29/19	JKR	BR4FBZ BZ BZME EBZ X	
634284-001	S	SS01	08/15/19 11:50	E300_CL	Chloride by EPA 300	08/21/19	02/11/20	JKR	CL	
634284-001	S	SS01	08/15/19 11:50	SW8015MOD_NM	TPH by SW8015 Mod	08/21/19	08/29/19	JKR	GRO-DRO PHCC10C28 PI	
634284-002	S	SS02	08/15/19 12:00	E300_CL	Chloride by EPA 300	08/21/19	02/11/20	JKR	CL	
634284-002	S	SS02	08/15/19 12:00	SW8021B	BTEX by EPA 8021B	08/21/19	08/29/19	JKR	BR4FBZ BZ BZME EBZ X	
634284-002	S	SS02	08/15/19 12:00	SW8015MOD_NM	TPH by SW8015 Mod	08/21/19	08/29/19	JKR	GRO-DRO PHCC10C28 PI	
634284-003	S	SS03	08/15/19 12:05	SW8021B	BTEX by EPA 8021B	08/21/19	08/29/19	JKR	BR4FBZ BZ BZME EBZ X	
634284-003	S	SS03	08/15/19 12:05	E300_CL	Chloride by EPA 300	08/21/19	02/11/20	JKR	CL	
634284-003	S	SS03	08/15/19 12:05	SW8015MOD_NM	TPH by SW8015 Mod	08/21/19	08/29/19	JKR	GRO-DRO PHCC10C28 PI	

Inter Office Shipment or Sample Comments:

Relinquished By:

Elizabeth McClellan

Date Relinquished: 08/16/2019

Received By:

Katie Lowe

Date Received: 08/17/2019 12:15

Cooler Temperature: 3.8



Inter Office Report- Sample Receipt Checklist

Sent To: Midland

IOS #: 46432

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used :

Sent By: Elizabeth McClellan

Date Sent: 08/16/2019 10:39 AM

Received By: Katie Lowe

Date Received: 08/17/2019 12:15 PM

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	3.8
#2 *Shipping container in good condition?	Yes
#3 *Samples received with appropriate temperature?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 *Custody Seals Signed and dated for Containers/coolers	N/A
#6 *IOS present?	Yes
#7 Any missing/extra samples?	No
#8 IOS agrees with sample label(s)/matrix?	Yes
#9 Sample matrix/ properties agree with IOS?	Yes
#10 Samples in proper container/ bottle?	Yes
#11 Samples properly preserved?	Yes
#12 Sample container(s) intact?	Yes
#13 Sufficient sample amount for indicated test(s)?	Yes
#14 All samples received within hold time?	Yes

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

NonConformance:

Corrective Action Taken:

Nonconformance Documentation

Contact: _____ Contacted by : _____ Date: _____

Checklist reviewed by:

Katie Lowe

Date: 08/17/2019



Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 08/15/2019 04:45:00 PM

Work Order #: 634284

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	1.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	No
#5 Custody Seals intact on sample bottles?	No
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	Yes
#18 Water VOC samples have zero headspace?	N/A

Subbed to Xenco Midland.

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 08/16/2019

Checklist reviewed by:

Jessica Kramer

Date: 08/20/2019

Analytical Report 646843

for
LT Environmental, Inc.

Project Manager: Dan Moir

JRU 34

012919156

20-DEC-19

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



20-DEC-19

Project Manager: **Dan Moir**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **646843**

JRU 34

Project Address:

Dan Moir:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 646843. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 646843 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'. The signature is written in a cursive, flowing style.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 646843****LT Environmental, Inc., Arvada, CO**

JRU 34

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SW02	S	12-17-19 08:58	0 - 10 ft	646843-001
SW03	S	12-17-19 09:20	0 - 10 ft	646843-002
SW04	S	12-17-19 09:35	0 - 10 ft	646843-003
SW05	S	12-17-19 09:56	0 - 10 ft	646843-004
SW06	S	12-17-19 10:01	0 - 10 ft	646843-005
SW07	S	12-17-19 12:39	0 - 10 ft	646843-006
SW08	S	12-17-19 12:42	0 - 10 ft	646843-007
SW01	S	12-17-19 13:47	0 - 10 ft	646843-008
FS01	S	12-17-19 14:02	10 ft	646843-009
FS02	S	12-17-19 14:11	10 ft	646843-010
FS03	S	12-17-19 14:28	10 ft	646843-011
FS04	S	12-17-19 14:37	10 ft	646843-012
FS05	S	12-17-19 15:32	10 ft	646843-013
FS06	S	12-17-19 15:36	10 ft	646843-014
FS07	S	12-17-19 15:53	10 ft	646843-015
FS08	S	12-17-19 15:57	10 ft	646843-016
FS09	S	12-17-19 16:09	10 ft	646843-017
FS10	S	12-17-19 16:11	10 ft	646843-018

**CASE NARRATIVE****Client Name: LT Environmental, Inc.****Project Name: JRU 34**Project ID: 012919156
Work Order Number(s): 646843Report Date: 20-DEC-19
Date Received: 12/18/2019

Sample receipt non conformances and comments:None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3111020 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3111022 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3111023 Chloride by EPA 300

Lab Sample ID 646843-005 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 646843-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011, -012, -013, -014.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3111033 Chloride by EPA 300

Lab Sample ID 646846-007 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 646843-015, -016, -017, -018.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3111059 TPH by SW8015 Mod

Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 646843-013.



Certificate of Analysis Summary 646843

LT Environmental, Inc., Arvada, CO

Project Name: JRU 34

Project Id: 012919156

Contact: Dan Moir

Project Location:

Date Received in Lab: Wed Dec-18-19 12:58 pm

Report Date: 20-DEC-19

Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	646843-001	646843-002	646843-003	646843-004	646843-005	646843-006
	<i>Field Id:</i>	SW02	SW03	SW04	SW05	SW06	SW07
	<i>Depth:</i>	0-10 ft	0-10 ft	0-10 ft	0-10 ft	0-10 ft	0-10 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Dec-17-19 08:58	Dec-17-19 09:20	Dec-17-19 09:35	Dec-17-19 09:56	Dec-17-19 10:01	Dec-17-19 12:39
BTEX by EPA 8021B	<i>Extracted:</i>	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00
	<i>Analyzed:</i>	Dec-18-19 17:59	Dec-18-19 19:03	Dec-18-19 19:22	Dec-18-19 19:41	Dec-19-19 05:53	Dec-18-19 20:19
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00463 0.00463	<0.00198 0.00198
Toluene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.0185 0.0185	<0.00198 0.00198
Ethylbenzene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	0.0527 0.0185	<0.00198 0.00198
m,p-Xylenes		<0.00401 0.00401	<0.00397 0.00397	<0.00401 0.00401	0.00519 0.00397	0.0797 0.0370	<0.00396 0.00396
o-Xylene		<0.00200 0.00200	<0.00198 0.00198	0.00248 0.00200	<0.00198 0.00198	0.111 0.0185	<0.00198 0.00198
Total Xylenes		<0.00200 0.00200	<0.00198 0.00198	0.00248 0.00200	0.00519 0.00198	0.191 0.0185	<0.00198 0.00198
Total BTEX		<0.00200 0.00200	<0.00198 0.00198	0.00248 0.00200	0.00519 0.00198	0.243 0.00463	<0.00198 0.00198
Chloride by EPA 300	<i>Extracted:</i>	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30
	<i>Analyzed:</i>	Dec-18-19 17:44	Dec-18-19 17:49	Dec-18-19 17:55	Dec-18-19 18:01	Dec-18-19 18:07	Dec-18-19 18:36
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		3300 9.96	3150 9.98	2420 10.0	4230 D 100	4590 D 99.8	2560 9.98
TPH by SW8015 Mod	<i>Extracted:</i>	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20
	<i>Analyzed:</i>	Dec-18-19 14:42	Dec-18-19 15:02	Dec-18-19 15:02	Dec-18-19 15:21	Dec-18-19 15:21	Dec-18-19 15:41
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<50.1 50.1	<50.2 50.2	<50.0 50.0	93.0 50.3	<50.2 50.2
Diesel Range Organics (DRO)		51.7 50.0	<50.1 50.1	544 50.2	<50.0 50.0	3450 50.3	<50.2 50.2
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<50.1 50.1	59.0 50.2	<50.0 50.0	345 50.3	<50.2 50.2
Total GRO-DRO		51.7 50.0	<50.1 50.1	544 50.2	<50.0 50.0	3540 50.3	<50.2 50.2
Total TPH		51.7 50.0	<50.1 50.1	603 50.2	<50.0 50.0	3890 50.3	<50.2 50.2

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 646843

LT Environmental, Inc., Arvada, CO

Project Name: JRU 34

Project Id: 012919156

Contact: Dan Moir

Project Location:

Date Received in Lab: Wed Dec-18-19 12:58 pm

Report Date: 20-DEC-19

Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	646843-007	646843-008	646843-009	646843-010	646843-011	646843-012
	<i>Field Id:</i>	SW08	SW01	FS01	FS02	FS03	FS04
	<i>Depth:</i>	0-10 ft	0-10 ft	10- ft	10- ft	10- ft	10- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Dec-17-19 12:42	Dec-17-19 13:47	Dec-17-19 14:02	Dec-17-19 14:11	Dec-17-19 14:28	Dec-17-19 14:37
BTEX by EPA 8021B	<i>Extracted:</i>	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 14:00	Dec-18-19 15:00
	<i>Analyzed:</i>	Dec-18-19 20:38	Dec-18-19 20:58	Dec-18-19 21:17	Dec-18-19 21:36	Dec-18-19 21:55	Dec-18-19 18:08
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199
Toluene		<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199
Ethylbenzene		<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199
m,p-Xylenes		<0.00396 0.00396	<0.00396 0.00396	<0.00398 0.00398	<0.00396 0.00396	<0.00396 0.00396	<0.00398 0.00398
o-Xylene		<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199
Total Xylenes		<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199
Total BTEX		<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199	<0.00198 0.00198	<0.00198 0.00198	<0.00199 0.00199
Chloride by EPA 300	<i>Extracted:</i>	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 14:30
	<i>Analyzed:</i>	Dec-18-19 18:41	Dec-18-19 18:47	Dec-18-19 18:53	Dec-18-19 18:59	Dec-18-19 19:04	Dec-18-19 19:10
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		525 10.0	537 10.0	2660 10.1	6240 D 100	1260 9.94	89.7 9.98
TPH by SW8015 Mod	<i>Extracted:</i>	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 14:20	Dec-18-19 15:00
	<i>Analyzed:</i>	Dec-18-19 16:01	Dec-18-19 16:01	Dec-18-19 16:21	Dec-18-19 16:21	Dec-18-19 16:41	Dec-18-19 17:21
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.1 50.1	<49.9 49.9	<50.1 50.1	<50.0 50.0	<50.1 50.1	<50.1 50.1
Diesel Range Organics (DRO)		<50.1 50.1	<49.9 49.9	<50.1 50.1	<50.0 50.0	<50.1 50.1	<50.1 50.1
Motor Oil Range Hydrocarbons (MRO)		<50.1 50.1	<49.9 49.9	<50.1 50.1	<50.0 50.0	<50.1 50.1	<50.1 50.1
Total GRO-DRO		<50.1 50.1	<49.9 49.9	<50.1 50.1	<50.0 50.0	<50.1 50.1	<50.1 50.1
Total TPH		<50.1 50.1	<49.9 49.9	<50.1 50.1	<50.0 50.0	<50.1 50.1	<50.1 50.1

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 646843

LT Environmental, Inc., Arvada, CO

Project Name: JRU 34

Project Id: 012919156

Contact: Dan Moir

Project Location:

Date Received in Lab: Wed Dec-18-19 12:58 pm

Report Date: 20-DEC-19

Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	646843-013	646843-014	646843-015	646843-016	646843-017	646843-018
	<i>Field Id:</i>	FS05	FS06	FS07	FS08	FS09	FS10
	<i>Depth:</i>	10- ft	10- ft	10- ft	10- ft	10- ft	10- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Dec-17-19 15:32	Dec-17-19 15:36	Dec-17-19 15:53	Dec-17-19 15:57	Dec-17-19 16:09	Dec-17-19 16:11
BTEX by EPA 8021B	<i>Extracted:</i>	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00
	<i>Analyzed:</i>	Dec-18-19 18:25	Dec-18-19 18:43	Dec-18-19 19:00	Dec-18-19 19:18	Dec-18-19 19:35	Dec-18-19 19:52
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00200 0.00200
Toluene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00200 0.00200
Ethylbenzene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00200 0.00200
m,p-Xylenes		<0.00399 0.00399	<0.00397 0.00397	<0.00399 0.00399	<0.00395 0.00395	<0.00399 0.00399	<0.00400 0.00400
o-Xylene		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00200 0.00200
Total Xylenes		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00200 0.00200
Total BTEX		<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00198 0.00198	<0.00200 0.00200	<0.00200 0.00200
Chloride by EPA 300	<i>Extracted:</i>	Dec-18-19 14:30	Dec-18-19 14:30	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00
	<i>Analyzed:</i>	Dec-18-19 19:16	Dec-18-19 19:22	Dec-18-19 19:57	Dec-18-19 20:15	Dec-18-19 20:21	Dec-18-19 20:27
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		207 9.90	382 9.98	123 9.98	453 10.0	727 9.98	739 9.94
TPH by SW8015 Mod	<i>Extracted:</i>	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00	Dec-18-19 15:00
	<i>Analyzed:</i>	Dec-18-19 18:00	Dec-18-19 18:00	Dec-18-19 18:20	Dec-18-19 18:20	Dec-18-19 18:40	Dec-18-19 18:40
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.3 50.3	<50.3 50.3	<50.1 50.1	<49.9 49.9	<50.2 50.2	<50.2 50.2
Diesel Range Organics (DRO)		<50.3 50.3	<50.3 50.3	<50.1 50.1	<49.9 49.9	<50.2 50.2	<50.2 50.2
Motor Oil Range Hydrocarbons (MRO)		<50.3 50.3	<50.3 50.3	<50.1 50.1	<49.9 49.9	<50.2 50.2	<50.2 50.2
Total GRO-DRO		<50.3 50.3	<50.3 50.3	<50.1 50.1	<49.9 49.9	<50.2 50.2	<50.2 50.2
Total TPH		<50.3 50.3	<50.3 50.3	<50.1 50.1	<49.9 49.9	<50.2 50.2	<50.2 50.2

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW02**
Lab Sample Id: 646843-001

Matrix: Soil
Date Collected: 12.17.19 08.58

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111023

Date Prep: 12.18.19 14.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3300	9.96	mg/kg	12.18.19 17.44		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111041

Date Prep: 12.18.19 14.20

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	12.18.19 14.42	U	1
Diesel Range Organics (DRO)	C10C28DRO	51.7	50.0	mg/kg	12.18.19 14.42		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	12.18.19 14.42	U	1
Total GRO-DRO	PHC628	51.7	50.0	mg/kg	12.18.19 14.42		1
Total TPH	PHC635	51.7	50.0	mg/kg	12.18.19 14.42		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-135	12.18.19 14.42	
o-Terphenyl	84-15-1	97	%	70-135	12.18.19 14.42	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW02**
Lab Sample Id: 646843-001

Matrix: Soil
Date Collected: 12.17.19 08.58

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.18.19 17.59	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.18.19 17.59	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.18.19 17.59	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	12.18.19 17.59	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.18.19 17.59	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	12.18.19 17.59	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.18.19 17.59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	104	%	70-130	12.18.19 17.59		
4-Bromofluorobenzene	460-00-4	122	%	70-130	12.18.19 17.59		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW03** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-002 Date Collected: 12.17.19 09.20 Sample Depth: 0 - 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3150	9.98	mg/kg	12.18.19 17.49		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.18.19 15.02	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.18.19 15.02	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.18.19 15.02	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.18.19 15.02	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.18.19 15.02	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	12.18.19 15.02	
o-Terphenyl	84-15-1	104	%	70-135	12.18.19 15.02	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW03**
Lab Sample Id: 646843-002

Matrix: Soil
Date Collected: 12.17.19 09.20

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 19.03	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 19.03	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 19.03	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	12.18.19 19.03	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 19.03	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 19.03	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 19.03	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	12.18.19 19.03		
4-Bromofluorobenzene	460-00-4	111	%	70-130	12.18.19 19.03		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW04** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-003 Date Collected: 12.17.19 09.35 Sample Depth: 0 - 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2420	10.0	mg/kg	12.18.19 17.55		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	12.18.19 15.02	U	1
Diesel Range Organics (DRO)	C10C28DRO	544	50.2	mg/kg	12.18.19 15.02		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	59.0	50.2	mg/kg	12.18.19 15.02		1
Total GRO-DRO	PHC628	544	50.2	mg/kg	12.18.19 15.02		1
Total TPH	PHC635	603	50.2	mg/kg	12.18.19 15.02		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	97	%	70-135	12.18.19 15.02	
o-Terphenyl	84-15-1	101	%	70-135	12.18.19 15.02	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW04**
Lab Sample Id: 646843-003

Matrix: Soil
Date Collected: 12.17.19 09.35

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.18.19 19.22	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.18.19 19.22	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.18.19 19.22	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	12.18.19 19.22	U	1
o-Xylene	95-47-6	0.00248	0.00200	mg/kg	12.18.19 19.22		1
Total Xylenes	1330-20-7	0.00248	0.00200	mg/kg	12.18.19 19.22		1
Total BTEX		0.00248	0.00200	mg/kg	12.18.19 19.22		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	12.18.19 19.22		
4-Bromofluorobenzene	460-00-4	120	%	70-130	12.18.19 19.22		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW05** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-004 Date Collected: 12.17.19 09.56 Sample Depth: 0 - 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4230	100	mg/kg	12.19.19 12.23	D	10

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	12.18.19 15.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	12.18.19 15.21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	12.18.19 15.21	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	12.18.19 15.21	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	12.18.19 15.21	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	12.18.19 15.21	
o-Terphenyl	84-15-1	102	%	70-135	12.18.19 15.21	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW05**
Lab Sample Id: 646843-004

Matrix: Soil
Date Collected: 12.17.19 09.56

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 19.41	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 19.41	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 19.41	U	1
m,p-Xylenes	179601-23-1	0.00519	0.00397	mg/kg	12.18.19 19.41		1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 19.41	U	1
Total Xylenes	1330-20-7	0.00519	0.00198	mg/kg	12.18.19 19.41		1
Total BTEX		0.00519	0.00198	mg/kg	12.18.19 19.41		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	12.18.19 19.41		
4-Bromofluorobenzene	460-00-4	118	%	70-130	12.18.19 19.41		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW06** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-005 Date Collected: 12.17.19 10.01 Sample Depth: 0 - 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4590	99.8	mg/kg	12.19.19 12.29	D	10

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	93.0	50.3	mg/kg	12.18.19 15.21		1
Diesel Range Organics (DRO)	C10C28DRO	3450	50.3	mg/kg	12.18.19 15.21		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	345	50.3	mg/kg	12.18.19 15.21		1
Total GRO-DRO	PHC628	3540	50.3	mg/kg	12.18.19 15.21		1
Total TPH	PHC635	3890	50.3	mg/kg	12.18.19 15.21		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	12.18.19 15.21	
o-Terphenyl	84-15-1	125	%	70-135	12.18.19 15.21	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW06**
Lab Sample Id: 646843-005

Matrix: Soil
Date Collected: 12.17.19 10.01

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00463	0.00463	mg/kg	12.19.19 05.53	U	1
Toluene	108-88-3	<0.0185	0.0185	mg/kg	12.19.19 05.53	U	1
Ethylbenzene	100-41-4	0.0527	0.0185	mg/kg	12.19.19 05.53		1
m,p-Xylenes	179601-23-1	0.0797	0.0370	mg/kg	12.19.19 05.53		1
o-Xylene	95-47-6	0.111	0.0185	mg/kg	12.19.19 05.53		1
Total Xylenes	1330-20-7	0.191	0.0185	mg/kg	12.19.19 05.53		1
Total BTEX		0.243	0.00463	mg/kg	12.19.19 05.53		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	117	%	70-130	12.19.19 05.53		
1,4-Difluorobenzene	540-36-3	99	%	70-130	12.19.19 05.53		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW07** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-006 Date Collected: 12.17.19 12.39 Sample Depth: 0 - 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2560	9.98	mg/kg	12.18.19 18.36		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	12.18.19 15.41	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	12.18.19 15.41	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	12.18.19 15.41	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	12.18.19 15.41	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	12.18.19 15.41	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	12.18.19 15.41	
o-Terphenyl	84-15-1	97	%	70-135	12.18.19 15.41	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW07**
Lab Sample Id: 646843-006

Matrix: Soil
Date Collected: 12.17.19 12.39

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 20.19	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 20.19	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 20.19	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	12.18.19 20.19	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 20.19	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 20.19	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 20.19	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	125	%	70-130	12.18.19 20.19		
1,4-Difluorobenzene	540-36-3	104	%	70-130	12.18.19 20.19		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW08**
Lab Sample Id: 646843-007

Matrix: Soil
Date Collected: 12.17.19 12.42

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111023

Date Prep: 12.18.19 14.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	525	10.0	mg/kg	12.18.19 18.41		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111041

Date Prep: 12.18.19 14.20

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.18.19 16.01	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.18.19 16.01	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.18.19 16.01	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.18.19 16.01	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.18.19 16.01	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	12.18.19 16.01	
o-Terphenyl	84-15-1	95	%	70-135	12.18.19 16.01	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW08**
Lab Sample Id: 646843-007

Matrix: Soil
Date Collected: 12.17.19 12.42

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 20.38	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 20.38	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 20.38	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	12.18.19 20.38	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 20.38	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 20.38	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 20.38	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	121	%	70-130	12.18.19 20.38		
1,4-Difluorobenzene	540-36-3	98	%	70-130	12.18.19 20.38		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW01** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-008 Date Collected: 12.17.19 13.47 Sample Depth: 0 - 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	537	10.0	mg/kg	12.18.19 18.47		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	12.18.19 16.01	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	12.18.19 16.01	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	12.18.19 16.01	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	12.18.19 16.01	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	12.18.19 16.01	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	91	%	70-135	12.18.19 16.01	
o-Terphenyl	84-15-1	91	%	70-135	12.18.19 16.01	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **SW01**
Lab Sample Id: 646843-008

Matrix: Soil
Date Collected: 12.17.19 13.47

Date Received: 12.18.19 12.58
Sample Depth: 0 - 10 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3111020

Date Prep: 12.18.19 14.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 20.58	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 20.58	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 20.58	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	12.18.19 20.58	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 20.58	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 20.58	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 20.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	12.18.19 20.58		
4-Bromofluorobenzene	460-00-4	121	%	70-130	12.18.19 20.58		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS01** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-009 Date Collected: 12.17.19 14.02 Sample Depth: 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2660	10.1	mg/kg	12.18.19 18.53		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 14.20 Basis: Wet Weight
 Seq Number: 3111041

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.18.19 16.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.18.19 16.21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.18.19 16.21	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.18.19 16.21	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.18.19 16.21	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	12.18.19 16.21	
o-Terphenyl	84-15-1	95	%	70-135	12.18.19 16.21	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS01**
Lab Sample Id: 646843-009

Matrix: Soil
Date Collected: 12.17.19 14.02

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	12.18.19 21.17	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	12.18.19 21.17	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	12.18.19 21.17	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	12.18.19 21.17	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	12.18.19 21.17	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	12.18.19 21.17	U	1
Total BTEX		<0.00199	0.00199	mg/kg	12.18.19 21.17	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	12.18.19 21.17		
4-Bromofluorobenzene	460-00-4	122	%	70-130	12.18.19 21.17		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS02**
Lab Sample Id: 646843-010

Matrix: Soil
Date Collected: 12.17.19 14.11

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111023

Date Prep: 12.18.19 14.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6240	100	mg/kg	12.19.19 12.35	D	10

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111041

Date Prep: 12.18.19 14.20

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	12.18.19 16.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	12.18.19 16.21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	12.18.19 16.21	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	12.18.19 16.21	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	12.18.19 16.21	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-135	12.18.19 16.21	
o-Terphenyl	84-15-1	93	%	70-135	12.18.19 16.21	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS02**
Lab Sample Id: 646843-010

Matrix: Soil
Date Collected: 12.17.19 14.11

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 21.36	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 21.36	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 21.36	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	12.18.19 21.36	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 21.36	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 21.36	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 21.36	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	123	%	70-130	12.18.19 21.36		
1,4-Difluorobenzene	540-36-3	106	%	70-130	12.18.19 21.36		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS03**
Lab Sample Id: 646843-011

Matrix: Soil
Date Collected: 12.17.19 14.28

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111023

Date Prep: 12.18.19 14.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1260	9.94	mg/kg	12.18.19 19.04		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111041

Date Prep: 12.18.19 14.20

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.18.19 16.41	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.18.19 16.41	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.18.19 16.41	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.18.19 16.41	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.18.19 16.41	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	93	%	70-135	12.18.19 16.41	
o-Terphenyl	84-15-1	100	%	70-135	12.18.19 16.41	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS03**
Lab Sample Id: 646843-011

Matrix: Soil
Date Collected: 12.17.19 14.28

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 14.00

Basis: Wet Weight

Seq Number: 3111020

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 21.55	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 21.55	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 21.55	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	12.18.19 21.55	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 21.55	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 21.55	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 21.55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	100	%	70-130	12.18.19 21.55		
4-Bromofluorobenzene	460-00-4	122	%	70-130	12.18.19 21.55		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS04** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-012 Date Collected: 12.17.19 14.37 Sample Depth: 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 14.30 Basis: Wet Weight
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	89.7	9.98	mg/kg	12.18.19 19.10		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 15.00 Basis: Wet Weight
 Seq Number: 3111059

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.18.19 17.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.18.19 17.21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.18.19 17.21	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.18.19 17.21	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.18.19 17.21	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	12.18.19 17.21	
o-Terphenyl	84-15-1	106	%	70-135	12.18.19 17.21	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS04**
Lab Sample Id: 646843-012

Matrix: Soil
Date Collected: 12.17.19 14.37

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 15.00

Basis: Wet Weight

Seq Number: 3111022

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	12.18.19 18.08	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	12.18.19 18.08	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	12.18.19 18.08	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	12.18.19 18.08	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	12.18.19 18.08	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	12.18.19 18.08	U	1
Total BTEX		<0.00199	0.00199	mg/kg	12.18.19 18.08	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	99	%	70-130	12.18.19 18.08		
4-Bromofluorobenzene	460-00-4	100	%	70-130	12.18.19 18.08		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS05** Matrix: **Soil** Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-013 Date Collected: 12.17.19 15.32 Sample Depth: 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: **MAB** % Moisture:
 Analyst: **MAB** Date Prep: 12.18.19 14.30 Basis: **Wet Weight**
 Seq Number: 3111023

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	207	9.90	mg/kg	12.18.19 19.16		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: **DTH** % Moisture:
 Analyst: **DTH** Date Prep: 12.18.19 15.00 Basis: **Wet Weight**
 Seq Number: 3111059

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	12.18.19 18.00	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	127	%	70-135	12.18.19 18.00	
o-Terphenyl	84-15-1	140	%	70-135	12.18.19 18.00	**



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS05**
Lab Sample Id: 646843-013

Matrix: Soil
Date Collected: 12.17.19 15.32

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 15.00

Basis: Wet Weight

Seq Number: 3111022

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.18.19 18.25	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.18.19 18.25	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.18.19 18.25	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	12.18.19 18.25	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.18.19 18.25	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	12.18.19 18.25	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.18.19 18.25	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	101	%	70-130	12.18.19 18.25		
1,4-Difluorobenzene	540-36-3	101	%	70-130	12.18.19 18.25		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS06**
Lab Sample Id: 646843-014

Matrix: Soil
Date Collected: 12.17.19 15.36

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111023

Date Prep: 12.18.19 14.30

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	382	9.98	mg/kg	12.18.19 19.22		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111059

Date Prep: 12.18.19 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	12.18.19 18.00	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	12.18.19 18.00	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	12.18.19 18.00	
o-Terphenyl	84-15-1	115	%	70-135	12.18.19 18.00	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS06**
Lab Sample Id: 646843-014

Matrix: Soil
Date Collected: 12.17.19 15.36

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 15.00

Basis: Wet Weight

Seq Number: 3111022

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 18.43	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 18.43	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 18.43	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	12.18.19 18.43	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 18.43	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 18.43	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 18.43	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	98	%	70-130	12.18.19 18.43		
4-Bromofluorobenzene	460-00-4	103	%	70-130	12.18.19 18.43		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS07** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-015 Date Collected: 12.17.19 15.53 Sample Depth: 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 15.00 Basis: Wet Weight
 Seq Number: 3111033

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	123	9.98	mg/kg	12.18.19 19.57		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 15.00 Basis: Wet Weight
 Seq Number: 3111059

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.18.19 18.20	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.18.19 18.20	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.18.19 18.20	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.18.19 18.20	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.18.19 18.20	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	98	%	70-135	12.18.19 18.20	
o-Terphenyl	84-15-1	106	%	70-135	12.18.19 18.20	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS07**
Lab Sample Id: 646843-015

Matrix: Soil
Date Collected: 12.17.19 15.53

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3111022

Date Prep: 12.18.19 15.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.18.19 19.00	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.18.19 19.00	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.18.19 19.00	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	12.18.19 19.00	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.18.19 19.00	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	12.18.19 19.00	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.18.19 19.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	12.18.19 19.00		
4-Bromofluorobenzene	460-00-4	107	%	70-130	12.18.19 19.00		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS08**
Lab Sample Id: 646843-016

Matrix: Soil
Date Collected: 12.17.19 15.57

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111033

Date Prep: 12.18.19 15.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	453	10.0	mg/kg	12.18.19 20.15		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111059

Date Prep: 12.18.19 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	12.18.19 18.20	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	12.18.19 18.20	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	12.18.19 18.20	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	12.18.19 18.20	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	12.18.19 18.20	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	106	%	70-135	12.18.19 18.20	
o-Terphenyl	84-15-1	112	%	70-135	12.18.19 18.20	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS08**
Lab Sample Id: 646843-016

Matrix: Soil
Date Collected: 12.17.19 15.57

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 15.00

Basis: Wet Weight

Seq Number: 3111022

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	12.18.19 19.18	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	12.18.19 19.18	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	12.18.19 19.18	U	1
m,p-Xylenes	179601-23-1	<0.00395	0.00395	mg/kg	12.18.19 19.18	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	12.18.19 19.18	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	12.18.19 19.18	U	1
Total BTEX		<0.00198	0.00198	mg/kg	12.18.19 19.18	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	101	%	70-130	12.18.19 19.18		
1,4-Difluorobenzene	540-36-3	98	%	70-130	12.18.19 19.18		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS09**
Lab Sample Id: 646843-017

Matrix: Soil
Date Collected: 12.17.19 16.09

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3111033

Date Prep: 12.18.19 15.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	727	9.98	mg/kg	12.18.19 20.21		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3111059

Date Prep: 12.18.19 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	12.18.19 18.40	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	12.18.19 18.40	
o-Terphenyl	84-15-1	103	%	70-135	12.18.19 18.40	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS09**
Lab Sample Id: 646843-017

Matrix: Soil
Date Collected: 12.17.19 16.09

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 15.00

Basis: Wet Weight

Seq Number: 3111022

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.18.19 19.35	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.18.19 19.35	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.18.19 19.35	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	12.18.19 19.35	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.18.19 19.35	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	12.18.19 19.35	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.18.19 19.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	108	%	70-130	12.18.19 19.35		
1,4-Difluorobenzene	540-36-3	102	%	70-130	12.18.19 19.35		



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS10** Matrix: Soil Date Received: 12.18.19 12.58
 Lab Sample Id: 646843-018 Date Collected: 12.17.19 16.11 Sample Depth: 10 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.18.19 15.00 Basis: Wet Weight
 Seq Number: 3111033

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	739	9.94	mg/kg	12.18.19 20.27		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.18.19 15.00 Basis: Wet Weight
 Seq Number: 3111059

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	12.18.19 18.40	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	12.18.19 18.40	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	121	%	70-135	12.18.19 18.40	
o-Terphenyl	84-15-1	122	%	70-135	12.18.19 18.40	



Certificate of Analytical Results 646843

LT Environmental, Inc., Arvada, CO

JRU 34

Sample Id: **FS10**
Lab Sample Id: 646843-018

Matrix: Soil
Date Collected: 12.17.19 16.11

Date Received: 12.18.19 12.58
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.18.19 15.00

Basis: Wet Weight

Seq Number: 3111022

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.18.19 19.52	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.18.19 19.52	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.18.19 19.52	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	12.18.19 19.52	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.18.19 19.52	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	12.18.19 19.52	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.18.19 19.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	12.18.19 19.52		
4-Bromofluorobenzene	460-00-4	106	%	70-130	12.18.19 19.52		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

JRU 34

Analytical Method: Chloride by EPA 300

Seq Number: 3111023

MB Sample Id: 7692734-1-BLK

Matrix: Solid

LCS Sample Id: 7692734-1-BKS

Prep Method: E300P

Date Prep: 12.18.19

LCSD Sample Id: 7692734-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	256	102	259	104	90-110	1	20	mg/kg	12.18.19 16:16	

Analytical Method: Chloride by EPA 300

Seq Number: 3111033

MB Sample Id: 7692767-1-BLK

Matrix: Solid

LCS Sample Id: 7692767-1-BKS

Prep Method: E300P

Date Prep: 12.18.19

LCSD Sample Id: 7692767-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	255	102	255	102	90-110	0	20	mg/kg	12.18.19 19:45	

Analytical Method: Chloride by EPA 300

Seq Number: 3111023

Parent Sample Id: 646770-001

Matrix: Soil

MS Sample Id: 646770-001 S

Prep Method: E300P

Date Prep: 12.18.19

MSD Sample Id: 646770-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	36.5	199	259	112	259	111	90-110	0	20	mg/kg	12.18.19 16:40	X

Analytical Method: Chloride by EPA 300

Seq Number: 3111023

Parent Sample Id: 646843-005

Matrix: Soil

MS Sample Id: 646843-005 S

Prep Method: E300P

Date Prep: 12.18.19

MSD Sample Id: 646843-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	4590	200	5050	230	5050	231	90-110	0	20	mg/kg	12.18.19 18:12	X

Analytical Method: Chloride by EPA 300

Seq Number: 3111033

Parent Sample Id: 646843-015

Matrix: Soil

MS Sample Id: 646843-015 S

Prep Method: E300P

Date Prep: 12.18.19

MSD Sample Id: 646843-015 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	123	200	353	115	354	114	90-110	0	20	mg/kg	12.18.19 20:03	X

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

JRU 34

Analytical Method: Chloride by EPA 300

Seq Number: 3111033

Parent Sample Id: 646846-007

Matrix: Soil

MS Sample Id: 646846-007 S

Prep Method: E300P

Date Prep: 12.18.19

MSD Sample Id: 646846-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	4070	200	4150	40	4140	35	90-110	0	20	mg/kg	12.18.19 21:59	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111041

MB Sample Id: 7692768-1-BLK

Matrix: Solid

LCS Sample Id: 7692768-1-BKS

Prep Method: SW8015P

Date Prep: 12.18.19

LCSD Sample Id: 7692768-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	941	94	921	92	70-135	2	35	mg/kg	12.18.19 12:10	
Diesel Range Organics (DRO)	<50.0	1000	820	82	791	79	70-135	4	35	mg/kg	12.18.19 12:10	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	85		94		106		70-135	%	12.18.19 12:10
o-Terphenyl	87		93		91		70-135	%	12.18.19 12:10

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111059

MB Sample Id: 7692774-1-BLK

Matrix: Solid

LCS Sample Id: 7692774-1-BKS

Prep Method: SW8015P

Date Prep: 12.18.19

LCSD Sample Id: 7692774-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1080	108	1130	113	70-135	5	35	mg/kg	12.18.19 17:01	
Diesel Range Organics (DRO)	<50.0	1000	1110	111	1190	119	70-135	7	35	mg/kg	12.18.19 17:01	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	116		125		129		70-135	%	12.18.19 17:01
o-Terphenyl	127		122		135		70-135	%	12.18.19 17:01

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111041

Matrix: Solid

MB Sample Id: 7692768-1-BLK

Prep Method: SW8015P

Date Prep: 12.18.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	12.18.19 11:51	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

JRU 34

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111059

Matrix: Solid

Prep Method: SW8015P

Date Prep: 12.18.19

MB Sample Id: 7692774-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	12.18.19 17:01	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111041

Matrix: Water

Prep Method: SW8015P

Date Prep: 12.18.19

Parent Sample Id: 646770-001

MS Sample Id: 646770-001 S

MSD Sample Id: 646770-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS % Rec	MSD Result	MSD % Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<49.8	995	903	91	1000	100	70-135	10	35	mg/kg	12.18.19 12:30	
Diesel Range Organics (DRO)	<49.8	995	777	78	885	89	70-135	13	35	mg/kg	12.18.19 12:30	

Surrogate

	MS % Rec	MS Flag	MSD % Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	113		111		70-135	%	12.18.19 12:30
o-Terphenyl	100		111		70-135	%	12.18.19 12:30

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111059

Matrix: Soil

Prep Method: SW8015P

Date Prep: 12.18.19

Parent Sample Id: 646843-012

MS Sample Id: 646843-012 S

MSD Sample Id: 646843-012 SD

Parameter	Parent Result	Spike Amount	MS Result	MS % Rec	MSD Result	MSD % Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.2	1000	819	82	889	88	70-135	8	35	mg/kg	12.18.19 17:41	
Diesel Range Organics (DRO)	<50.2	1000	723	72	738	73	70-135	2	35	mg/kg	12.18.19 17:41	

Surrogate

	MS % Rec	MS Flag	MSD % Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	90		115		70-135	%	12.18.19 17:41
o-Terphenyl	91		99		70-135	%	12.18.19 17:41

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

JRU 34

Analytical Method: BTEX by EPA 8021B

Seq Number: 3111020

MB Sample Id: 7692736-1-BLK

Matrix: Solid

LCS Sample Id: 7692736-1-BKS

Prep Method: SW5030B

Date Prep: 12.18.19

LCSD Sample Id: 7692736-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0939	94	0.0936	94	70-130	0	35	mg/kg	12.18.19 13:06	
Toluene	<0.00200	0.100	0.0973	97	0.0972	97	70-130	0	35	mg/kg	12.18.19 13:06	
Ethylbenzene	<0.00200	0.100	0.0969	97	0.0968	97	71-129	0	35	mg/kg	12.18.19 13:06	
m,p-Xylenes	<0.00400	0.200	0.207	104	0.206	103	70-135	0	35	mg/kg	12.18.19 13:06	
o-Xylene	<0.00200	0.100	0.104	104	0.104	104	71-133	0	35	mg/kg	12.18.19 13:06	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		102		102		70-130	%	12.18.19 13:06
4-Bromofluorobenzene	116		118		117		70-130	%	12.18.19 13:06

Analytical Method: BTEX by EPA 8021B

Seq Number: 3111022

MB Sample Id: 7692770-1-BLK

Matrix: Solid

LCS Sample Id: 7692770-1-BKS

Prep Method: SW5030B

Date Prep: 12.18.19

LCSD Sample Id: 7692770-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0969	97	0.0885	89	70-130	9	35	mg/kg	12.18.19 16:24	
Toluene	<0.00200	0.100	0.0981	98	0.0896	90	70-130	9	35	mg/kg	12.18.19 16:24	
Ethylbenzene	<0.00200	0.100	0.0973	97	0.0889	89	71-129	9	35	mg/kg	12.18.19 16:24	
m,p-Xylenes	<0.00400	0.200	0.202	101	0.184	92	70-135	9	35	mg/kg	12.18.19 16:24	
o-Xylene	<0.00200	0.100	0.0981	98	0.0896	90	71-133	9	35	mg/kg	12.18.19 16:24	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	97		100		97		70-130	%	12.18.19 16:24
4-Bromofluorobenzene	96		100		97		70-130	%	12.18.19 16:24

Analytical Method: BTEX by EPA 8021B

Seq Number: 3111020

Parent Sample Id: 646770-001

Matrix: Soil

MS Sample Id: 646770-001 S

Prep Method: SW5030B

Date Prep: 12.18.19

MSD Sample Id: 646770-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0808	81	0.0991	99	70-130	20	35	mg/kg	12.18.19 13:44	
Toluene	<0.00200	0.100	0.0832	83	0.103	103	70-130	21	35	mg/kg	12.18.19 13:44	
Ethylbenzene	<0.00200	0.100	0.0822	82	0.102	102	71-129	21	35	mg/kg	12.18.19 13:44	
m,p-Xylenes	<0.00400	0.200	0.174	87	0.217	109	70-135	22	35	mg/kg	12.18.19 13:44	
o-Xylene	<0.00200	0.100	0.0874	87	0.110	110	71-133	23	35	mg/kg	12.18.19 13:44	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		103		70-130	%	12.18.19 13:44
4-Bromofluorobenzene	120		125		70-130	%	12.18.19 13:44

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

JRU 34

Analytical Method: BTEX by EPA 8021B

Seq Number: 3111022

Parent Sample Id: 646843-012

Matrix: Soil

MS Sample Id: 646843-012 S

Prep Method: SW5030B

Date Prep: 12.18.19

MSD Sample Id: 646843-012 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0940	94	0.0942	94	70-130	0	35	mg/kg	12.18.19 16:59	
Toluene	<0.00200	0.100	0.0948	95	0.0933	93	70-130	2	35	mg/kg	12.18.19 16:59	
Ethylbenzene	<0.00200	0.100	0.0935	94	0.0907	91	71-129	3	35	mg/kg	12.18.19 16:59	
m,p-Xylenes	<0.000754	0.200	0.195	98	0.188	94	70-135	4	35	mg/kg	12.18.19 16:59	
o-Xylene	<0.00200	0.100	0.0953	95	0.0923	92	71-133	3	35	mg/kg	12.18.19 16:59	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	101		102		70-130	%	12.18.19 16:59
4-Bromofluorobenzene	105		102		70-130	%	12.18.19 16:59

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No: 1646843

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300, San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440, El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
 Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199, Phoenix, AZ (480) 355-0900
 Tampa, FL (813) 620-2000, Tallahassee, FL (850) 756-0747, Delray Beach, FL (561) 689-6701
 Atlanta, GA (770) 449-9800

www.xenco.com Page 1 of 2

Project Manager:	Dan Moir	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian Office	Company Name:	XTO Energy, Inc.
Address:	3300 North A Street	Address:	3104 E. Greene St
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad, NM 88220
Phone:	(432) 236-3849	Email:	fsmith@xenv.com, dmoir@xenv.com

Work Order Comments Program: ☐ UST/PS ☐ PRP ☐ Brownfields ☐ RR ☐ Superfund State of Project: _____ Reporting Level: ☐ Level ☐ PST/USF ☐ TRRP ☐ Level Deliverables: EDD ☐ ADAPT ☐ Other: _____	
---	--

Project Name:	UR034	Turn Around	ANALYSIS REQUEST																Work Order Notes		
Project Number:	012919156	Routine:																	TAT starts the day received by the lab, if received by 4:30pm		
PO #:	2RP-5553	Rush: 24hrs																			
Sampler's Name:	Fatima Smith	Due Date:																			
Temperature (°C):	2.0	Temp Blank:	☒ Yes ☐ No	Wet Ice:	☒ Yes ☐ No																
Received Intact:	☒ Yes ☐ No	Thermometer ID	T-NM-007																		
Cooler Custody Seals:	☒ Yes ☐ No	Correction Factor:	-0.7																		
Sample Custody Seals:	☒ Yes ☐ No	Total Containers:	18																		
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers																Sample Comments
					TPH (EPA 8015)	BTEX (EPA 0-8021)	Chloride (EPA 300.0)														
SW02	S	12/17/19	0658	0-10	X	X	X														
SW03	S		0920	0-10																	
SW04	S		0935	0-10																	
SW05	S		0956	0-10																	
SW06	S		1001	0-10																	
SW07	S		1239	0-10																	
SW08	S		1242	0-10																	
SW01	S		1347	0-10																	
FS01	S		1402	10																	
FS02	S		1411	10																	

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		4/18/19 12:58			



Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300, San Antonio, TX (210) 506-3334
Midland, TX (432) 704-5440, El Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3198, Phoenix, AZ (480) 355-0900
Tampa, FL (813) 620-2002, Tallahassee, FL (850) 756-0747, Delray Beach, FL (561) 689-6701
Atlanta, GA (770) 449-8800

Work Order No: 6460843

Project Manager:	Dan Moir	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian Office	Company Name:	XTO Energy, Inc.
Address:	3300 North A Street	Address:	3104 E Greene St
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad, NM 88220
Phone:	(432) 236-3849	Email:	dsmith@ltenv.com , dmoir@ltenv.com

Work Order Comments			
Program: UST/ST	☐ PRP	☐ Brownfields	☐ RRC Superfund
State of Project:			
Reporting: Level	☐ Level	☐ PST/UST	☐ TRRB Level
Deliverables: EDD	☐ ADAPT	☐	Other:

Project Name:	JRU 34	Turn Around
Project Number:	012919156	Routine: ☐
PO #:	2RP-5553	Rush: 24 hrs
Sampler's Name:	Fatima Smith	Due Date:
SAMPLE RECEIPT		
Temperature (°C):	Temp Blank:	Yes No Thermometer ID
Received Inact:	Yes No	Well Ice: Yes No
Cooler Custody Seals:	Yes No N/A	Correction Factor:
Sample Custody Seals:	Yes No N/A	Total Containers:

[illegible]

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	TPH (EPA)	BTEX (EPA)	Chloride	Sample Comments
FS03	S	12/17/19	1428	10	1	X	X	X	
FS04	S		1437	10					
FS05	S		1532	10					
FS06	S		1536	10					
FS07	S		1553	10					
FS08	S		1557	10					
FS09	S		1609	10					
FS10	S		1611	10					
FS11									

[illegible]

Notice: Signature of this document represents relinquishment of samples constitutes a valid purchase order from client company to Xenoco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenoco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenoco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenoco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 <i>[Signature]</i>	<i>[Signature]</i>	12/18/19 12:58	2		
3			4		
5			6		



Client: LT Environmental, Inc.

Date/ Time Received: 12/18/2019 12:58:00 PM

Work Order #: 646843

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 12/18/2019

Checklist reviewed by:

Jessica Kramer

Date: 12/19/2019