



ENSOLUM

CLOSURE REPORT

Property:

**Grama Ridge Release
S5, T22S, R34E
Lea County, New Mexico
NMOCD No. 1RP-5547**


March 4, 2020
Ensolum Project No. 03B1206009

Prepared for:

**Marathon Oil Permian LLC
4111 S. Tidwell Road
Carlsbad, New Mexico 88220**

Attn: Mr. Isaac Castro

Prepared by:


Beaux Jennings
Senior Project Manager



Elizabeth Scaggs, PG
Principal Geoscientist



TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Site Description & Background	1
1.2	Project Objective	1
2.0	CLOSURE CRITERIA	1
3.0	SOIL REMEDIATION ACTIVITIES.....	3
4.0	SOIL SAMPLING PROGRAM.....	3
5.0	SOIL LABORATORY ANALYTICAL METHODS.....	4
6.0	DATA EVALUATION	4
7.0	RECLAMATION AND RE-VEGETATION	4
8.0	FINDINGS AND RECOMMENDATION	4
9.0	STANDARDS OF CARE, LIMITATIONS, AND RELIANCE.....	5
9.1	Standard of Care.....	5
9.2	Limitations	5
9.3	Reliance.....	5

LIST OF APPENDICES

- Appendix A: Figures
- Appendix B: Supporting Figures and Documentation
- Appendix C: Photographic Documentation
- Appendix D: Table 1 - Soil Analytical Summary
- Appendix E: Laboratory Data Sheets & Chain of Custody Documentation
- Appendix F: C-141



CLOSURE REPORT

**Grama Ridge Release
S5, T22S, R34E
Lea County, New Mexico
NMOCD No. 1RP-5547**

1.0 INTRODUCTION

1.1 Site Description & Background

Operator:	Marathon Oil Permian LLC (Marathon)
Site Name:	Grama Ridge
Location:	32.399529 N, 103.489403 W Section 5, Township 22 South, Range 34 East Lea County, New Mexico
Property:	Marathon Oil Permian LLC
Regulatory:	New Mexico Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

On September 5, 2019, a Marathon operator observed and reported a release of crude oil from a leaking lease automatic custody transfer (LACT) unit air eliminator. Approximately 12.5 barrels (bbls) of crude oil was released onto the ground surface and flowed approximately 100 feet west and 80 feet north of the LACT unit. Subsequent to the discovery of the release, Marathon dispatched a vacuum truck to recover standing crude oil that was released onto the pad surrounding the LACT unit. Approximately 10 bbls of crude oil were recovered the vacuum truck.

The **Topographic Map** depicting the location of the Site is included as **Figure 1**, and the **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

1.2 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the on-Site soils to below the applicable New Mexico EMNRD OCD closure criteria concentrations.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the New Mexico EMNRD OCD. In order to address activities related to exempt oil and gas releases, the New Mexico EMNRD OCD references New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for sites subject to reporting and/or corrective action. Ensolum, LLC (Ensolum) utilized information provided by Marathon, the general site characteristics, and information available from the New Mexico Office of the State Engineer (OSE) and the New Mexico EMNRD OCD Imaging database to determine the appropriate closure criteria for the Site. Supporting documentation and figures associated with the following bullets are provided in **Appendix B**. No water wells were identified within a half-mile of the Site. However, the closest water well was identified approximately 0.88 miles northeast of the Site on the OSE Water Rights Reporting System (WRRS) database with a depth to water of 31 feet below ground surface (bgs).



- The Site is not located within 300 feet of a New Mexico ENMRD OCD-defined continuously flowing watercourse or significant watercourse.
- The Site is not located within 200 feet of a lakebed, sinkhole or playa lake.
- The Site is not located within 300 feet from a permanent residence, school, hospital, institution or church.
- According to the OSE WRSS database there are no private, domestic freshwater wells used by less than five (5) households for domestic or stock water purposes identified within 500 feet of the Site.
- According to the OSE WRSS database there are no freshwater wells identified within 1,000 feet of the Site as declared in the previous bullet.
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3.
- The Site is not located within 300 feet of a wetland.
- Based on information identified on the New Mexico Mining and Minerals Division’s GIS, Maps and Mine Data database, the Site is not located within an area overlying a subsurface mine.
- The Site is not located within an unstable area.
- The Site is not located within a 100-year floodplain.

Based on the identified siting criteria, cleanup goals for soils remaining in place at the Site include:

Closure Criteria for Soils Impacted by a Release			
Minimum depth below any point within horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Method	Limit
≤50 feet	Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

Closure Report
Grama Ridge Release
March 4, 2020



3.0 SOIL REMEDIATION ACTIVITIES

On September 5, 2019, a Marathon operator observed and reported a release of crude oil from a leaking LACT unit air eliminator. Approximately 12.5 bbls of crude oil was released onto the ground surface and flowed approximately 100 feet west and 80 feet north of the LACT unit. Subsequent to the discovery of the release, Marathon dispatched a vacuum truck to recover standing crude oil that was released onto the pad surrounding the LACT unit. Approximately 10 bbls of crude oil were recovered the vacuum truck. During remediation activities, Lighthouse Environmental, LLC (Lighthouse) utilized a backhoe and hand digging during soil remediation activities, beginning near the point of release near the LACT unit and flow path. Remediation activities were conducted by Lighthouse, with oversight by Ensolum, on October 2, 2019 through February 14, 2020.

The initial Closure Report was submitted by Marathon on November 13, 2019 and received by the OCD on November 15, 2019. The Closure Report was reviewed and denied by the OCD on January 13, 2020 due to inadequate delineation and lack of composite soil sampling. On January 20, 2020, Ensolum proposed a sampling plan to Ms. Victoria Venegas with the OCD for additional sampling at the Site. On January 22, 2020, Ensolum returned to the Site to install eight (8) hand auger soil sample locations and collect composite soil samples (CS-6 through CS-13). Analytical results revealed an exceedance for total petroleum hydrocarbons (TPH) and chloride at soil sample location CS-8. On February 14, 2020, Ensolum and Lighthouse returned to the Site to excavate the impacts observed at soil sample location CS-8. A backhoe was utilized to remove approximately 8 cubic yards (cy) from the Site and was subsequently taken off-site for disposal. The additional excavation area was sampled with one (1) composite soil sample taken of the floor (CS-14) and side wall (CS-15) of the excavation.

The flow path area measured approximately 5,000 square feet. The maximum depth of COC impacts measured approximately two and a half feet (2.5) bgs.

The lithology encountered during the completion of closure activities consisted primarily of caliche, underlain by silty sand.

A total of approximately 278 cy of petroleum hydrocarbon affected soils were transported off-site for disposal. The excavation was backfilled with imported clean fill then contoured to surrounding grade.

Figure 3 is a map that identifies approximate soil sample locations and depicts the approximate dimensions of the excavation with respect to the LACT unit (**Appendix A**). Photographic documentation of the field activities is included in **Appendix C**.

4.0 SOIL SAMPLING PROGRAM

Ensolum's soil sampling program included the collection of fifteen (15) confirmation soil samples (CS-1 through CS-15) from the impacted area for laboratory analysis. The location and depth of the confirmation soil samples were taken within the flow path to horizontally and vertically delineate the crude oil released from the on-site LACT unit. Prior to Ensolum's arrival, a portion of the impacted soil had been removed and placed on a plastic liner on the northwest portion of the Site. A stockpile soil sample (STP) was also taken to characterize the impacted soil for disposal purposes.

The soil samples were collected and placed in laboratory prepared glassware, labeled/sealed using laboratory supplied labels and custody seals, and stored on ice in a cooler. The samples were relinquished to Xenco Laboratories in Midland, Texas, under proper chain-of-custody procedures.

5.0 SOIL LABORATORY ANALYTICAL METHODS

The confirmation soil samples and stockpile soil sample were analyzed for benzene, toluene, ethylbenzene and total xylenes (BTEX) using Environmental Protection Agency (EPA) SW-846 Methods #8021B and #8260B, total petroleum hydrocarbon (TPH) gasoline range organics (GRO), diesel range organics (DRO), and motor oil/lube oil range organics (MRO) using EPA SW-846 Method #8015M, and chloride using EPA Method #300.0.

Laboratory analytical results are summarized in **Table 1** in **Appendix D**. The executed chain-of-custody and laboratory documentation are provided in **Appendix E**.

6.0 DATA EVALUATION

Ensolum compared the BTEX, TPH GRO/DRO/MRO, and chloride concentrations associated with the final confirmation soil samples (CS-1 through CS-7 and CS-9 through CS-15) remaining in place to the New Mexico EMNRD OCD closure criteria.

- Laboratory analytical results indicate benzene concentrations for soils remaining in place do not exceed the laboratory sample detection limits (SDLs) or the New Mexico EMNRD OCD closure criteria of 10 milligrams per kilogram (mg/kg).
- Laboratory analytical results indicate that total BTEX concentrations for soils remaining in place do not exceed the laboratory SDLs or the New Mexico EMNRD OCD closure criteria of 50 mg/kg.
- Laboratory analytical results indicate combined TPH GRO/DRO/MRO concentrations for soils remaining in place do not exceed the laboratory SDLs or the New Mexico EMNRD OCD closure criteria of 100 mg/kg.
- Laboratory analytical results indicate chloride concentrations for soils remaining in place do not exceed the laboratory SDLs or the New Mexico EMNRD OCD closure criteria of 600 mg/kg.

Laboratory analytical results are summarized in **Table 1** in **Appendix D**.

7.0 RECLAMATION AND RE-VEGETATION

The impacted area was backfilled with clean backfill and then contoured to original surface grade. The release area is located inside an active oil and gas production and storage facility; therefore, Lighthouse compacted the backfilled excavation in order to minimize dust and erosion at the site.

8.0 FINDINGS AND RECOMMENDATION

- The primary objective of the closure activities was to reduce COC concentrations in the on-Site soils to below the applicable New Mexico EMNRD OCD closure criteria using the New Mexico EMNRD OCD's NMAC 19.15.29 *Releases* as guidance.
- During remediation activities, Lighthouse utilized a backhoe and hand digging during soil remediation activities, beginning near the point of release near the LACT unit and flow path. Remediation activities were conducted by Lighthouse, with oversight by Ensolum, on October 2, 2019 through February 14, 2020.
- A total of 15 confirmation soil samples were collected from the impacted area. Based on laboratory analytical results, soils remaining in place do not exhibit COC concentrations above the applicable New Mexico EMNRD OCD closure criteria.

Closure Report
Grama Ridge Release
March 4, 2020



- The location and depth of the 15 confirmation soil samples taken within the flow path are adequate to effectively horizontally and vertically delineate the crude oil released from the on-site LACT unit.
- A total of approximately 278 cy of petroleum hydrocarbon affected soils were transported off-site for disposal. The excavation was backfilled with imported clean fill then contoured to surrounding grade.

Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.

9.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

9.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g. laboratories, regulatory agencies, or other third parties). This scope of services was performed in accordance with the scope of work agreed with the client, as detailed in our proposal.

9.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-site activities and other services performed under this scope of work and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings, and recommendations are based solely upon data available to Ensolum at the time of these services.


9.3 Reliance

This report has been prepared for the exclusive use of Marathon Oil Permian LLC, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization Marathon Oil Permian LLC and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the Closure Report.



APPENDIX A

Figures




Copyright:© 2013 National Geographic Society, i-cubed




TOPOGRAPHIC MAP
MARATHON OIL PERMIAN LLC
GRAMA RIDGE 8 STATE COM #002H
Lea County, New Mexico
32.399529° N, 103.489403° W
PROJECT NUMBER: 03B1206009

FIGURE
1




SITE VICINITY MAP
MARATHON OIL PERMIAN LLC
GRAMA RIDGE 8 STATE COM #002H
Lea County, New Mexico
32.399529° N, 103.489403° W
PROJECT NUMBER: 03B1206009

FIGURE
2



LEGEND:

- ▲ Release Point
- Confirmation Soil Sample Location
- Extent of Excavation
- Extent of Additional Excavation
- Stockpile Location



SITE MAP

MARATHON OIL PERMIAN LLC
GRAMA RIDGE 8 STATE COM #002H
Lea County, New Mexico
32.399529° N, 103.489403° W

PROJECT NUMBER: 03B1206009

FIGURE

3



APPENDIX B

Supporting Figures & Documentation



OSE POD Locations

Points of Diversion visible at 1:19,000 with 1,000 features per view

Water Rights Look Up

Measurement


| Miles

Measurement Result

0.88 Miles

Clear

Press CTRL to enable snapping



All Rights Reserved

Revised December 1975

90221
19

IMPORTANT — READ INSTRUCTIONS ON BACK BEFORE FILLING OUT THIS FORM.

Declaration of Owner of Underground Water Right

CAPITAN BASIN

BASIN NAME

Declaration No. CP-597

Date received April 17, 1979 **79 APR 20 PM 3 01**

STATEMENT

1. Name of Declarant THE MERCHANT LIVESTOCK COMPANY
Mailing Address P.O. Box 548 Carlsbad **STATE ENGINEER OFFICE SANTA FE, N.M. 87501**

County of Eddy, State of New Mexico

2. Source of water supply shallow

(artesian or shallow water aquifer)

3. Describe well location under one of the following subheadings:

a. $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 8 Twp. 22 S Rge. 34 E N.M.P.M., in Lea County.

b. Tract No. _____ of Map No. _____ of the _____

c. X = _____ feet, Y = _____ feet, N. M. Coordinate System _____ Zone _____ in the _____ Grant.

On land owned by _____

4. Description of well: date drilled 1918 driller _____ depth 35' feet.

outside diameter of casing 6 5/8 inches; original capacity _____ gal. per min.; present capacity 3

gal. per min.; pumping lift _____ feet; static water level 31 feet (above) (below) land surface;

make and type of pump _____

make, type, horsepower, etc., of power plant _____

Fractional or percentage interest claimed in well 100%

5. Quantity of water appropriated and beneficially used up to 3

(~~XXXXXX~~) (acre feet per annum)

for stock water purposes.

6. Acreage actually irrigated _____ acres, located and described as follows (describe only lands actually irrigated):

Subdivision	Sec.	Twp.	Range	Acres Irrigated	Owner
			<u>stock only</u>		<u>The Merchant Livestock Co.</u>

(Note: location of well and acreage actually irrigated must be shown on plat on reverse side.)

7. Water was first applied to beneficial use 1918 and since that time

has been used fully and continuously on all of the above described lands or for the above described purposes except

as follows: _____

8. Additional statements or explanations _____

name of well - Hamilton

I, J. D. Merchant, Jr. President _____ being first duly sworn upon my oath, depose and say that the above is a true and complete statement prepared in accordance with the instructions on the reverse side of this form and submitted in evidence of ownership of a valid underground water right, that I have carefully read each and all of the items contained therein and that the same are true to the best of my knowledge and belief.

THE MERCHANT LIVESTOCK CO., declarant.


by: J. D. Merchant, Jr., President

Subscribed and sworn to before me this 12th

day of April, A.D. 1979

My commission expires March 20, 1980

Paul P. Saunders Notary Public



Locate well and areas actually irrigated as accurately as possible on following plat:

Section (s) _____, Township _____, Range _____ N. M. P. M.

INSTRUCTIONS

Declaration shall be executed (preferably typewritten) in triplicate and must be accompanied by a \$1.00 filing fee. Each of triplicate copies must be properly signed and attested.

A separate declaration must be filed for each well in use.

All blanks shall be filled out fully. Required information which cannot be sworn to by declarant shall be supplied by affidavit of person or persons familiar with the facts and shall be submitted herewith.

Secs. 1-3. Complete all blanks.

Sec. 4. Fill out all blanks applicable as fully as possible.

Sec. 5. Irrigation use shall be stated in acre feet of water per acre per year applied on the land. If used for domestic, municipal, or other purposes, state total quantity in acre feet used annually.

Sec. 6. Describe only the acreage actually irrigated. When necessary to clearly define irrigated acreages, describe to nearest 2½ acre subdivision. If located on unsurveyed lands, describe by legal subdivision "as projected" from the nearest government survey corners, or describe by metes and bounds and tie survey to some permanent, easily-located natural object.

Sec. 7. Explain and give dates as nearly as possible of any years when all or part of acreage claimed was not irrigated.

Sec. 8. If well irrigates or supplies supplemental water to any other land than that described above, or if land is also irrigated from any other source, explain under this section. Give any other data necessary to fully describe water right.

If additional space is necessary, use a separate sheet or sheets and attach securely hereto.

April 17, 1979

Files: CP-584; CP-585; CP-586; CP-587; CP-588;
CP-589; CP-590; CP-591; CP-592; CP-593;
CP-594; CP-595; CP-596; CP-597; CP-598;
CP-599; CP-600; CP-601; CP-602

The Merchant Livestock Company
P. O. Box 548
Carlsbad, NM 88220

Gentlemen:

Enclosed are your copies of Declarations of Owner of Underground Water Right as numbered above, which have been filed for record in the office of the State Engineer.

Please refer to each individual number in all future correspondence concerning these declarations.

The filing of these declarations does not indicate affirmation or rejection of the statements contained therein.

Yours very truly,

J. C. Groseclose
Basin Supervisor

JCG/gh
Incls.
cc: Santa Fe



Gramma Ridge




October 15, 2019

Wetlands

- Estuarine and Marine Deepwater
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.


Active Mines in New Mexico



10/15/2019, 9:54:30 AM

1:72,224

Registered Mines



x Aggregate, Stone etc.

U.S. Bureau of Land Management - New Mexico State Office, Sources: Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

EMNRD MMD GIS Coordinator

NM Energy, Minerals and Natural Resources Department (<http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=1b5e577974664d689b47790897ca2795>)



APPENDIX C

Photographic Documentation



View of the release area during remediation activities, facing south.



View of the release area during remediation activities, facing south.



View of the release area during remediation activities, facing east.



View of flow path during remediation activities, facing southwest.



View of the release area during remediation activities, facing south.



View of the release area during remediation activities, facing south.



View of the release area during remediation activities, facing east.



View of the release area during remediation activities, facing east.



Date & Time: Wed, Jan 22, 2020, 11:50:00 MST
Position: +032.399443° / -103.489876° (±210.2ft)
Altitude: 3541ft (±235.2ft)
Datum: WGS-84
Azimuth/Bearing: 058° N58E 1031mils True (±14°)
Elevation Angle: -04.0°
Horizon Angle: +08.7°
Zoom: 1.0X

View of the release area subsequent to remediation activities, facing northeast.



Date & Time: Wed, Jan 22, 2020, 11:50:05 MST
Position: +032.399402° / -103.489775° (±30.6ft)
Altitude: 3537ft (±20.2ft)
Datum: WGS-84
Azimuth/Bearing: 351° N09W 6240mils True (±14°)
Elevation Angle: -07.0°
Horizon Angle: -00.5°
Zoom: 1.0X

View of the release area subsequent to remediation activities, facing north.



APPENDIX D

Table 1 – Soil Analytical Summary

TABLE 1
SOIL SAMPLE ANALYTICAL RESULTS
 Marathon Oil Permian LLC - Grama Ridge 8 State Com #002H
 Lea County, New Mexico

Ensolum Project No. 03B1206009

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total TPH (GRO+DRO+MRO) (mg/kg)	Chloride (mg/kg)
New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤ 50 feet)			10	NE	NE	NE	50	NE	NE	NE	100	600
Confirmation Soil Sample Analytical Results												
CS-1	10/4/2019	1.5	<0.000207	<0.000998	<0.000335	<0.000436	<0.000207	<15.0	<15.0	<15.0	<15.0	6.36
CS-2	10/4/2019	1	<0.000207	<0.000998	<0.000335	<0.000436	<0.000207	<15.0	<15.0	<15.0	<15.0	200
CS-3	10/4/2019	2.5	<0.000206	<0.000996	<0.000334	<0.000435	<0.000206	<15.0	<15.0	<15.0	<15.0	9.01
CS-4	10/4/2019	2	<0.000207	<0.00100	<0.000336	<0.000438	<0.000207	<14.9	<14.9	<14.9	<14.9	4.02 J
CS-5	10/4/2019	1	<0.000208	<0.00101	0.000795 J	0.00305	0.00385	<15.0	74.0	<15.0	74.0	201
CS-6	1/22/2020	0 - 2.5	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	249
CS-7	1/22/2020	0 - 2.5	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	18.5
CS-8	1/22/2020	0 - 2.5	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.0	110	<50.0	110	886
CS-9	1/22/2020	0 - 2.5	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	388
CS-10	1/22/2020	0 - 2.5	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	51.5	<49.9	<49.9	51.5	107
CS-11	1/22/2020	0 - 2.5	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	52.0	<49.8	<49.8	52.0	94.8
CS-12	1/22/2020	0 - 2.5	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	58.4	<50.0	58.4	524
CS-13	1/22/2020	0 - 2.5	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	441
CS-14	2/14/2020	2.5	NS					<50.0	<50.0	<50.0	<50.0	499
CS-15	2/14/2020	0 - 2.5	NS					<49.8	<49.8	<49.8	<49.8	460
Stockpile Soil Sample Analytical Results												
STP	10/4/2019	NA	0.0514	0.863	0.759	3.78	5.45	489	6,030	549	7,070	166

Concentrations in **bold** and yellow exceed the New Mexico Oil Conservation Division Closure Criteria for Soils Impacted by a Release (≤50 feet)

Over Excavated and/or Re-Sampled

bgs: below ground surface

J: The target analyte was positively identified below the quantitation limit and above the detection limit.

mg/kg: milligrams per kilogram

NA: Not Applicable

NE: Not Established

NS: Not Sampled

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

MRO = Motor Oil/Lube Oil Range Organics

TPH = Total Petroleum Hydrocarbon



APPENDIX E

Laboratory Analytical Reports & Chain-of-Custody Documentation

Analytical Report 639137

for
Ensolum

Project Manager: Beaux Jennings

Gramma Ridge

03B1206009

10-OCT-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142), North Carolina (681)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



Table of Contents

Cover Page	1
Cover Letter	3
Sample ID Cross Reference	4
Case Narrative	5
Certificate of Analysis (Detailed Report)	6
Explanation of Qualifiers (Flags)	20
SURR_QC_V62	21
LCS / LCSD Recoveries	24
MS / MSD Recoveries	26
Chain of Custody	28
IOS_COC_49447	30
IOS_Check_List_49447	31
Sample Receipt Conformance Report	32



10-OCT-19

Project Manager: **Beaux Jennings**

Ensolum

2351 W Northwest Highway

Suite 1203

Dallas, TX 75220

Reference: XENCO Report No(s): **639137**

Gramma Ridge

Project Address:

Beaux Jennings:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 639137. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 639137 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 639137

Ensolum, Dallas, TX

Gamma Ridge

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
CS-1	S	10-04-19 09:50	1.5 ft	639137-001
CS-2	S	10-04-19 09:52	1 ft	639137-002
CS-3	S	10-04-19 09:55	2.5 ft	639137-003
CS-4	S	10-04-19 10:00	2 ft	639137-004
CS-5	S	10-04-19 10:02	1 ft	639137-005
STP	S	10-04-19 09:25		639137-006



CASE NARRATIVE

Client Name: Ensolum

Project Name: Gramma Ridge

Project ID: 03B1206009
Work Order Number(s): 639137

Report Date: 10-OCT-19
Date Received: 10/07/2019

This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory.

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-1	Matrix: Soil	Sample Depth: 1.5 ft
Lab Sample Id: 639137-001	Date Collected: 10.04.19 09.50	Date Received: 10.07.19 08.30
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Analyst: CHE	% Moist:	Tech: CHE
Seq Number: 3103554	Date Prep: 10.07.19 14.00	
	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	6.36	4.96	0.852	mg/kg	10.07.19 18:53		1

Analytical Method: TPH by SW8015 Mod	Prep Method: 8015
Analyst: ARM	% Moist: DVM
Seq Number: 3103878	Date Prep: 10.09.19 17.00
	Prep seq: 7687811

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	50.0	15.0	mg/kg	10.09.19 22:41	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	50.0	15.0	mg/kg	10.09.19 22:41	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	50.0	15.0	mg/kg	10.09.19 22:41	U	1
Total TPH	PHC635	<15.0		15.0	mg/kg	10.09.19 22:41	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	83	70 - 135	%		
o-Terphenyl	91	70 - 135	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-1	Matrix: Soil	Sample Depth: 1.5 ft
Lab Sample Id: 639137-001	Date Collected: 10.04.19 09.50	Date Received: 10.07.19 08.30
Analytical Method: BTEX by SW 8260C	% Moist: 	Prep Method: 5035A
Analyst: CRL	Date Prep: 10.08.19 13.45	Tech: CRL
Seq Number: 3103624	Prep seq: 7687687	
Subcontractor: SUB: T104704215-19-30		

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	<0.000207	0.000998	0.000207	mg/kg	10.08.19 14:15	U	1
Toluene	108-88-3	<0.000998	0.00499	0.000998	mg/kg	10.08.19 14:15	U	1
Ethylbenzene	100-41-4	<0.000335	0.000998	0.000335	mg/kg	10.08.19 14:15	U	1
m,p-Xylenes	179601-23-1	<0.000436	0.00200	0.000436	mg/kg	10.08.19 14:15	U	1
o-Xylene	95-47-6	<0.000983	0.000998	0.000983	mg/kg	10.08.19 14:15	U	1
Total Xylenes	1330-20-7	<0.000436		0.000436	mg/kg	10.08.19 14:15	U	
Total BTEX		<0.000207		0.000207	mg/kg	10.08.19 14:15	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	96	53 - 142	%		
1,2-Dichloroethane-D4	91	53 - 150	%		
Toluene-D8	96	70 - 130	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-2	Matrix: Soil	Sample Depth: 1 ft
Lab Sample Id: 639137-002	Date Collected: 10.04.19 09.52	Date Received: 10.07.19 08.30
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Analyst: CHE	% Moist:	Tech: CHE
Seq Number: 3103554	Date Prep: 10.07.19 14.00	
	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	200	4.99	0.857	mg/kg	10.07.19 18:58		1

Analytical Method: TPH by SW8015 Mod	Prep Method: 8015
Analyst: ARM	Tech: DVM
Seq Number: 3103878	
	% Moist:
	Date Prep: 10.09.19 17.00
	Prep seq: 7687811

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	50.0	15.0	mg/kg	10.09.19 23:43	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	50.0	15.0	mg/kg	10.09.19 23:43	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	50.0	15.0	mg/kg	10.09.19 23:43	U	1
Total TPH	PHC635	<15.0		15.0	mg/kg	10.09.19 23:43	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	84	70 - 135	%		
o-Terphenyl	91	70 - 135	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-2	Matrix: Soil	Sample Depth: 1 ft
Lab Sample Id: 639137-002	Date Collected: 10.04.19 09.52	Date Received: 10.07.19 08.30
Analytical Method: BTEX by SW 8260C		Prep Method: 5035A
Analyst: CRL	% Moist:	Tech: CRL
Seq Number: 3103624	Date Prep: 10.08.19 13.45	
Subcontractor: SUB: T104704215-19-30	Prep seq: 7687687	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	<0.000207	0.000998	0.000207	mg/kg	10.08.19 14:33	U	1
Toluene	108-88-3	<0.000998	0.00499	0.000998	mg/kg	10.08.19 14:33	U	1
Ethylbenzene	100-41-4	<0.000335	0.000998	0.000335	mg/kg	10.08.19 14:33	U	1
m,p-Xylenes	179601-23-1	<0.000436	0.00200	0.000436	mg/kg	10.08.19 14:33	U	1
o-Xylene	95-47-6	<0.000983	0.000998	0.000983	mg/kg	10.08.19 14:33	U	1
Total Xylenes	1330-20-7	<0.000436		0.000436	mg/kg	10.08.19 14:33	U	
Total BTEX		<0.000207		0.000207	mg/kg	10.08.19 14:33	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	100	53 - 142	%		
1,2-Dichloroethane-D4	96	53 - 150	%		
Toluene-D8	97	70 - 130	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX Gamma Ridge

Sample Id: CS-3	Matrix: Soil	Sample Depth: 2.5 ft
Lab Sample Id: 639137-003	Date Collected: 10.04.19 09.55	Date Received: 10.07.19 08.30
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Analyst: CHE	% Moist:	Tech: CHE
Seq Number: 3103554	Date Prep: 10.07.19 14.00	
	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	9.01	4.95	0.850	mg/kg	10.07.19 19:14		1

Analytical Method: TPH by SW8015 Mod	Prep Method: 8015
Analyst: ARM	% Moist:
Seq Number: 3103878	Date Prep: 10.09.19 17.00
	Prep seq: 7687811
	Tech: DVM

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	49.9	15.0	mg/kg	10.10.19 00:04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	49.9	15.0	mg/kg	10.10.19 00:04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	49.9	15.0	mg/kg	10.10.19 00:04	U	1
Total TPH	PHC635	<15.0		15.0	mg/kg	10.10.19 00:04	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	81	70 - 135	%		
o-Terphenyl	89	70 - 135	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-3	Matrix: Soil	Sample Depth: 2.5 ft
Lab Sample Id: 639137-003	Date Collected: 10.04.19 09.55	Date Received: 10.07.19 08.30
Analytical Method: BTEX by SW 8260C		Prep Method: 5035A
Analyst: CRL	% Moist:	Tech: CRL
Seq Number: 3103624	Date Prep: 10.08.19 13.45	
Subcontractor: SUB: T104704215-19-30	Prep seq: 7687687	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	<0.000206	0.000996	0.000206	mg/kg	10.08.19 14:50	U	1
Toluene	108-88-3	<0.000996	0.00498	0.000996	mg/kg	10.08.19 14:50	U	1
Ethylbenzene	100-41-4	<0.000334	0.000996	0.000334	mg/kg	10.08.19 14:50	U	1
m,p-Xylenes	179601-23-1	<0.000435	0.00199	0.000435	mg/kg	10.08.19 14:50	U	1
o-Xylene	95-47-6	<0.000981	0.000996	0.000981	mg/kg	10.08.19 14:50	U	1
Total Xylenes	1330-20-7	<0.000435		0.000435	mg/kg	10.08.19 14:50	U	
Total BTEX		<0.000206		0.000206	mg/kg	10.08.19 14:50	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	95	53 - 142	%		
1,2-Dichloroethane-D4	92	53 - 150	%		
Toluene-D8	89	70 - 130	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-4	Matrix: Soil	Sample Depth: 2 ft
Lab Sample Id: 639137-004	Date Collected: 10.04.19 10.00	Date Received: 10.07.19 08.30
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Analyst: CHE	% Moist:	Tech: CHE
Seq Number: 3103554	Date Prep: 10.07.19 14.00	
	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	4.02	5.00	0.858	mg/kg	10.07.19 19:20	J	1

Analytical Method: TPH by SW8015 Mod	Prep Method: 8015
Analyst: ARM	Tech: DVM
Seq Number: 3103878	
	% Moist:
	Date Prep: 10.09.19 17.00
	Prep seq: 7687811

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	49.8	14.9	mg/kg	10.10.19 00:25	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	49.8	14.9	mg/kg	10.10.19 00:25	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	49.8	14.9	mg/kg	10.10.19 00:25	U	1
Total TPH	PHC635	<14.9		14.9	mg/kg	10.10.19 00:25	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	82	70 - 135	%		
o-Terphenyl	91	70 - 135	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-4	Matrix: Soil	Sample Depth: 2 ft
Lab Sample Id: 639137-004	Date Collected: 10.04.19 10.00	Date Received: 10.07.19 08.30
Analytical Method: BTEX by SW 8260C		Prep Method: 5035A
Analyst: CRL	% Moist:	Tech: CRL
Seq Number: 3103624	Date Prep: 10.08.19 13.45	
Subcontractor: SUB: T104704215-19-30	Prep seq: 7687687	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	<0.000207	0.00100	0.000207	mg/kg	10.08.19 15:08	U	1
Toluene	108-88-3	<0.00100	0.00501	0.00100	mg/kg	10.08.19 15:08	U	1
Ethylbenzene	100-41-4	<0.000336	0.00100	0.000336	mg/kg	10.08.19 15:08	U	1
m,p-Xylenes	179601-23-1	<0.000438	0.00200	0.000438	mg/kg	10.08.19 15:08	U	1
o-Xylene	95-47-6	<0.000987	0.00100	0.000987	mg/kg	10.08.19 15:08	U	1
Total Xylenes	1330-20-7	<0.000438		0.000438	mg/kg	10.08.19 15:08	U	
Total BTEX		<0.000207		0.000207	mg/kg	10.08.19 15:08	U	

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	95	53 - 142	%		
1,2-Dichloroethane-D4	89	53 - 150	%		
Toluene-D8	93	70 - 130	%		



Certificate of Analytical Results

639137



Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-5	Matrix: Soil	Sample Depth: 1 ft
Lab Sample Id: 639137-005	Date Collected: 10.04.19 10.02	Date Received: 10.07.19 08.30
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Analyst: CHE	% Moist:	Tech: CHE
Seq Number: 3103554	Date Prep: 10.07.19 14.00	
	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	201	5.04	0.865	mg/kg	10.07.19 19:25		1

Analytical Method: TPH by SW8015 Mod	Prep Method: 8015
Analyst: ARM	% Moist: DVM
Seq Number: 3103878	Date Prep: 10.09.19 17.00
	Prep seq: 7687811

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	50.0	15.0	mg/kg	10.10.19 00:46	U	1
Diesel Range Organics (DRO)	C10C28DRO	74.0	50.0	15.0	mg/kg	10.10.19 00:46		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	50.0	15.0	mg/kg	10.10.19 00:46	U	1
Total TPH	PHC635	74.0		15.0	mg/kg	10.10.19 00:46		

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	82	70 - 135	%		
o-Terphenyl	91	70 - 135	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: CS-5	Matrix: Soil	Sample Depth: 1 ft
Lab Sample Id: 639137-005	Date Collected: 10.04.19 10.02	Date Received: 10.07.19 08.30
Analytical Method: BTEX by SW 8260C		Prep Method: 5035A
Analyst: CRL	% Moist:	Tech: CRL
Seq Number: 3103624	Date Prep: 10.08.19 13.45	
Subcontractor: SUB: T104704215-19-30	Prep seq: 7687687	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	<0.000208	0.00101	0.000208	mg/kg	10.08.19 15:25	U	1
Toluene	108-88-3	<0.00101	0.00503	0.00101	mg/kg	10.08.19 15:25	U	1
Ethylbenzene	100-41-4	0.000795	0.00101	0.000338	mg/kg	10.08.19 15:25	J	1
m,p-Xylenes	179601-23-1	0.00168	0.00201	0.000439	mg/kg	10.08.19 15:25	J	1
o-Xylene	95-47-6	0.00137	0.00101	0.000991	mg/kg	10.08.19 15:25		1
Total Xylenes	1330-20-7	0.00305		0.000439	mg/kg	10.08.19 15:25		
Total BTEX		0.00385		0.000208	mg/kg	10.08.19 15:25		

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	99	53 - 142	%		
1,2-Dichloroethane-D4	97	53 - 150	%		
Toluene-D8	99	70 - 130	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: STP	Matrix: Soil	Sample Depth:
Lab Sample Id: 639137-006	Date Collected: 10.04.19 09.25	Date Received: 10.07.19 08.30
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Analyst: CHE	% Moist:	Tech: CHE
Seq Number: 3103554	Date Prep: 10.07.19 14.00	
	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	166	5.05	0.867	mg/kg	10.07.19 19:30		1

Analytical Method: TPH by SW8015 Mod	Prep Method: 8015
Analyst: ARM	% Moist: DVM
Seq Number: 3103878	Date Prep: 10.09.19 17.00
	Prep seq: 7687811

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	489	49.9	15.0	mg/kg	10.10.19 01:07		1
Diesel Range Organics (DRO)	C10C28DRO	6030	49.9	15.0	mg/kg	10.10.19 01:07		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	549	49.9	15.0	mg/kg	10.10.19 01:07		1
Total TPH	PHC635	7070		15.0	mg/kg	10.10.19 01:07		

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	121	70 - 135	%		
o-Terphenyl	108	70 - 135	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: **STP**
 Lab Sample Id: 639137-006
 Analytical Method: BTEX by SW 8260C
 Analyst: CRL
 Seq Number: 3103624
 Subcontractor: SUB: T104704215-19-30

Matrix: Soil
 Date Collected: 10.04.19 09.25
 % Moist:
 Date Prep: 10.08.19 13.45
 Prep seq: 7687687

Sample Depth:
 Date Received: 10.07.19 08.30
 Prep Method: 5035A
 Tech: CRL

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	0.0514	0.00100	0.000207	mg/kg	10.08.19 16:00		1
Toluene	108-88-3	0.863	0.125	0.0249	mg/kg	10.08.19 16:18	D	25
Ethylbenzene	100-41-4	0.759	0.0249	0.00836	mg/kg	10.08.19 16:18	D	25
m,p-Xylenes	179601-23-1	2.58	0.0498	0.0109	mg/kg	10.08.19 16:18	D	25
o-Xylene	95-47-6	1.20	0.0249	0.0245	mg/kg	10.08.19 16:18	D	25
Total Xylenes	1330-20-7	3.78		0.0109	mg/kg	10.08.19 16:18		
Total BTEX		5.45		0.000207	mg/kg	10.08.19 16:18		

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	91	53 - 142	%		
1,2-Dichloroethane-D4	85	53 - 150	%		
Toluene-D8	123	70 - 130	%		



Certificate of Analytical Results

639137

Ensolum, Dallas, TX
Gamma Ridge

Sample Id: 7687628-1-BLK	Matrix: Solid	Sample Depth:
Lab Sample Id: 7687628-1-BLK	Date Collected:	Date Received:
Analytical Method: Chloride by EPA 300	% Moist:	Prep Method: E300P
Analyst: CHE	Date Prep: 10.07.19 14.00	Tech: CHE
Seq Number: 3103554	Prep seq: 7687628	

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Chloride	16887-00-6	<0.858	5.00	0.858	mg/kg	10.07.19 17:07	U	1

Sample Id: 7687687-1-BLK	Matrix: Solid	Sample Depth:
Lab Sample Id: 7687687-1-BLK	Date Collected:	Date Received:
Analytical Method: BTEX by SW 8260C	% Moist:	Prep Method: 5035A
Analyst: CRL	Date Prep: 10.08.19 09.30	Tech: CRL
Seq Number: 3103624	Prep seq: 7687687	
Subcontractor: SUB: T104704215-19-30		

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Benzene	71-43-2	<0.000207	0.00100	0.000207	mg/kg	10.08.19 11:41	U	1
Toluene	108-88-3	<0.00100	0.00500	0.00100	mg/kg	10.08.19 11:41	U	1
Ethylbenzene	100-41-4	<0.000336	0.00100	0.000336	mg/kg	10.08.19 11:41	U	1
m,p-Xylenes	179601-23-1	<0.000437	0.00200	0.000437	mg/kg	10.08.19 11:41	U	1
o-Xylene	95-47-6	<0.000985	0.00100	0.000985	mg/kg	10.08.19 11:41	U	1

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
Dibromofluoromethane	95	53 - 142	%		
1,2-Dichloroethane-D4	91	53 - 150	%		
Toluene-D8	91	70 - 130	%		



Certificate of Analytical Results

639137



Ensolum, Dallas, TX
Gamma Ridge

Sample Id: **7687811-1-BLK**

Matrix: Solid

Sample Depth:

Lab Sample Id: 7687811-1-BLK

Date Collected:

Date Received:

Analytical Method: TPH by SW8015 Mod

Prep Method: 8015

Analyst: ARM

% Moist:

Tech: DVM

Seq Number: 3103878

Date Prep: 10.09.19 17.00

Prep seq: 7687811

Parameter	CAS Number	Result	MQL	SDL	Units	Analysis Date	Flag	Dil Factor
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	50.0	15.0	mg/kg	10.09.19 21:39	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	50.0	15.0	mg/kg	10.09.19 21:39	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	50.0	15.0	mg/kg	10.09.19 21:39	U	1

Surrogate	% Recovery	Limits	Units	Analysis Date	Flag
1-Chlorooctane	83	70 - 135	%		
o-Terphenyl	93	70 - 135	%		



Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Form 2 - Surrogate Recoveries

Project Name: Gramma Ridge

Work Orders : 639137,

Project ID: 03B1206009

Lab Batch #: 3103624

Sample: 7687687-1-BKS / BKS

Batch: 1 **Matrix:** Solid

Units: mg/kg

Date Analyzed: 10/08/19 10:25

SURROGATE RECOVERY STUDY

BTEX by SW 8260C Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Dibromofluoromethane	0.0492	0.0500	98	53-142	
1,2-Dichloroethane-D4	0.0468	0.0500	94	53-150	
Toluene-D8	0.0471	0.0500	94	70-130	

Lab Batch #: 3103624

Sample: 7687687-1-BSD / BSD

Batch: 1 **Matrix:** Solid

Units: mg/kg

Date Analyzed: 10/08/19 10:43

SURROGATE RECOVERY STUDY

BTEX by SW 8260C Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Dibromofluoromethane	0.0461	0.0500	92	53-142	
1,2-Dichloroethane-D4	0.0457	0.0500	91	53-150	
Toluene-D8	0.0440	0.0500	88	70-130	

Lab Batch #: 3103624

Sample: 7687687-1-BLK / BLK

Batch: 1 **Matrix:** Solid

Units: mg/kg

Date Analyzed: 10/08/19 11:41

SURROGATE RECOVERY STUDY

BTEX by SW 8260C Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Dibromofluoromethane	0.0473	0.0500	95	53-142	
1,2-Dichloroethane-D4	0.0457	0.0500	91	53-150	
Toluene-D8	0.0456	0.0500	91	70-130	

Lab Batch #: 3103624

Sample: 638964-003 S / MS

Batch: 1 **Matrix:** Soil

Units: mg/kg

Date Analyzed: 10/08/19 13:09

SURROGATE RECOVERY STUDY

BTEX by SW 8260C Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Dibromofluoromethane	0.0521	0.0500	104	53-142	
1,2-Dichloroethane-D4	0.0499	0.0500	100	53-150	
Toluene-D8	0.0479	0.0500	96	70-130	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.

Form 2 - Surrogate Recoveries

Project Name: **Gamma Ridge**

Work Orders : 639137,

Project ID: 03B1206009

Lab Batch #: 3103624

Sample: 638964-003 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

Date Analyzed: 10/08/19 13:27

SURROGATE RECOVERY STUDY

BTEX by SW 8260C Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Dibromofluoromethane	0.0514	0.0500	103	53-142	
1,2-Dichloroethane-D4	0.0461	0.0500	92	53-150	
Toluene-D8	0.0472	0.0500	94	70-130	

Lab Batch #: 3103878

Sample: 7687811-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 10/09/19 21:39

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	83.2	100	83	70-135	
o-Terphenyl	46.5	50.0	93	70-135	

Lab Batch #: 3103878

Sample: 7687811-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 10/09/19 21:59

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	94.7	100	95	70-135	
o-Terphenyl	49.5	50.0	99	70-135	

Lab Batch #: 3103878

Sample: 7687811-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

Date Analyzed: 10/09/19 22:20

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	93.0	100	93	70-135	
o-Terphenyl	46.9	50.0	94	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Gramma Ridge

Work Orders : 639137,

Project ID: 03B1206009

Lab Batch #: 3103878

Sample: 639137-001 S / MS

Batch: 1 **Matrix:** Soil

Units: mg/kg

Date Analyzed: 10/09/19 23:02

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	106	99.8	106	70-135	
o-Terphenyl	52.5	49.9	105	70-135	

Lab Batch #: 3103878

Sample: 639137-001 SD / MSD

Batch: 1 **Matrix:** Soil

Units: mg/kg

Date Analyzed: 10/09/19 23:22

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	89.5	99.7	90	70-135	
o-Terphenyl	44.7	49.9	90	70-135	

* Surrogate outside of Laboratory QC limits

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries



Project Name: Gramma Ridge

Work Order #: 639137

Project ID: 03B1206009

Analyst: CRL

Date Prepared: 10/08/2019

Date Analyzed: 10/08/2019

Lab Batch ID: 3103624

Sample: 7687687-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by SW 8260C											
Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.000207	0.0500	0.0455	91	0.0500	0.0429	86	6	62-132	25	
Toluene	<0.00100	0.0500	0.0433	87	0.0500	0.0409	82	6	66-124	25	
Ethylbenzene	<0.000336	0.0500	0.0430	86	0.0500	0.0408	82	5	71-134	25	
m,p-Xylenes	<0.000437	0.100	0.0829	83	0.100	0.0791	79	5	69-128	25	
o-Xylene	<0.000985	0.0500	0.0466	93	0.0500	0.0405	81	14	72-131	25	

Analyst: CHE

Date Prepared: 10/07/2019

Date Analyzed: 10/07/2019

Lab Batch ID: 3103554

Sample: 7687628-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300											
Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<0.858	250	241	96	250	240	96	0	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$ Blank Spike Recovery [D] = $100 * (C)/[B]$ Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries



Project Name: Gramma Ridge

Work Order #: 639137

Project ID: 03B1206009

Analyst: ARM

Date Prepared: 10/09/2019

Date Analyzed: 10/09/2019

Lab Batch ID: 3103878

Sample: 7687811-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1030	103	1000	1050	105	2	70-135	20	
Diesel Range Organics (DRO)	<15.0	1000	1040	104	1000	1040	104	0	70-135	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: Gramma Ridge

Work Order # : 639137

Project ID: 03B1206009

Lab Batch ID: 3103624

QC- Sample ID: 638964-003 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 10/08/2019

Date Prepared: 10/08/2019

Analyst: CRL

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by SW 8260C Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00105	0.253	0.234	92	0.250	0.224	90	4	62-132	25	
Toluene	<0.00505	0.253	0.208	82	0.250	0.208	83	0	66-124	25	
Ethylbenzene	<0.00170	0.253	0.211	83	0.250	0.206	82	2	71-134	25	
m,p-Xylenes	<0.00221	0.505	0.402	80	0.500	0.381	76	5	69-128	25	
o-Xylene	0.00624	0.253	0.234	90	0.250	0.220	86	6	72-131	25	

Lab Batch ID: 3103554

QC- Sample ID: 639132-016 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 10/07/2019

Date Prepared: 10/07/2019

Analyst: CHE

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	260	249	483	90	249	483	90	0	90-110	20	

Lab Batch ID: 3103554

QC- Sample ID: 639132-026 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 10/07/2019

Date Prepared: 10/07/2019

Analyst: CHE

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Chloride by EPA 300 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	437	250	660	89	250	667	92	1	90-110	20	X

Matrix Spike Percent Recovery [D] = 100*(C-A)/B
Relative Percent Difference RPD = 200*(C-F)/(C+F)

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries



Project Name: Gramma Ridge

Work Order # : 639137

Project ID: 03B1206009

Lab Batch ID: 3103878

QC- Sample ID: 639137-001 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 10/09/2019

Date Prepared: 10/09/2019

Analyst: ARM

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	1180	118	997	1030	103	14	70-135	20	
Diesel Range Organics (DRO)	<15.0	998	1120	112	997	946	95	17	70-135	20	

Matrix Spike Percent Recovery [D] = 100*(C-A)/B
 Relative Percent Difference RPD = 200*(C-F)/(C+F)

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
 N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Chain of Custody

Work Order No: 039137

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 565-3443 Lubbock, TX (806) 794-1296
 Hobbs, NM (575) 392-7550 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000

www.xenco.com Page 1 of 1

Project Manager: Bryan Semings
 Company Name: Eusolium LLC
 Address: 705 W. Valley Ave Ste 210
 City, State ZIP: Midland, TX 79705
 Phone: 210-219-8858
 Email: bsemings@eusolium.com

Bill to: (if different)
 Company Name:
 Address:
 City, State ZIP:

Program: UST/PST PRP Brownfields RRC Superfund
 State of Project:
 Reporting Level: Level II Level III PST/UST TRRP Level IV
 Deliverables: EDD ADAPT Other:

Project Name: Grana Ridge
 Project Number: 53B1206009
 P.O. Number: 03B1206009
 Sampler's Name: Bryan Semings
 Turn Around: Routine
 Rush:
 Due Date: 10/19/19

ANALYSIS REQUEST

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers
CS-1	S	10/19/19	0950	1.5'	X BTEX SW-846 #8260 X TPH #8015 X Chloride EPA 300.0
CS-2	S	10/19/19	0952	1'	X
CS-3	S	10/19/19	0955	2.5'	X
CS-4	S	10/19/19	1000	2'	X
CS-5	S	10/19/19	1002	1'	X
STR	S	10/19/19	0925	—	X

SAMPLE RECEIPT
 Temperature (°C): 0-50.5
 Received Intact: Yes No
 Cooler Custody Seals: Yes No
 Sample Custody Seals: Yes No
 Correction Factor: 1.0
 Total Containers: 6

Work Order Notes

TAT starts the day received by the lab, if received by 4:30pm

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Relinquished by: (Signature) [Signature] Received by: (Signature) [Signature] Date/Time 10/19/19 0830

Relinquished by: (Signature) [Signature] Received by: (Signature) [Signature] Date/Time 10/19/19 0830

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Cole-Palmer
CUSTODY SEAL
 Person Collecting Sample _____
 Date Collected 10/11/19

 (signature) _____
 Time Collected _____
 Sample No. _____

Cole-Palmer
CUSTODY SEAL
 Person Collecting Sample _____
 Date Collected 11/11/19

 (signature) _____
 Time Collected _____
 Sample No. _____

Inter-Office Shipment

IOS Number : 49447

Date/Time: 10.07.2019

Created by: Brianna Teel

Please send report to: Jessica Kramer

Lab# From: **Midland**

Delivery Priority:

Address: 1211 W. Florida Ave

Lab# To: **Houston**

Air Bill No.: 776572159733

E-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
639137-001	S	CS-1	10.04.2019 09:50	SW8260CBTEX	BTEX by SW 8260C	10.10.2019	10.18.2019	JKR	BZ BZME EBZ XYLENE	
639137-002	S	CS-2	10.04.2019 09:52	SW8260CBTEX	BTEX by SW 8260C	10.10.2019	10.18.2019	JKR	BZ BZME EBZ XYLENE	
639137-003	S	CS-3	10.04.2019 09:55	SW8260CBTEX	BTEX by SW 8260C	10.10.2019	10.18.2019	JKR	BZ BZME EBZ XYLENE	
639137-004	S	CS-4	10.04.2019 10:00	SW8260CBTEX	BTEX by SW 8260C	10.10.2019	10.18.2019	JKR	BZ BZME EBZ XYLENE	
639137-005	S	CS-5	10.04.2019 10:02	SW8260CBTEX	BTEX by SW 8260C	10.10.2019	10.18.2019	JKR	BZ BZME EBZ XYLENE	
639137-006	S	STP	10.04.2019 09:25	SW8260CBTEX	BTEX by SW 8260C	10.10.2019	10.18.2019	JKR	BZ BZME EBZ XYLENE	

Inter Office Shipment or Sample Comments:

Relinquished By:



Brianna Teel

Date Relinquished: 10.07.2019

Received By:



Travis Simmons

Date Received: 10.08.2019

Cooler Temperature: 1.5



Inter Office Report- Sample Receipt Checklist

Sent To: Houston

IOS #: 49447

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient
Temperature Measuring device used : HOU-068

Sent By: Brianna Teel

Date Sent: 10.07.2019 08.54 AM

Received By: Travis Simmons

Date Received: 10.08.2019 09.20 AM

Sample Receipt Checklist

Comments

- #1 *Temperature of cooler(s)? 1.5
#2 *Shipping container in good condition? Yes
#3 *Samples received with appropriate temperature? Yes
#4 *Custody Seals intact on shipping container/ cooler? Yes
#5 *Custody Seals Signed and dated for Containers/coolers Yes
#6 *IOS present? Yes
#7 Any missing/extra samples? No
#8 IOS agrees with sample label(s)/matrix? Yes
#9 Sample matrix/ properties agree with IOS? Yes
#10 Samples in proper container/ bottle? Yes
#11 Samples properly preserved? Yes
#12 Sample container(s) intact? Yes
#13 Sufficient sample amount for indicated test(s)? Yes
#14 All samples received within hold time? Yes

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

NonConformance:

Corrective Action Taken:

Nonconformance Documentation

Contact: _____ Contacted by : _____ Date: _____

Checklist reviewed by:

Travis Simmons signature and name

Date: 10.08.2019



XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In

Client: Ensolum

Date/ Time Received: 10/07/2019 08:30:00 AM

Work Order #: 639137

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient
Temperature Measuring device used : R8

Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?	.3	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	Yes	
#4 *Custody Seals intact on shipping container/ cooler?	Yes	
#5 Custody Seals intact on sample bottles?	N/A	
#6*Custody Seals Signed and dated?	Yes	
#7 *Chain of Custody present?	Yes	
#8 Any missing/extra samples?	No	
#9 Chain of Custody signed when relinquished/ received?	Yes	
#10 Chain of Custody agrees with sample labels/matrix?	Yes	
#11 Container label(s) legible and intact?	Yes	
#12 Samples in proper container/ bottle?	Yes	
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicated test(s)?	Yes	
#16 All samples received within hold time?	Yes	
#17 Subcontract of sample(s)?	Yes	Xenco Stafford-BTEX8260
#18 Water VOC samples have zero headspace?	N/A	

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by: Brianna Teel
Brianna Teel Date: 10/07/2019

Checklist reviewed by: Jessica Kramer
Jessica Kramer Date: 10/07/2019



Certificate of Analysis Summary 649972

Ensolum, Dallas, TX

Project Name: Grama Ridge

Project Id: 03B1206009
Contact: Beaux Jennings
Project Location:

Date Received in Lab: Thu Jan-23-20 08:35 am
Report Date: 03-FEB-20
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	649972-001	649972-002	649972-003	649972-004	649972-005	649972-006
	<i>Field Id:</i>	CS-6	CS-7	CS-8	CS-9	CS-10	CS-11
	<i>Depth:</i>	0-2.5 ft					
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-22-20 10:20	Jan-22-20 10:37	Jan-22-20 10:50	Jan-22-20 11:03	Jan-22-20 11:18	Jan-22-20 11:30
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-31-20 14:00					
	<i>Analyzed:</i>	Feb-01-20 02:12	Feb-01-20 02:32	Feb-01-20 02:52	Feb-01-20 03:12	Feb-01-20 03:32	Feb-01-20 03:53
	<i>Units/RL:</i>	mg/kg RL					
Benzene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	<0.00199 0.00199
Toluene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	<0.00199 0.00199
Ethylbenzene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	<0.00199 0.00199
m,p-Xylenes		<0.00403 0.00403	<0.00399 0.00399	<0.00402 0.00402	<0.00403 0.00403	<0.00398 0.00398	<0.00398 0.00398
o-Xylene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	<0.00199 0.00199
Total Xylenes		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	<0.00199 0.00199
Total BTEX		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	<0.00199 0.00199	<0.00199 0.00199
Chloride by EPA 300	<i>Extracted:</i>	Jan-24-20 09:45					
	<i>Analyzed:</i>	Jan-24-20 11:32	Jan-24-20 11:39	Jan-24-20 11:45	Jan-24-20 11:52	Jan-24-20 11:59	Jan-24-20 12:19
	<i>Units/RL:</i>	mg/kg RL					
Chloride		249 5.00	18.5 5.00	886 5.00	388 5.00	107 5.00	94.8 4.96
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-25-20 12:00	Jan-25-20 08:00	Jan-25-20 08:00	Jan-25-20 08:00	Jan-25-20 08:00	Jan-25-20 12:00
	<i>Analyzed:</i>	Jan-26-20 04:43	Jan-25-20 19:15	Jan-25-20 19:36	Jan-25-20 19:57	Jan-25-20 20:18	Jan-26-20 05:04
	<i>Units/RL:</i>	mg/kg RL					
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<49.9 49.9	<50.0 50.0	<50.0 50.0	51.5 49.9	52.0 49.8
Diesel Range Organics (DRO)		<50.0 50.0	<49.9 49.9	110 50.0	<50.0 50.0	<49.9 49.9	<49.8 49.8
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<49.9 49.9	<50.0 50.0	<50.0 50.0	<49.9 49.9	<49.8 49.8
Total TPH		<50.0 50.0	<49.9 49.9	110 50.0	<50.0 50.0	51.5 49.9	52.0 49.8

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 649972

Ensolum, Dallas, TX

Project Name: Grama Ridge

Project Id: 03B1206009
Contact: Beaux Jennings
Project Location:

Date Received in Lab: Thu Jan-23-20 08:35 am
Report Date: 03-FEB-20
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	649972-007	649972-008			
	Field Id:	CS-12	CS-13			
	Depth:	0-2.5 ft	0-2.5 ft			
	Matrix:	SOIL	SOIL			
	Sampled:	Jan-22-20 11:44	Jan-22-20 11:58			
BTEX by EPA 8021B	Extracted:	Jan-31-20 14:00	Jan-31-20 14:00			
	Analyzed:	Feb-01-20 04:13	Feb-01-20 04:33			
	Units/RL:	mg/kg RL	mg/kg RL			
	Benzene	<0.00200 0.00200	<0.00200 0.00200			
	Toluene	<0.00200 0.00200	<0.00200 0.00200			
	Ethylbenzene	<0.00200 0.00200	<0.00200 0.00200			
	m,p-Xylenes	<0.00399 0.00399	<0.00399 0.00399			
	o-Xylene	<0.00200 0.00200	<0.00200 0.00200			
Total Xylenes	<0.00200 0.00200	<0.00200 0.00200				
Total BTEX	<0.00200 0.00200	<0.00200 0.00200				
Chloride by EPA 300	Extracted:	Jan-24-20 09:45	Jan-24-20 09:45			
	Analyzed:	Jan-24-20 12:40	Jan-24-20 12:47			
	Units/RL:	mg/kg RL	mg/kg RL			
Chloride		524 4.99	441 5.05			
TPH by SW8015 Mod	Extracted:	Jan-25-20 12:00	Jan-25-20 16:00			
	Analyzed:	Jan-26-20 05:25	Jan-26-20 20:25			
	Units/RL:	mg/kg RL	mg/kg RL			
	Gasoline Range Hydrocarbons (GRO)	<50.0 50.0	<49.9 49.9			
	Diesel Range Organics (DRO)	58.4 50.0	<49.9 49.9			
Motor Oil Range Hydrocarbons (MRO)	<50.0 50.0	<49.9 49.9				
Total TPH	58.4 50.0	<49.9 49.9				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
 Project Assistant

Analytical Report 649972

for
Ensolum

Project Manager: Beaux Jennings

Gramma Ridge

03B1206009

03-FEB-20

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



03-FEB-20

Project Manager: **Beaux Jennings**

Ensolum

2351 W Northwest Highway

Suite 1203

Dallas, TX 75220

Reference: XENCO Report No(s): **649972**

Gramma Ridge

Project Address:

Beaux Jennings:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 649972. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 649972 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 649972

Ensolum, Dallas, TX

Gramma Ridge

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
CS-6	S	01-22-20 10:20	0 - 2.5 ft	649972-001
CS-7	S	01-22-20 10:37	0 - 2.5 ft	649972-002
CS-8	S	01-22-20 10:50	0 - 2.5 ft	649972-003
CS-9	S	01-22-20 11:03	0 - 2.5 ft	649972-004
CS-10	S	01-22-20 11:18	0 - 2.5 ft	649972-005
CS-11	S	01-22-20 11:30	0 - 2.5 ft	649972-006
CS-12	S	01-22-20 11:44	0 - 2.5 ft	649972-007
CS-13	S	01-22-20 11:58	0 - 2.5 ft	649972-008



CASE NARRATIVE

Client Name: Ensolum

Project Name: Grama Ridge

Project ID: 03B1206009
Work Order Number(s): 649972

Report Date: 03-FEB-20
Date Received: 01/23/2020

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3114506 TPH by SW8015 Mod

Surrogate 1-Chlorooctane recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 649972-005.

Batch: LBA-3115205 BTEX by EPA 8021B

Lab Sample ID 649972-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 649972-001, -002, -003, -004, -005, -006, -007, -008.

The Laboratory Control Sample for Toluene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: **CS-6** Matrix: Soil Date Received: 01.23.20 08.35
 Lab Sample Id: 649972-001 Date Collected: 01.22.20 10.20 Sample Depth: 0 - 2.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 01.24.20 09.45 Basis: Wet Weight
 Seq Number: 3114449

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	249	5.00	mg/kg	01.24.20 11.32		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 01.25.20 12.00 Basis: Wet Weight
 Seq Number: 3114508

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.26.20 04.43	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.26.20 04.43	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.26.20 04.43	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.26.20 04.43	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	128	%	70-135	01.26.20 04.43	
o-Terphenyl	84-15-1	125	%	70-135	01.26.20 04.43	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-6	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-001	Date Collected: 01.22.20 10.20	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.01.20 02.12	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.01.20 02.12	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.01.20 02.12	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.01.20 02.12	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.01.20 02.12	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.01.20 02.12	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.01.20 02.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	74	%	70-130	02.01.20 02.12		
1,4-Difluorobenzene	540-36-3	114	%	70-130	02.01.20 02.12		



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: **CS-7** Matrix: Soil Date Received: 01.23.20 08.35
 Lab Sample Id: 649972-002 Date Collected: 01.22.20 10.37 Sample Depth: 0 - 2.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 01.24.20 09.45 Basis: Wet Weight
 Seq Number: 3114449

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	18.5	5.00	mg/kg	01.24.20 11.39		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 01.25.20 08.00 Basis: Wet Weight
 Seq Number: 3114506

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.25.20 19.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.25.20 19.15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.25.20 19.15	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.25.20 19.15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	122	%	70-135	01.25.20 19.15	
o-Terphenyl	84-15-1	128	%	70-135	01.25.20 19.15	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-7	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-002	Date Collected: 01.22.20 10.37	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.01.20 02.32	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.01.20 02.32	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.01.20 02.32	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.01.20 02.32	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.01.20 02.32	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.01.20 02.32	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.01.20 02.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	77	%	70-130	02.01.20 02.32		
1,4-Difluorobenzene	540-36-3	112	%	70-130	02.01.20 02.32		



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: **CS-8** Matrix: Soil Date Received: 01.23.20 08.35
 Lab Sample Id: 649972-003 Date Collected: 01.22.20 10.50 Sample Depth: 0 - 2.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 01.24.20 09.45 Basis: Wet Weight
 Seq Number: 3114449

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	886	5.00	mg/kg	01.24.20 11.45		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 01.25.20 08.00 Basis: Wet Weight
 Seq Number: 3114506

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.25.20 19.36	U	1
Diesel Range Organics (DRO)	C10C28DRO	110	50.0	mg/kg	01.25.20 19.36		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.25.20 19.36	U	1
Total TPH	PHC635	110	50.0	mg/kg	01.25.20 19.36		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	120	%	70-135	01.25.20 19.36	
o-Terphenyl	84-15-1	128	%	70-135	01.25.20 19.36	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-8	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-003	Date Collected: 01.22.20 10.50	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.01.20 02.52	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.01.20 02.52	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.01.20 02.52	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.01.20 02.52	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.01.20 02.52	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.01.20 02.52	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.01.20 02.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	86	%	70-130	02.01.20 02.52		
1,4-Difluorobenzene	540-36-3	115	%	70-130	02.01.20 02.52		



Certificate of Analytical Results 649972



Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-9	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-004	Date Collected: 01.22.20 11.03	Sample Depth: 0 - 2.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 01.24.20 09.45	Basis: Wet Weight
Seq Number: 3114449		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	388	5.00	mg/kg	01.24.20 11.52		1

Analytical Method: TPH by SW8015 Mod		Prep Method: SW8015P
Tech: DVM		% Moisture:
Analyst: ARM	Date Prep: 01.25.20 08.00	Basis: Wet Weight
Seq Number: 3114506		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.25.20 19.57	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.25.20 19.57	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.25.20 19.57	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.25.20 19.57	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	130	%	70-135	01.25.20 19.57	
o-Terphenyl	84-15-1	129	%	70-135	01.25.20 19.57	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-9	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-004	Date Collected: 01.22.20 11.03	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.01.20 03.12	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.01.20 03.12	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.01.20 03.12	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.01.20 03.12	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.01.20 03.12	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.01.20 03.12	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.01.20 03.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	79	%	70-130	02.01.20 03.12		
1,4-Difluorobenzene	540-36-3	113	%	70-130	02.01.20 03.12		



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-10	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-005	Date Collected: 01.22.20 11.18	Sample Depth: 0 - 2.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 01.24.20 09.45	Basis: Wet Weight
Seq Number: 3114449		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	107	5.00	mg/kg	01.24.20 11.59		1

Analytical Method: TPH by SW8015 Mod	Prep Method: SW8015P
Tech: DVM	% Moisture:
Analyst: ARM	Date Prep: 01.25.20 08.00
Seq Number: 3114506	Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	51.5	49.9	mg/kg	01.25.20 20.18		1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.25.20 20.18	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.25.20 20.18	U	1
Total TPH	PHC635	51.5	49.9	mg/kg	01.25.20 20.18		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	148	%	70-135	01.25.20 20.18	**
o-Terphenyl	84-15-1	126	%	70-135	01.25.20 20.18	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-10	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-005	Date Collected: 01.22.20 11.18	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.01.20 03.32	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.01.20 03.32	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.01.20 03.32	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.01.20 03.32	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.01.20 03.32	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.01.20 03.32	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.01.20 03.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	117	%	70-130	02.01.20 03.32		
4-Bromofluorobenzene	460-00-4	76	%	70-130	02.01.20 03.32		



Certificate of Analytical Results 649972



Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-11	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-006	Date Collected: 01.22.20 11.30	Sample Depth: 0 - 2.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 01.24.20 09.45	Basis: Wet Weight
Seq Number: 3114449		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	94.8	4.96	mg/kg	01.24.20 12.19		1

Analytical Method: TPH by SW8015 Mod		Prep Method: SW8015P
Tech: DVM		% Moisture:
Analyst: ARM	Date Prep: 01.25.20 12.00	Basis: Wet Weight
Seq Number: 3114508		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	52.0	49.8	mg/kg	01.26.20 05.04		1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	01.26.20 05.04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	01.26.20 05.04	U	1
Total TPH	PHC635	52.0	49.8	mg/kg	01.26.20 05.04		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	123	%	70-135	01.26.20 05.04	
o-Terphenyl	84-15-1	118	%	70-135	01.26.20 05.04	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-11	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-006	Date Collected: 01.22.20 11.30	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.01.20 03.53	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.01.20 03.53	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.01.20 03.53	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.01.20 03.53	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.01.20 03.53	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.01.20 03.53	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.01.20 03.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	118	%	70-130	02.01.20 03.53		
4-Bromofluorobenzene	460-00-4	71	%	70-130	02.01.20 03.53		



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-12	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-007	Date Collected: 01.22.20 11.44	Sample Depth: 0 - 2.5 ft
Analytical Method: Chloride by EPA 300		Prep Method: E300P
Tech: CHE		% Moisture:
Analyst: CHE	Date Prep: 01.24.20 09.45	Basis: Wet Weight
Seq Number: 3114449		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	524	4.99	mg/kg	01.24.20 12.40		1

Analytical Method: TPH by SW8015 Mod	Prep Method: SW8015P
Tech: DVM	% Moisture:
Analyst: ARM	Basis: Wet Weight
Seq Number: 3114508	Date Prep: 01.25.20 12.00

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.26.20 05.25	U	1
Diesel Range Organics (DRO)	C10C28DRO	58.4	50.0	mg/kg	01.26.20 05.25		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.26.20 05.25	U	1
Total TPH	PHC635	58.4	50.0	mg/kg	01.26.20 05.25		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	120	%	70-135	01.26.20 05.25	
o-Terphenyl	84-15-1	114	%	70-135	01.26.20 05.25	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-12	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-007	Date Collected: 01.22.20 11.44	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.01.20 04.13	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.01.20 04.13	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.01.20 04.13	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.01.20 04.13	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.01.20 04.13	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.01.20 04.13	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.01.20 04.13	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	79	%	70-130	02.01.20 04.13		
1,4-Difluorobenzene	540-36-3	112	%	70-130	02.01.20 04.13		



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: **CS-13** Matrix: Soil Date Received: 01.23.20 08.35
 Lab Sample Id: 649972-008 Date Collected: 01.22.20 11.58 Sample Depth: 0 - 2.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 01.24.20 09.45 Basis: Wet Weight
 Seq Number: 3114449

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	441	5.05	mg/kg	01.24.20 12.47		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 01.25.20 16.00 Basis: Wet Weight
 Seq Number: 3114519

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.26.20 20.25	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.26.20 20.25	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.26.20 20.25	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.26.20 20.25	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	107	%	70-135	01.26.20 20.25	
o-Terphenyl	84-15-1	104	%	70-135	01.26.20 20.25	



Certificate of Analytical Results 649972

Ensolum, Dallas, TX Grama Ridge

Sample Id: CS-13	Matrix: Soil	Date Received: 01.23.20 08.35
Lab Sample Id: 649972-008	Date Collected: 01.22.20 11.58	Sample Depth: 0 - 2.5 ft
Analytical Method: BTEX by EPA 8021B		Prep Method: SW5030B
Tech: KTL		% Moisture:
Analyst: KTL	Date Prep: 01.31.20 14.00	Basis: Wet Weight
Seq Number: 3115205		

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.01.20 04.33	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.01.20 04.33	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.01.20 04.33	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.01.20 04.33	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.01.20 04.33	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.01.20 04.33	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.01.20 04.33	U	1
			%				
Surrogate	Cas Number	Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	113	%	70-130	02.01.20 04.33		
4-Bromofluorobenzene	460-00-4	78	%	70-130	02.01.20 04.33		



Ensolum
Gramma Ridge

Analytical Method: Chloride by EPA 300

Seq Number: 3114449

MB Sample Id: 7695183-1-BLK

Matrix: Solid

LCS Sample Id: 7695183-1-BKS

Prep Method: E300P

Date Prep: 01.24.20

LCSD Sample Id: 7695183-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	250	100	250	100	90-110	0	20	mg/kg	01.24.20 10:14	

Analytical Method: Chloride by EPA 300

Seq Number: 3114449

Parent Sample Id: 649971-001

Matrix: Soil

MS Sample Id: 649971-001 S

Prep Method: E300P

Date Prep: 01.24.20

MSD Sample Id: 649971-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	392	248	630	96	633	97	90-110	0	20	mg/kg	01.24.20 10:33	

Analytical Method: Chloride by EPA 300

Seq Number: 3114449

Parent Sample Id: 649972-005

Matrix: Soil

MS Sample Id: 649972-005 S

Prep Method: E300P

Date Prep: 01.24.20

MSD Sample Id: 649972-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	107	250	362	102	360	101	90-110	1	20	mg/kg	01.24.20 12:05	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114506

MB Sample Id: 7695225-1-BLK

Matrix: Solid

LCS Sample Id: 7695225-1-BKS

Prep Method: SW8015P

Date Prep: 01.25.20

LCSD Sample Id: 7695225-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	924	92	905	91	70-135	2	20	mg/kg	01.25.20 11:53	
Diesel Range Organics (DRO)	<15.0	1000	986	99	975	98	70-135	1	20	mg/kg	01.25.20 11:53	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	109		106		102		70-135	%	01.25.20 11:53
o-Terphenyl	114		110		107		70-135	%	01.25.20 11:53

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

[D] = 100*(C-A) / B
RPD = 200* |(C-E) / (C+E)|
[D] = 100 * (C) / [B]
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Ensolum
Gramma Ridge

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114508

MB Sample Id: 7695229-1-BLK

Matrix: Solid

LCS Sample Id: 7695229-1-BKS

Prep Method: SW8015P

Date Prep: 01.25.20

LCSD Sample Id: 7695229-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1060	106	1050	105	70-135	1	20	mg/kg	01.25.20 21:21	
Diesel Range Organics (DRO)	<15.0	1000	1180	118	1180	118	70-135	0	20	mg/kg	01.25.20 21:21	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	122		123		122		70-135	%	01.25.20 21:21
o-Terphenyl	130		125		113		70-135	%	01.25.20 21:21

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114519

MB Sample Id: 7695243-1-BLK

Matrix: Solid

LCS Sample Id: 7695243-1-BKS

Prep Method: SW8015P

Date Prep: 01.25.20

LCSD Sample Id: 7695243-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	808	81	917	92	70-135	13	20	mg/kg	01.26.20 11:59	
Diesel Range Organics (DRO)	<15.0	1000	814	81	926	93	70-135	13	20	mg/kg	01.26.20 11:59	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	110		105		119		70-135	%	01.26.20 11:59
o-Terphenyl	110		104		117		70-135	%	01.26.20 11:59

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114506

Matrix: Solid
MB Sample Id: 7695225-1-BLK

Prep Method: SW8015P

Date Prep: 01.25.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.25.20 11:32	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3114508

Matrix: Solid
MB Sample Id: 7695229-1-BLK

Prep Method: SW8015P

Date Prep: 01.25.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.25.20 21:00	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

[D] = 100*(C-A) / B
RPD = 200* |(C-E) / (C+E)|
[D] = 100 * (C) / [B]
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result
MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Ensolum
Gramma Ridge

Analytical Method: TPH by SW8015 Mod
Seq Number: 3114519

Matrix: Solid
MB Sample Id: 7695243-1-BLK

Prep Method: SW8015P
Date Prep: 01.25.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.26.20 11:38	

Analytical Method: TPH by SW8015 Mod
Seq Number: 3114506
Parent Sample Id: 649821-001

Matrix: Soil
MS Sample Id: 649821-001 S

Prep Method: SW8015P
Date Prep: 01.25.20
MSD Sample Id: 649821-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	997	830	83	909	90	70-135	9	20	mg/kg	01.25.20 12:56	
Diesel Range Organics (DRO)	1030	997	1880	85	1920	89	70-135	2	20	mg/kg	01.25.20 12:56	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	113		126		70-135	%	01.25.20 12:56
o-Terphenyl	104		116		70-135	%	01.25.20 12:56

Analytical Method: TPH by SW8015 Mod
Seq Number: 3114508
Parent Sample Id: 649846-001

Matrix: Soil
MS Sample Id: 649846-001 S

Prep Method: SW8015P
Date Prep: 01.25.20
MSD Sample Id: 649846-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	23.8	997	1070	105	996	97	70-135	7	20	mg/kg	01.25.20 22:24	
Diesel Range Organics (DRO)	<15.0	997	1140	114	1130	113	70-135	1	20	mg/kg	01.25.20 22:24	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	128		122		70-135	%	01.25.20 22:24
o-Terphenyl	126		111		70-135	%	01.25.20 22:24

Analytical Method: TPH by SW8015 Mod
Seq Number: 3114519
Parent Sample Id: 649839-001

Matrix: Soil
MS Sample Id: 649839-001 S

Prep Method: SW8015P
Date Prep: 01.25.20
MSD Sample Id: 649839-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	997	831	83	841	84	70-135	1	20	mg/kg	01.26.20 13:03	
Diesel Range Organics (DRO)	17.8	997	824	81	839	82	70-135	2	20	mg/kg	01.26.20 13:03	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	113		102		70-135	%	01.26.20 13:03
o-Terphenyl	93		97		70-135	%	01.26.20 13:03

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

[D] = 100*(C-A) / B
RPD = 200* |(C-E) / (C+E)|
[D] = 100 * (C) / [B]
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Ensolum
Gramma Ridge

Analytical Method: BTEX by EPA 8021B

Seq Number: 3115205

MB Sample Id: 7695683-1-BLK

Matrix: Solid

LCS Sample Id: 7695683-1-BKS

Prep Method: SW5030B

Date Prep: 01.31.20

LCSD Sample Id: 7695683-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000385	0.100	0.103	103	0.104	104	70-130	1	35	mg/kg	01.31.20 23:52	
Toluene	<0.000456	0.100	0.101	101	0.102	102	70-130	1	35	mg/kg	01.31.20 23:52	
Ethylbenzene	<0.000565	0.100	0.0967	97	0.0969	97	70-130	0	35	mg/kg	01.31.20 23:52	
m,p-Xylenes	<0.00101	0.200	0.192	96	0.192	96	70-130	0	35	mg/kg	01.31.20 23:52	
o-Xylene	<0.000344	0.100	0.0970	97	0.0973	97	70-130	0	35	mg/kg	01.31.20 23:52	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	106		109		108		70-130	%	01.31.20 23:52
4-Bromofluorobenzene	72		86		88		70-130	%	01.31.20 23:52

Analytical Method: BTEX by EPA 8021B

Seq Number: 3115205

Parent Sample Id: 649972-001

Matrix: Soil

MS Sample Id: 649972-001 S

Prep Method: SW5030B

Date Prep: 01.31.20

MSD Sample Id: 649972-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.0943	94	0.0761	76	70-130	21	35	mg/kg	02.01.20 00:33	
Toluene	0.000776	0.0998	0.0821	81	0.0658	65	70-130	22	35	mg/kg	02.01.20 00:33	X
Ethylbenzene	<0.000564	0.0998	0.0771	77	0.0603	60	70-130	24	35	mg/kg	02.01.20 00:33	X
m,p-Xylenes	<0.00101	0.200	0.158	79	0.124	62	70-130	24	35	mg/kg	02.01.20 00:33	X
o-Xylene	0.000373	0.0998	0.0884	88	0.0696	69	70-130	24	35	mg/kg	02.01.20 00:33	X


Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	116		115		70-130	%	02.01.20 00:33
4-Bromofluorobenzene	92		87		70-130	%	02.01.20 00:33

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

CUSTODY SEAL
Date 1/22/20
Signature 

Thermo
S C I E N T I F I C

80009



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: Ensolum

Date/ Time Received: 01/23/2020 08:35:00 AM

Work Order #: 649972

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient
Temperature Measuring device used : R8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6*Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by: Brianna Teel Date: 01/23/2020
Brianna Teel

Checklist reviewed by: Jessica Kramer Date: 01/23/2020
Jessica Kramer



Certificate of Analysis Summary 652509

Ensolum, Dallas, TX

Project Name: Gramma Ridge

Project Id: 03B1136009
Contact: Beaux Jennings
Project Location:

Date Received in Lab: Fri Feb-14-20 04:00 pm
Report Date: 18-FEB-20
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	652509-001	652509-002			
	Field Id:	CS-14	CS-15			
	Depth:	2.5- ft	0-2.5 ft			
	Matrix:	SOIL	SOIL			
	Sampled:	Feb-14-20 11:35	Feb-14-20 11:38			
Chloride by EPA 300	Extracted:	Feb-17-20 13:05	Feb-17-20 13:05			
	Analyzed:	Feb-17-20 14:35	Feb-17-20 14:40			
	Units/RL:	mg/kg RL	mg/kg RL			
Chloride		499 5.00	460 5.00			
TPH by SW8015 Mod	Extracted:	Feb-17-20 17:00	Feb-17-20 17:00			
	Analyzed:	Feb-17-20 20:57	Feb-17-20 21:54			
	Units/RL:	mg/kg RL	mg/kg RL			
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<49.8 49.8			
Diesel Range Organics (DRO)		<50.0 50.0	<49.8 49.8			
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<49.8 49.8			
Total TPH		<50.0 50.0	<49.8 49.8			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant

Analytical Report 652509

for
Ensolum

Project Manager: Beaux Jennings

Gramma Ridge

03B1136009

18-FEB-20

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



18-FEB-20

Project Manager: **Beaux Jennings**

Ensolum

2351 W Northwest Highway

Suite 1203

Dallas, TX 75220

Reference: XENCO Report No(s): **652509**

Gramma Ridge

Project Address:

Beaux Jennings:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 652509. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 652509 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 652509

Ensolum, Dallas, TX

Gamma Ridge

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
CS-14	S	02-14-20 11:35	2.5 ft	652509-001
CS-15	S	02-14-20 11:38	0 - 2.5 ft	652509-002



CASE NARRATIVE

Client Name: Ensolum

Project Name: Gramma Ridge

Project ID: 03B1136009
Work Order Number(s): 652509

Report Date: 18-FEB-20
Date Received: 02/14/2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 652509

Ensolum, Dallas, TX

Gamma Ridge

Sample Id: CS-14
Lab Sample Id: 652509-001

Matrix: Soil
Date Collected: 02.14.20 11.35

Date Received: 02.14.20 16.00
Sample Depth: 2.5 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3116782

Date Prep: 02.17.20 13.05

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	499	5.00	mg/kg	02.17.20 14.35		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3116818

Date Prep: 02.17.20 17.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.20 20.57	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.20 20.57	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.20 20.57	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.20 20.57	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	81	%	70-135	02.17.20 20.57	
o-Terphenyl	84-15-1	80	%	70-135	02.17.20 20.57	



Certificate of Analytical Results 652509

Ensolum, Dallas, TX Gramma Ridge

Sample Id: **CS-15** Matrix: Soil Date Received: 02.14.20 16.00
 Lab Sample Id: 652509-002 Date Collected: 02.14.20 11.38 Sample Depth: 0 - 2.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 02.17.20 13.05 Basis: Wet Weight
 Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	460	5.00	mg/kg	02.17.20 14.40		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 02.17.20 17.00 Basis: Wet Weight
 Seq Number: 3116818

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	02.17.20 21.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	02.17.20 21.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	02.17.20 21.54	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	02.17.20 21.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	80	%	70-135	02.17.20 21.54	
o-Terphenyl	84-15-1	77	%	70-135	02.17.20 21.54	



Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **SQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Ensolum
Gramma Ridge

Analytical Method: Chloride by EPA 300

Seq Number: 3116782

MB Sample Id: 7696798-1-BLK

Matrix: Solid

LCS Sample Id: 7696798-1-BKS

Prep Method: E300P

Date Prep: 02.17.20

LCSD Sample Id: 7696798-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	256	102	245	98	90-110	4	20	mg/kg	02.17.20 13:37	

Analytical Method: Chloride by EPA 300

Seq Number: 3116782

Parent Sample Id: 650826-051

Matrix: Soil

MS Sample Id: 650826-051 S

Prep Method: E300P

Date Prep: 02.17.20

MSD Sample Id: 650826-051 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	721	250	934	85	932	84	90-110	0	20	mg/kg	02.17.20 15:07	X

Analytical Method: Chloride by EPA 300

Seq Number: 3116782

Parent Sample Id: 652504-008

Matrix: Soil

MS Sample Id: 652504-008 S

Prep Method: E300P

Date Prep: 02.17.20

MSD Sample Id: 652504-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	115	249	363	100	363	100	90-110	0	20	mg/kg	02.17.20 13:53	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116818

MB Sample Id: 7696850-1-BLK

Matrix: Solid

LCS Sample Id: 7696850-1-BKS

Prep Method: SW8015P

Date Prep: 02.17.20

LCSD Sample Id: 7696850-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	1050	105	1060	106	70-135	1	20	mg/kg	02.18.20 08:36	
Diesel Range Organics (DRO)	<15.0	1000	1130	113	1050	105	70-135	7	20	mg/kg	02.18.20 08:36	

Surrogate

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	84		115		117		70-135	%	02.18.20 08:36
o-Terphenyl	84		111		105		70-135	%	02.18.20 08:36

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116818

MB Sample Id: 7696850-1-BLK

Matrix: Solid

Prep Method: SW8015P

Date Prep: 02.17.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	02.17.20 20:01	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

[D] = 100*(C-A) / B
RPD = 200* |(C-E) / (C+E)|
[D] = 100 * (C) / [B]
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Ensolum
Gramma Ridge

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116818

Parent Sample Id: 652509-001

Matrix: Soil

MS Sample Id: 652509-001 S

Prep Method: SW8015P

Date Prep: 02.17.20

MSD Sample Id: 652509-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	983	98	851	85	70-135	14	20	mg/kg	02.17.20 21:16	
Diesel Range Organics (DRO)	<15.0	998	1060	106	932	93	70-135	13	20	mg/kg	02.17.20 21:16	


Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	107		96		70-135	%	02.17.20 21:16
o-Terphenyl	100		85		70-135	%	02.17.20 21:16

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

CUSTODY SEAL
Date 2/14/20
Signature 

Thermo
S C I E N T I F I C

80005

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: Ensolum

Date/ Time Received: 02.14.2020 04.00.00 PM

Work Order #: 652509

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient
Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	5.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6*Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel
Brianna Teel

Date: 02.14.2020

Checklist reviewed by:

Jessica Kramer
Jessica Kramer

Date: 02.18.2020



APPENDIX F

C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	1RP-5547
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Marathon Oil Permian LLC	OGRID 372098
Contact Name Isaac Castro	Contact Telephone 575-988-0561
Contact email icastro@marathonoil.com	Incident # (assigned by OCD)
Contact mailing address 4111 S. Tidwell Rd., Carlsbad, NM 88220	

Location of Release Source

Latitude 32.399529 Longitude -103.489403
(NAD 83 in decimal degrees to 5 decimal places)

Site Name GRAMA RIDGE 8 STATE COM #002H	Site Type Oil and gas drilling facility
Date Release Discovered 9/5/19	API# (if applicable) 30-025-43607

Unit Letter	Section	Township	Range	County
O	05	22S	34E	Lea

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) <u>12.5 bbls</u>	Volume Recovered (bbls) <u>10 bbls</u>
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Operator reported a spill due to the lact air eliminator leaking. Approximately 12.5 bbls were spilled to the ground. A vac truck was immediately dispatched to recover fluids and recovered 10 bbls. All spillage is contained on location.

State of New Mexico
 Oil Conservation Division

Incident ID	
District RP	1RP-5547
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>Isaac Castro</u> Title: <u>Environmental Professional</u>
Signature: <u>Isaac Castro</u> Date: <u>9/19/19</u>
email: <u>icastro@marathonoil.com</u> Telephone: <u>575-988-0561</u>
<u>OCD Only</u> Received by: _____ Date: _____

Incident ID	
District RP	1RP-5547
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	__ 31 __ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	1RP-5547
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Isaac Castro Title: Environmental Professional

Signature: *Isaac Castro* Date: 11/13/19

email: icastro@marathonoil.com Telephone: 575-988-0561

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	1RP-5715
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Melodie Sanjari Title: Environmental Professional
 Signature: Melodie Sanjari Date: 3/4/2020
 email: msanjari@marathonoil.com Telephone: 575-988-8753

Incident ID	
District RP	1RP-5715
Facility ID	
Application ID	

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____