



LT Environmental, Inc.

3300 North "A" Street
Building 1, Unit 103
Midland, Texas 79705
432.704.5178

March 4, 2020

Mr. Mike Bratcher
New Mexico Oil Conservation Division
811 South First Street
Artesia, New Mexico 88210

**RE: Closure Request
WPX Energy Permian, LLC.
Ross Draw Unit 11
Remediation Permit Number 2RP-5698
Incident ID NRM1931859826
Eddy County, New Mexico**

Dear Mr. Bratcher:

LT Environmental, Inc. (LTE), on behalf of WPX Energy Permian, LLC. (WPX), presents the following Closure Request detailing soil sampling and excavation activities at the Ross Draw Unit 11 (Site) in Unit O, Section 22, Township 26 South, Range 30 East, in Eddy County, New Mexico (Figure 1). The purpose of the soil sampling and excavation activities was to address impacts to soil following an event that resulted in the release of produced water and crude oil to the unlined earthen berm containment. Based on the excavation activities and results of the soil sampling events, WPX requests no further action (NFA).

BACKGROUND

On October 10, 2019, a failed flowline resulted in the release of 5 barrels (bbls) of produced water and 15 bbls of crude oil to the unlined treater containment. Released liquids were restricted to the unlined containment by the surrounding earthen berm and remained in the southern area of the unlined containment. Vacuum trucks were dispatched and recovered 3 bbls of produced water and 5 bbls of crude oil. The spill volume was calculated by averaging the saturated soil depth and estimating the percentage of liquids based on soil type. Any freestanding liquids were added to the total volume. The average saturation depth of the soil was observed to be 0.5 feet to 1 foot within the release extent and 8 bbls of production fluids were recovered. The soil type was determined to be sand, which was estimated to have an available space (i.e. porosity) of 40 percent (%) total volume. Based on these assumptions, the following equation was used to calculate total volume:

"saturated soil volume (cubic feet) x (4.21 cubic feet per bbl of liquid) x estimated soil porosity (%)"



WPX reported the release to the New Mexico Oil Conservation Division (NMOCD) on a Release Notification and Corrective Action Form C-141 (Form C-141) and was assigned Remediation Permit (RP) Number 2RP-5698 and Incident ID NRM1931859826 (Attachment 1).

LTE characterized the Site according to Table 1, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC). Depth to groundwater at the Site is estimated to be greater than 100 feet below ground surface (bgs) based on known aquifer properties and the elevation difference between the Site and an identified groundwater well. The nearest permitted groundwater well with depth to groundwater data is United States Geological Survey (USGS) groundwater well 320125103514701, located approximately 1,140 ft east-northeast of the Site. Groundwater well 320125103514701 has a reported depth to groundwater of 117 feet bgs and is approximately 12 feet higher in elevation than the Site. The closest significant watercourse to the Site is an unnamed stream located approximately 2,570 feet south-southwest of the Site. The Site is greater than 300 feet from any occupied residence, school, hospital, institution, church, or wetland, and greater than 1,000 feet to a freshwater well or spring. The Site is not within a 100-year floodplain or overlying a subsurface mine and is overlying an unstable area. The Site is located in a high potential karst area.

Based on these criteria, the following NMOCD Table 1 Closure Criteria (Closure Criteria) apply:

- Benzene: 10 milligrams per kilogram (mg/kg)
- Total benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg
- Total petroleum hydrocarbons (TPH): 100 mg/kg
- Chloride: 600 mg/kg

PRELIMINARY SOIL SAMPLING

On October 10, 2019, LTE personnel inspected the Site to evaluate the release extent. The release extent was mapped using a handheld Global Positioning System (GPS) unit and is shown on Figure 2. LTE personnel collected one surface soil sample (SS01) within the release extent from a depth of approximately 0.5 feet bgs to assess soil impacts. The soil sample was placed directly into a pre-cleaned glass jar, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil sample was shipped at or below 4 degrees Celsius (°C), under strict chain-of-custody (COC) procedures, to Xenco Laboratories (Xenco) in Midland, Texas, for analysis of BTEX following United States Environmental Protection Agency (EPA) Method 8021B; TPH-gasoline range organics (GRO), TPH-diesel range organics (DRO), and TPH-motor oil range organics (MRO) following EPA Method 8015M/D; and chloride following EPA Method 300.0.



Bratcher, M.
Page 3

On October 18, 2019, LTE personnel returned to the Site to further assess the vertical impacts within the release extent. LTE personnel advanced one pothole (PH01) to a depth of 4 feet bgs. Field screening was conducted every foot for volatile aromatic hydrocarbons using a photoionization detector (PID) and chloride using Hach® chloride QuanTab® test strips. Two soil samples were collected from pothole PH01 (the most impacted sample based on field screening results and the terminus of the pothole). Soil samples were collected, handled, and analyzed as previously described. Based on visible surface staining and laboratory analytical results of preliminary soil samples, excavation of impacted soil was warranted. Photographic documentation was conducted during the Site visit. Photographic logs are included in Attachment 2, lithologic/soil sampling logs are included in Attachment 3, and sample locations are depicted in Figure 2.

EXCAVATION SOIL SAMPLING

From October 21, 2019 through January 10, 2020, LTE was on site to oversee excavation activities within the release extent. The excavation occurred within the earthen berm in two main areas: along the southern earthen berm and to the east of the horizontal separator. Excavation activities were directed by field screening soil samples for volatile aromatic hydrocarbons using a PID and chloride using Hach® chloride QuanTab® test strips. Sidewall samples (SW04 through SW06) represented discrete samples collected from soil support pillars intended to be left in place to provide surface flowline and aboveground equipment stability. The pillars were excavated following the removal of the lines and equipment coordinated by WPX. Final composite floor samples (FS01 through FS08) were collected to confirm impacted soil removal and compliance with NMOCD Closure Criteria.

Following completion of excavation activities, 5-point composite confirmation soil samples were collected from the floor (samples labeled as FS) and sidewalls (samples labeled as SW) of the excavation area. Each soil sample represented at most 200 square feet. Approximately 170 cubic yards of impacted soil were removed from the excavation area and transported to the R360 Red Bluff Facility in Orla, Texas for disposal. The excavation areas measured a total of approximately 920 square feet in area and ranged in depth from 0.5 feet bgs to 5 feet bgs. Soil confirmation samples were collected, handled, and analyzed as previously described. The excavation area and soil sample locations are depicted on Figure 3. Photographic documentation was conducted during the Site visit. Photographs are included in Attachment 2.

ANALYTICAL RESULTS

Laboratory analytical results of all final excavation confirmation soil samples indicate compliance with the Closure Criteria. Laboratory analytical results are summarized in Table 1 and the complete laboratory analytical reports are included as Attachment 4.



Bratcher, M.
Page 4

CONCLUSIONS

A total of approximately 170 cubic yards of impacted soil were excavated from the Site. Laboratory analytical results of final excavation confirmation soil samples indicate compliance with Closure Criteria. WPX is requesting NFA of 2RP-5698 and Incident ID NRM1931859826. Upon approval of this closure request, WPX will backfill the excavation with material purchased locally and recontour the Site to match pre-existing Site conditions. An updated NMOCD Form C- 141 is included as Attachment 1.

If you have any questions or comments, please do not hesitate to contact Ms. Ashley Ager at (970) 385-1096 or aager@ltenv.com.

Sincerely,

LT ENVIRONMENTAL, INC.

Anna Byers
Staff Geologist

Ashley L. Ager, M.S., P.G.
Senior Geologist


cc: Jim Raley, WPX
Robert Hamlet, NMOCD
Victoria Venegas, NMOCD
Jim Amos, BLM

Appendices:

Figure 1 Site Location Map
Figure 2 Delineation Soil Sample Locations
Figure 3 Excavation Soil Sample Locations
Table 1 Soil Analytical Results
Attachment 1 Form C-141
Attachment 2 Photographic Log
Attachment 3 Lithologic/Soil Sampling Logs
Attachment 4 Laboratory Analytical Reports

FIGURES



**LEGEND**

○ SITE LOCATION

IMAGE COURTESY OF ESRI/USGS




FIGURE 1
SITE LOCATION MAP
ROSS DRAW UNIT 11
UNIT 0 SEC 22 T26S R30E
EDDY COUNTY, NEW MEXICO
WPX ENERGY PERMIAN, LLC.



SAMPLE ID@DEPTH BELOW GROUND SURFACE (FEET)
 SAMPLE DATE
 NMOCD TABLE 1 CLOSURE CRITERIA (NMAC 19.15.29.12)
 B = 10 mg/kg
 BTEX = 50 mg/kg
 TPH = 100 mg/kg
 Cl = 600 mg/kg
 ALL RESULTS IN MILLIGRAMS PER KILOGRAM (mg/kg)
 <: INDICATES RESULT IS LESS THAN THE
 LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE
 APPLICABLE STANDARD

SS01@0.5'
 10/10/2019
 B: 7.21
 BTEX: **320**
 TPH: **44,500**
 Cl: 12.0

PH01@2'	PH01A@4'
10/18/2019	10/18/2019
B: <0.000998	B: <0.000998
BTEX: 0.0124	BTEX: <0.000998
TPH: <50.0	TPH: <49.9
Cl: 14.5	Cl: 27.0

LEGEND



RELEASE LOCATION




DELINEATION SOIL SAMPLE

GAS/PIPELINE



RELEASE EXTENT (685.05 SQUARE FEET)



EXCAVATION EXTENT

B: BENZENE

BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE,
 AND TOTAL XYLENES

TPH – TOTAL PETROLEUM HYDROCARBONS

Cl - CHLORIDE

NMAC – NEW MEXICO ADMINISTRATIVE CODE

NMOCD – NEW MEXICO OIL CONSERVATION DIVISION




IMAGE COURTESY OF GOOGLE EARTH 2019

FIGURE 2
DELINEATION SOIL SAMPLE LOCATIONS
 ROSS DRAW UNIT 11
 UNIT O SEC 22 T26S R30E
 EDDY COUNTY, NEW MEXICO
WPX ENERGY PERMIAN, LLC.




**LEGEND**

IMAGE COURTESY OF GOOGLE EARTH 2019



RELEASE LOCATION



DISCRETE EXCAVATION SOIL SAMPLE



COMPOSITE EXCAVATION SOIL SAMPLE



RELEASE EXTENT (685.05 SQUARE FEET)



EXCAVATION EXTENT




FIGURE 3
EXCAVATION SOIL SAMPLE LOCATIONS
 ROSS DRAW UNIT 11
 UNIT O SEC 22 T26S R30E
 EDDY COUNTY, NEW MEXICO
 WPX ENERGY PERMIAN, LLC.



TABLE



TABLE 1
SOIL ANALYTICAL RESULTS

ROSS DRAW UNIT 11
REMEDATION PERMIT NUMBER 2RP-5698
EDDY COUNTY, NEW MEXICO
WPX ENERGY, INC.

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	MRO (mg/kg)	Sum of GRO + DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SS01	0.5	10/10/2019	7.21	77.3	52.4	183	320	14700	27,400	2390	42,100	44,500	12
PH01	2	10/18/2019	<0.000998	0.00106	0.00181	0.00957	0.0124	<50.0	<50.0	<50.0	<50.0	<50.0	15
PH01A	4	10/18/2019	<0.000998	<0.000998	<0.000998	<0.000998	<0.000998	<49.9	<49.9	<49.9	<49.9	<49.9	27
FS01	2 - 4	12/16/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.3	<50.3	<50.3	<50.3	<50.3	64.4
FS02	4	12/16/2019	<0.00199	<0.00199	0.0158	0.0486	0.0644	<50.1	215	<50.1	215	215	199
FS03	4	12/16/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.1	<50.1	<50.1	<50.1	<50.1	31.6
FS04	1.5 - 4	12/24/2019	<0.0217	<0.0217	<0.0217	<0.0217	<0.0217	<49.9	164	<49.9	164	164	17.9
FS04A	4	01/08/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.0	<50.0	<50.0	<50.0	<50.0	16.5
FS05	4	01/08/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.2	<50.2	<50.2	<50.2	<50.2	39.6
FS06	4	01/08/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<49.9	87.1	<49.9	87.1	87.1	782
FS06A	4.5	01/14/2020	<0.00199	<0.00199	<0.00199	0.00240	0.00240	<50.2	<50.2	<50.2	<50.2	<50.2	122
FS07	4 - 5	01/08/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.2	<50.2	<50.2	<50.2	<50.2	256
FS08	4.5	01/08/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<49.9	<49.9	<49.9	<49.9	<49.9	660
FS08A	5	01/14/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.1	<50.1	<50.1	<50.1	<50.1	193
SW01	0.5 - 4	12/16/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	10.6
SW02	0.5 - 4	12/16/2019	0.146	4.95	8.82	28.2	42.1	1270	4620	466	5890	6360	23.3
SW03	0.5 - 4	12/16/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.2	<50.2	<50.2	<50.2	<50.2	607
SW04*	1	12/16/2019	0.121	5.92	11.3	35.9	53.2	3960	20500	1860	24500	26300	49.3
SW05*	0.5	12/16/2019	0.111	5.52	9.49	31.5	46.6	3100	18700	1600	21800	23400	<9.98
SW06*	1	12/16/2019	0.631	17.6	18.6	75.6	112	5480	38000	3970	43500	47500	77.6
SW07	0.5 - 5	01/08/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.1	<50.1	<50.1	<50.1	<50.1	151
SW08	0.5 - 4.5	01/08/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.2	<50.2	<50.2	<50.2	<50.2	866
SW09	0.5 - 4	01/08/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	<50.0	19.4
SW10	0 - 5	01/14/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.1	<50.1	<50.1	<50.1	<50.1	228
NMOCD Table 1 Closure Criteria			10	NE	NE	NE	50	NE	NE	NE	NE	100	600

Notes:

bgs - below ground surface
BTEX - benzene, toluene, ethylbenzene, and total xylenes
DRO - diesel range organics
GRO - gasoline range organics
Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 2018 NMAC- New Mexico Administrative Code

NMOCD - New Mexico Oil Conservation Division
NE - not established
mg/kg - milligrams per kilogram
MRO - motor oil range organics
NR - data not requested

NMAC - New Mexico Administrative Code
TPH - total petroleum hydrocarbons
< - indicates result is below laboratory detection limit
Bold indicates result exceeds the applicable regulatory standard
* - indicates a discrete sample



ATTACHMENT 1: FORM C-141



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NRM1931859826
District RP	2RP-5698
Facility ID	
Application ID	pRM1931859914

Release Notification AT7UR-191014-C-1410

Responsible Party

Responsible Party: WPX Energy Permian, LLC.	OGRID: 246289
Contact Name: Jim Raley	Contact Telephone: 575-689-7597
Contact email: james.raley@wpxenergy.com	Incident # (assigned by OCD)
Contact mailing address: 5315 Buena Vista Dr., Carlsbad, NM 88220	

Location of Release Source

Latitude 32.02114 _____ Longitude -103.86714 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: RDU 11	Site Type: Production Facility
Date Release Discovered: 10/10/2019	API# (if applicable): 30-015-24307

Unit Letter	Section	Township	Range	County
O	22	26S	30E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☒ Crude Oil	Volume Released (bbls) 15	Volume Recovered (bbls) 5
☒ Produced Water	Volume Released (bbls) 5	Volume Recovered (bbls) 3
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☒ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: Failure of flowline allowed 20 bbls (15 oil/5 PW) fluids to be released to unlined secondary treater containment.

Page 13 of 205
Received by OCD: 3/4/2020 7:50:39 AM


State of New Mexico
Oil Conservation Division

Incident ID	NRM1931859826
District RP	2RP-5698
Facility ID	
Application ID	pRM1931859914

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☒ No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Jim Raley	Title: Environmental Specialist
Signature: 	Date: 10/14/2019
email: james.raley@wpenergy.com	Telephone: 575-689-7597
<u>OCD Only</u>	
Received by: Ramona Marcus	Date: 11/14/2019

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>50-100</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☒ Yes ☐ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Incident ID	NRM1931859826
District RP	2RP-5698
Facility ID	
Application ID	pRM1931859914

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: **Jim Raley**

Title: **Environmental Specialist**

Signature: _____  _____

Date: **3/4/2020**

email: James.Raley@wpenergy.com

Telephone: **575-689-7597**

OCD Only

Received by: _____

Date: _____

Incident ID	NRM1931859826
District RP	2RP-5698
Facility ID	
Application ID	pRM1931859914

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: **Jim Raley**

Title: **Environmental Specialist**

Signature: _____ 

Date: **3/4/2020**

email: James.Raley@wpenergy.com

Telephone: **575-689-7597**

OCD Only

Received by: _____

Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

ATTACHMENT 2: PHOTOGRAPHIC LOG





Northern view of the release extent.

Project: 034819059	WPX Energy Permian, Inc. Ross Draw Unit 11	 <i>Advancing Opportunity</i>
October 10, 2020	Photographic Log	



Northwestern view of release extent.

Project: 034819059	WPX Energy Permian, Inc. Ross Draw Unit 11	 <i>Advancing Opportunity</i>
October 10, 2020	Photographic Log	

5



Eastern view of the excavation prior to equipment and surface line removal.

Project: 034819059	WPX Energy Permian, Inc. Ross Draw Unit 11	 Advancing Opportunity
December 10, 2020	Photographic Log	



Western view of the excavation area post surface line and equipment removal.

Project: 034819059	WPX Energy Permian, Inc. Ross Draw Unit 11	 <i>Advancing Opportunity</i>
January 10, 2020	Photographic Log	



Southern view of the excavation area post equipment and line removal.

Project: 034819059	WPX Energy Permian, Inc. Ross Draw Unit 11	 <i>Advancing Opportunity</i>
January 10, 2020	Photographic Log	



Northern view of the excavation area post equipment and line removal.

Project: 034819059	WPX Energy Permian, Inc. Ross Draw Unit 11	 <i>Advancing Opportunity</i>
January 10, 2020	Photographic Log	

ATTACHMENT 3: LITHOLOGIC/SOIL SAMPLING LOGS



 LT Environmental, Inc. 508 West Stevens Street Carlsbad, New Mexico 88220 Compliance · Engineering · Remediation		Identifier: PH01	Date: 10/18/19					
		Project Name: Ross Draw Unit 11	RP Number: 2RP-5698					
LITHOLOGIC / SOIL SAMPLING LOG								
Lat/Long: 32.02271002, -103.86705617		Field Screening: _____	Logged By: Lynda Laumbach Hole Diameter: N/A					
			Method: Hand Shovel Total Depth: 4'					
Comments: Chloride and vapor values reported were analyzed by the lab.								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
M	15	<50	Y	PH01	0	2'	Sm	brown silty sand (m.) poorly-graded, low plasticity, odor
					1			
					2			
					3			
m	27	<50	N	PH01A	4	4'	sm	brown silty sand (m.), poorly graded low plasticity, no odor
Tor DEPTH								
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			

ATTACHMENT 4: LABORATORY ANALYTICAL REPORTS



Analytical Report 639781

**for
LT Environmental, Inc.**

Project Manager: Chris McKisson

RDU 11

10/10/2019

16-OCT-19

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142), North Carolina (681)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



16-OCT-19

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **639781**

RDU 11

Project Address: Eddy County, NM

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 639781. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 639781 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 639781

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS01	S	10-10-19 15:45	0.5 ft	639781-001

**CASE NARRATIVE****Client Name: LT Environmental, Inc.****Project Name: RDU 11**Project ID: 10/10/2019
Work Order Number(s): 639781Report Date: 16-OCT-19
Date Received: 10/11/2019**Sample receipt non conformances and comments:**

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3104254 Chloride by EPA 300

Lab Sample ID 639787-008 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 639781-001.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3104378 TPH by SW8015 Mod

Surrogate 1-Chlorooctane, Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 639781-001.

Batch: LBA-3104433 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 639781

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 10/10/2019
Contact: Chris McKisson
Project Location: Eddy County, NM

Date Received in Lab: Fri Oct-11-19 12:35 pm
Report Date: 16-OCT-19
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	639781-001					
	Field Id:	SS01					
	Depth:	0.5- ft					
	Matrix:	SOIL					
	Sampled:	Oct-10-19 15:45					
BTEX by EPA 8021B	Extracted:	Oct-14-19 16:10					
	Analyzed:	Oct-15-19 15:55					
	Units/RL:	mg/kg RL					
Benzene		7.21 0.501					
Toluene		77.3 0.501					
Ethylbenzene		52.4 0.501					
m,p-Xylenes		131 1.00					
o-Xylene		51.9 0.501					
Total Xylenes		183 0.501					
Total BTEX		320 0.501					
Chloride by EPA 300	Extracted:	Oct-14-19 12:00					
	Analyzed:	Oct-14-19 14:47					
	Units/RL:	mg/kg RL					
Chloride		12.0 9.94					
TPH by SW8015 Mod	Extracted:	Oct-14-19 11:00					
	Analyzed:	Oct-14-19 22:30					
	Units/RL:	mg/kg RL					
Gasoline Range Hydrocarbons (GRO)		14700 250					
Diesel Range Organics (DRO)		27400 250					
Motor Oil Range Hydrocarbons (MRO)		2390 250					
Total TPH		44500 250					
Total GRO-DRO		42100 250					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant



Certificate of Analytical Results 639781

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SS01** Matrix: Soil Date Received: 10.11.19 12.35
 Lab Sample Id: 639781-001 Date Collected: 10.10.19 15.45 Sample Depth: 0.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 10.14.19 12.00 Basis: Wet Weight
 Seq Number: 3104254

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	12.0	9.94	mg/kg	10.14.19 14.47		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 10.14.19 11.00 Basis: Wet Weight
 Seq Number: 3104378

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	14700	250	mg/kg	10.14.19 22.30		10
Diesel Range Organics (DRO)	C10C28DRO	27400	250	mg/kg	10.14.19 22.30		10
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	2390	250	mg/kg	10.14.19 22.30		10
Total TPH	PHC635	44500	250	mg/kg	10.14.19 22.30		10
Total GRO-DRO	PHC628	42100	250	mg/kg	10.14.19 22.30		10

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	518	%	70-135	10.14.19 22.30	**
o-Terphenyl	84-15-1	353	%	70-135	10.14.19 22.30	**



Certificate of Analytical Results 639781

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SS01**
 Lab Sample Id: 639781-001

Matrix: Soil
 Date Collected: 10.10.19 15.45

Date Received: 10.11.19 12.35
 Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 10.14.19 16.10

Basis: Wet Weight

Seq Number: 3104433

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	7.21	0.501	mg/kg	10.15.19 15.55		500
Toluene	108-88-3	77.3	0.501	mg/kg	10.15.19 15.55		500
Ethylbenzene	100-41-4	52.4	0.501	mg/kg	10.15.19 15.55		500
m,p-Xylenes	179601-23-1	131	1.00	mg/kg	10.15.19 15.55		500
o-Xylene	95-47-6	51.9	0.501	mg/kg	10.15.19 15.55		500
Total Xylenes	1330-20-7	183	0.501	mg/kg	10.15.19 15.55		500
Total BTEX		320	0.501	mg/kg	10.15.19 15.55		500
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	105	%	70-130	10.15.19 15.55		
4-Bromofluorobenzene	460-00-4	97	%	70-130	10.15.19 15.55		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 11

Analytical Method: Chloride by EPA 300

Seq Number: 3104254

MB Sample Id: 7688096-1-BLK

Matrix: Solid

LCS Sample Id: 7688096-1-BKS

Prep Method: E300P

Date Prep: 10.14.19

LCSD Sample Id: 7688096-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	3.19	300	299	100	302	101	90-110	1	20	mg/kg	10.14.19 14:32	

Analytical Method: Chloride by EPA 300

Seq Number: 3104254

Parent Sample Id: 639781-001

Matrix: Soil

MS Sample Id: 639781-001 S

Prep Method: E300P

Date Prep: 10.14.19

MSD Sample Id: 639781-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	12.0	198	242	116	265	128	90-110	9	20	mg/kg	10.14.19 14:54	X

Analytical Method: Chloride by EPA 300

Seq Number: 3104254

Parent Sample Id: 639787-008

Matrix: Soil

MS Sample Id: 639787-008 S

Prep Method: E300P

Date Prep: 10.14.19

MSD Sample Id: 639787-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	5.51	199	239	117	242	119	90-110	1	20	mg/kg	10.14.19 16:41	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104378

MB Sample Id: 7688111-1-BLK

Matrix: Solid

LCS Sample Id: 7688111-1-BKS

Prep Method: SW8015P

Date Prep: 10.14.19

LCSD Sample Id: 7688111-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<25.0	1000	818	82	829	83	70-135	1	35	mg/kg	10.14.19 20:50	
Diesel Range Organics (DRO)	<25.0	1000	739	74	760	76	70-135	3	35	mg/kg	10.14.19 20:50	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	82		104		96		70-135	%	10.14.19 20:50
o-Terphenyl	85		93		94		70-135	%	10.14.19 20:50

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104378

Matrix: Solid

MB Sample Id: 7688111-1-BLK

Prep Method: SW8015P

Date Prep: 10.14.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<25.0	mg/kg	10.14.19 20:30	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104378

Parent Sample Id: 639765-001

Matrix: Soil

MS Sample Id: 639765-001 S

Prep Method: SW8015P

Date Prep: 10.14.19

MSD Sample Id: 639765-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<25.0	1000	990	99	978	98	70-135	1	35	mg/kg	10.14.19 21:50	
Diesel Range Organics (DRO)	<25.0	1000	854	85	822	83	70-135	4	35	mg/kg	10.14.19 21:50	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	113		110		70-135	%	10.14.19 21:50
o-Terphenyl	100		96		70-135	%	10.14.19 21:50

Analytical Method: BTEX by EPA 8021B

Seq Number: 3104433

MB Sample Id: 7688180-1-BLK

Matrix: Solid

LCS Sample Id: 7688180-1-BKS

Prep Method: SW5030B

Date Prep: 10.14.19

LCSD Sample Id: 7688180-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00100	0.100	0.0972	97	0.0934	93	70-130	4	35	mg/kg	10.14.19 19:43	
Toluene	<0.00100	0.100	0.0942	94	0.0933	93	70-130	1	35	mg/kg	10.14.19 19:43	
Ethylbenzene	<0.00100	0.100	0.0940	94	0.0941	94	71-129	0	35	mg/kg	10.14.19 19:43	
m,p-Xylenes	<0.00200	0.200	0.199	100	0.199	100	70-135	0	35	mg/kg	10.14.19 19:43	
o-Xylene	<0.00100	0.100	0.0965	97	0.0968	97	71-133	0	35	mg/kg	10.14.19 19:43	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	101		103		100		70-130	%	10.14.19 19:43
4-Bromofluorobenzene	98		104		108		70-130	%	10.14.19 19:43

Analytical Method: BTEX by EPA 8021B

Seq Number: 3104433

Parent Sample Id: 639785-001

Matrix: Soil

MS Sample Id: 639785-001 S

Prep Method: SW5030B

Date Prep: 10.14.19

MSD Sample Id: 639785-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00100	0.100	0.0971	97	0.0863	86	70-130	12	35	mg/kg	10.14.19 20:21	
Toluene	<0.00100	0.100	0.0942	94	0.0835	84	70-130	12	35	mg/kg	10.14.19 20:21	
Ethylbenzene	<0.00100	0.100	0.0940	94	0.0820	82	71-129	14	35	mg/kg	10.14.19 20:21	
m,p-Xylenes	<0.00200	0.200	0.199	100	0.173	87	70-135	14	35	mg/kg	10.14.19 20:21	
o-Xylene	<0.00100	0.100	0.0996	100	0.0864	86	71-133	14	35	mg/kg	10.14.19 20:21	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	108		107		70-130	%	10.14.19 20:21
4-Bromofluorobenzene	120		119		70-130	%	10.14.19 20:21

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
Midland, TX (432-704-5440) EL Paso, TX (915)585-3443 Lubbock, TX (806)794-1296
Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

Chain of Custody

Work Order No:

639781

www.xenco.com

Page 1 of 1

Work Order Comments

Program: UST/PST ☐ BRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:

Reporting Level II ☐ Level III ☐ UST/UST ☐ TRP ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other: ☐

Project Manager:	Chris McKisson	Bill to: (if different)	Chris McKisson
Company Name:	LT Environmental, Inc.	Company Name:	LT Environmental
Address:	820 Megan Avenue, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	(970) 285-9985	Email:	llaumbach@ltenv.com, cmckisson@ltenv.com, asmith@ltenv.com

ANALYSIS REQUEST

Work Order Notes

Project Name:	RDU 11	Turn Around	
Project Number:	10/10/2019	Routine	☒
P.O. Number:	Eddy County, NM/ Task #002	Rush:	
Sampler's Name:	Lynda Laumbach	Due Date:	

SAMPLE RECEIPT	Temp Blank:	☒ Yes	☐ No	Wet Ice:	☒ Yes	☐ No
Temperature (°C):	1.2	Thermometer ID				
Received Intact:	☒ Yes	☐ No	T-NM-207			
Cooler Custody Seals:	Yes	☒ No	Correction Factor: -0.2			
Sample Custody Seals:	Yes	☒ No	Total Containers: 1			

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth
-----------------------	--------	--------------	--------------	-------

Number of Containers
TPH (EPA 8015)
BTEX (EPA 0=8021)
Chloride (EPA 300.0)

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>[Signature]</i>	<i>Diane Byrre</i>	10/10/2019	<i>[Signature]</i>	<i>[Signature]</i>	10-11-2019



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 10/11/2019 12:35:00 PM

Work Order #: 639781

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist**Comments**

#1 *Temperature of cooler(s)?	1.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 10/11/2019

Checklist reviewed by:

Jessica Kramer

Date: 10/13/2019

Analytical Report 640498

**for
LT Environmental, Inc.**

Project Manager: Chris McKisson

RDU 11

034819071

24-OCT-19

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142), North Carolina (681)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



24-OCT-19

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **640498**

RDU 11

Project Address: Eddy County, NM/ Task #002

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 640498. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 640498 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 640498

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH01	S	10-18-19 13:00	2 ft	640498-001
PH01A	S	10-18-19 13:10	4 ft	640498-002



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: RDU 11

Project ID: 034819071
Work Order Number(s): 640498

Report Date: 24-OCT-19
Date Received: 10/21/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3105180 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 640498

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 034819071
Contact: Chris McKisson
Project Location: Eddy County, NM/ Task #002

Date Received in Lab: Mon Oct-21-19 09:10 am
Report Date: 24-OCT-19
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	640498-001	640498-002				
	Field Id:	PH01	PH01A				
	Depth:	2- ft	4- ft				
	Matrix:	SOIL	SOIL				
	Sampled:	Oct-18-19 13:00	Oct-18-19 13:10				
BTEX by EPA 8021B	Extracted:	Oct-22-19 15:10	Oct-22-19 15:10				
	Analyzed:	Oct-22-19 20:21	Oct-22-19 20:41				
	Units/RL:	mg/kg RL	mg/kg RL				
Benzene		<0.000998 0.000998	<0.000998 0.000998				
Toluene		0.00106 0.000998	<0.000998 0.000998				
Ethylbenzene		0.00181 0.000998	<0.000998 0.000998				
m,p-Xylenes		0.00311 0.00200	<0.00200 0.00200				
o-Xylene		0.00646 0.000998	<0.000998 0.000998				
Total Xylenes		0.00957 0.000998	<0.000998 0.000998				
Total BTEX		0.0124 0.000998	<0.000998 0.000998				
Chloride by EPA 300	Extracted:	Oct-21-19 20:10	Oct-21-19 20:10				
	Analyzed:	Oct-22-19 15:19	Oct-22-19 15:26				
	Units/RL:	mg/kg RL	mg/kg RL				
Chloride		14.5 10.0	27.0 10.1				
TPH by SW8015 Mod	Extracted:	Oct-21-19 14:10	Oct-21-19 16:00				
	Analyzed:	Oct-21-19 18:10	Oct-21-19 18:50				
	Units/RL:	mg/kg RL	mg/kg RL				
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<49.9 49.9				
Diesel Range Organics (DRO)		<50.0 50.0	<49.9 49.9				
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<49.9 49.9				
Total TPH		<50.0 50.0	<49.9 49.9				
Total GRO-DRO		<50.0 50.0	<49.9 49.9				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 640498

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **PH01** Matrix: Soil Date Received: 10.21.19 09.10
 Lab Sample Id: 640498-001 Date Collected: 10.18.19 13.00 Sample Depth: 2 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 10.21.19 20.10 Basis: Wet Weight
 Seq Number: 3105170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	14.5	10.0	mg/kg	10.22.19 15.19		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 10.21.19 14.10 Basis: Wet Weight
 Seq Number: 3104972

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.21.19 18.10	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.21.19 18.10	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.21.19 18.10	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.21.19 18.10	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	10.21.19 18.10	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	10.21.19 18.10	
o-Terphenyl	84-15-1	89	%	70-135	10.21.19 18.10	



Certificate of Analytical Results 640498

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **PH01**
Lab Sample Id: 640498-001

Matrix: Soil
Date Collected: 10.18.19 13.00

Date Received: 10.21.19 09.10
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 10.22.19 15.10

Basis: Wet Weight

Seq Number: 3105180

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.000998	0.000998	mg/kg	10.22.19 20.21	U	1
Toluene	108-88-3	0.00106	0.000998	mg/kg	10.22.19 20.21		1
Ethylbenzene	100-41-4	0.00181	0.000998	mg/kg	10.22.19 20.21		1
m,p-Xylenes	179601-23-1	0.00311	0.00200	mg/kg	10.22.19 20.21		1
o-Xylene	95-47-6	0.00646	0.000998	mg/kg	10.22.19 20.21		1
Total Xylenes	1330-20-7	0.00957	0.000998	mg/kg	10.22.19 20.21		1
Total BTEX		0.0124	0.000998	mg/kg	10.22.19 20.21		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	70-130	10.22.19 20.21		
1,4-Difluorobenzene	540-36-3	99	%	70-130	10.22.19 20.21		



Certificate of Analytical Results 640498

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **PH01A** Matrix: Soil Date Received: 10.21.19 09.10
 Lab Sample Id: 640498-002 Date Collected: 10.18.19 13.10 Sample Depth: 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 10.21.19 20.10 Basis: Wet Weight
 Seq Number: 3105170

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	27.0	10.1	mg/kg	10.22.19 15.26		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 10.21.19 16.00 Basis: Wet Weight
 Seq Number: 3104978

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.21.19 18.50	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.21.19 18.50	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.21.19 18.50	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.21.19 18.50	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	10.21.19 18.50	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	72	%	70-135	10.21.19 18.50	
o-Terphenyl	84-15-1	71	%	70-135	10.21.19 18.50	



Certificate of Analytical Results 640498

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **PH01A**
Lab Sample Id: 640498-002

Matrix: Soil
Date Collected: 10.18.19 13.10

Date Received: 10.21.19 09.10
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3105180

Prep Method: SW5030B

% Moisture:

Date Prep: 10.22.19 15.10

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.000998	0.000998	mg/kg	10.22.19 20.41	U	1
Toluene	108-88-3	<0.000998	0.000998	mg/kg	10.22.19 20.41	U	1
Ethylbenzene	100-41-4	<0.000998	0.000998	mg/kg	10.22.19 20.41	U	1
m,p-Xylenes	179601-23-1	<0.00200	0.00200	mg/kg	10.22.19 20.41	U	1
o-Xylene	95-47-6	<0.000998	0.000998	mg/kg	10.22.19 20.41	U	1
Total Xylenes	1330-20-7	<0.000998	0.000998	mg/kg	10.22.19 20.41	U	1
Total BTEX		<0.000998	0.000998	mg/kg	10.22.19 20.41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	113	%	70-130	10.22.19 20.41		
1,4-Difluorobenzene	540-36-3	101	%	70-130	10.22.19 20.41		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 11

Analytical Method: Chloride by EPA 300

Seq Number: 3105170

MB Sample Id: 7688575-1-BLK

Matrix: Solid

LCS Sample Id: 7688575-1-BKS

Prep Method: E300P

Date Prep: 10.21.19

LCSD Sample Id: 7688575-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	268	107	269	108	90-110	0	20	mg/kg	10.22.19 14:04	

Analytical Method: Chloride by EPA 300

Seq Number: 3105170

Parent Sample Id: 640497-001

Matrix: Solid

MS Sample Id: 640497-001 S

Prep Method: E300P

Date Prep: 10.21.19

MSD Sample Id: 640497-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	56.4	200	290	117	292	118	90-110	1	20	mg/kg	10.22.19 14:22	X

Analytical Method: Chloride by EPA 300

Seq Number: 3105170

Parent Sample Id: 640502-004

Matrix: Solid

MS Sample Id: 640502-004 S

Prep Method: E300P

Date Prep: 10.21.19

MSD Sample Id: 640502-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1640	1980	4150	127	4210	129	90-110	1	20	mg/kg	10.22.19 16:03	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104972

MB Sample Id: 7688557-1-BLK

Matrix: Solid

LCS Sample Id: 7688557-1-BKS

Prep Method: SW8015P

Date Prep: 10.21.19

LCSD Sample Id: 7688557-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	937	94	938	94	70-135	0	35	mg/kg	10.21.19 14:12	
Diesel Range Organics (DRO)	<50.0	1000	828	83	862	86	70-135	4	35	mg/kg	10.21.19 14:12	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	89		113		113		70-135	%	10.21.19 14:12
o-Terphenyl	91		107		112		70-135	%	10.21.19 14:12

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104978

MB Sample Id: 7688582-1-BLK

Matrix: Solid

LCS Sample Id: 7688582-1-BKS

Prep Method: SW8015P

Date Prep: 10.21.19

LCSD Sample Id: 7688582-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	888	89	913	91	70-135	3	35	mg/kg	10.21.19 18:30	
Diesel Range Organics (DRO)	<50.0	1000	816	82	825	83	70-135	1	35	mg/kg	10.21.19 18:30	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	90		118		109		70-135	%	10.21.19 18:30
o-Terphenyl	94		112		106		70-135	%	10.21.19 18:30

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104972

Matrix: Solid

MB Sample Id: 7688557-1-BLK

Prep Method: SW8015P

Date Prep: 10.21.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	10.21.19 13:52	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104978

Matrix: Solid

MB Sample Id: 7688582-1-BLK

Prep Method: SW8015P

Date Prep: 10.21.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	10.21.19 18:30	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104972

Matrix: Soil

Parent Sample Id: 640495-003

MS Sample Id: 640495-003 S

Prep Method: SW8015P

Date Prep: 10.21.19

MSD Sample Id: 640495-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.2	1000	886	89	846	85	70-135	5	35	mg/kg	10.21.19 14:32	
Diesel Range Organics (DRO)	<50.2	1000	809	81	765	77	70-135	6	35	mg/kg	10.21.19 14:32	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	101		85		70-135	%	10.21.19 14:32
o-Terphenyl	87		81		70-135	%	10.21.19 14:32

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3104978

Parent Sample Id: 640498-002

Matrix: Soil

MS Sample Id: 640498-002 S

Prep Method: SW8015P

Date Prep: 10.21.19

MSD Sample Id: 640498-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.6	1010	852	84	866	86	70-135	2	35	mg/kg	10.21.19 19:09	
Diesel Range Organics (DRO)	<50.6	1010	774	77	799	79	70-135	3	35	mg/kg	10.21.19 19:09	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	84		100		70-135	%	10.21.19 19:09
o-Terphenyl	81		86		70-135	%	10.21.19 19:09

Analytical Method: BTEX by EPA 8021B

Seq Number: 3105180

MB Sample Id: 7688753-1-BLK

Matrix: Solid

LCS Sample Id: 7688753-1-BKS

Prep Method: SW5030B

Date Prep: 10.22.19

LCSD Sample Id: 7688753-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00100	0.100	0.0927	93	0.0921	92	70-130	1	35	mg/kg	10.22.19 17:03	
Toluene	<0.00100	0.100	0.0898	90	0.0891	89	70-130	1	35	mg/kg	10.22.19 17:03	
Ethylbenzene	<0.00100	0.100	0.0923	92	0.0913	91	71-129	1	35	mg/kg	10.22.19 17:03	
m,p-Xylenes	<0.00200	0.200	0.185	93	0.183	92	70-135	1	35	mg/kg	10.22.19 17:03	
o-Xylene	<0.00100	0.100	0.0922	92	0.0922	92	71-133	0	35	mg/kg	10.22.19 17:03	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		101		102		70-130	%	10.22.19 17:03
4-Bromofluorobenzene	107		104		108		70-130	%	10.22.19 17:03

Analytical Method: BTEX by EPA 8021B

Seq Number: 3105180

Parent Sample Id: 640664-001

Matrix: Soil

MS Sample Id: 640664-001 S

Prep Method: SW5030B

Date Prep: 10.22.19

MSD Sample Id: 640664-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000990	0.0990	0.0949	96	0.0951	95	70-130	0	35	mg/kg	10.22.19 17:44	
Toluene	<0.000990	0.0990	0.0912	92	0.0897	90	70-130	2	35	mg/kg	10.22.19 17:44	
Ethylbenzene	<0.000990	0.0990	0.0931	94	0.0905	91	71-129	3	35	mg/kg	10.22.19 17:44	
m,p-Xylenes	<0.00198	0.198	0.187	94	0.181	91	70-135	3	35	mg/kg	10.22.19 17:44	
o-Xylene	<0.000990	0.0990	0.0939	95	0.0915	92	71-133	3	35	mg/kg	10.22.19 17:44	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	105		105		70-130	%	10.22.19 17:44
4-Bromofluorobenzene	110		111		70-130	%	10.22.19 17:44

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
Midland, TX (432-704-5440) EL Paso, TX (915)585-3443 Lubbock, TX (806)794-1296
Phoenix, AZ (480-355-0900) Atlanta GA (770-449-8800) Tampa, FL (813) 233-3927
Hobbs, NM (575-392-7550)

Page 1 of 1

Chain of Custody

Work Order No: 640498

Project Manager:	Chris McKisson	Bill to: (if different)	Chris McKisson
Company Name:	LT Environmental, Inc.	Company Name:	LT Environmental
Address:	820 Megan Avenue, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	(970) 285-9985	Email:	llaumbach@ltenv.com, cmckisson@ltenv.com, asmith@ltenv.com

Work Order Comments			
Program: UST/PST	☒ PRP	☐ Brownfields	☐ RRC
State of Project:			☐ Superfund
Reporting Level II	☐ Level III	☐ UST/UST	☐ TRP
Deliverables: EDD	☐ ADAPT	☐ Other:	☐ Level IV

[illegible]

notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Total	200.7 / 6010	200.8 / 6020:	8RCRA	13PPM	Texas 11	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Se	Ag	SiO ₂	Na	Sr	Tl	Sn	V	Zn
			<i>Circle Method(s) and Metal(s) to be analyzed</i>			TCLP / SPLP		6010:	8RCRA	Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Mn	Mo	Ni	Se	Ag	Tl	U							
Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.																																
Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time																											
		10/18/09 09:10			2																											
					4																											
					6																											

Revised Date 05/14/18 Rev. 2018



Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 10/21/2019 09:10:00 AM

Work Order #: 640498

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	Yes
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 10/21/2019

Checklist reviewed by:

Jessica Kramer

Date: 10/22/2019

Analytical Report 646590

for
LT Environmental, Inc.

Project Manager: Chris McKisson

RDU 11

034819071

18-DEC-19

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



18-DEC-19

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **646590**

RDU 11

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 646590. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 646590 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 646590****LT Environmental, Inc., Arvada, CO**

RDU 11

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS01	S	12-16-19 11:45	2 - 4 ft	646590-001
FS02	S	12-16-19 11:55	4 ft	646590-002
FS03	S	12-16-19 11:57	4 ft	646590-003
SW01	S	12-16-19 11:50	0.5 - 4 ft	646590-004
SW02	S	12-16-19 12:00	0.5 - 4 ft	646590-005
SW03	S	12-16-19 12:02	0.5 - 4 ft	646590-006
SW04	S	12-16-19 12:05	1 ft	646590-007
SW05	S	12-16-19 12:07	0.5 ft	646590-008
SW06	S	12-16-19 12:10	1 ft	646590-009

**CASE NARRATIVE****Client Name: LT Environmental, Inc.****Project Name: RDU 11**Project ID: 034819071
Work Order Number(s): 646590Report Date: 18-DEC-19
Date Received: 12/17/2019

Sample receipt non conformances and comments:None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3110867 BTEX by EPA 8021B

Lab Sample ID 646590-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Ethylbenzene recovered below QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 646590-001, -002, -003, -004, -005, -006, -007, -008, -009.

The Laboratory Control Sample for Ethylbenzene is within laboratory Control Limits, therefore the data was accepted.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 646590-009.



Certificate of Analysis Summary 646590

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 034819071
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Tue Dec-17-19 10:45 am
Report Date: 18-DEC-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	646590-001	646590-002	646590-003	646590-004	646590-005	646590-006
	<i>Field Id:</i>	FS01	FS02	FS03	SW01	SW02	SW03
	<i>Depth:</i>	2-4 ft	4- ft	4- ft	0.5-4 ft	0.5-4 ft	0.5-4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Dec-16-19 11:45	Dec-16-19 11:55	Dec-16-19 11:57	Dec-16-19 11:50	Dec-16-19 12:00	Dec-16-19 12:02
BTEX by EPA 8021B	<i>Extracted:</i>	Dec-17-19 14:55	Dec-17-19 14:55	Dec-17-19 14:55	Dec-17-19 14:55	Dec-17-19 14:55	Dec-17-19 14:55
	<i>Analyzed:</i>	Dec-17-19 16:01	Dec-17-19 16:18	Dec-17-19 16:35	Dec-17-19 16:53	Dec-17-19 17:28	Dec-17-19 17:10
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	0.146 0.0992	<0.00200 0.00200
Toluene		<0.00200 0.00200	<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	4.95 0.0992	<0.00200 0.00200
Ethylbenzene		<0.00200 0.00200	0.0158 0.00199	<0.00200 0.00200	<0.00200 0.00200	8.82 0.0992	<0.00200 0.00200
m,p-Xylenes		<0.00399 0.00399	0.0300 0.00398	<0.00401 0.00401	<0.00399 0.00399	17.9 0.198	<0.00399 0.00399
o-Xylene		<0.00200 0.00200	0.0186 0.00199	<0.00200 0.00200	<0.00200 0.00200	10.3 0.0992	<0.00200 0.00200
Xylenes, Total		<0.00200 0.00200	0.0486 0.00199	<0.00200 0.00200	<0.00200 0.00200	28.2 0.0992	<0.00200 0.00200
Total BTEX		<0.00200 0.00200	0.0644 0.00199	<0.00200 0.00200	<0.00200 0.00200	42.1 0.0992	<0.00200 0.00200
Chloride by EPA 300	<i>Extracted:</i>	Dec-17-19 15:29	Dec-17-19 15:29	Dec-17-19 15:29	Dec-17-19 15:29	Dec-17-19 15:29	Dec-17-19 15:29
	<i>Analyzed:</i>	Dec-17-19 17:40	Dec-17-19 17:57	Dec-17-19 18:03	Dec-17-19 18:08	Dec-17-19 18:14	Dec-17-19 18:32
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		64.4 9.92	199 9.88	31.6 9.92	10.6 9.98	23.3 9.92	607 9.88
TPH by SW8015 Mod	<i>Extracted:</i>	*** ** *	*** ** *	*** ** *	*** ** *	Dec-17-19 15:00	Dec-17-19 15:00
	<i>Analyzed:</i>	Dec-17-19 14:56	Dec-17-19 15:15	Dec-17-19 15:15	Dec-17-19 15:36	Dec-17-19 16:54	Dec-17-19 16:15
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.3 50.3	<50.1 50.1	<50.1 50.1	<50.0 50.0	1270 50.2	<50.2 50.2
Diesel Range Organics (DRO)		<50.3 50.3	215 50.1	<50.1 50.1	<50.0 50.0	4620 50.2	<50.2 50.2
Motor Oil Range Hydrocarbons (MRO)		<50.3 50.3	<50.1 50.1	<50.1 50.1	<50.0 50.0	466 50.2	<50.2 50.2
Total GRO-DRO		<50.3 50.3	215 50.1	<50.1 50.1	<50.0 50.0	5890 50.2	<50.2 50.2
Total TPH		<50.3 50.3	215 50.1	<50.1 50.1	<50.0 50.0	6360 50.2	<50.2 50.2

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 646590

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 034819071
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Tue Dec-17-19 10:45 am
Report Date: 18-DEC-19
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	646590-007	646590-008	646590-009			
	Field Id:	SW04	SW05	SW06			
	Depth:	1- ft	0.5- ft	1- ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Dec-16-19 12:05	Dec-16-19 12:07	Dec-16-19 12:10			
BTEX by EPA 8021B	Extracted:	Dec-17-19 14:55	Dec-17-19 14:55	Dec-17-19 14:55			
	Analyzed:	Dec-17-19 17:45	Dec-17-19 18:02	Dec-17-19 18:20			
	Units/RL:	mg/kg	mg/kg	mg/kg			
		RL	RL	RL			
Benzene		0.121	0.100	0.631	0.200		
Toluene		5.92	0.200	5.52	0.201	17.6	0.200
Ethylbenzene		11.3	0.200	9.49	0.201	18.6	0.200
m,p-Xylenes		21.4	0.401	20.4	0.402	47.6	0.401
o-Xylene		14.5	0.200	11.1	0.201	28.0	0.200
Xylenes, Total		35.9	0.200	31.5	0.201	75.6	0.200
Total BTEX		53.2	0.100	46.6	0.100	112	0.200
Chloride by EPA 300	Extracted:	Dec-17-19 15:29	Dec-17-19 15:29	Dec-17-19 15:29			
	Analyzed:	Dec-17-19 18:38	Dec-17-19 18:44	Dec-17-19 18:51			
	Units/RL:	mg/kg	mg/kg	mg/kg			
		RL	RL	RL			
Chloride		49.3	9.90	<9.98	9.98	77.6	9.92
TPH by SW8015 Mod	Extracted:	Dec-17-19 15:00	Dec-17-19 15:00	Dec-17-19 15:00			
	Analyzed:	Dec-17-19 16:54	Dec-17-19 17:34	Dec-18-19 08:59			
	Units/RL:	mg/kg	mg/kg	mg/kg			
		RL	RL	RL			
Gasoline Range Hydrocarbons (GRO)		3960	251	3100	251	5480	502
Diesel Range Organics (DRO)		20500	251	18700	251	38000	502
Motor Oil Range Hydrocarbons (MRO)		1860	251	1600	251	3970	502
Total GRO-DRO		24500	251	21800	251	43500	502
Total TPH		26300	251	23400	251	47500	502

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS01** Matrix: Soil Date Received: 12.17.19 10.45
 Lab Sample Id: 646590-001 Date Collected: 12.16.19 11.45 Sample Depth: 2 - 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.17.19 15.29 Basis: Wet Weight
 Seq Number: 3110874

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	64.4	9.92	mg/kg	12.17.19 17.40		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.17.19 10.20 Basis: Wet Weight
 Seq Number: 3110839

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	12.17.19 14.56	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	12.17.19 14.56	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	12.17.19 14.56	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	12.17.19 14.56	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	12.17.19 14.56	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	81	%	70-135	12.17.19 14.56	
o-Terphenyl	84-15-1	84	%	70-135	12.17.19 14.56	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS01**
 Lab Sample Id: 646590-001

Matrix: Soil
 Date Collected: 12.16.19 11.45

Date Received: 12.17.19 10.45
 Sample Depth: 2 - 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Seq Number: 3110867

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.17.19 16.01	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.17.19 16.01	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.17.19 16.01	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	12.17.19 16.01	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.17.19 16.01	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	12.17.19 16.01	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.17.19 16.01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	12.17.19 16.01		
1,4-Difluorobenzene	540-36-3	101	%	70-130	12.17.19 16.01		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS02** Matrix: Soil Date Received: 12.17.19 10.45
 Lab Sample Id: 646590-002 Date Collected: 12.16.19 11.55 Sample Depth: 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.17.19 15.29 Basis: Wet Weight
 Seq Number: 3110874

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	199	9.88	mg/kg	12.17.19 17.57		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.17.19 10.20 Basis: Wet Weight
 Seq Number: 3110839

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.17.19 15.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	215	50.1	mg/kg	12.17.19 15.15		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.17.19 15.15	U	1
Total GRO-DRO	PHC628	215	50.1	mg/kg	12.17.19 15.15		1
Total TPH	PHC635	215	50.1	mg/kg	12.17.19 15.15		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	92	%	70-135	12.17.19 15.15	
o-Terphenyl	84-15-1	98	%	70-135	12.17.19 15.15	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS02**
 Lab Sample Id: 646590-002

Matrix: Soil
 Date Collected: 12.16.19 11.55

Date Received: 12.17.19 10.45
 Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Seq Number: 3110867

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	12.17.19 16.18	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	12.17.19 16.18	U	1
Ethylbenzene	100-41-4	0.0158	0.00199	mg/kg	12.17.19 16.18		1
m,p-Xylenes	179601-23-1	0.0300	0.00398	mg/kg	12.17.19 16.18		1
o-Xylene	95-47-6	0.0186	0.00199	mg/kg	12.17.19 16.18		1
Xylenes, Total	1330-20-7	0.0486	0.00199	mg/kg	12.17.19 16.18		1
Total BTEX		0.0644	0.00199	mg/kg	12.17.19 16.18		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	70-130	12.17.19 16.18		
1,4-Difluorobenzene	540-36-3	93	%	70-130	12.17.19 16.18		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS03**
Lab Sample Id: 646590-003

Matrix: Soil
Date Collected: 12.16.19 11.57

Date Received: 12.17.19 10.45
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3110874

Date Prep: 12.17.19 15.29

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	31.6	9.92	mg/kg	12.17.19 18.03		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3110839

Date Prep: 12.17.19 10.20

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	12.17.19 15.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	12.17.19 15.15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	12.17.19 15.15	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	12.17.19 15.15	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	12.17.19 15.15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	12.17.19 15.15	
o-Terphenyl	84-15-1	86	%	70-135	12.17.19 15.15	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS03**
Lab Sample Id: 646590-003

Matrix: Soil
Date Collected: 12.16.19 11.57

Date Received: 12.17.19 10.45
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Seq Number: 3110867

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.17.19 16.35	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.17.19 16.35	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.17.19 16.35	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	12.17.19 16.35	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.17.19 16.35	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	12.17.19 16.35	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.17.19 16.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	70-130	12.17.19 16.35		
1,4-Difluorobenzene	540-36-3	103	%	70-130	12.17.19 16.35		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW01** Matrix: Soil Date Received: 12.17.19 10.45
 Lab Sample Id: 646590-004 Date Collected: 12.16.19 11.50 Sample Depth: 0.5 - 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.17.19 15.29 Basis: Wet Weight
 Seq Number: 3110874

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	10.6	9.98	mg/kg	12.17.19 18.08		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.17.19 10.20 Basis: Wet Weight
 Seq Number: 3110839

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	12.17.19 15.36	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	12.17.19 15.36	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	12.17.19 15.36	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	12.17.19 15.36	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	12.17.19 15.36	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	83	%	70-135	12.17.19 15.36	
o-Terphenyl	84-15-1	87	%	70-135	12.17.19 15.36	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW01**
Lab Sample Id: 646590-004

Matrix: Soil
Date Collected: 12.16.19 11.50

Date Received: 12.17.19 10.45
Sample Depth: 0.5 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3110867

Date Prep: 12.17.19 14.55

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.17.19 16.53	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.17.19 16.53	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.17.19 16.53	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	12.17.19 16.53	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.17.19 16.53	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	12.17.19 16.53	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.17.19 16.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	102	%	70-130	12.17.19 16.53		
1,4-Difluorobenzene	540-36-3	103	%	70-130	12.17.19 16.53		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW02** Matrix: Soil Date Received: 12.17.19 10.45
 Lab Sample Id: 646590-005 Date Collected: 12.16.19 12.00 Sample Depth: 0.5 - 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.17.19 15.29 Basis: Wet Weight
 Seq Number: 3110874

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	23.3	9.92	mg/kg	12.17.19 18.14		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.17.19 15.00 Basis: Wet Weight
 Seq Number: 3110877

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1270	50.2	mg/kg	12.17.19 16.54		1
Diesel Range Organics (DRO)	C10C28DRO	4620	50.2	mg/kg	12.17.19 16.54		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	466	50.2	mg/kg	12.17.19 16.54		1
Total GRO-DRO	PHC628	5890	50.2	mg/kg	12.17.19 16.54		1
Total TPH	PHC635	6360	50.2	mg/kg	12.17.19 16.54		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	115	%	70-135	12.17.19 16.54	
o-Terphenyl	84-15-1	98	%	70-135	12.17.19 16.54	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW02**
 Lab Sample Id: 646590-005

Matrix: Soil
 Date Collected: 12.16.19 12.00

Date Received: 12.17.19 10.45
 Sample Depth: 0.5 - 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Seq Number: 3110867

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.146	0.0992	mg/kg	12.17.19 17.28		50
Toluene	108-88-3	4.95	0.0992	mg/kg	12.17.19 17.28		50
Ethylbenzene	100-41-4	8.82	0.0992	mg/kg	12.17.19 17.28		50
m,p-Xylenes	179601-23-1	17.9	0.198	mg/kg	12.17.19 17.28		50
o-Xylene	95-47-6	10.3	0.0992	mg/kg	12.17.19 17.28		50
Xylenes, Total	1330-20-7	28.2	0.0992	mg/kg	12.17.19 17.28		50
Total BTEX		42.1	0.0992	mg/kg	12.17.19 17.28		50
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	94	%	70-130	12.17.19 17.28		
4-Bromofluorobenzene	460-00-4	121	%	70-130	12.17.19 17.28		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW03**
Lab Sample Id: 646590-006

Matrix: Soil
Date Collected: 12.16.19 12.02

Date Received: 12.17.19 10.45
Sample Depth: 0.5 - 4 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3110874

Date Prep: 12.17.19 15.29

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	607	9.88	mg/kg	12.17.19 18.32		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3110877

Date Prep: 12.17.19 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	12.17.19 16.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	12.17.19 16.15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	12.17.19 16.15	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	12.17.19 16.15	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	12.17.19 16.15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	124	%	70-135	12.17.19 16.15	
o-Terphenyl	84-15-1	127	%	70-135	12.17.19 16.15	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW03**
 Lab Sample Id: 646590-006

Matrix: Soil
 Date Collected: 12.16.19 12.02

Date Received: 12.17.19 10.45
 Sample Depth: 0.5 - 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Seq Number: 3110867

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	12.17.19 17.10	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	12.17.19 17.10	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	12.17.19 17.10	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	12.17.19 17.10	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	12.17.19 17.10	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	12.17.19 17.10	U	1
Total BTEX		<0.00200	0.00200	mg/kg	12.17.19 17.10	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	99	%	70-130	12.17.19 17.10		
4-Bromofluorobenzene	460-00-4	98	%	70-130	12.17.19 17.10		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW04**
Lab Sample Id: 646590-007

Matrix: Soil
Date Collected: 12.16.19 12.05

Date Received: 12.17.19 10.45
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3110874

Date Prep: 12.17.19 15.29

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	49.3	9.90	mg/kg	12.17.19 18.38		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3110877

Date Prep: 12.17.19 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	3960	251	mg/kg	12.17.19 16.54		5
Diesel Range Organics (DRO)	C10C28DRO	20500	251	mg/kg	12.17.19 16.54		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	1860	251	mg/kg	12.17.19 16.54		5
Total GRO-DRO	PHC628	24500	251	mg/kg	12.17.19 16.54		5
Total TPH	PHC635	26300	251	mg/kg	12.17.19 16.54		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	105	%	70-135	12.17.19 16.54	
o-Terphenyl	84-15-1	90	%	70-135	12.17.19 16.54	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW04**
Lab Sample Id: 646590-007

Matrix: Soil
Date Collected: 12.16.19 12.05

Date Received: 12.17.19 10.45
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3110867

Date Prep: 12.17.19 14.55

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.121	0.100	mg/kg	12.17.19 17.45		100
Toluene	108-88-3	5.92	0.200	mg/kg	12.17.19 17.45		100
Ethylbenzene	100-41-4	11.3	0.200	mg/kg	12.17.19 17.45		100
m,p-Xylenes	179601-23-1	21.4	0.401	mg/kg	12.17.19 17.45		100
o-Xylene	95-47-6	14.5	0.200	mg/kg	12.17.19 17.45		100
Xylenes, Total	1330-20-7	35.9	0.200	mg/kg	12.17.19 17.45		100
Total BTEX		53.2	0.100	mg/kg	12.17.19 17.45		100
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	114	%	70-130	12.17.19 17.45		
1,4-Difluorobenzene	540-36-3	92	%	70-130	12.17.19 17.45		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW05**
Lab Sample Id: 646590-008

Matrix: Soil
Date Collected: 12.16.19 12.07

Date Received: 12.17.19 10.45
Sample Depth: 0.5 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3110874

Date Prep: 12.17.19 15.29

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<9.98	9.98	mg/kg	12.17.19 18.44	U	1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3110877

Date Prep: 12.17.19 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	3100	251	mg/kg	12.17.19 17.34		5
Diesel Range Organics (DRO)	C10C28DRO	18700	251	mg/kg	12.17.19 17.34		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	1600	251	mg/kg	12.17.19 17.34		5
Total GRO-DRO	PHC628	21800	251	mg/kg	12.17.19 17.34		5
Total TPH	PHC635	23400	251	mg/kg	12.17.19 17.34		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	12.17.19 17.34	
o-Terphenyl	84-15-1	134	%	70-135	12.17.19 17.34	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW05**
Lab Sample Id: 646590-008

Matrix: Soil
Date Collected: 12.16.19 12.07

Date Received: 12.17.19 10.45
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3110867

Prep Method: SW5030B

% Moisture:

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.111	0.100	mg/kg	12.17.19 18.02		100
Toluene	108-88-3	5.52	0.201	mg/kg	12.17.19 18.02		100
Ethylbenzene	100-41-4	9.49	0.201	mg/kg	12.17.19 18.02		100
m,p-Xylenes	179601-23-1	20.4	0.402	mg/kg	12.17.19 18.02		100
o-Xylene	95-47-6	11.1	0.201	mg/kg	12.17.19 18.02		100
Xylenes, Total	1330-20-7	31.5	0.201	mg/kg	12.17.19 18.02		100
Total BTEX		46.6	0.100	mg/kg	12.17.19 18.02		100
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	113	%	70-130	12.17.19 18.02		
1,4-Difluorobenzene	540-36-3	91	%	70-130	12.17.19 18.02		



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW06**
 Lab Sample Id: 646590-009

Matrix: Soil
 Date Collected: 12.16.19 12.10

Date Received: 12.17.19 10.45
 Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 15.29

Basis: Wet Weight

Seq Number: 3110874

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	77.6	9.92	mg/kg	12.17.19 18.51		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 12.17.19 15.00

Basis: Wet Weight

Seq Number: 3110877

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	5480	502	mg/kg	12.18.19 08.59		10
Diesel Range Organics (DRO)	C10C28DRO	38000	502	mg/kg	12.18.19 08.59		10
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	3970	502	mg/kg	12.18.19 08.59		10
Total GRO-DRO	PHC628	43500	502	mg/kg	12.18.19 08.59		10
Total TPH	PHC635	47500	502	mg/kg	12.18.19 08.59		10

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99	%	70-135	12.18.19 08.59	
o-Terphenyl	84-15-1	125	%	70-135	12.18.19 08.59	



Certificate of Analytical Results 646590

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW06**
Lab Sample Id: 646590-009

Matrix: Soil
Date Collected: 12.16.19 12.10

Date Received: 12.17.19 10.45
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 12.17.19 14.55

Basis: Wet Weight

Seq Number: 3110867

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.631	0.200	mg/kg	12.17.19 18.20		100
Toluene	108-88-3	17.6	0.200	mg/kg	12.17.19 18.20		100
Ethylbenzene	100-41-4	18.6	0.200	mg/kg	12.17.19 18.20		100
m,p-Xylenes	179601-23-1	47.6	0.401	mg/kg	12.17.19 18.20		100
o-Xylene	95-47-6	28.0	0.200	mg/kg	12.17.19 18.20		100
Xylenes, Total	1330-20-7	75.6	0.200	mg/kg	12.17.19 18.20		100
Total BTEX		112	0.200	mg/kg	12.17.19 18.20		100
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	131	%	70-130	12.17.19 18.20	**	
1,4-Difluorobenzene	540-36-3	90	%	70-130	12.17.19 18.20		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 11

Analytical Method: Chloride by EPA 300

Seq Number: 3110874

MB Sample Id: 7692648-1-BLK

Matrix: Solid

LCS Sample Id: 7692648-1-BKS

Prep Method: E300P

Date Prep: 12.17.19

LCSD Sample Id: 7692648-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	262	105	263	105	90-110	0	20	mg/kg	12.17.19 17:28	

Analytical Method: Chloride by EPA 300

Seq Number: 3110874

Parent Sample Id: 646590-001

Matrix: Soil

MS Sample Id: 646590-001 S

Prep Method: E300P

Date Prep: 12.17.19

MSD Sample Id: 646590-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	64.4	200	281	108	279	108	90-110	1	20	mg/kg	12.17.19 17:46	

Analytical Method: Chloride by EPA 300

Seq Number: 3110874

Parent Sample Id: 646622-002

Matrix: Soil

MS Sample Id: 646622-002 S

Prep Method: E300P

Date Prep: 12.17.19

MSD Sample Id: 646622-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	57.2	199	276	110	276	109	90-110	0	20	mg/kg	12.17.19 19:23	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3110839

MB Sample Id: 7692637-1-BLK

Matrix: Solid

LCS Sample Id: 7692637-1-BKS

Prep Method: SW8015P

Date Prep: 12.17.19

LCSD Sample Id: 7692637-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	967	97	964	96	70-135	0	35	mg/kg	12.17.19 11:16	
Diesel Range Organics (DRO)	<50.0	1000	830	83	874	87	70-135	5	35	mg/kg	12.17.19 11:16	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	91		96		100		70-135	%	12.17.19 11:16
o-Terphenyl	95		94		99		70-135	%	12.17.19 11:16

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3110877

MB Sample Id: 7692669-1-BLK

Matrix: Solid

LCS Sample Id: 7692669-1-BKS

Prep Method: SW8015P

Date Prep: 12.17.19

LCSD Sample Id: 7692669-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1110	111	1130	113	70-135	2	35	mg/kg	12.17.19 15:55	
Diesel Range Organics (DRO)	<50.0	1000	1210	121	1190	119	70-135	2	35	mg/kg	12.17.19 15:55	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	120		129		129		70-135	%	12.17.19 15:55
o-Terphenyl	130		130		132		70-135	%	12.17.19 15:55

Analytical Method: TPH by SW8015 Mod

Seq Number: 3110839

Matrix: Solid

MB Sample Id: 7692637-1-BLK

Prep Method: SW8015P

Date Prep: 12.17.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	12.17.19 10:56	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3110877

Matrix: Solid

MB Sample Id: 7692669-1-BLK

Prep Method: SW8015P

Date Prep: 12.17.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	12.17.19 15:55	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3110839

Matrix: Soil

Parent Sample Id: 646531-018

MS Sample Id: 646531-018 S

Prep Method: SW8015P

Date Prep: 12.17.19

MSD Sample Id: 646531-018 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<49.8	995	856	86	902	90	70-135	5	35	mg/kg	12.17.19 11:58	
Diesel Range Organics (DRO)	<49.8	995	767	77	780	78	70-135	2	35	mg/kg	12.17.19 11:58	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	97		96		70-135	%	12.17.19 11:58
o-Terphenyl	98		96		70-135	%	12.17.19 11:58

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3110877

Parent Sample Id: 646590-006

Matrix: Soil

MS Sample Id: 646590-006 S

Prep Method: SW8015P

Date Prep: 12.17.19

MSD Sample Id: 646590-006 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.1	1000	1030	103	858	86	70-135	18	35	mg/kg	12.17.19 16:35	
Diesel Range Organics (DRO)	<50.1	1000	890	89	759	76	70-135	16	35	mg/kg	12.17.19 16:35	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	109		100		70-135	%	12.17.19 16:35
o-Terphenyl	109		97		70-135	%	12.17.19 16:35

Analytical Method: BTEX by EPA 8021B

Seq Number: 3110867

MB Sample Id: 7692636-1-BLK

Matrix: Solid

LCS Sample Id: 7692636-1-BKS

Prep Method: SW5030B

Date Prep: 12.17.19

LCSD Sample Id: 7692636-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0932	93	0.0913	91	70-130	2	35	mg/kg	12.17.19 14:08	
Toluene	<0.00200	0.100	0.0929	93	0.0913	91	70-130	2	35	mg/kg	12.17.19 14:08	
Ethylbenzene	<0.00200	0.100	0.0911	91	0.0898	90	71-129	1	35	mg/kg	12.17.19 14:08	
m,p-Xylenes	<0.00400	0.200	0.189	95	0.186	93	70-135	2	35	mg/kg	12.17.19 14:08	
o-Xylene	<0.00200	0.100	0.0919	92	0.0910	91	71-133	1	35	mg/kg	12.17.19 14:08	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		101		99		70-130	%	12.17.19 14:08
4-Bromofluorobenzene	100		100		96		70-130	%	12.17.19 14:08

Analytical Method: BTEX by EPA 8021B

Seq Number: 3110867

Parent Sample Id: 646590-001

Matrix: Soil

MS Sample Id: 646590-001 S

Prep Method: SW5030B

Date Prep: 12.17.19

MSD Sample Id: 646590-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0792	79	0.0818	82	70-130	3	35	mg/kg	12.17.19 14:42	
Toluene	<0.00200	0.100	0.0773	77	0.0808	81	70-130	4	35	mg/kg	12.17.19 14:42	
Ethylbenzene	<0.00200	0.100	0.0699	70	0.0756	76	71-129	8	35	mg/kg	12.17.19 14:42	X
m,p-Xylenes	<0.000755	0.200	0.145	73	0.157	79	70-135	8	35	mg/kg	12.17.19 14:42	
o-Xylene	<0.00200	0.100	0.0721	72	0.0777	78	71-133	7	35	mg/kg	12.17.19 14:42	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		99		70-130	%	12.17.19 14:42
4-Bromofluorobenzene	101		100		70-130	%	12.17.19 14:42

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No. 6456 64659c

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Crashead, NM (432) 704-5440
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com

Page 1 of 1

Project Manager:	Chris McKisson	Bill to: (if different)	
Company Name:	LT Environmental	Company Name:	
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Rile, TX 75080	City, State ZIP:	
Phone:	970 285 9985	Email:	cmckisson@ltenv.com

Project Name:	EDU 11	Turn Around	
Project Number:	034819021	Routine	☐
Project Location:	Bureau Eddy County	Rush: 3 DAY	
Sampler's Name:	Anna Byers	Due Date:	
PO #: 240-5680	Quote #:		

SAMPLE RECEIPT		Temp Blank:	Yes ☐ No ☒	Wet Ice:	Yes ☐ No ☒
Temperature (°C):	26	Thermometer ID	TNN007		
Received Intact:	Yes ☒ No ☐	Correction Factor:	-0.2		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Total Containers:	9		
Sample Custody Seals:	Yes ☒ No ☐ N/A				

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Analysis Request	Preservative Codes	Sample Comments
FS01		S	12/16/19	1145	2-4'	1	TPH (EPA 8015)	MeOH: Me	
FS02				1155	4'	1	BTEX (EPA 8020)	None: NO	
FS03				1157	4'	1	Chlorides (EPA 300.0)	HNO3: HN	
SW01				1150	0.5-4'	1		H2SO4: H2	
SW02				1200	0.5-4'	1		HCL: HL	
SW03				1202	0.5-4'	1		NaOH: Na	
SW04				1205	1'	1		Zn Acetate+ NaOH: Zn	
SW05				1207	0.5'	1		TAT starts the day received by the lab, if received by 4:00pm	
SW06				1210	1'	1			

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed: TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers	Whittney	12/17/19 10:45am			12/17/19 11:00



Client: LT Environmental, Inc.

Date/ Time Received: 12/17/2019 10:45:00 AM

Work Order #: 646590

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T NM 007

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	No
#5 Custody Seals intact on sample bottles?	No
#6 *Custody Seals Signed and dated?	No
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	Yes
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Martha Castro

Date: 12/17/2019

Checklist reviewed by:

Jessica Kramer

Date: 12/17/2019

Analytical Report 647461

for
LT Environmental, Inc.

Project Manager: Dan Moir

RDU II (2RP-5698)

034819071

30-DEC-19

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



30-DEC-19

Project Manager: **Dan Moir**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **647461**

RDU II (2RP-5698)

Project Address:

Dan Moir:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 647461. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 647461 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 647461

LT Environmental, Inc., Arvada, CO

RDU II (2RP-5698)

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS04	S	12-24-19 10:00	1.5 - 4 ft	647461-001



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: RDU II (2RP-5698)

Project ID: 034819071

Work Order Number(s): 647461

Report Date: 30-DEC-19

Date Received: 12/24/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3111623 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 647461

LT Environmental, Inc., Arvada, CO

Project Name: RDU II (2RP-5698)

Project Id: 034819071

Contact: Dan Moir

Project Location:

Date Received in Lab: Tue Dec-24-19 12:30 pm

Report Date: 30-DEC-19

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	647461-001					
	Field Id:	FS04					
	Depth:	1.5-4 ft					
	Matrix:	SOIL					
	Sampled:	Dec-24-19 10:00					
BTEX by EPA 8021B	Extracted:	Dec-24-19 14:00					
	Analyzed:	Dec-24-19 16:43					
	Units/RL:	mg/kg RL					
Benzene		<0.0217 0.0217					
Toluene		<0.0217 0.0217					
Ethylbenzene		<0.0217 0.0217					
m,p-Xylenes		<0.0435 0.0435					
o-Xylene		<0.0217 0.0217					
Xylenes, Total		<0.0217 0.0217					
Total BTEX		<0.0217 0.0217					
Chloride by EPA 300	Extracted:	Dec-27-19 07:30					
	Analyzed:	Dec-27-19 09:34					
	Units/RL:	mg/kg RL					
Chloride		17.9 9.98					
TPH by SW8015 Mod	Extracted:	Dec-24-19 13:00					
	Analyzed:	Dec-24-19 13:16					
	Units/RL:	mg/kg RL					
Gasoline Range Hydrocarbons (GRO)		<49.9 49.9					
Diesel Range Organics (DRO)		164 49.9					
Motor Oil Range Hydrocarbons (MRO)		<49.9 49.9					
Total GRO-DRO		164 49.9					
Total TPH		164 49.9					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant



Certificate of Analytical Results 647461

LT Environmental, Inc., Arvada, CO

RDU II (2RP-5698)

Sample Id: **FS04** Matrix: Soil Date Received: 12.24.19 12.30
 Lab Sample Id: 647461-001 Date Collected: 12.24.19 10.00 Sample Depth: 1.5 - 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 12.27.19 07.30 Basis: Wet Weight
 Seq Number: 3111866

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	17.9	9.98	mg/kg	12.27.19 09.34		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 12.24.19 13.00 Basis: Wet Weight
 Seq Number: 3111671

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	12.24.19 13.16	U	1
Diesel Range Organics (DRO)	C10C28DRO	164	49.9	mg/kg	12.24.19 13.16		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	12.24.19 13.16	U	1
Total GRO-DRO	PHC628	164	49.9	mg/kg	12.24.19 13.16		1
Total TPH	PHC635	164	49.9	mg/kg	12.24.19 13.16		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	111	%	70-135	12.24.19 13.16	
o-Terphenyl	84-15-1	111	%	70-135	12.24.19 13.16	



Certificate of Analytical Results 647461

LT Environmental, Inc., Arvada, CO

RDU II (2RP-5698)

Sample Id: **FS04**
Lab Sample Id: 647461-001

Matrix: Soil
Date Collected: 12.24.19 10.00

Date Received: 12.24.19 12.30
Sample Depth: 1.5 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3111623

Date Prep: 12.24.19 14.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.0217	0.0217	mg/kg	12.24.19 16.43	U	1
Toluene	108-88-3	<0.0217	0.0217	mg/kg	12.24.19 16.43	U	1
Ethylbenzene	100-41-4	<0.0217	0.0217	mg/kg	12.24.19 16.43	U	1
m,p-Xylenes	179601-23-1	<0.0435	0.0435	mg/kg	12.24.19 16.43	U	1
o-Xylene	95-47-6	<0.0217	0.0217	mg/kg	12.24.19 16.43	U	1
Xylenes, Total	1330-20-7	<0.0217	0.0217	mg/kg	12.24.19 16.43	U	1
Total BTEX		<0.0217	0.0217	mg/kg	12.24.19 16.43	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	98	%	70-130	12.24.19 16.43		
1,4-Difluorobenzene	540-36-3	99	%	70-130	12.24.19 16.43		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU II (2RP-5698)

Analytical Method: Chloride by EPA 300

Seq Number: 3111866

MB Sample Id: 7693247-1-BLK

Matrix: Solid

LCS Sample Id: 7693247-1-BKS

Prep Method: E300P

Date Prep: 12.27.19

LCSD Sample Id: 7693247-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	257	103	256	102	90-110	0	20	mg/kg	12.27.19 09:23	

Analytical Method: Chloride by EPA 300

Seq Number: 3111866

Parent Sample Id: 647461-001

Matrix: Soil

MS Sample Id: 647461-001 S

Prep Method: E300P

Date Prep: 12.27.19

MSD Sample Id: 647461-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	17.9	199	223	103	224	103	90-110	0	20	mg/kg	12.27.19 09:40	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111671

MB Sample Id: 7693227-1-BLK

Matrix: Solid

LCS Sample Id: 7693227-1-BKS

Prep Method: SW8015P

Date Prep: 12.24.19

LCSD Sample Id: 7693227-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<13.9	1000	1220	122	1230	123	70-135	1	35	mg/kg	12.24.19 12:16	
Diesel Range Organics (DRO)	<11.5	1000	1240	124	1260	126	70-135	2	35	mg/kg	12.24.19 12:16	
Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date	Flag		
1-Chlorooctane	95		128		111		70-135	%	12.24.19 12:16			
o-Terphenyl	98		120		111		70-135	%	12.24.19 12:16			

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111671

Matrix: Solid

MB Sample Id: 7693227-1-BLK

Prep Method: SW8015P

Date Prep: 12.24.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	12.24.19 11:57	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * [(C - E) / (C + E)]$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU II (2RP-5698)

Analytical Method: TPH by SW8015 Mod

Seq Number: 3111671

Parent Sample Id: 647387-035

Matrix: Soil

MS Sample Id: 647387-035 S

Prep Method: SW8015P

Date Prep: 12.24.19

MSD Sample Id: 647387-035 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<13.8	996	898	90	1010	101	70-135	12	35	mg/kg	12.24.19 12:36	
Diesel Range Organics (DRO)	28.6	996	973	95	1070	104	70-135	9	35	mg/kg	12.24.19 12:36	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	111		122		70-135	%	12.24.19 12:36
o-Terphenyl	110		119		70-135	%	12.24.19 12:36

Analytical Method: BTEX by EPA 8021B

Seq Number: 3111623

MB Sample Id: 7693185-1-BLK

Matrix: Solid

LCS Sample Id: 7693185-1-BKS

Prep Method: SW5030B

Date Prep: 12.24.19

LCSD Sample Id: 7693185-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.100	100	0.0973	97	70-130	3	35	mg/kg	12.24.19 09:12	
Toluene	<0.00200	0.100	0.100	100	0.0967	97	70-130	3	35	mg/kg	12.24.19 09:12	
Ethylbenzene	<0.00200	0.100	0.0978	98	0.0937	94	71-129	4	35	mg/kg	12.24.19 09:12	
m,p-Xylenes	<0.00400	0.200	0.202	101	0.193	97	70-135	5	35	mg/kg	12.24.19 09:12	
o-Xylene	<0.00200	0.100	0.0998	100	0.0962	96	71-133	4	35	mg/kg	12.24.19 09:12	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		100		101		70-130	%	12.24.19 09:12
4-Bromofluorobenzene	99		101		104		70-130	%	12.24.19 09:12

Analytical Method: BTEX by EPA 8021B

Seq Number: 3111623

Parent Sample Id: 647387-036

Matrix: Soil

MS Sample Id: 647387-036 S

Prep Method: SW5030B

Date Prep: 12.24.19

MSD Sample Id: 647387-036 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00201	0.101	0.0891	88	0.102	102	70-130	14	35	mg/kg	12.24.19 09:47	
Toluene	<0.00201	0.101	0.0828	82	0.0975	98	70-130	16	35	mg/kg	12.24.19 09:47	
Ethylbenzene	<0.00201	0.101	0.0732	72	0.0894	89	71-129	20	35	mg/kg	12.24.19 09:47	
m,p-Xylenes	<0.00402	0.201	0.147	73	0.182	91	70-135	21	35	mg/kg	12.24.19 09:47	
o-Xylene	<0.00201	0.101	0.0746	74	0.0907	91	71-133	19	35	mg/kg	12.24.19 09:47	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		103		70-130	%	12.24.19 09:47
4-Bromofluorobenzene	103		108		70-130	%	12.24.19 09:47

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No.:

64746

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
Midland, TX (432-704-5440) El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813) 281-1111
Hobbs, NM (575-382-7550)

www.xenco.com

Page 1 of 1

Project Manager:	Dan Moir	Bill to: (if different)	Kyle Littrell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO Energy
Address:	3300 North A Street	Address:	3104 E Green Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad, NM 88220
Phone:	432.236.3849	Email:	bbeilill@ltenv.com

Work Order Comments	
Program: UST/PST	☐ PRP ☐ Brownfields ☐ RC ☐ Superfund ☐
State of Project:	
Reporting: Level II	☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐
Deliverables: EDD	☐ ADAPT ☐ Other:

Project Name:	BDU 11 (2KR-5698)	Turn Around
Project Number:	034819071	Routine ☒
P.O. Number:		Rush:
Sampler's Name:	Benjamin Bell	Due Date:

[illegible]

SAMPLE RECEIPT		Temp Blank:	Yes	No	Well Ice:	Yes	No
Temperature (°C):	4.4	Thermometer ID					
Received intact:	Yes	711007					
Cooler Custody Seals:	Yes	No			Correction Factor:	-0.2	
Sample Custody Seals:	Yes	No			Total Containers:	1	

[illegible]

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth
-----------------------	--------	--------------	--------------	-------

[illegible]

FS04	S	12/24/19	1000	1.5-4'	1	x	x	x
SSS 12/24/19								
Composite								

Total 200.7 / 6010 200.8 / 6020:

8RCRA	13PPM	Texas	11	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Se	Ag	SiO ₂	Na	Sr	Ti	Sn	U	V	Zn
TCLP/SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 74																															

1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$6 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	12/24/12 30			



Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 12/24/2019 12:30:00 PM

Work Order #: 647461

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T NM 007

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	4.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	No
#5 Custody Seals intact on sample bottles?	No
#6 *Custody Seals Signed and dated?	No
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	Yes
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Martha Castro

Date: 12/24/2019

Checklist reviewed by:

Jessica Kramer

Date: 12/27/2019

Analytical Report 648485

**for
LT Environmental, Inc.**

Project Manager: Chris McKisson

RDU 11

034819071

10-JAN-20

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



10-JAN-20

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **648485**

RDU 11

Project Address: Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 648485. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 648485 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 648485****LT Environmental, Inc., Arvada, CO**

RDU 11

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS04 A	S	01-08-20 09:25	4 ft	648485-001
FS05	S	01-08-20 09:30	4 ft	648485-002
FS06	S	01-08-20 09:35	4 ft	648485-003
FS07	S	01-08-20 15:35	4 - 5 ft	648485-004
FS08	S	01-08-20 10:15	4.5 ft	648485-005
SW07	S	01-08-20 15:45	0.5 - 5 ft	648485-006
SW08	S	01-08-20 11:30	0.5 - 4.5 ft	648485-007
SW09	S	01-08-20 11:40	0.5 - 4 ft	648485-008



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: RDU 11

Project ID: 034819071
Work Order Number(s): 648485

Report Date: 10-JAN-20
Date Received: 01/09/2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3112829 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 648485

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 034819071
Contact: Chris McKisson
Project Location: Eddy County

Date Received in Lab: Thu Jan-09-20 11:07 am
Report Date: 10-JAN-20
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	648485-001	648485-002	648485-003	648485-004	648485-005	648485-006
	<i>Field Id:</i>	FS04 A	FS05	FS06	FS07	FS08	SW07
	<i>Depth:</i>	4- ft	4- ft	4- ft	4-5 ft	4.5- ft	0.5-5 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-08-20 09:25	Jan-08-20 09:30	Jan-08-20 09:35	Jan-08-20 15:35	Jan-08-20 10:15	Jan-08-20 15:45
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-09-20 13:28	Jan-09-20 13:28	Jan-09-20 13:28	Jan-09-20 13:28	Jan-09-20 13:28	Jan-09-20 13:28
	<i>Analyzed:</i>	Jan-09-20 23:58	Jan-10-20 00:17	Jan-10-20 00:36	Jan-10-20 00:55	Jan-10-20 01:15	Jan-10-20 01:34
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00201 0.00201	<0.00201 0.00201	<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201
Toluene		<0.00201 0.00201	<0.00201 0.00201	<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201
Ethylbenzene		<0.00201 0.00201	<0.00201 0.00201	<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201
m,p-Xylenes		<0.00402 0.00402	<0.00402 0.00402	<0.00403 0.00403	<0.00403 0.00403	<0.00403 0.00403	<0.00402 0.00402
o-Xylene		<0.00201 0.00201	<0.00201 0.00201	<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201
Xylenes, Total		<0.00201 0.00201	<0.00201 0.00201	<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201
Total BTEX		<0.00201 0.00201	<0.00201 0.00201	<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201
Chloride by EPA 300	<i>Extracted:</i>	Jan-09-20 12:32	Jan-09-20 12:32	Jan-09-20 12:32	Jan-09-20 12:32	Jan-09-20 12:32	Jan-09-20 12:32
	<i>Analyzed:</i>	Jan-09-20 14:37	Jan-09-20 14:53	Jan-09-20 14:58	Jan-09-20 15:04	Jan-09-20 15:09	Jan-09-20 15:25
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		16.5 10.1	39.6 10.0	782 50.2	256 10.1	660 50.1	151 9.98
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-09-20 15:30	Jan-09-20 15:30	Jan-09-20 15:30	Jan-09-20 15:30	Jan-09-20 15:30	Jan-09-20 15:30
	<i>Analyzed:</i>	Jan-09-20 23:54	Jan-10-20 10:25	Jan-10-20 00:14	Jan-10-20 10:45	Jan-10-20 00:34	Jan-10-20 11:05
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<50.2 50.2	<49.9 49.9	<50.2 50.2	<49.9 49.9	<50.1 50.1
Diesel Range Organics (DRO)		<50.0 50.0	<50.2 50.2	87.1 49.9	<50.2 50.2	<49.9 49.9	<50.1 50.1
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<50.2 50.2	<49.9 49.9	<50.2 50.2	<49.9 49.9	<50.1 50.1
Total GRO-DRO		<50.0 50.0	<50.2 50.2	87.1 49.9	<50.2 50.2	<49.9 49.9	<50.1 50.1
Total TPH		<50.0 50.0	<50.2 50.2	87.1 49.9	<50.2 50.2	<49.9 49.9	<50.1 50.1

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 648485

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 034819071
 Contact: Chris McKisson
 Project Location: Eddy County

Date Received in Lab: Thu Jan-09-20 11:07 am
 Report Date: 10-JAN-20
 Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	648485-007	648485-008				
	Field Id:	SW08	SW09				
	Depth:	0.5-4.5 ft	0.5-4 ft				
	Matrix:	SOIL	SOIL				
	Sampled:	Jan-08-20 11:30	Jan-08-20 11:40				
BTEX by EPA 8021B	Extracted:	Jan-09-20 13:28	Jan-09-20 13:28				
	Analyzed:	Jan-10-20 01:53	Jan-10-20 02:12				
	Units/RL:	mg/kg RL	mg/kg RL				
	Benzene	<0.00202 0.00202	<0.00202 0.00202				
	Toluene	<0.00202 0.00202	<0.00202 0.00202				
Ethylbenzene		<0.00202 0.00202	<0.00202 0.00202				
m,p-Xylenes		<0.00404 0.00404	<0.00403 0.00403				
o-Xylene		<0.00202 0.00202	<0.00202 0.00202				
Xylenes, Total		<0.00202 0.00202	<0.00202 0.00202				
Total BTEX		<0.00202 0.00202	<0.00202 0.00202				
Chloride by EPA 300	Extracted:	Jan-09-20 12:32	Jan-09-20 12:32				
	Analyzed:	Jan-09-20 15:31	Jan-09-20 15:36				
	Units/RL:	mg/kg RL	mg/kg RL				
	Chloride	866 49.7	19.4 9.98				
TPH by SW8015 Mod	Extracted:	Jan-09-20 15:30	Jan-09-20 15:30				
	Analyzed:	Jan-10-20 00:54	Jan-10-20 11:25				
	Units/RL:	mg/kg RL	mg/kg RL				
	Gasoline Range Hydrocarbons (GRO)	<50.2 50.2	<50.0 50.0				
	Diesel Range Organics (DRO)	<50.2 50.2	<50.0 50.0				
Motor Oil Range Hydrocarbons (MRO)		<50.2 50.2	<50.0 50.0				
Total GRO-DRO		<50.2 50.2	<50.0 50.0				
Total TPH		<50.2 50.2	<50.0 50.0				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS04 A**
Lab Sample Id: 648485-001

Matrix: Soil
Date Collected: 01.08.20 09.25

Date Received: 01.09.20 11.07
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112840

Date Prep: 01.09.20 12.32

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	16.5	10.1	mg/kg	01.09.20 14.37		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112853

Date Prep: 01.09.20 15.30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.09.20 23.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.09.20 23.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.09.20 23.54	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.09.20 23.54	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.09.20 23.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	120	%	70-135	01.09.20 23.54	
o-Terphenyl	84-15-1	114	%	70-135	01.09.20 23.54	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS04 A**
Lab Sample Id: 648485-001

Matrix: Soil
Date Collected: 01.08.20 09.25

Date Received: 01.09.20 11.07
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.09.20 13.28

Basis: Wet Weight

Seq Number: 3112829

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.09.20 23.58	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.09.20 23.58	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.09.20 23.58	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.09.20 23.58	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.09.20 23.58	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.09.20 23.58	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.09.20 23.58	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	104	%	70-130	01.09.20 23.58		
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.09.20 23.58		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS05** Matrix: Soil Date Received: 01.09.20 11.07
 Lab Sample Id: 648485-002 Date Collected: 01.08.20 09.30 Sample Depth: 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.09.20 12.32 Basis: Wet Weight
 Seq Number: 3112840

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	39.6	10.0	mg/kg	01.09.20 14.53		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.09.20 15.30 Basis: Wet Weight
 Seq Number: 3112853

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.10.20 10.25	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.10.20 10.25	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.10.20 10.25	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.10.20 10.25	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.10.20 10.25	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	01.10.20 10.25	
o-Terphenyl	84-15-1	103	%	70-135	01.10.20 10.25	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS05** Matrix: Soil Date Received: 01.09.20 11.07
 Lab Sample Id: 648485-002 Date Collected: 01.08.20 09.30 Sample Depth: 4 ft
 Analytical Method: BTEX by EPA 8021B Prep Method: SW5030B
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.09.20 13.28 Basis: Wet Weight
 Seq Number: 3112829

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.10.20 00.17	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.10.20 00.17	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.10.20 00.17	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.10.20 00.17	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.10.20 00.17	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.10.20 00.17	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.10.20 00.17	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	114	%	70-130	01.10.20 00.17		
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.10.20 00.17		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS06** Matrix: Soil Date Received: 01.09.20 11.07
 Lab Sample Id: 648485-003 Date Collected: 01.08.20 09.35 Sample Depth: 4 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.09.20 12.32 Basis: Wet Weight
 Seq Number: 3112840

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	782	50.2	mg/kg	01.09.20 14.58		5

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.09.20 15.30 Basis: Wet Weight
 Seq Number: 3112853

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.10.20 00.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	87.1	49.9	mg/kg	01.10.20 00.14		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.10.20 00.14	U	1
Total GRO-DRO	PHC628	87.1	49.9	mg/kg	01.10.20 00.14		1
Total TPH	PHC635	87.1	49.9	mg/kg	01.10.20 00.14		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	107	%	70-135	01.10.20 00.14	
o-Terphenyl	84-15-1	104	%	70-135	01.10.20 00.14	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS06**
Lab Sample Id: 648485-003

Matrix: Soil
Date Collected: 01.08.20 09.35

Date Received: 01.09.20 11.07
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.09.20 13.28

Basis: Wet Weight

Seq Number: 3112829

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.10.20 00.36	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.10.20 00.36	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.10.20 00.36	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.10.20 00.36	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.10.20 00.36	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.10.20 00.36	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.10.20 00.36	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	107	%	70-130	01.10.20 00.36		
4-Bromofluorobenzene	460-00-4	113	%	70-130	01.10.20 00.36		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS07** Matrix: Soil Date Received: 01.09.20 11.07
 Lab Sample Id: 648485-004 Date Collected: 01.08.20 15.35 Sample Depth: 4 - 5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.09.20 12.32 Basis: Wet Weight
 Seq Number: 3112840

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	256	10.1	mg/kg	01.09.20 15.04		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.09.20 15.30 Basis: Wet Weight
 Seq Number: 3112853

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.10.20 10.45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.10.20 10.45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.10.20 10.45	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.10.20 10.45	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.10.20 10.45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	112	%	70-135	01.10.20 10.45	
o-Terphenyl	84-15-1	107	%	70-135	01.10.20 10.45	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS07**
Lab Sample Id: 648485-004

Matrix: Soil
Date Collected: 01.08.20 15.35

Date Received: 01.09.20 11.07
Sample Depth: 4 - 5 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3112829

Date Prep: 01.09.20 13.28

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.10.20 00.55	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.10.20 00.55	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.10.20 00.55	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.10.20 00.55	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.10.20 00.55	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.10.20 00.55	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.10.20 00.55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.10.20 00.55		
4-Bromofluorobenzene	460-00-4	115	%	70-130	01.10.20 00.55		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS08** Matrix: Soil Date Received: 01.09.20 11.07
 Lab Sample Id: 648485-005 Date Collected: 01.08.20 10.15 Sample Depth: 4.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.09.20 12.32 Basis: Wet Weight
 Seq Number: 3112840

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	660	50.1	mg/kg	01.09.20 15.09		5

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.09.20 15.30 Basis: Wet Weight
 Seq Number: 3112853

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.10.20 00.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.10.20 00.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.10.20 00.34	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.10.20 00.34	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.10.20 00.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	106	%	70-135	01.10.20 00.34	
o-Terphenyl	84-15-1	101	%	70-135	01.10.20 00.34	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS08**
Lab Sample Id: 648485-005

Matrix: Soil
Date Collected: 01.08.20 10.15

Date Received: 01.09.20 11.07
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3112829

Date Prep: 01.09.20 13.28

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.10.20 01.15	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.10.20 01.15	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.10.20 01.15	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.10.20 01.15	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.10.20 01.15	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.10.20 01.15	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.10.20 01.15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	114	%	70-130	01.10.20 01.15		
1,4-Difluorobenzene	540-36-3	104	%	70-130	01.10.20 01.15		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW07**
Lab Sample Id: 648485-006

Matrix: Soil
Date Collected: 01.08.20 15.45

Date Received: 01.09.20 11.07
Sample Depth: 0.5 - 5 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112840

Date Prep: 01.09.20 12.32

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	151	9.98	mg/kg	01.09.20 15.25		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112853

Date Prep: 01.09.20 15.30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.10.20 11.05	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.10.20 11.05	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.10.20 11.05	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.10.20 11.05	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.10.20 11.05	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	01.10.20 11.05	
o-Terphenyl	84-15-1	103	%	70-135	01.10.20 11.05	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW07**
 Lab Sample Id: 648485-006

Matrix: Soil
 Date Collected: 01.08.20 15.45

Date Received: 01.09.20 11.07
 Sample Depth: 0.5 - 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.09.20 13.28

Basis: Wet Weight

Seq Number: 3112829

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.10.20 01.34	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.10.20 01.34	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.10.20 01.34	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.10.20 01.34	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.10.20 01.34	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.10.20 01.34	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.10.20 01.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	113	%	70-130	01.10.20 01.34		
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.10.20 01.34		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW08**
Lab Sample Id: 648485-007

Matrix: Soil
Date Collected: 01.08.20 11.30

Date Received: 01.09.20 11.07
Sample Depth: 0.5 - 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112840

Date Prep: 01.09.20 12.32

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	866	49.7	mg/kg	01.09.20 15.31		5

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112853

Date Prep: 01.09.20 15.30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.10.20 00.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.10.20 00.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.10.20 00.54	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.10.20 00.54	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.10.20 00.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	109	%	70-135	01.10.20 00.54	
o-Terphenyl	84-15-1	103	%	70-135	01.10.20 00.54	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW08**
Lab Sample Id: 648485-007

Matrix: Soil
Date Collected: 01.08.20 11.30

Date Received: 01.09.20 11.07
Sample Depth: 0.5 - 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3112829

Date Prep: 01.09.20 13.28

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.10.20 01.53	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.10.20 01.53	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.10.20 01.53	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.10.20 01.53	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.10.20 01.53	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.10.20 01.53	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.10.20 01.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	70-130	01.10.20 01.53		
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.10.20 01.53		



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW09**
 Lab Sample Id: 648485-008

Matrix: Soil
 Date Collected: 01.08.20 11.40

Date Received: 01.09.20 11.07
 Sample Depth: 0.5 - 4 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.09.20 12.32

Basis: Wet Weight

Seq Number: 3112840

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	19.4	9.98	mg/kg	01.09.20 15.36		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 01.09.20 15.30

Basis: Wet Weight

Seq Number: 3112853

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.10.20 11.25	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.10.20 11.25	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.10.20 11.25	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.10.20 11.25	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.10.20 11.25	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	108	%	70-135	01.10.20 11.25	
o-Terphenyl	84-15-1	102	%	70-135	01.10.20 11.25	



Certificate of Analytical Results 648485

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW09**
Lab Sample Id: 648485-008

Matrix: Soil
Date Collected: 01.08.20 11.40

Date Received: 01.09.20 11.07
Sample Depth: 0.5 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3112829

Date Prep: 01.09.20 13.28

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.10.20 02.12	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.10.20 02.12	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.10.20 02.12	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.10.20 02.12	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.10.20 02.12	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.10.20 02.12	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.10.20 02.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	116	%	70-130	01.10.20 02.12		
1,4-Difluorobenzene	540-36-3	105	%	70-130	01.10.20 02.12		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 11

Analytical Method: Chloride by EPA 300

Seq Number: 3112840

MB Sample Id: 7694036-1-BLK

Matrix: Solid

LCS Sample Id: 7694036-1-BKS

Prep Method: E300P

Date Prep: 01.09.20

LCSD Sample Id: 7694036-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	265	106	260	104	90-110	2	20	mg/kg	01.09.20 14:26	

Analytical Method: Chloride by EPA 300

Seq Number: 3112840

Parent Sample Id: 648485-001

Matrix: Soil

MS Sample Id: 648485-001 S

Prep Method: E300P

Date Prep: 01.09.20

MSD Sample Id: 648485-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	16.5	201	226	104	224	103	90-110	1	20	mg/kg	01.09.20 14:42	

Analytical Method: Chloride by EPA 300

Seq Number: 3112840

Parent Sample Id: 648492-003

Matrix: Soil

MS Sample Id: 648492-003 S

Prep Method: E300P

Date Prep: 01.09.20

MSD Sample Id: 648492-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	19.0	202	195	87	192	87	90-110	2	20	mg/kg	01.09.20 15:58	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112853

MB Sample Id: 7694039-1-BLK

Matrix: Solid

LCS Sample Id: 7694039-1-BKS

Prep Method: SW8015P

Date Prep: 01.09.20

LCSD Sample Id: 7694039-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1300	130	1180	118	70-135	10	35	mg/kg	01.10.20 09:25	
Diesel Range Organics (DRO)	<50.0	1000	1240	124	1080	108	70-135	14	35	mg/kg	01.10.20 09:25	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	91		121		127		70-135	%	01.10.20 09:25
o-Terphenyl	91		108		100		70-135	%	01.10.20 09:25

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112853

Matrix: Solid

MB Sample Id: 7694039-1-BLK

Prep Method: SW8015P

Date Prep: 01.09.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.09.20 22:54	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112853

Parent Sample Id: 648406-011

Matrix: Soil

MS Sample Id: 648406-011 S

Prep Method: SW8015P

Date Prep: 01.09.20

MSD Sample Id: 648406-011 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.2	1000	1370	137	1300	129	70-135	5	35	mg/kg	01.09.20 23:35	X
Diesel Range Organics (DRO)	<50.2	1000	1130	113	1240	123	70-135	9	35	mg/kg	01.09.20 23:35	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	134		134		70-135	%	01.09.20 23:35
o-Terphenyl	128		135		70-135	%	01.09.20 23:35

Analytical Method: BTEX by EPA 8021B

Seq Number: 3112829

MB Sample Id: 7694035-1-BLK

Matrix: Solid

LCS Sample Id: 7694035-1-BKS

Prep Method: SW5030B

Date Prep: 01.09.20

LCSD Sample Id: 7694035-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.106	106	0.129	129	70-130	20	35	mg/kg	01.09.20 22:22	
Toluene	<0.00200	0.100	0.105	105	0.130	130	70-130	21	35	mg/kg	01.09.20 22:22	
Ethylbenzene	<0.00200	0.100	0.107	107	0.128	128	71-129	18	35	mg/kg	01.09.20 22:22	
m,p-Xylenes	<0.00400	0.200	0.216	108	0.257	129	70-135	17	35	mg/kg	01.09.20 22:22	
o-Xylene	<0.00200	0.100	0.108	108	0.131	131	71-133	19	35	mg/kg	01.09.20 22:22	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		102		103		70-130	%	01.09.20 22:22
4-Bromofluorobenzene	102		105		112		70-130	%	01.09.20 22:22

Analytical Method: BTEX by EPA 8021B

Seq Number: 3112829

Parent Sample Id: 648485-001

Matrix: Soil

MS Sample Id: 648485-001 S

Prep Method: SW5030B

Date Prep: 01.09.20

MSD Sample Id: 648485-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.112	112	0.0964	96	70-130	15	35	mg/kg	01.09.20 23:01	
Toluene	<0.00200	0.100	0.109	109	0.0905	91	70-130	19	35	mg/kg	01.09.20 23:01	
Ethylbenzene	<0.00200	0.100	0.107	107	0.0854	85	71-129	22	35	mg/kg	01.09.20 23:01	
m,p-Xylenes	<0.00401	0.200	0.215	108	0.169	85	70-135	24	35	mg/kg	01.09.20 23:01	
o-Xylene	<0.00200	0.100	0.109	109	0.0871	87	71-133	22	35	mg/kg	01.09.20 23:01	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	105		105		70-130	%	01.09.20 23:01
4-Bromofluorobenzene	114		114		70-130	%	01.09.20 23:01

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Chain of Custody

Work Order No: 648485

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Crasbad, NM (432) 704-5440
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com Page 1 of 1

Project Manager:	Chris McKisson	BIT to (if different)	→
Company Name:	LT Environmental	Company Name:	→
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	970 285 9985	Email:	cmckisson@ltenv.com + abyers@ltenv.com

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project:	
Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	Deliverables: EDD ☐ ADAPT ☐ Other:

Project Name:	RDV 11	Turn Around	☐
Project Number:	034819071	Routine	☐
Project Location:	Eddy County	Rush:	3 DAY
Sampler's Name:	Anna Byers	Due Date:	
PO #:	10.10.2019	Quote #:	

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Temperature (°C):	3.0	Thermometer ID			
Received Intact:	Yes ☒ No ☐	Correction Factor:	T-24-002		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Total Containers:	8		
Sample Custody Seals:	Yes ☒ No ☐ N/A				

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers
--------	-----------------------	--------	--------------	--------------	-------	----------------------

FS02A	ESD4A	S	1/8/20	0925	4'	1
FS05				0930	4'	1
FS06				0935	4'	1
FS07				1535	4-5'	1
FS08				1015	4.5'	1
SW07				1545	0.5-5'	1
SW08				1130	0.5-4.5'	1
SW09				1140	0.5-4'	1

ANALYSIS REQUEST												Preservative Codes	
TPH (EPA 8015)												MeOH: Me	
BTEX (EPA 8021)												None: NO	
Chloride (EPA 800.0)												HNO3: HN	
												H2SO4: H2	
												HCL: HL	
												NaOH: Na	
												Zn Acetate+ NaOH: Zn	
TAT starts the day received by the lab, if received by 4:00pm												Sample Comments	

Total 200.7 / 6010 200.8 / 6020:		8RCRA 13PPM Texas 11 AI Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn	
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers	W. Byers	1/9/20/10:00 am	W. Byers	W. Byers	1/9/20 11:07

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 01.09.2020 11.07.00 AM

Work Order #: 648485

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	3.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:



Elizabeth McClellan

Date: 01.09.2020

Checklist reviewed by:



Jessica Kramer

Date: 01.10.2020

Analytical Report 648849

**for
LT Environmental, Inc.**

Project Manager: Chris McKisson

RDU 38

034819066

16-JAN-20

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



16-JAN-20

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **648849**

RDU 38

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 648849. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 648849 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 648849****LT Environmental, Inc., Arvada, CO**

RDU 38

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH01B	S	01-10-20 10:55	7 ft	648849-001
PH05B	S	01-10-20 11:55	9 ft	648849-002
PH09	S	01-10-20 12:55	3 ft	648849-003
PH09A	S	01-10-20 13:20	6 ft	648849-004



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: RDU 38

Project ID: 034819066
Work Order Number(s): 648849

Report Date: 16-JAN-20
Date Received: 01/13/2020

Sample receipt non conformance and comments:

Sample receipt non conformance and comments per sample:

None

Analytical non conformance and comments:

Batch: LBA-3113150 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3113153 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 648849

LT Environmental, Inc., Arvada, CO

Project Name: RDU 38

Project Id: 034819066
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Mon Jan-13-20 12:40 pm
Report Date: 16-JAN-20
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	648849-001	648849-002	648849-003	648849-004		
	<i>Field Id:</i>	PH01B	PH05B	PH09	PH09A		
	<i>Depth:</i>	7- ft	9- ft	3- ft	6- ft		
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Jan-10-20 10:55	Jan-10-20 11:55	Jan-10-20 12:55	Jan-10-20 13:20		
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-13-20 17:30	Jan-13-20 17:30	Jan-13-20 17:30	Jan-13-20 17:30		
	<i>Analyzed:</i>	Jan-13-20 23:06	Jan-13-20 23:25	Jan-13-20 23:44	Jan-14-20 03:02		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Benzene		<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Toluene		<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Ethylbenzene		<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
m,p-Xylenes		<0.00401 0.00401	<0.00400 0.00400	<0.00402 0.00402	<0.00403 0.00403		
o-Xylene		0.00233 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Xylenes, Total		0.00233 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Total BTEX		0.00233 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Chloride by EPA 300	<i>Extracted:</i>	Jan-13-20 18:00	Jan-13-20 18:00	Jan-13-20 18:00	Jan-13-20 18:00		
	<i>Analyzed:</i>	Jan-13-20 22:46	Jan-13-20 22:52	Jan-13-20 22:58	Jan-13-20 23:04		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		380 10.1	287 50.1	234 9.94	180 49.9		
TPH by SW8015 Mod SUB: T104704400-19-19	<i>Extracted:</i>	Jan-15-20 09:00	Jan-15-20 09:00	Jan-15-20 09:00	Jan-15-20 09:00		
	<i>Analyzed:</i>	Jan-15-20 17:40	Jan-15-20 17:59	Jan-15-20 18:18	Jan-15-20 18:37		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Gasoline Range Hydrocarbons (GRO)		<49.9 49.9	<50.0 50.0	<50.0 50.0	<50.0 50.0		
Diesel Range Organics (DRO)		<49.9 49.9	<50.0 50.0	<50.0 50.0	<50.0 50.0		
Motor Oil Range Hydrocarbons (MRO)		<49.9 49.9	<50.0 50.0	<50.0 50.0	<50.0 50.0		
Total GRO-DRO		<49.9 49.9	<50.0 50.0	<50.0 50.0	<50.0 50.0		
Total TPH		<49.9 49.9	<50.0 50.0	<50.0 50.0	<50.0 50.0		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH01B**
Lab Sample Id: 648849-001

Matrix: Soil
Date Collected: 01.10.20 10.55

Date Received: 01.13.20 12.40
Sample Depth: 7 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113141

Date Prep: 01.13.20 18.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	380	10.1	mg/kg	01.13.20 22.46		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3113462

Date Prep: 01.15.20 09.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.15.20 17.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.15.20 17.40	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.15.20 17.40	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.15.20 17.40	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.15.20 17.40	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	80	%	70-135	01.15.20 17.40	
o-Terphenyl	84-15-1	82	%	70-135	01.15.20 17.40	



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH01B**
 Lab Sample Id: 648849-001

Matrix: Soil
 Date Collected: 01.10.20 10.55

Date Received: 01.13.20 12.40
 Sample Depth: 7 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.13.20 17.30

Basis: Wet Weight

Seq Number: 3113150

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.13.20 23.06	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.13.20 23.06	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.13.20 23.06	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	01.13.20 23.06	U	1
o-Xylene	95-47-6	0.00233	0.00200	mg/kg	01.13.20 23.06		1
Xylenes, Total	1330-20-7	0.00233	0.00200	mg/kg	01.13.20 23.06		1
Total BTEX		0.00233	0.00200	mg/kg	01.13.20 23.06		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.13.20 23.06		
1,4-Difluorobenzene	540-36-3	107	%	70-130	01.13.20 23.06		



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH05B**
Lab Sample Id: 648849-002

Matrix: Soil
Date Collected: 01.10.20 11.55

Date Received: 01.13.20 12.40
Sample Depth: 9 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113141

Date Prep: 01.13.20 18.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	287	50.1	mg/kg	01.13.20 22.52		5

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3113462

Date Prep: 01.15.20 09.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.15.20 17.59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.15.20 17.59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.15.20 17.59	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.15.20 17.59	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.15.20 17.59	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	78	%	70-135	01.15.20 17.59	
o-Terphenyl	84-15-1	78	%	70-135	01.15.20 17.59	



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH05B**
Lab Sample Id: 648849-002

Matrix: Soil
Date Collected: 01.10.20 11.55

Date Received: 01.13.20 12.40
Sample Depth: 9 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3113150

Prep Method: SW5030B

% Moisture:

Date Prep: 01.13.20 17.30

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.13.20 23.25	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.13.20 23.25	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.13.20 23.25	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.13.20 23.25	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.13.20 23.25	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.13.20 23.25	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.13.20 23.25	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	70-130	01.13.20 23.25		
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.13.20 23.25		



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH09**
Lab Sample Id: 648849-003

Matrix: Soil
Date Collected: 01.10.20 12.55

Date Received: 01.13.20 12.40
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113141

Date Prep: 01.13.20 18.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	234	9.94	mg/kg	01.13.20 22.58		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3113462

Date Prep: 01.15.20 09.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.15.20 18.18	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.15.20 18.18	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.15.20 18.18	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.15.20 18.18	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.15.20 18.18	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	79	%	70-135	01.15.20 18.18	
o-Terphenyl	84-15-1	80	%	70-135	01.15.20 18.18	



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH09**
Lab Sample Id: 648849-003

Matrix: Soil
Date Collected: 01.10.20 12.55

Date Received: 01.13.20 12.40
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3113150

Prep Method: SW5030B

% Moisture:

Date Prep: 01.13.20 17.30

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.13.20 23.44	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.13.20 23.44	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.13.20 23.44	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.13.20 23.44	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.13.20 23.44	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.13.20 23.44	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.13.20 23.44	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.13.20 23.44		
4-Bromofluorobenzene	460-00-4	109	%	70-130	01.13.20 23.44		



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH09A**
Lab Sample Id: 648849-004

Matrix: Soil
Date Collected: 01.10.20 13.20

Date Received: 01.13.20 12.40
Sample Depth: 6 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113141

Date Prep: 01.13.20 18.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	180	49.9	mg/kg	01.13.20 23.04		5

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3113462

Date Prep: 01.15.20 09.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.15.20 18.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.15.20 18.37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.15.20 18.37	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.15.20 18.37	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.15.20 18.37	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	80	%	70-135	01.15.20 18.37	
o-Terphenyl	84-15-1	79	%	70-135	01.15.20 18.37	



Certificate of Analytical Results 648849

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH09A**
 Lab Sample Id: 648849-004

Matrix: Soil
 Date Collected: 01.10.20 13.20

Date Received: 01.13.20 12.40
 Sample Depth: 6 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.13.20 17.30

Basis: Wet Weight

Seq Number: 3113153

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.14.20 03.02	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.14.20 03.02	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.14.20 03.02	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.14.20 03.02	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.14.20 03.02	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.14.20 03.02	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.14.20 03.02	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.14.20 03.02		
4-Bromofluorobenzene	460-00-4	107	%	70-130	01.14.20 03.02		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 38

Analytical Method: Chloride by EPA 300

Seq Number: 3113141

MB Sample Id: 7694273-1-BLK

Matrix: Solid

LCS Sample Id: 7694273-1-BKS

Prep Method: E300P

Date Prep: 01.13.20

LCSD Sample Id: 7694273-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	248	99	248	99	90-110	0	20	mg/kg	01.13.20 21:42	

Analytical Method: Chloride by EPA 300

Seq Number: 3113141

Parent Sample Id: 648838-003

Matrix: Soil

MS Sample Id: 648838-003 S

Prep Method: E300P

Date Prep: 01.13.20

MSD Sample Id: 648838-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	10600	203	10800	99	10800	99	90-110	0	20	mg/kg	01.13.20 22:00	

Analytical Method: Chloride by EPA 300

Seq Number: 3113141

Parent Sample Id: 648878-010

Matrix: Soil

MS Sample Id: 648878-010 S

Prep Method: E300P

Date Prep: 01.13.20

MSD Sample Id: 648878-010 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	23.6	200	217	97	213	96	90-110	2	20	mg/kg	01.13.20 23:21	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113462

MB Sample Id: 7694462-1-BLK

Matrix: Solid

LCS Sample Id: 7694462-1-BKS

Prep Method: SW8015P

Date Prep: 01.15.20

LCSD Sample Id: 7694462-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	883	88	892	89	70-135	1	20	mg/kg	01.15.20 12:58	
Diesel Range Organics (DRO)	<15.0	1000	854	85	849	85	70-135	1	20	mg/kg	01.15.20 12:58	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	86		110		111		70-135	%	01.15.20 12:58
o-Terphenyl	91		99		99		70-135	%	01.15.20 12:58

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113462

Matrix: Solid

MB Sample Id: 7694462-1-BLK

Prep Method: SW8015P

Date Prep: 01.15.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.15.20 12:39	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 38

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113462

Parent Sample Id: 648841-001

Matrix: Soil

MS Sample Id: 648841-001 S

Prep Method: SW8015P

Date Prep: 01.15.20

MSD Sample Id: 648841-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	997	865	87	870	87	70-135	1	20	mg/kg	01.15.20 13:55	
Diesel Range Organics (DRO)	<15.0	997	837	84	842	85	70-135	1	20	mg/kg	01.15.20 13:55	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	104		106		70-135	%	01.15.20 13:55
o-Terphenyl	95		91		70-135	%	01.15.20 13:55

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113150

MB Sample Id: 7694257-1-BLK

Matrix: Solid

LCS Sample Id: 7694257-1-BKS

Prep Method: SW5030B

Date Prep: 01.13.20

LCSD Sample Id: 7694257-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0952	95	0.105	105	70-130	10	35	mg/kg	01.13.20 14:42	
Toluene	<0.00200	0.100	0.0923	92	0.103	103	70-130	11	35	mg/kg	01.13.20 14:42	
Ethylbenzene	<0.00200	0.100	0.0928	93	0.104	104	71-129	11	35	mg/kg	01.13.20 14:42	
m,p-Xylenes	<0.00400	0.200	0.185	93	0.209	105	70-135	12	35	mg/kg	01.13.20 14:42	
o-Xylene	<0.00200	0.100	0.0923	92	0.104	104	71-133	12	35	mg/kg	01.13.20 14:42	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		100		102		70-130	%	01.13.20 14:42
4-Bromofluorobenzene	106		98		106		70-130	%	01.13.20 14:42

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113153

MB Sample Id: 7694260-1-BLK

Matrix: Solid

LCS Sample Id: 7694260-1-BKS

Prep Method: SW5030B

Date Prep: 01.13.20

LCSD Sample Id: 7694260-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.102	102	0.109	109	70-130	7	35	mg/kg	01.14.20 01:26	
Toluene	<0.00200	0.100	0.101	101	0.108	108	70-130	7	35	mg/kg	01.14.20 01:26	
Ethylbenzene	<0.00200	0.100	0.101	101	0.108	108	71-129	7	35	mg/kg	01.14.20 01:26	
m,p-Xylenes	<0.00400	0.200	0.203	102	0.215	108	70-135	6	35	mg/kg	01.14.20 01:26	
o-Xylene	<0.00200	0.100	0.102	102	0.109	109	71-133	7	35	mg/kg	01.14.20 01:26	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		101		103		70-130	%	01.14.20 01:26
4-Bromofluorobenzene	100		108		108		70-130	%	01.14.20 01:26

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 38

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113150

Parent Sample Id: 648831-021

Matrix: Soil

MS Sample Id: 648831-021 S

Prep Method: SW5030B

Date Prep: 01.13.20

MSD Sample Id: 648831-021 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00202	0.101	0.0957	95	0.109	109	70-130	13	35	mg/kg	01.13.20 15:21	
Toluene	<0.00202	0.101	0.0899	89	0.105	105	70-130	15	35	mg/kg	01.13.20 15:21	
Ethylbenzene	<0.00202	0.101	0.0843	83	0.104	104	71-129	21	35	mg/kg	01.13.20 15:21	
m,p-Xylenes	<0.00405	0.202	0.167	83	0.206	103	70-135	21	35	mg/kg	01.13.20 15:21	
o-Xylene	<0.00202	0.101	0.0826	82	0.116	116	71-133	34	35	mg/kg	01.13.20 15:21	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		104		70-130	%	01.13.20 15:21
4-Bromofluorobenzene	100		108		70-130	%	01.13.20 15:21

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113153

Parent Sample Id: 648849-004

Matrix: Soil

MS Sample Id: 648849-004 S

Prep Method: SW5030B

Date Prep: 01.13.20

MSD Sample Id: 648849-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00202	0.101	0.0930	92	0.116	116	70-130	22	35	mg/kg	01.14.20 02:05	
Toluene	<0.00202	0.101	0.0910	90	0.113	113	70-130	22	35	mg/kg	01.14.20 02:05	
Ethylbenzene	<0.00202	0.101	0.0910	90	0.114	114	71-129	22	35	mg/kg	01.14.20 02:05	
m,p-Xylenes	<0.00403	0.202	0.181	90	0.226	113	70-135	22	35	mg/kg	01.14.20 02:05	
o-Xylene	<0.00202	0.101	0.0907	90	0.114	114	71-133	23	35	mg/kg	01.14.20 02:05	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		105		70-130	%	01.14.20 02:05
4-Bromofluorobenzene	105		111		70-130	%	01.14.20 02:05

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Service Center- Amarillo, TX (806)678-4514
Service Center- Hobbs, NM (575) 392-7550

Page 1 of 1

W = Water
S = Soil/Sed/Solid
GW = Ground Water
DW = Drinking Water
P = Product
SW = Surface Water
SL = Sludge
OW = Ocean/Sea Water
WI = Wipe
O = Oil
WW = Waste Water
A = Air

IOS Number **55957**

Date/Time: 01/13/20 15:30

Created by: Elizabeth McClellan

Please send report to: Jessica Kramer

Lab# From: **Carlsbad**

Delivery Priority:

Address: 1089 N Canal Street

Lab# To: **Midland**

Air Bill No.: 777466121006

E-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
648849-001	S	PH01B	01/10/20 10:55	SW8015MOD_NM	TPH by SW8015 Mod	01/15/20	01/24/20	JKR	GRO-DRO PHCC10C28 PF	
648849-002	S	PH05B	01/10/20 11:55	SW8015MOD_NM	TPH by SW8015 Mod	01/15/20	01/24/20	JKR	GRO-DRO PHCC10C28 PF	
648849-003	S	PH09	01/10/20 12:55	SW8015MOD_NM	TPH by SW8015 Mod	01/15/20	01/24/20	JKR	GRO-DRO PHCC10C28 PF	
648849-004	S	PH09A	01/10/20 13:20	SW8015MOD_NM	TPH by SW8015 Mod	01/15/20	01/24/20	JKR	GRO-DRO PHCC10C28 PF	

Inter Office Shipment or Sample Comments:

Relinquished By:



Elizabeth McClellan

Date Relinquished: 01/13/2020

Received By:



Brianna Teel

Date Received: 01/14/2020 12:54

Cooler Temperature: 0.7



Inter Office Report- Sample Receipt Checklist

Sent To: Midland

IOS #: 55957

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used :

Sent By: Elizabeth McClellan

Date Sent: 01/13/2020 03:30 PM

Received By: Brianna Teel

Date Received: 01/14/2020 12:54 PM

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.7
#2 *Shipping container in good condition?	Yes
#3 *Samples received with appropriate temperature?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 *Custody Seals Signed and dated for Containers/coolers	Yes
#6 *IOS present?	Yes
#7 Any missing/extra samples?	No
#8 IOS agrees with sample label(s)/matrix?	Yes
#9 Sample matrix/ properties agree with IOS?	Yes
#10 Samples in proper container/ bottle?	Yes
#11 Samples properly preserved?	Yes
#12 Sample container(s) intact?	Yes
#13 Sufficient sample amount for indicated test(s)?	Yes
#14 All samples received within hold time?	Yes

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

NonConformance:

Corrective Action Taken:

Nonconformance Documentation

Contact: _____ Contacted by : _____ Date: _____

Checklist reviewed by:

Brianna Teel

Date: 01/14/2020

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 01.13.2020 12.40.00 PM

Work Order #: 648849

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	1
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:



Elizabeth McClellan

Date: 01.13.2020

Checklist reviewed by:



Jessica Kramer

Date: 01.13.2020

Analytical Report 649014

for
LT Environmental, Inc.

Project Manager: Chris McKisson

RDU 11

034819071

16-JAN-20

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



16-JAN-20

Project Manager: **Chris McKisson**
LT Environmental, Inc.
4600 W. 60th Avenue
Arvada, CO 80003

Reference: XENCO Report No(s): **649014**
RDU 11
Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 649014. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 649014 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer
Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 649014****LT Environmental, Inc., Arvada, CO**

RDU 11

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS06A	S	01-14-20 13:45	4.5 ft	649014-001
FS08A	S	01-14-20 13:50	5 ft	649014-002
SW10	S	01-14-20 13:55	0 - 5 ft	649014-003



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: RDU 11

Project ID: 034819071
Work Order Number(s): 649014

Report Date: 16-JAN-20
Date Received: 01/14/2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3113259 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3113342 TPH by SW8015 Mod

Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 649014-002.



Certificate of Analysis Summary 649014

LT Environmental, Inc., Arvada, CO

Project Name: RDU 11

Project Id: 034819071
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Tue Jan-14-20 03:30 pm
Report Date: 16-JAN-20
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	649014-001	649014-002	649014-003			
	Field Id:	FS06A	FS08A	SW10			
	Depth:	4.5- ft	5- ft	0-5 ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Jan-14-20 13:45	Jan-14-20 13:50	Jan-14-20 13:55			
BTEX by EPA 8021B	Extracted:	Jan-14-20 17:35	Jan-14-20 17:35	Jan-14-20 17:35			
	Analyzed:	Jan-15-20 02:57	Jan-15-20 03:16	Jan-15-20 03:35			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		<0.00199 0.00199	<0.00201 0.00201	<0.00201 0.00201			
Toluene		<0.00199 0.00199	<0.00201 0.00201	<0.00201 0.00201			
Ethylbenzene		<0.00199 0.00199	<0.00201 0.00201	<0.00201 0.00201			
m,p-Xylenes		<0.00398 0.00398	<0.00402 0.00402	<0.00402 0.00402			
o-Xylene		0.00240 0.00199	<0.00201 0.00201	<0.00201 0.00201			
Xylenes, Total		0.00240 0.00199	<0.00201 0.00201	<0.00201 0.00201			
Total BTEX		0.00240 0.00199	<0.00201 0.00201	<0.00201 0.00201			
Chloride by EPA 300	Extracted:	Jan-14-20 17:03	Jan-14-20 17:03	Jan-14-20 17:03			
	Analyzed:	Jan-14-20 22:27	Jan-14-20 22:32	Jan-14-20 22:49			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		122 9.96	193 9.94	228 9.94			
TPH by SW8015 Mod	Extracted:	Jan-15-20 18:00	Jan-15-20 18:00	Jan-15-20 18:00			
	Analyzed:	** ** ** *	** ** ** *	** ** ** *			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Gasoline Range Hydrocarbons (GRO)		<50.2 50.2	<50.1 50.1	<50.1 50.1			
Diesel Range Organics (DRO)		<50.2 50.2	<50.1 50.1	<50.1 50.1			
Motor Oil Range Hydrocarbons (MRO)		<50.2 50.2	<50.1 50.1	<50.1 50.1			
Total GRO-DRO		<50.2 50.2	<50.1 50.1	<50.1 50.1			
Total TPH		<50.2 50.2	<50.1 50.1	<50.1 50.1			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant



Certificate of Analytical Results 649014

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS06A** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649014-001 Date Collected: 01.14.20 13.45 Sample Depth: 4.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.14.20 17.03 Basis: Wet Weight
 Seq Number: 3113245

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	122	9.96	mg/kg	01.14.20 22.27		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.15.20 18.00 Basis: Wet Weight
 Seq Number: 3113342

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.15.20 01.16	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.15.20 01.16	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.15.20 01.16	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.15.20 01.16	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.15.20 01.16	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	127	%	70-135	01.15.20 01.16	
o-Terphenyl	84-15-1	126	%	70-135	01.15.20 01.16	



Certificate of Analytical Results 649014

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS06A**
 Lab Sample Id: 649014-001

Matrix: Soil
 Date Collected: 01.14.20 13.45

Date Received: 01.14.20 15.30
 Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.14.20 17.35

Basis: Wet Weight

Seq Number: 3113259

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.15.20 02.57	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.15.20 02.57	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.15.20 02.57	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.15.20 02.57	U	1
o-Xylene	95-47-6	0.00240	0.00199	mg/kg	01.15.20 02.57		1
Xylenes, Total	1330-20-7	0.00240	0.00199	mg/kg	01.15.20 02.57		1
Total BTEX		0.00240	0.00199	mg/kg	01.15.20 02.57		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.15.20 02.57		
4-Bromofluorobenzene	460-00-4	107	%	70-130	01.15.20 02.57		



Certificate of Analytical Results 649014

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS08A** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649014-002 Date Collected: 01.14.20 13.50 Sample Depth: 5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.14.20 17.03 Basis: Wet Weight
 Seq Number: 3113245

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	193	9.94	mg/kg	01.14.20 22.32		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.15.20 18.00 Basis: Wet Weight
 Seq Number: 3113342

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.15.20 01.36	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	134	%	70-135	01.15.20 01.36	
o-Terphenyl	84-15-1	136	%	70-135	01.15.20 01.36	**



Certificate of Analytical Results 649014

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **FS08A**
 Lab Sample Id: 649014-002

Matrix: Soil
 Date Collected: 01.14.20 13.50

Date Received: 01.14.20 15.30
 Sample Depth: 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.14.20 17.35

Basis: Wet Weight

Seq Number: 3113259

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.15.20 03.16	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.15.20 03.16	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.15.20 03.16	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.15.20 03.16	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.15.20 03.16	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.15.20 03.16	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.15.20 03.16	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	115	%	70-130	01.15.20 03.16		
1,4-Difluorobenzene	540-36-3	109	%	70-130	01.15.20 03.16		



Certificate of Analytical Results 649014

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW10** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649014-003 Date Collected: 01.14.20 13.55 Sample Depth: 0 - 5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.14.20 17.03 Basis: Wet Weight
 Seq Number: 3113245

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	228	9.94	mg/kg	01.14.20 22.49		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.15.20 18.00 Basis: Wet Weight
 Seq Number: 3113342

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.15.20 01.36	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.15.20 01.36	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	125	%	70-135	01.15.20 01.36	
o-Terphenyl	84-15-1	126	%	70-135	01.15.20 01.36	



Certificate of Analytical Results 649014

LT Environmental, Inc., Arvada, CO

RDU 11

Sample Id: **SW10**
 Lab Sample Id: 649014-003

Matrix: Soil
 Date Collected: 01.14.20 13.55

Date Received: 01.14.20 15.30
 Sample Depth: 0 - 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.14.20 17.35

Basis: Wet Weight

Seq Number: 3113259

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.15.20 03.35	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.15.20 03.35	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.15.20 03.35	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.15.20 03.35	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.15.20 03.35	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.15.20 03.35	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.15.20 03.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	108	%	70-130	01.15.20 03.35		
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.15.20 03.35		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 11

Analytical Method: Chloride by EPA 300

Seq Number: 3113245

MB Sample Id: 7694373-1-BLK

Matrix: Solid

LCS Sample Id: 7694373-1-BKS

Prep Method: E300P

Date Prep: 01.14.20

LCSD Sample Id: 7694373-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	252	101	251	100	90-110	0	20	mg/kg	01.14.20 21:22	

Analytical Method: Chloride by EPA 300

Seq Number: 3113245

Parent Sample Id: 648981-033

Matrix: Soil

MS Sample Id: 648981-033 S

Prep Method: E300P

Date Prep: 01.14.20

MSD Sample Id: 648981-033 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	70.6	201	276	102	279	104	90-110	1	20	mg/kg	01.14.20 21:38	

Analytical Method: Chloride by EPA 300

Seq Number: 3113245

Parent Sample Id: 649014-002

Matrix: Soil

MS Sample Id: 649014-002 S

Prep Method: E300P

Date Prep: 01.14.20

MSD Sample Id: 649014-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	193	199	404	106	404	106	90-110	0	20	mg/kg	01.14.20 22:38	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113342

MB Sample Id: 7694368-1-BLK

Matrix: Solid

LCS Sample Id: 7694368-1-BKS

Prep Method: SW8015P

Date Prep: 01.15.20

LCSD Sample Id: 7694368-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	852	85	947	95	70-135	11	35	mg/kg	01.15.20 00:16	
Diesel Range Organics (DRO)	<50.0	1000	738	74	816	82	70-135	10	35	mg/kg	01.15.20 00:16	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	109		90		104		70-135	%	01.15.20 00:16
o-Terphenyl	110		82		81		70-135	%	01.15.20 00:16

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113342

Matrix: Solid

MB Sample Id: 7694368-1-BLK

Prep Method: SW8015P

Date Prep: 01.15.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.14.20 23:55	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 11

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113342

Parent Sample Id: 648981-033

Matrix: Soil

MS Sample Id: 648981-033 S

Prep Method: SW8015P

Date Prep: 01.15.20

MSD Sample Id: 648981-033 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	999	1160	116	985	98	70-135	16	35	mg/kg	01.15.20 18:48	
Diesel Range Organics (DRO)	84.7	999	1310	123	1170	107	70-135	11	35	mg/kg	01.15.20 18:48	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	129		116		70-135	%	01.15.20 18:48
o-Terphenyl	122		112		70-135	%	01.15.20 18:48

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113259

MB Sample Id: 7694383-1-BLK

Matrix: Solid

LCS Sample Id: 7694383-1-BKS

Prep Method: SW5030B

Date Prep: 01.14.20

LCSD Sample Id: 7694383-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0999	100	0.0997	100	70-130	0	35	mg/kg	01.15.20 00:43	
Toluene	<0.00200	0.100	0.0974	97	0.0963	96	70-130	1	35	mg/kg	01.15.20 00:43	
Ethylbenzene	<0.00200	0.100	0.0975	98	0.0954	95	71-129	2	35	mg/kg	01.15.20 00:43	
m,p-Xylenes	<0.00400	0.200	0.193	97	0.190	95	70-135	2	35	mg/kg	01.15.20 00:43	
o-Xylene	<0.00200	0.100	0.0960	96	0.0963	96	71-133	0	35	mg/kg	01.15.20 00:43	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		100		103		70-130	%	01.15.20 00:43
4-Bromofluorobenzene	101		100		107		70-130	%	01.15.20 00:43

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113259

Parent Sample Id: 648981-035

Matrix: Soil

MS Sample Id: 648981-035 S

Prep Method: SW5030B

Date Prep: 01.14.20

MSD Sample Id: 648981-035 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0836	84	0.0996	100	70-130	17	35	mg/kg	01.15.20 01:21	
Toluene	<0.00200	0.100	0.0759	76	0.0935	94	70-130	21	35	mg/kg	01.15.20 01:21	
Ethylbenzene	<0.00200	0.100	0.0701	70	0.0894	90	71-129	24	35	mg/kg	01.15.20 01:21	X
m,p-Xylenes	<0.00401	0.200	0.143	72	0.173	87	70-135	19	35	mg/kg	01.15.20 01:21	
o-Xylene	<0.00200	0.100	0.0694	69	0.0970	97	71-133	33	35	mg/kg	01.15.20 01:21	X

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		107		70-130	%	01.15.20 01:21
4-Bromofluorobenzene	106		109		70-130	%	01.15.20 01:21

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No:

049014

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com

Page 1 of 1

Project Manager:	Chris McKisson	Bill to: (if different)	
Company Name:	LT Environmental	Company Name:	
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	970 285 9985	Email:	cmckisson@ltenv.com dbyers@ltenv.com

Program: ☐ PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:
Reporting Level: ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other:

Project Name:	RDV 11	Turn Around	
Project Number:	034819071	Routine	☐
Project Location:	Rural Eddy County	Rush:	24 HR
Sampler's Name:	Anna Byers	Due Date:	
PO #:	289-5698	Quote #:	

SAMPLE RECEIPT	Temperature (°C):	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
	Received Intact:	Yes ☒ No ☐	Thermometer ID	T-NJM-007	
	Cooler Custody Seals:	Yes ☒ No ☐	Correction Factor:	-0.2	
	Sample Custody Seals:	Yes ☒ No ☐	Total Containers:	3	
	Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Pres. Code	ANALYSIS REQUEST	Preservative Codes	Sample Comments
FS06A		S	1/14/20	1345	4.5'	1	X	TPH (EPA 8015)		
FS08A		S	1/14/20	1350	5'	1	X	BTEX (EPA 8021)		
SW10		S	1/14/20	1355	0-5'	1	X	Chloride (EPA 300.0)		

[Handwritten signature]

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed: TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers	<i>[Signature]</i>	1/14/20 15:30			

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.**Date/ Time Received:** 01.14.2020 03.30.00 PM**Work Order #:** 649014**Acceptable Temperature Range:** 0 - 6 degC**Air and Metal samples Acceptable Range:** Ambient**Temperature Measuring device used :** T-NM-007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	1.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 01.14.2020

Checklist reviewed by:

Jessica Kramer

Date: 01.15.2020

Analytical Report 649021

for
LT Environmental, Inc.

Project Manager: Chris McKisson

RDU 38

034819066

17-JAN-20

Collected By: Client



**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



17-JAN-20

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **649021**

RDU 38

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 649021. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 649021 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 649021****LT Environmental, Inc., Arvada, CO**

RDU 38

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH10	S	01-13-20 08:55	3 ft	649021-001
PH10A	S	01-13-20 09:00	4 ft	649021-002
PH11	S	01-13-20 09:25	3 ft	649021-003
PH11A	S	01-13-20 09:30	4 ft	649021-004
PH12	S	01-13-20 09:50	1.5 ft	649021-005
PH12A	S	01-13-20 10:00	4 ft	649021-006
PH13	S	01-13-20 10:15	1 ft	649021-007
PH13A	S	01-13-20 10:25	3 ft	649021-008
PH14	S	01-13-20 10:50	2.5 ft	649021-009
PH14A	S	01-13-20 11:00	4.5 ft	649021-010
PH15	S	01-13-20 11:25	3 ft	649021-011
PH15A	S	01-13-20 11:30	4 ft	649021-012
PH16	S	01-13-20 11:55	3 ft	649021-013
PH16A	S	01-13-20 12:05	5 ft	649021-014
PH17	S	01-13-20 12:20	3 ft	649021-015
PH17A	S	01-13-20 12:25	4 ft	649021-016



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: RDU 38

Project ID: 034819066
Work Order Number(s): 649021

Report Date: 17-JAN-20
Date Received: 01/14/2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3113427 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 649021

LT Environmental, Inc., Arvada, CO

Project Name: RDU 38

Project Id: 034819066
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Tue Jan-14-20 03:30 pm
Report Date: 17-JAN-20
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	649021-001	649021-002	649021-003	649021-004	649021-005	649021-006
	<i>Field Id:</i>	PH10	PH10A	PH11	PH11A	PH12	PH12A
	<i>Depth:</i>	3- ft	4- ft	3- ft	4- ft	1.5- ft	4- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-13-20 08:55	Jan-13-20 09:00	Jan-13-20 09:25	Jan-13-20 09:30	Jan-13-20 09:50	Jan-13-20 10:00
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56
	<i>Analyzed:</i>	Jan-16-20 06:29	Jan-16-20 06:48	Jan-16-20 07:07	Jan-16-20 07:26	Jan-16-20 02:14	Jan-16-20 02:33
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00202 0.00202	<0.00201 0.00201	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200
Toluene		<0.00202 0.00202	<0.00201 0.00201	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200
Ethylbenzene		<0.00202 0.00202	<0.00201 0.00201	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200
m,p-Xylenes		<0.00404 0.00404	<0.00402 0.00402	<0.00399 0.00399	<0.00403 0.00403	<0.00396 0.00396	<0.00400 0.00400
o-Xylene		<0.00202 0.00202	<0.00201 0.00201	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200
Xylenes, Total		<0.00202 0.00202	<0.00201 0.00201	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200
Total BTEX		<0.00202 0.00202	<0.00201 0.00201	<0.00200 0.00200	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200
Chloride by EPA 300	<i>Extracted:</i>	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14
	<i>Analyzed:</i>	Jan-15-20 09:05	Jan-15-20 09:21	Jan-15-20 09:26	Jan-15-20 09:31	Jan-15-20 09:37	Jan-15-20 09:53
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		477 10.0	70.2 10.1	392 9.98	173 9.96	829 49.9	150 9.96
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-16-20 12:10	Jan-16-20 12:10	Jan-16-20 12:10	Jan-16-20 12:10	Jan-16-20 12:10	Jan-16-20 12:10
	<i>Analyzed:</i>	Jan-16-20 16:00	Jan-16-20 16:00	Jan-16-20 16:20	Jan-16-20 16:20	Jan-16-20 16:40	Jan-16-20 16:40
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.3 50.3	<50.2 50.2	<50.3 50.3	<49.9 49.9	<50.2 50.2	<49.8 49.8
Diesel Range Organics (DRO)		<50.3 50.3	<50.2 50.2	<50.3 50.3	<49.9 49.9	<50.2 50.2	<49.8 49.8
Motor Oil Range Hydrocarbons (MRO)		<50.3 50.3	<50.2 50.2	<50.3 50.3	<49.9 49.9	<50.2 50.2	<49.8 49.8
Total GRO-DRO		<50.3 50.3	<50.2 50.2	<50.3 50.3	<49.9 49.9	<50.2 50.2	<49.8 49.8
Total TPH		<50.3 50.3	<50.2 50.2	<50.3 50.3	<49.9 49.9	<50.2 50.2	<49.8 49.8

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 649021

LT Environmental, Inc., Arvada, CO

Project Name: RDU 38

Project Id: 034819066
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Tue Jan-14-20 03:30 pm
Report Date: 17-JAN-20
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	649021-007	649021-008	649021-009	649021-010	649021-011	649021-012
	<i>Field Id:</i>	PH13	PH13A	PH14	PH14A	PH15	PH15A
	<i>Depth:</i>	1- ft	3- ft	2.5- ft	4.5- ft	3- ft	4- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-13-20 10:15	Jan-13-20 10:25	Jan-13-20 10:50	Jan-13-20 11:00	Jan-13-20 11:25	Jan-13-20 11:30
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56
	<i>Analyzed:</i>	Jan-16-20 02:52	Jan-16-20 03:11	Jan-16-20 03:30	Jan-16-20 04:34	Jan-16-20 04:53	Jan-16-20 05:12
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200
Toluene		<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200
Ethylbenzene		<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200
m,p-Xylenes		<0.00403 0.00403	<0.00404 0.00404	<0.00404 0.00404	<0.00402 0.00402	<0.00398 0.00398	<0.00399 0.00399
o-Xylene		<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200
Xylenes, Total		<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200
Total BTEX		<0.00202 0.00202	<0.00202 0.00202	<0.00202 0.00202	<0.00201 0.00201	<0.00199 0.00199	<0.00200 0.00200
Chloride by EPA 300	<i>Extracted:</i>	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14
	<i>Analyzed:</i>	Jan-15-20 09:58	Jan-15-20 10:04	Jan-15-20 10:09	Jan-15-20 10:14	Jan-15-20 10:20	Jan-15-20 10:36
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		19.5 9.92	<9.94 9.94	645 9.88	218 9.98	413 50.2	50.8 9.94
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-16-20 12:10	Jan-16-20 12:10	Jan-16-20 12:10	Jan-16-20 15:00	Jan-16-20 15:00	Jan-16-20 15:00
	<i>Analyzed:</i>	Jan-16-20 16:59	Jan-16-20 16:59	Jan-16-20 17:19	Jan-16-20 22:34	Jan-16-20 23:13	Jan-16-20 23:13
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<50.2 50.2	<50.3 50.3	<50.3 50.3	<49.8 49.8	<50.2 50.2
Diesel Range Organics (DRO)		<50.0 50.0	<50.2 50.2	<50.3 50.3	<50.3 50.3	<49.8 49.8	<50.2 50.2
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<50.2 50.2	<50.3 50.3	<50.3 50.3	<49.8 49.8	<50.2 50.2
Total GRO-DRO		<50.0 50.0	<50.2 50.2	<50.3 50.3	<50.3 50.3	<49.8 49.8	<50.2 50.2
Total TPH		<50.0 50.0	<50.2 50.2	<50.3 50.3	<50.3 50.3	<49.8 49.8	<50.2 50.2

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 649021

LT Environmental, Inc., Arvada, CO

Project Name: RDU 38

Project Id: 034819066
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Tue Jan-14-20 03:30 pm
Report Date: 17-JAN-20
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	649021-013	649021-014	649021-015	649021-016		
	<i>Field Id:</i>	PH16	PH16A	PH17	PH17A		
	<i>Depth:</i>	3- ft	5- ft	3- ft	4- ft		
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Jan-13-20 11:55	Jan-13-20 12:05	Jan-13-20 12:20	Jan-13-20 12:25		
BTEX by EPA 8021B	<i>Extracted:</i>	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56	Jan-15-20 15:56		
	<i>Analyzed:</i>	Jan-16-20 05:31	Jan-16-20 05:51	Jan-16-20 06:10	Jan-16-20 00:38		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Benzene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Toluene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Ethylbenzene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
m,p-Xylenes		<0.00403 0.00403	<0.00401 0.00401	<0.00402 0.00402	<0.00404 0.00404		
o-Xylene		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Xylenes, Total		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Total BTEX		<0.00202 0.00202	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202		
Chloride by EPA 300	<i>Extracted:</i>	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14	Jan-15-20 07:14		
	<i>Analyzed:</i>	Jan-15-20 10:52	Jan-15-20 10:57	Jan-15-20 11:03	Jan-15-20 11:08		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		649 9.98	79.2 9.98	419 9.98	345 9.98		
TPH by SW8015 Mod	<i>Extracted:</i>	Jan-16-20 15:00	Jan-16-20 15:00	Jan-16-20 15:00	Jan-16-20 15:00		
	<i>Analyzed:</i>	Jan-16-20 23:33	Jan-16-20 23:33	Jan-16-20 23:52	Jan-16-20 23:52		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Gasoline Range Hydrocarbons (GRO)		<50.2 50.2	<50.1 50.1	<50.1 50.1	<50.2 50.2		
Diesel Range Organics (DRO)		<50.2 50.2	<50.1 50.1	<50.1 50.1	<50.2 50.2		
Motor Oil Range Hydrocarbons (MRO)		<50.2 50.2	<50.1 50.1	<50.1 50.1	<50.2 50.2		
Total GRO-DRO		<50.2 50.2	<50.1 50.1	<50.1 50.1	<50.2 50.2		
Total TPH		<50.2 50.2	<50.1 50.1	<50.1 50.1	<50.2 50.2		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.9%

Jessica Kramer
Project Assistant



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH10**
Lab Sample Id: 649021-001

Matrix: Soil
Date Collected: 01.13.20 08.55

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	477	10.0	mg/kg	01.15.20 09.05		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113555

Date Prep: 01.16.20 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	01.16.20 16.00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	01.16.20 16.00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	01.16.20 16.00	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	01.16.20 16.00	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	01.16.20 16.00	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	92	%	70-135	01.16.20 16.00	
o-Terphenyl	84-15-1	93	%	70-135	01.16.20 16.00	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH10**
Lab Sample Id: 649021-001

Matrix: Soil
Date Collected: 01.13.20 08.55

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 06.29	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 06.29	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 06.29	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.16.20 06.29	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 06.29	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 06.29	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 06.29	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	107	%	70-130	01.16.20 06.29		
1,4-Difluorobenzene	540-36-3	99	%	70-130	01.16.20 06.29		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH10A**
Lab Sample Id: 649021-002

Matrix: Soil
Date Collected: 01.13.20 09.00

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 07.14

Basis: Wet Weight

Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	70.2	10.1	mg/kg	01.15.20 09.21		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 01.16.20 12.10

Basis: Wet Weight

Seq Number: 3113555

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.16.20 16.00	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.16.20 16.00	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.16.20 16.00	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.16.20 16.00	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.16.20 16.00	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	01.16.20 16.00	
o-Terphenyl	84-15-1	98	%	70-135	01.16.20 16.00	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH10A**
Lab Sample Id: 649021-002

Matrix: Soil
Date Collected: 01.13.20 09.00

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.16.20 06.48	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.16.20 06.48	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.16.20 06.48	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.16.20 06.48	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.16.20 06.48	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.16.20 06.48	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.16.20 06.48	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	112	%	70-130	01.16.20 06.48		
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.16.20 06.48		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH11** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649021-003 Date Collected: 01.13.20 09.25 Sample Depth: 3 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.15.20 07.14 Basis: Wet Weight
 Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	392	9.98	mg/kg	01.15.20 09.26		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.16.20 12.10 Basis: Wet Weight
 Seq Number: 3113555

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	01.16.20 16.20	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	01.16.20 16.20	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	01.16.20 16.20	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	01.16.20 16.20	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	01.16.20 16.20	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	94	%	70-135	01.16.20 16.20	
o-Terphenyl	84-15-1	93	%	70-135	01.16.20 16.20	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH11**
Lab Sample Id: 649021-003

Matrix: Soil
Date Collected: 01.13.20 09.25

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.16.20 07.07	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.16.20 07.07	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.16.20 07.07	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	01.16.20 07.07	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.16.20 07.07	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.16.20 07.07	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.16.20 07.07	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.16.20 07.07		
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.16.20 07.07		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH11A**
Lab Sample Id: 649021-004

Matrix: Soil
Date Collected: 01.13.20 09.30

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	173	9.96	mg/kg	01.15.20 09.31		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113555

Date Prep: 01.16.20 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.16.20 16.20	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.16.20 16.20	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.16.20 16.20	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.16.20 16.20	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.16.20 16.20	U	1

Surrogate

1-Chlorooctane

o-Terphenyl

Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
111-85-3	98	%	70-135	01.16.20 16.20	
84-15-1	103	%	70-135	01.16.20 16.20	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH11A**
Lab Sample Id: 649021-004

Matrix: Soil
Date Collected: 01.13.20 09.30

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 07.26	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 07.26	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 07.26	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.16.20 07.26	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 07.26	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 07.26	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 07.26	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	104	%	70-130	01.16.20 07.26		
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.16.20 07.26		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH12** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649021-005 Date Collected: 01.13.20 09.50 Sample Depth: 1.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.15.20 07.14 Basis: Wet Weight
 Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	829	49.9	mg/kg	01.15.20 09.37		5

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.16.20 12.10 Basis: Wet Weight
 Seq Number: 3113555

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.16.20 16.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.16.20 16.40	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.16.20 16.40	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.16.20 16.40	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.16.20 16.40	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	98	%	70-135	01.16.20 16.40	
o-Terphenyl	84-15-1	96	%	70-135	01.16.20 16.40	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH12**
Lab Sample Id: 649021-005

Matrix: Soil
Date Collected: 01.13.20 09.50

Date Received: 01.14.20 15.30
Sample Depth: 1.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	01.16.20 02.14	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	01.16.20 02.14	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	01.16.20 02.14	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	01.16.20 02.14	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	01.16.20 02.14	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	01.16.20 02.14	U	1
Total BTEX		<0.00198	0.00198	mg/kg	01.16.20 02.14	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.16.20 02.14		
4-Bromofluorobenzene	460-00-4	105	%	70-130	01.16.20 02.14		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH12A**
Lab Sample Id: 649021-006

Matrix: Soil
Date Collected: 01.13.20 10.00

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	150	9.96	mg/kg	01.15.20 09.53		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113555

Date Prep: 01.16.20 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	01.16.20 16.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	01.16.20 16.40	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	01.16.20 16.40	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	01.16.20 16.40	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	01.16.20 16.40	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	100	%	70-135	01.16.20 16.40	
o-Terphenyl	84-15-1	96	%	70-135	01.16.20 16.40	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH12A**
Lab Sample Id: 649021-006

Matrix: Soil
Date Collected: 01.13.20 10.00

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.16.20 02.33	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.16.20 02.33	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.16.20 02.33	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.16.20 02.33	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.16.20 02.33	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.16.20 02.33	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.16.20 02.33	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	70-130	01.16.20 02.33		
1,4-Difluorobenzene	540-36-3	104	%	70-130	01.16.20 02.33		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH13**
Lab Sample Id: 649021-007

Matrix: Soil
Date Collected: 01.13.20 10.15

Date Received: 01.14.20 15.30
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	19.5	9.92	mg/kg	01.15.20 09.58		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113555

Date Prep: 01.16.20 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.16.20 16.59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.16.20 16.59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.16.20 16.59	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.16.20 16.59	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.16.20 16.59	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	98	%	70-135	01.16.20 16.59	
o-Terphenyl	84-15-1	97	%	70-135	01.16.20 16.59	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH13**
Lab Sample Id: 649021-007

Matrix: Soil
Date Collected: 01.13.20 10.15

Date Received: 01.14.20 15.30
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 02.52	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 02.52	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 02.52	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.16.20 02.52	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 02.52	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 02.52	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 02.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.16.20 02.52		
4-Bromofluorobenzene	460-00-4	112	%	70-130	01.16.20 02.52		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH13A**
Lab Sample Id: 649021-008

Matrix: Soil
Date Collected: 01.13.20 10.25

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<9.94	9.94	mg/kg	01.15.20 10.04	U	1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113555

Date Prep: 01.16.20 12.10

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.16.20 16.59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.16.20 16.59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.16.20 16.59	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.16.20 16.59	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.16.20 16.59	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	01.16.20 16.59	
o-Terphenyl	84-15-1	98	%	70-135	01.16.20 16.59	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH13A**
 Lab Sample Id: 649021-008

Matrix: Soil
 Date Collected: 01.13.20 10.25

Date Received: 01.14.20 15.30
 Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 03.11	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 03.11	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 03.11	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.16.20 03.11	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 03.11	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 03.11	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 03.11	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.16.20 03.11		
4-Bromofluorobenzene	460-00-4	111	%	70-130	01.16.20 03.11		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH14** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649021-009 Date Collected: 01.13.20 10.50 Sample Depth: 2.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.15.20 07.14 Basis: Wet Weight
 Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	645	9.88	mg/kg	01.15.20 10.09		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.16.20 12.10 Basis: Wet Weight
 Seq Number: 3113555

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	01.16.20 17.19	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	01.16.20 17.19	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	01.16.20 17.19	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	01.16.20 17.19	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	01.16.20 17.19	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	102	%	70-135	01.16.20 17.19	
o-Terphenyl	84-15-1	102	%	70-135	01.16.20 17.19	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH14**
Lab Sample Id: 649021-009

Matrix: Soil
Date Collected: 01.13.20 10.50

Date Received: 01.14.20 15.30
Sample Depth: 2.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 03.30	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 03.30	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 03.30	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.16.20 03.30	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 03.30	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 03.30	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 03.30	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	105	%	70-130	01.16.20 03.30		
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.16.20 03.30		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH14A**
 Lab Sample Id: 649021-010

Matrix: Soil
 Date Collected: 01.13.20 11.00

Date Received: 01.14.20 15.30
 Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 07.14

Basis: Wet Weight

Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	218	9.98	mg/kg	01.15.20 10.14		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 01.16.20 15.00

Basis: Wet Weight

Seq Number: 3113603

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	01.16.20 22.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	01.16.20 22.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	01.16.20 22.34	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	01.16.20 22.34	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	01.16.20 22.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	102	%	70-135	01.16.20 22.34	
o-Terphenyl	84-15-1	100	%	70-135	01.16.20 22.34	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH14A**
Lab Sample Id: 649021-010

Matrix: Soil
Date Collected: 01.13.20 11.00

Date Received: 01.14.20 15.30
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.16.20 04.34	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.16.20 04.34	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.16.20 04.34	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.16.20 04.34	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.16.20 04.34	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.16.20 04.34	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.16.20 04.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	01.16.20 04.34		
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.16.20 04.34		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH15**
Lab Sample Id: 649021-011

Matrix: Soil
Date Collected: 01.13.20 11.25

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	413	50.2	mg/kg	01.15.20 10.20		5

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113603

Date Prep: 01.16.20 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	01.16.20 23.13	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	01.16.20 23.13	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	01.16.20 23.13	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	01.16.20 23.13	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	01.16.20 23.13	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	109	%	70-135	01.16.20 23.13	
o-Terphenyl	84-15-1	110	%	70-135	01.16.20 23.13	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH15**
Lab Sample Id: 649021-011

Matrix: Soil
Date Collected: 01.13.20 11.25

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.16.20 04.53	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.16.20 04.53	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.16.20 04.53	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.16.20 04.53	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.16.20 04.53	U	1
Xylenes, Total	1330-20-7	<0.00199	0.00199	mg/kg	01.16.20 04.53	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.16.20 04.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	70-130	01.16.20 04.53		
1,4-Difluorobenzene	540-36-3	100	%	70-130	01.16.20 04.53		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH15A**
Lab Sample Id: 649021-012

Matrix: Soil
Date Collected: 01.13.20 11.30

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	50.8	9.94	mg/kg	01.15.20 10.36		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113603

Date Prep: 01.16.20 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.16.20 23.13	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.16.20 23.13	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.16.20 23.13	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.16.20 23.13	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.16.20 23.13	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	01.16.20 23.13	
o-Terphenyl	84-15-1	104	%	70-135	01.16.20 23.13	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH15A**
Lab Sample Id: 649021-012

Matrix: Soil
Date Collected: 01.13.20 11.30

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.16.20 05.12	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.16.20 05.12	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.16.20 05.12	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	01.16.20 05.12	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.16.20 05.12	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.16.20 05.12	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.16.20 05.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.16.20 05.12		
4-Bromofluorobenzene	460-00-4	110	%	70-130	01.16.20 05.12		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH16** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649021-013 Date Collected: 01.13.20 11.55 Sample Depth: 3 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.15.20 07.14 Basis: Wet Weight
 Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	649	9.98	mg/kg	01.15.20 10.52		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.16.20 15.00 Basis: Wet Weight
 Seq Number: 3113603

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.16.20 23.33	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.16.20 23.33	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.16.20 23.33	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.16.20 23.33	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.16.20 23.33	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	101	%	70-135	01.16.20 23.33	
o-Terphenyl	84-15-1	104	%	70-135	01.16.20 23.33	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH16**
Lab Sample Id: 649021-013

Matrix: Soil
Date Collected: 01.13.20 11.55

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 05.31	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 05.31	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 05.31	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	01.16.20 05.31	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 05.31	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 05.31	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 05.31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.16.20 05.31		
4-Bromofluorobenzene	460-00-4	108	%	70-130	01.16.20 05.31		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH16A**
Lab Sample Id: 649021-014

Matrix: Soil
Date Collected: 01.13.20 12.05

Date Received: 01.14.20 15.30
Sample Depth: 5 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3113335

Date Prep: 01.15.20 07.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	79.2	9.98	mg/kg	01.15.20 10.57		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113603

Date Prep: 01.16.20 15.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.16.20 23.33	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.16.20 23.33	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.16.20 23.33	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.16.20 23.33	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.16.20 23.33	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	108	%	70-135	01.16.20 23.33	
o-Terphenyl	84-15-1	100	%	70-135	01.16.20 23.33	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH16A**
Lab Sample Id: 649021-014

Matrix: Soil
Date Collected: 01.13.20 12.05

Date Received: 01.14.20 15.30
Sample Depth: 5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.16.20 05.51	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.16.20 05.51	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.16.20 05.51	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	01.16.20 05.51	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.16.20 05.51	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.16.20 05.51	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.16.20 05.51	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	70-130	01.16.20 05.51		
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.16.20 05.51		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH17** Matrix: Soil Date Received: 01.14.20 15.30
 Lab Sample Id: 649021-015 Date Collected: 01.13.20 12.20 Sample Depth: 3 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.15.20 07.14 Basis: Wet Weight
 Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	419	9.98	mg/kg	01.15.20 11.03		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.16.20 15.00 Basis: Wet Weight
 Seq Number: 3113603

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.16.20 23.52	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.16.20 23.52	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.16.20 23.52	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.16.20 23.52	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.16.20 23.52	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	101	%	70-135	01.16.20 23.52	
o-Terphenyl	84-15-1	103	%	70-135	01.16.20 23.52	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH17**
Lab Sample Id: 649021-015

Matrix: Soil
Date Collected: 01.13.20 12.20

Date Received: 01.14.20 15.30
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.16.20 06.10	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.16.20 06.10	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.16.20 06.10	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.16.20 06.10	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.16.20 06.10	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.16.20 06.10	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.16.20 06.10	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	70-130	01.16.20 06.10		
1,4-Difluorobenzene	540-36-3	105	%	70-130	01.16.20 06.10		



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH17A**
Lab Sample Id: 649021-016

Matrix: Soil
Date Collected: 01.13.20 12.25

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 07.14

Basis: Wet Weight

Seq Number: 3113335

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	345	9.98	mg/kg	01.15.20 11.08		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 01.16.20 15.00

Basis: Wet Weight

Seq Number: 3113603

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.16.20 23.52	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.16.20 23.52	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.16.20 23.52	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.16.20 23.52	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.16.20 23.52	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	01.16.20 23.52	
o-Terphenyl	84-15-1	100	%	70-135	01.16.20 23.52	



Certificate of Analytical Results 649021

LT Environmental, Inc., Arvada, CO

RDU 38

Sample Id: **PH17A**
Lab Sample Id: 649021-016

Matrix: Soil
Date Collected: 01.13.20 12.25

Date Received: 01.14.20 15.30
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.15.20 15.56

Basis: Wet Weight

Seq Number: 3113427

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.16.20 00.38	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.16.20 00.38	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.16.20 00.38	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.16.20 00.38	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.16.20 00.38	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.16.20 00.38	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.16.20 00.38	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	109	%	70-130	01.16.20 00.38		
1,4-Difluorobenzene	540-36-3	106	%	70-130	01.16.20 00.38		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

RDU 38

Analytical Method: Chloride by EPA 300

Seq Number: 3113335

MB Sample Id: 7694377-1-BLK

Matrix: Solid

LCS Sample Id: 7694377-1-BKS

Prep Method: E300P

Date Prep: 01.15.20

LCSD Sample Id: 7694377-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	255	102	254	102	90-110	0	20	mg/kg	01.15.20 08:54	

Analytical Method: Chloride by EPA 300

Seq Number: 3113335

Parent Sample Id: 649021-001

Matrix: Soil

MS Sample Id: 649021-001 S

Prep Method: E300P

Date Prep: 01.15.20

MSD Sample Id: 649021-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	477	200	682	103	685	104	90-110	0	20	mg/kg	01.15.20 09:10	

Analytical Method: Chloride by EPA 300

Seq Number: 3113335

Parent Sample Id: 649021-011

Matrix: Soil

MS Sample Id: 649021-011 S

Prep Method: E300P

Date Prep: 01.15.20

MSD Sample Id: 649021-011 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Chloride	413	201	607	97	609	98	90-110	0	20	mg/kg	01.15.20 10:25	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113555

MB Sample Id: 7694525-1-BLK

Matrix: Solid

LCS Sample Id: 7694525-1-BKS

Prep Method: SW8015P

Date Prep: 01.16.20

LCSD Sample Id: 7694525-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1140	114	1010	101	70-135	12	35	mg/kg	01.16.20 13:21	
Diesel Range Organics (DRO)	<50.0	1000	1120	112	1110	111	70-135	1	35	mg/kg	01.16.20 13:21	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	97		132		123		70-135	%	01.16.20 13:21
o-Terphenyl	98		128		109		70-135	%	01.16.20 13:21

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 38

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113603

MB Sample Id: 7694557-1-BLK

Matrix: Solid

LCS Sample Id: 7694557-1-BKS

Prep Method: SW8015P

Date Prep: 01.16.20

LCSD Sample Id: 7694557-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1140	114	1000	100	70-135	13	35	mg/kg	01.16.20 22:14	
Diesel Range Organics (DRO)	<50.0	1000	1130	113	983	98	70-135	14	35	mg/kg	01.16.20 22:14	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	94		134		120		70-135	%	01.16.20 22:14
o-Terphenyl	97		129		116		70-135	%	01.16.20 22:14

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113555

Matrix: Solid

MB Sample Id: 7694525-1-BLK

Prep Method: SW8015P

Date Prep: 01.16.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.16.20 13:01	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113555

Matrix: Solid

MB Sample Id: 7694557-1-BLK

Prep Method: SW8015P

Date Prep: 01.16.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.16.20 22:14	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113555

Matrix: Soil

Parent Sample Id: 649110-005

MS Sample Id: 649110-005 S

Prep Method: SW8015P

Date Prep: 01.16.20

MSD Sample Id: 649110-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.1	1000	968	97	986	99	70-135	2	35	mg/kg	01.16.20 13:40	
Diesel Range Organics (DRO)	<50.1	1000	1080	108	1060	106	70-135	2	35	mg/kg	01.16.20 13:40	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	132		134		70-135	%	01.16.20 13:40
o-Terphenyl	109		109		70-135	%	01.16.20 13:40

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * | (C - E) / (C + E) |$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

RDU 38

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113603

Parent Sample Id: 649021-010

Matrix: Soil

MS Sample Id: 649021-010 S

Prep Method: SW8015P

Date Prep: 01.16.20

MSD Sample Id: 649021-010 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.2	1000	945	95	1030	103	70-135	9	35	mg/kg	01.16.20 22:53	
Diesel Range Organics (DRO)	<50.2	1000	1030	103	1170	117	70-135	13	35	mg/kg	01.16.20 22:53	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	117		123		70-135	%	01.16.20 22:53
o-Terphenyl	111		119		70-135	%	01.16.20 22:53

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113427

MB Sample Id: 7694451-BLK

Matrix: Solid

LCS Sample Id: 7694451-1-BKS

Prep Method: SW5030B

Date Prep: 01.15.20

LCSD Sample Id: 7694451-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.100	100	0.0988	99	70-130	1	35	mg/kg	01.15.20 23:02	
Toluene	<0.00200	0.100	0.0978	98	0.0967	97	70-130	1	35	mg/kg	01.15.20 23:02	
Ethylbenzene	<0.00200	0.100	0.0976	98	0.0969	97	71-129	1	35	mg/kg	01.15.20 23:02	
m,p-Xylenes	<0.00400	0.200	0.195	98	0.193	97	70-135	1	35	mg/kg	01.15.20 23:02	
o-Xylene	<0.00200	0.100	0.0977	98	0.0970	97	71-133	1	35	mg/kg	01.15.20 23:02	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		102		101		70-130	%	01.15.20 23:02
4-Bromofluorobenzene	99		103		101		70-130	%	01.15.20 23:02

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113427

Parent Sample Id: 649021-016

Matrix: Soil

MS Sample Id: 649021-016 S

Prep Method: SW5030B

Date Prep: 01.15.20

MSD Sample Id: 649021-016 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RP D	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00202	0.101	0.0992	98	0.113	112	70-130	13	35	mg/kg	01.15.20 23:41	
Toluene	<0.00202	0.101	0.0978	97	0.110	109	70-130	12	35	mg/kg	01.15.20 23:41	
Ethylbenzene	<0.00202	0.101	0.0978	97	0.110	109	71-129	12	35	mg/kg	01.15.20 23:41	
m,p-Xylenes	<0.00403	0.202	0.195	97	0.219	109	70-135	12	35	mg/kg	01.15.20 23:41	
o-Xylene	<0.00202	0.101	0.0987	98	0.110	109	71-133	11	35	mg/kg	01.15.20 23:41	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		105		70-130	%	01.15.20 23:41
4-Bromofluorobenzene	110		108		70-130	%	01.15.20 23:41

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No: 1649021

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com Page 1 of 2

Project Manager:	Chris McKisson	Bill to: (if different)	
Company Name:	LT Environmental	Company Name:	
Address:	820 Eif Megan Ave, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	970 385 9985	Email:	cmckisson@ltenv.com

Work Order Comments	
Program: US/PT	PRP
State of Project:	Brownfields
Reporting Level II	Level III
Level IV	Level V
Deliverables: EDD	ADAPT
Other:	

Project Name:	RDV 38	Turn Around	
Project Number:	034819066	Routine	
Project Location:	Ruize Eddy County	Rush:	50M
Sampler's Name:	Anna Eddy	Due Date:	
PO #:		Quote #:	

SAMPLE RECEIPT	Temp Blank:	Temp Blank:	Wet Ice:	Thermometer ID
Temperature (°C):	0.2	0.2	0.2	T-NM-007
Received Intact:	No	No	No	
Cooler Custody Seals:	Yes	N/A	Correction Factor:	-0.2
Sample Custody Seals:	Yes	N/A	Total Containers:	100

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Preservative Codes
PH10		S	1/13/20	0855	3'	TPH (EPA 8015)	
PH10A				0900	4'	BTEX (EPA 8021)	
PH11				0925	3'	Chloride (EPA 8020)	
PH11A				0930	4'		
PH12				0950	1.5'		
PH12A				1000	4'		
PH13				1015	1'		
PH13A				1025	3'		
PH14				1050	2.5'		
PH14A				1100	4.5'		

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed: TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Eddy		1/14/20 15:30			



Chain of Custody

Work Order No: 1049021

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 589-6701

www.xenco.com

Page 2 of 2

Project Manager:	Chris McKison	Bill to: (if different)	
Company Name:	LT Environmental	Company Name:	
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Little Rock, AR 72205	City, State ZIP:	
Phone:	501 285 9985	Email:	cmckison@ltenu.com faye@ltenu.com

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:
Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other:

Project Name:	RDU 88	Turn Around	☒
Project Number:	034819066	Routine	☒
Project Location:	Rural Edgely County	Rush:	5 DAY
Sampler's Name:	Anna Byers	Due Date:	
PO #:		Quote #:	

SAMPLE RECEIPT			
Temperature (°C):	1.2	Temp Blank:	Yes No
Received Intact:	Yes No	Wet Ice:	Yes No
Cooler Custody Seals:	Yes No N/A	Thermometer ID	
Sample Custody Seals:	Yes No N/A	Correction Factor:	
		Total Containers:	

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Analysis Request	Preservative Codes	Sample Comments
PH15		S	1/13/20	1125	3'	1	TPH (EPA 8015)	MeOH: Me	
PH15A		S	1/13/20	1130	4'	1	BTEX (EPA 8021)	None: NO	
PH16		S		1155	3'	1	Chloride (EPA 300.0)	HNO3: HN	
PH16A		S		1205	5'	1		H2SO4: H2	
PH17		S		1220	3'	1		HCL: HL	
PH17A		S		1225	4'	1		NaOH: Na	
								Zn Acetate+ NaOH: Zn	
								TAT starts the day received by the lab. If received by 4:00pm	

Total 200.7 / 6010 200.8 / 6020:

Circle Method(s) and Metal(s) to be analyzed

8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers	Chris McKison	1/14/20 15:30			

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 01.14.2020 03.30.00 PM

Work Order #: 649021

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	1.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:



Elizabeth McClellan

Date: 01.14.2020

Checklist reviewed by:



Jessica Kramer

Date: 01.15.2020