

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Tuesday, December 11, 2018 4:32 PM
To: 'Raley, Jim'
Subject: RE: [EXTERNAL] RE: WPX - Santa Fe Fed 8 - liner inspection notification

Jim

It looks like I wasn't copied on the initial C-141, so I don't have it. If you would, please send that to me and I will get it in the system. If you guys have already done the liner inspection, you can go ahead and fill out the closure portion and we can open and close this at the same time. Please include a couple of photos showing the liner post cleanup/inspection.

Thanks,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

From: Raley, Jim <James.Raley@wpxenergy.com>
Sent: Monday, December 10, 2018 8:11 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Subject: [EXT] FW: [EXTERNAL] RE: WPX - Santa Fe Fed 8 - liner inspection notification

Jim Raley | Environmental Specialist - Permian Basin
5315 Buena Vista Dr., Carlsbad, NM 88220
C: (575)689-7597 | james.ralej@wpxenergy.com



From: Pruett, Maria, EMNRD <Maria.Pruett@state.nm.us>
Sent: Wednesday, November 28, 2018 10:27 AM
To: Blaney, Karolina <Karolina.Blaney@wpxenergy.com>; 'Tucker, Shelly' <stucker@blm.gov>
Cc: Raley, Jim <James.Raley@wpxenergy.com>; 'Jason Crabtree' <JCrabtree@vertex.ca>
Subject: [EXTERNAL] RE: WPX - Santa Fe Fed 8 - liner inspection notification

CAUTION: This email was sent from an EXTERNAL source. Use caution when clicking links or opening attachments.

Good Morning Ms. Blaney,

OCD has not received all documents required for C-141 Release Notification and has not been processed. At this time WPX is not in compliance with 19.15.29 NMAC. This creates issues with this liner inspection and any remediation/closure activities.

Best Regards,

Maria Pruett

Environmental Specialist
N.M. Oil Conservation Division
District 2
811 S. 1st Street
Artesia, NM 88210
Desk: 575 748-1283 X 101
Cell: 575 840-5963
Fax: 575748-9720

From: Blaney, Karolina <Karolina.Blaney@wpxenergy.com>
Sent: Wednesday, November 21, 2018 12:31 PM
To: Pruett, Maria, EMNRD <Maria.Pruett@state.nm.us>; 'Tucker, Shelly' <stucker@blm.gov>
Cc: Raley, Jim <James.Raley@wpxenergy.com>; 'Jason Crabtree' <JCrabtree@vertex.ca>
Subject: [EXT] RE: WPX - Santa Fe Fed 8 - liner inspection notification

Good afternoon,
Vertex will be conducting liner inspection on Wednesday, November 28, at 9 am.
Please let me know if you have questions or concerns.
Thank you and have a great weekend,

Karolina Blaney
Environmental Specialist
WPX Energy
Office: (575) 885-7514
Cell: (970) 589-0743
karolina.blaney@wpxenergy.com

From: Blaney, Karolina
Sent: Monday, November 19, 2018 11:44 AM
To: 'Pruett, Maria, EMNRD' <Maria.Pruett@state.nm.us>; 'Tucker, Shelly' <stucker@blm.gov>
Cc: Raley, Jim <james.raleigh@wpxenergy.com>; 'Jason Crabtree' <JCrabtree@vertex.ca>
Subject: RE: WPX - Santa Fe Fed 8 - spill notification

Good morning,
Vertex will conduct the final sampling at the Santa Fe #8 on Wednesday, November 28 at 9 am.
Please let me know if you have any questions.
Thank you,

Karolina Blaney
Environmental Specialist
WPX Energy
Office: (575) 885-7514
Cell: (970) 589-0743
karolina.blaney@wpxenergy.com

From: Blaney, Karolina
Sent: Monday, November 12, 2018 11:32 AM
To: 'Pruett, Maria, EMNRD' <Maria.Pruett@state.nm.us>; 'Tucker, Shelly' <stucker@blm.gov>
Cc: Raley, Jim <james.rale@wpenergy.com>
Subject: RE: WPX - Santa Fe Fed 8 - spill notification

Good morning,
Attached is the C-141 report for the Santa Fe 8 spill.
Please let me know if you have any questions or suggestions.
Thank you and have a great day,

Karolina Blaney
Environmental Specialist
WPX Energy
Office: (575) 885-7514
Cell: (970) 589-0743
karolina.blaney@wpenergy.com

From: Blaney, Karolina
Sent: Thursday, November 01, 2018 12:39 PM
To: Griswold, Jim, EMNRD <Jim.Griswold@state.nm.us>; 'Pruett, Maria, EMNRD' <Maria.Pruett@state.nm.us>; 'Tucker, Shelly' <stucker@blm.gov>
Cc: Raley, Jim <james.rale@wpenergy.com>
Subject: WPX - Santa Fe Fed 8 - spill notification

Good afternoon,

WPX had a spill last night, 10/31/18 at 9:30 pm, at the Santa Fe Fed 8 SWD. API # 30-015-27126, A-35-22S-28E. Injection pump stopped working due to power outage which resulted in overfilling the tanks. The majority of the fluids was contained inside lined SPCC containment berm; the berm overfilled and fluids impacted soil on the pad. 540 bbls were recovered from the containment and ~70 bbls off the pad. We will start the cleanup activities as soon as the line locates are completed.

Please let me know if you have any questions or suggestions.
Thank you and have a great afternoon,

Karolina Blaney
Environmental Specialist
WPX Energy
Office: (575) 885-7514
Cell: (970) 589-0743
karolina.blaney@wpenergy.com