

**From:** [Hamlet, Robert, EMNRD](#)  
**To:** ["mhulstrom@primaex.com"](mailto:mhulstrom@primaex.com)  
**Cc:** [Bratcher, Mike, EMNRD](#); [Venegas, Victoria, EMNRD](#); [Eads, Cristina, EMNRD](#); [BLM SPILL \(blm\\_nm\\_cfo\\_spill@blm.gov\)](#)  
**Subject:** Remediation Conditional Approval - Prima Exploration - Edith Federal #1 - (Incident #NRM2007645132)  
**Date:** Friday, September 11, 2020 10:18:00 AM  
**Attachments:** [Remediation Conditional Approval - Prima Exploration - EDITH FEDERAL #001.pdf](#)

---

**Michelle,**

We have received your Workplan/Remediation Proposal for **Incident #NRM2007645132 Edith Federal #1**, thank you. This Workplan/Remediation proposal is approved with the following conditions:

- Samples inside berm area must be resampled after bioremediation treatment occurs in 90 days. Samples must be taken every 200 ft<sup>2</sup> from surface down to 3 feet in (1 foot increments). All samples will need to verify that they are <600 mg/kg for chlorides and <100 mg/kg for TPH.
- Sample S5 is outside the berm and will need to be excavated down to the first clean sample point (4 feet below ground surface). A sidewall sample will be required on the south side of the excavation of <100 mg/kg (TPH) for lateral delineation.
- Sample S6 is above the limit for TPH (100 mg/kg) at 4 feet below ground surface and needs further delineation/excavation.

Please let me know if you have any further questions.

Regards,

Robert J Hamlet  
State of New Mexico  
Energy, Minerals, and Natural Resources  
Oil Conservation Division  
811 S. First St., Artesia NM 88210  
(575) 748-1283  
[Robert.Hamlet@state.nm.us](mailto:Robert.Hamlet@state.nm.us)

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.