

From: [Hamlet, Robert, EMNRD](#)
To: ["Debbie Moughon"](#)
Cc: [Bratcher, Mike, EMNRD](#); [Eads, Cristina, EMNRD](#); ["spills@slo.state.nm.us"](mailto:spills@slo.state.nm.us)
Subject: Denial Response - Advance Energy - Wool Head 20 St Com #703 - (Incident #NRM2003454039)
Date: Friday, November 20, 2020 11:28:00 AM
Attachments: [Denial Response - Advance Energy - Wool Head 20 St Com #703 - \(Incident #NRM2003454039.pdf\)](#)

Debbie,

I have reviewed the "Proposed Additional Sample Areas" that were included in your Denial Response. The OCD would like to see an additional wall sample south of S-09 in the furthest south portion of the release area. The additional proposed wall samples will need to be tested for all constituents. Additionally, all floor samples will need to be collected and tested for all constituents. Perform a grab sample plan of the remediation area, where each composite sample is not representative of more than 200 ft². This will require additional floor samples to be tested for hydrocarbons on the East Source side of the release and southern part of the release.

Please let me know if you have any further questions.

Regards,

Robert Hamlet • Environmental Eng. Tech. III
Environmental Bureau
EMNRD - Oil Conservation Division
811 S. First Street | Artesia, NM 88210
505.748.1283 | robert.hamlet@state.nm.us
<http://www.emnrd.state.nm.us/OCD/>



OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.