



June 11, 2020

Vertex Project #: 20E-00239-006

Spill Closure Report: Tony La Russa State Com 201H/202H
Unit C, Section 3, Township 24 South, Range 27 East
County: Eddy
NM OCD Tracking Number: NRM2008758101

Prepared For: Matador Production Company
5400 LBJ Freeway
Suite 1500
Dallas, Texas 75240

New Mexico Oil Conservation Division – District 2 – Artesia

811 South First Street
Artesia, New Mexico 88210

Matador Production Company (Matador) retained Vertex Resource Services Inc. (Vertex) to conduct a spill assessment and remediation for a produced water release that occurred at Tony La Russa State Com 201H/202H (hereafter referred to as "Tony La Russa"). Matador provided notification of the spill to New Mexico Oil Conservation Division (NM OCD) District 2 and the New Mexico State Land Office (SLO), who owns the land, via submission of an initial C-141 Release Notification on March 27, 2020 (Attachment 1). The NM OCD tracking number assigned to this incident is NRM2008758101.

This letter provides a description of the spill assessment and remediation activities, and demonstrates that closure criteria established in 19.15.29.12 *New Mexico Administrative Code* (NMAC; New Mexico Oil Conservation Division, 2018) have been met and all applicable regulations are being followed. This document is intended to serve as a final report to obtain approval from the NM OCD for closure of this release.

Incident Description

On March 18, 2020, a release occurred at Matador's Tony La Russa site when a seal on the produced water pump flowline failed. This incident resulted in the release of approximately 16.60 barrels (bbls) of produced water onto the engineered pad and into adjacent pasture. Upon discovery of the release, a hydrovac truck was dispatched to site to recover free fluids; approximately 12 bbls of produced water were recovered. The spill impacted an area off-lease that had experienced previous disturbance. No produced water was released into undisturbed or sensitive areas, or waterways.

Site Characterization

The release at Tony La Russa occurred on state-owned land, N 32.253397, W 104.181271, approximately 5 miles southwest of Loving, New Mexico. The legal description for the site is Unit C, Section 3, Township 24 South, Range 27 East, Eddy County, New Mexico. This location is within the Permian Basin in southeast New Mexico and has historically been used for oil and gas exploration and production, and farmland. An aerial photograph and site schematics are included in Attachment 2.

vertex.ca

Matador Production Company
Tony La Russa State Com 201H/202H

2020 Spill Assessment and Closure
June 2020

The Tony La Russa complex consists of production and storage equipment, a tank battery, and nearby oil and gas exploration and production wellpads, and is typical of oil and gas-related sites in the western portion of the Permian Basin. The following sections specifically describe the release area in the northern portion of the tank battery containment and the adjacent pasture area east of the engineered pad.

The surrounding landscape is associated with alluvial fans typical of elevations between 1,100 and 4,400 feet above sea level. The climate is semi-arid, with average annual precipitation ranging between 7 and 14 inches. Historically, the plant communities in this area have had a grassland aspect, and the dominant species are black grama, tobosa and blue grama, with a variety of perennial forbs and sparse, evenly distributed shrubs. Grass cover is generally uniformly distributed with few large bare areas (United States Department of Agriculture, Natural Resources Conservation Service, 2020). Limited to no vegetation is allowed to grow on the engineered pad. There is little evidence of vegetation growing in the area of the off-lease portion of the release due to the presence of a lease road along the east side of the site and indications the pasture area is commonly used as a vehicle turnaround.

The Geological Map of New Mexico indicates the surface geology at is comprised of Qp – Piedmont alluvial deposits (New Mexico Bureau of Geology and Mineral Resources, 2020). The Natural Resources Conservation Service *Web Soil Survey* characterizes the soil at Tony La Russa as Reagan loam, with a soil profile consisting of deep layers of loam. This soil tends to be well drained with low runoff and moderate available water storage in the soil profile (United States Department of Agriculture, Natural Resources Conservation Service, 2020). There is low to medium potential for karst geology to be present near Tony La Russa (United States Department of the Interior, Bureau of Land Management, 2020).

There is no surface water located on-site. The nearest significant watercourse, as defined in Subsection P of 19.15.17.7 NMAC, is Black River, located approximately 0.85 miles south of the site (United States Fish and Wildlife Service, 2020). At Tony La Russa, there are no continuously flowing watercourses, lakebeds, sinkholes, playa lakes, or other critical water or community features as outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

The nearest recent well to the site is a New Mexico Office of the State Engineer-identified well, located approximately 0.8 miles northeast of Tony La Russa, with a depth to groundwater of 67 feet below ground surface (bgs; New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System, 2020). Documentation pertaining to site characterization and depth to groundwater determination is included in Attachment 3.

Closure Criteria Determination

Using site characterization information, a closure criteria determination worksheet (Attachment 3) was completed to determine if the release was subject to any of the special case scenarios outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC.

Based on data included in the closure criteria determination worksheet, the release at Tony La Russa is not subject to the requirements of Paragraph (4) of Subsection C of 19.15.29.12 NMAC and the closure criteria for the site are determined to be associated with the following constituent concentration limits based on depth to groundwater.

Matador Production Company
Tony La Russa State Com 201H/202H

2020 Spill Assessment and Closure
June 2020

Table 1. Closure Criteria for Soils Impacted by a Release		
Depth to Groundwater	Constituent	Limit
50 > 100 feet	Chloride	10,000 mg/kg
	TPH ¹ (GRO + DRO + MRO)	2,500 mg/kg
	GRO + DRO	1,000 mg/kg
	BTEX ²	50 mg/kg
	Benzene	10 mg/kg

¹Total petroleum hydrocarbons (TPH) = gasoline range organics (GRO) + diesel range organics (DRO) + motor oil range organics (MRO)

²Benzene, toluene, ethylbenzene and xylenes (BTEX)

Remedial Actions

Initial spill inspection and site characterization activities at Tony La Russa were completed by Vertex on March 19, 2020. The Daily Field Report (DFR) associated with the site visit is included in Attachment 4. A selection of characterization soil samples were submitted for laboratory analysis to confirm the field screening data. Using initial field screening and soil sample laboratory data, as presented in Table 2 (Attachment 5), the release was delineated horizontally and vertically as presented on Figure 1 (Attachment 2), and a remediation plan was developed. On April 16, 2020, Vertex provided 48-hour notification of confirmation sampling to the NM OCD (Attachment 6), as required by Subparagraph (a) of Paragraph (1) of Subsection D 19.15.29.12 NMAC.

Excavation of impacted soils was conducted between April 20 and 21, 2020, with a Vertex representative on-site to conduct field screening to guide the excavation and determine final horizontal and vertical extents of the excavation area as presented on Figure 2 (Attachment 2). Waste manifests are included in Attachment 4. As remediation activities were completed, Vertex collected a total of 18 five-point composite confirmatory samples from the base and side walls of the excavation, at depths ranging between ground surface and 0.5 feet bgs on-lease and ground surface to 2 feet bgs in the pasture (off-lease). Each composite sample was representative of no more than 200 square feet per the alternate sampling method outlined in Subparagraph (c) of Paragraph (1) of Subsection D 19.15.29.12 NMAC, which does not require prior NM OCD approval. The composite samples were placed into laboratory-provided containers, preserved on ice, and submitted to a National Environmental Laboratory Accreditation Program-approved laboratory for chemical analysis.

Laboratory analyses included Method 300.0 for chlorides, Method 8021B for volatile organics, including BTEX, and EPA Method 8015 for TPH, including MRO, DRO and GRO. Confirmatory sample analytical data are summarized in Table 3 (Attachment 5). Laboratory data reports and chain of custody forms are included in Attachment 7.

A GeoExplorer 7000 Series Trimble global positioning system (GPS) unit, or equivalent, was used to map the approximate center of each of the five-point composite samples. The confirmatory sample locations are presented on Figure 2 (Attachment 2). Relevant equipment and prominent features/reference points at the site are mapped as well.

Closure Request

Vertex recommends no additional action to address the release at Tony La Russa. Laboratory analyses of confirmatory samples showed constituent of concern concentration levels below NM OCD closure criteria for areas where depth to

vertex.ca

Matador Production Company
Tony La Russa State Com 201H/202H

2020 Spill Assessment and Closure
June 2020

groundwater is between 50 and 100 feet bgs as presented in Table 1. There are no anticipated risks to human, ecological or hydrological receptors associated with the release site.

Remediation efforts for the portion of the release that occurred off-lease included excavation of contaminated materials to levels meeting NM OCD restoration and reclamation requirements as outlined in 19.15.29.13 NMAC. The excavation was backfilled with non-waste-containing, uncontaminated, earthen material, sourced locally, and placed to meet the site's existing grade to prevent ponding of water and erosion, and aid in the establishment of vegetation. Vertex requests that restoration and reclamation of the remaining portion of the release on-lease commence at such time as the site is closed, production equipment is removed and the site is reclaimed per 19.15.29.13 NMAC.

Vertex requests that this incident (NRM2008758101) be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. Matador certifies that all information in this report and the attachments is correct, and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NM OCD requirements to obtain closure on the March 18, 2020, release at Tony La Russa.

Should you have any questions or concerns, please do not hesitate to contact the undersigned at 505.506.0040 or ngordon@vertex.ca.

Sincerely,



Natalie Gordon
PROJECT MANAGER

Attachments

- Attachment 1. NM OCD C-141 Report
- Attachment 2. Figures
- Attachment 3. Closure Criteria for Soils Impacted by a Release Research Determination Documentation
- Attachment 4. Daily Field Report(s) with Photographs and Waste Manifests
- Attachment 5. Characterization and Confirmatory Sample Field Screening Data and Laboratory Results
- Attachment 6. Required 48-hr Notification of Confirmation Sampling to Regulatory Agencies
- Attachment 7. Laboratory Data Reports/Chain of Custody Forms

Matador Production Company
Tony La Russa State Com 201H/202H

2020 Spill Assessment and Closure
June 2020

References

New Mexico Bureau of Geology and Mineral Resources. (2020). *Interactive Geologic Map*. Retrieved from <http://geoinfo.nmt.edu>

New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code – Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.

New Mexico Office of the State Engineer, New Mexico Water Rights Reporting System. (2020). *Water Column/Average Depth to Water Report*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>.

United States Department of Agriculture, Natural Resources Conservation Service. (2020). *Web Soil Survey*. Retrieved from <https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>

United States Department of the Interior, Bureau of Land Management. (2020). *New Mexico Cave/Karsts*. Retrieved from <https://www.blm.gov/programs/recreation/recreation-programs/caves/new-mexico>

United States Fish and Wildlife. (2020). *National Wetlands Inventory*. Retrieved from <https://www.fws.gov/wetlands/Data/Mapper.html>

Matador Production Company
Tony La Russa State Com 201H/202H

2020 Spill Assessment and Closure
June 2020

Limitations

This report has been prepared for the sole benefit of Matador Production Company (Matador). This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division, without the express written consent of Vertex Resource Services Inc. (Vertex) and Matador. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

ATTACHMENT 1

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NRM2008758101
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Matador Production Company	OGRID: 228937
Contact Name: John Hurt	Contact Telephone: 972-371-5200
Contact email: JHurt@matadorresources.com	Incident # (assigned by OCD)
Contact mailing address: 5400 LBJ Freeway, Suite 1500 Dallas, TX 75240	

Location of Release Source

Latitude 32.253397 Longitude -104.181271
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: Tony La Russa State Com 201H/202H	Site Type: Oil Well-Tank Battery
Date Release Discovered: 01/24/2020	API# (if applicable) 30-015-45964

Unit Letter	Section	Township	Range	County
C	3	24S	27E	Eddy

Surface Owner: ☒ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☒ Produced Water	Volume Released (bbls) 16.60 bbls	Volume Recovered (bbls) 12 bbls
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☒ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release:

Pump seal failure on flowline.

Form C-141

Page 2


State of New Mexico
Oil Conservation Division

Incident ID	NRM2008758101
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☒ No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: 	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>John Hurt</u>	Title: <u>RES Specialist</u>
Signature: <u></u>	Date: <u>3/26/20</u>
email: <u>JHurt@matadorresources.com</u>	Telephone: <u>972-371-5200</u>
<u>OCD Only</u>	
Received by: <u>Ramona Marcus</u>	Date: <u>3/27/2020</u>

Form C-141

State of New Mexico

Page 3

Oil Conservation Division

Incident ID	NRM2008758101
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>60</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☒ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including data and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.


Form C-141

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NRM2008758101
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: John Hurt Title: RES Specialist
Signature:  Date: 7/27/20
email: JHurt@matadorresources.com Telephone: 972-371-5200

OCD Only

Received by: _____ Date: _____

Form C-141

State of New Mexico

Page 6

Oil Conservation Division

Incident ID	NRM2008758101
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: John Hurt Title: RES Specialist
Signature:  Date: 7/27/20
email: JHurt@matadorresources.com Telephone: 972-371-5200

OCD Only


Received by: _____ Date: _____


Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

ATTACHMENT 2





Excavation Extent (~ 3,614 sq. ft.)

Approximate Spill Extent (~ 3,411 sq. ft.)



Base Sample

Point of Release

Wall Sample

Infrastructure (Existing)



FIGURE

2

Confirmatory Sampling Schematic Tony La Russa State Com 201H/202H

NAD 1983 UTM Zone 13N
Date: Jun 11/20Map Center:
Lat/Long: 32.253404, -104.180990

Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not intended for legal, survey, or engineering purposes.

Note: Imagery from Google, 2019.

VERSATILITY. EXPERTISE.

ATTACHMENT 3

Closure Criteria Worksheet			
Site Name: Tony La Russa State Com #201H			
Spill Coordinates:		X: 32.253397	Y: -104.181271
Site Specific Conditions		Value	Unit
1	Depth to Groundwater	67	feet
2	Within 300 feet of any continuously flowing watercourse or any other significant watercourse	4,484	feet
3	Within 200 feet of any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark)	19,921	feet
4	Within 300 feet from an occupied residence, school, hospital, institution or church	10,803	feet
5	i) Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or	10,803	feet
	ii) Within 1000 feet of any fresh water well or spring	10,803	feet
6	Within incorporated municipal boundaries or within a defined municipal fresh water field covered under a municipal ordinance adopted pursuant to Section 3-27-3 NMSA 1978 as amended, unless the municipality specifically approves	No	(Y/N)
7	Within 300 feet of a wetland	20,074	feet
8	Within the area overlying a subsurface mine	No	(Y/N)
9	Within an unstable area (Karst Map)	Low	Critical High Medium Low
10	Within a 100-year Floodplain	>100	year
11	Soil Type		
12	Ecological Classification		
13	Geology		
NMAC 19.15.29.12 E (Table 1) Closure Criteria		>100'	<50' 51-100' >100'

Column1
Critical
High
Medium
Low

Column1
Yes
No

<50'
51-100'
>100'

Tony La Russa distance to Well



5/7/2020, 12:45:27 PM

OSE District Boundary

GIS WATERS PODs

Active

1:9,028



Esri, HERE, Garmin, (c) OpenStreetMap contributors, Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community, Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and

National Flood Hazard Layer FIRMette



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS

- Without Base Flood Elevation (BFE)
Zone A, V, AB9
- With BFE or Depth Zone AE, AO, AH, VE, AR
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD

- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
- Future Conditions 1% Annual Chance Flood Hazard Zone X
- Area with Reduced Flood Risk due to Levee. See Notes, Zone X
- Area with Flood Risk due to Levee Zone D

OTHER AREAS

- Area of Minimal Flood Hazard Zone X
- Effective LOMRs
- Area of Undetermined Flood Hazard Zone D
- Channel, Culvert, or Storm Sewer Levee, Dike, or Floodwall

OTHER FEATURES

- Cross Sections with 1% Annual Chance Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS

- Digital Data Available
- No Digital Data Available
- Unmapped




The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/4/2020 at 4:36:34 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.


This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Active Mines near Tony La Russa 201H



4/4/2020, 2:40:23 PM

1:72,224



U.S. Bureau of Land Management - New Mexico State Office, Sources:
Esri, USGS, NOAA, Sources: Esri, Garmin, USGS, NPS

Tony La Russa State Com 201H/202H

Nearest Town: Loving, NM
Distance: 5.46 miles

Legend

- Feature 1
- Loving
- Loving Baptist Church
- Loving Fire Dept
- Loving Health Center

8th St S 8th St

Loving

Tony La Russa 32.253397, -104.181271

Google Earth

© 2020 Google

2 mi

Column1
Critical
High
Medium
Low

Column1
Yes
No

<50'
51-100'
>100'



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
C	03031	1	3	3	35	23S	27E	578315	3569206*

Driller License: 685	Driller Company: BRAZEAL, JOHN	
Driller Name: WAYNE BRAZEAL		
Drill Start Date: 06/10/2004	Drill Finish Date: 06/16/2004	Plug Date:
Log File Date: 06/24/2004	PCW Rev Date:	Source: Shallow
Pump Type:	Pipe Discharge Size:	Estimated Yield: 50 GPM
Casing Size: 6.00	Depth Well: 150 feet	Depth Water: 67 feet

Water Bearing Stratifications:	Top	Bottom	Description
	139	150	Other/Unknown

Casing Perforations:	Top	Bottom
	90	150

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/7/20 10:49 AM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)										(R=POD has been replaced and no longer serves this file, (quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest) (NAD83 UTM in meters))									
WR File Nbr	Sub basin	Use	Diversion	Owner	County	POD Number	Well Tag	Code	Grant	Source	q	q	q	Sec	Tws	Rng	X	Y	Distance
C 03031	C	DOL	3	ROBBY WALTERSCHEID	ED	C 03031				Shallow	1	3	3	35	23S	27E	578315	3569206*	1381
RA 00873	RA	IRR	0	JEFFREY P SCHULTZ	CH	RA 00873					1	2	1	10	24S	27E	577104	3567159*	1658
C 00364	CUB	CLS	0	A.J. CRAWFORD	ED	C 00364					1	2	09	24S	27E		575997	3567043*	2030
SD 00431	CUB	IRR	840	POLLED ANGUS CATTLE COMPANY OF CARLSBAD	ED	SD 00431					2	10	24S	27E			577807	3566860*	2117
C 00821	C	PRO	0	UNION OIL CO. OF CALIFORNIA	ED	C 00821				Shallow	3	2	09	24S	27E		575996	3566635*	2394
C 00850	C	PRO	0	UNION OIL CO. OF CALIFORNIA	ED	C 00850				Shallow	2	3	09	24S	27E		575595	3566223*	2942
C 02453	C	DOL	3	DAVID M. SQUIRES	ED	C 02453				Shallow	4	4	2	29	23S	27E	574876	3571372*	3319
C 01767	C	DOM	0	WAYNE BRAZEL	ED	C 01767					1	4	29	23S	27E		574375	3571062*	3448
C 04405	C	DOM	1	GABINO GAMINO JR	ED	C 04405 POD1	2236E				4	3	2	29	23S	27E	574384	3571316	3613
C 01366	CUB	EXP	0	HARLEY DAVIS	ED	C 01366				Shallow	4	08	24S	27E			574590	3566003*	3695
C 02377	C	DOM	3	LOUIS G FANNING	ED	C 02377				Shallow	2	29	23S	27E			574575	3571666*	3737
C 03416	CUB	EXP	0	JAMES S DAVIS	ED	C 03416 POD1					3	1	4	08	24S	27E	574271	3566180	3784
C 00518	CUB	IRR	199.5	OTIS MUTUAL DOMESTIC WTR CONSUMERS & SEWER WORKS ASSOC	ED	C 00518 POD2				Shallow	2	4	4	22	23S	27E	578105	3572431*	3785
C 00518 A	CUB	MDW	123.9	OTIS WATER USERS CO OP	ED	C 00518 POD2				Shallow	2	4	4	22	23S	27E	578105	3572431*	3785
C 03219	CUB	EXP	0	OTIS WATER CO-OP	ED	C 00518 POD2				Shallow	2	4	4	22	23S	27E	578105	3572431*	3785
C 01473	CUB	IRR	354	WILLIAM D. COLWELL	ED	C 01473				Shallow	1	1	3	25	23S	27E	579919	3571254*	3812
C 00516	CUB	EXP	72.4	BARBARA DAVIS	ED	C 00516 POD5					1	3	4	08	24S	27E	574286	3565921	3959

*UTM location was derived from PLSS - see Help

4/4/20 2:36 PM

Page 1 of 5

ACTIVE & INACTIVE POINTS OF DIVERSION

(R=POD has been replaced
and no longer serves this file,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

(acre ft per annum)

WR File Nbr	Sub basin	Use	Diversion	Owner	County	POD Number	Well Tag	Code	Grant	Source	6416 4	Sec	Tws	Rng	X	Y	Distance
					ED	C 00516				Shallow	1	3	4	08	24S	27E	3972
					ED	C 00516 POD3					1	3	4	08	24S	27E	3972
					ED	C 00516 S				Shallow	1	3	4	08	24S	27E	3972
					ED	C 00516 S				Shallow	1	3	4	08	24S	27E	3972
					ED	C 02567				Shallow	2	1	2	26	23S	27E	3983
					ED	C 01606					1	2	29	23S	27E		4023
					ED	C 01719					1	2	29	23S	27E		4023
					ED	C 01719					1	2	29	23S	27E		4023
					ED	C 01775					1	2	29	23S	27E		4023
					ED	C 03489 POD1				Shallow	2	4	3	08	24S	27E	4038
					ED	C 03092				Shallow	4	3	1	08	24S	27E	4039
					ED	C 02112				Shallow	1	3	4	13	21S	24E	4043
					ED	C 00631				Shallow	3	3	4	08	24S	27E	4121
					ED	C 01837											4122
					ED	C 03260 POD1				Shallow	3	3	3	12	24S	27E	4160
					ED	C 03260 POD1				Shallow	3	3	3	12	24S	27E	4160
					ED	C 03260 POD1				Shallow	3	3	3	12	24S	27E	4160
					ED	C 03260 POD1				Shallow	3	3	3	12	24S	27E	4160
					ED	C 00518				Shallow	1	1	3	23	23S	27E	4237
					ED	C 00518				Shallow	1	1	3	23	23S	27E	4237
					ED	C 03147											4239

*UTM location was derived from PLSS - see Help

4/4/20 2:36 PM

Page 2 of 5

ACTIVE & INACTIVE POINTS OF DIVERSION

(R=POD has been replaced
and no longer serves this file,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

WR File Nbr	Sub basin	Use	Diversion	Owner	County	POD Number	Well Tag	Code	Grant	Source	q q q			X	Y	Distance			
											6416	4	Sec						
C 03333	C	PRO	0	OGX RESOURCES LLC	ED	C 03147					3	3	3	12	24S	27E	579884	3565715	4239
C 03352	C	PRO	0	NOVA MUD	ED	C 03147					3	3	3	12	24S	27E	579884	3565715	4239
C 01261	CUB	EXP	0	OTIS WATERUSERS COOP.	ED	C 01261				Shallow		21	23S	27E			575780	3572889*	4251
C 00683	C	DOM	3	HARLEY DAVIS	ED	C 00683				Shallow	4	3	08	24S	27E		573986	3565796*	4257
C 01187	C	DOM	3	CAMP LAVELLE ZIA GIRL SCOUT C.	ED	C 01187				Shallow	4	3	08	24S	27E		573986	3565796*	4257
C 00516	CUB	EXP	72.4	JAMES S DAVIS	ED	C 00516	POD6			Shallow	1	4	3	08	24S	27E	573885	3565895*	4261
					ED	C 00516	POD10	NA		Shallow	3	4	3	08	24S	27E	573874	3565722	4388
C 02976	C	STK	3	GEORGE BRANTLEY	ED	C 02976				Shallow	4	2	3	12	24S	27E	580519	3566195*	4394
C 00228 A	CUB	MUN	1246.516	OTIS WATER USERS COOPERATIVE	ED	C 00228	AS2			Shallow	1	1	3	21	23S	27E	575074	3572788*	4412
C 03067	C	DOM	0	BOB RAINES	ED	C 03067					3	3	1	23	23S	27E	578311	3573044*	4431
C 03490	CUB	EXP	0	JAMES DAVIS	ED	C 03490	POD1			Shallow	3	4	3	08	24S	27E	573811	3565709	4442
C 03707	C	PRO	0	BARBARA DAVIS	ED	C 00516	POD9			Shallow	3	4	3	08	24S	27E	573809	3565705	4446
C 03488	C	DOM	1	RAUL AGUIRRE II ONSUREZ	ED	C 03488	POD1			Shallow	4	3	1	23	23S	27E	578430	3573023	4449
C 00054	CUB	IRR	0	ARTHUR LANCASTER	ED	C 00054					1	1	4	25	23S	27E	580727	3571263*	4468
C 02937	C	PRO	0	MEWBOURNE OIL COMPANY	ED	C 02937					3	4	3	12	24S	27E	580315	3565789*	4494
C 02941	C	PRO	0	PATTERSON DRILLING	ED	C 02941					3	4	3	12	24S	27E	580315	3565789*	4494
					ED	C 02941	POD1				3	4	3	12	24S	27E	580315	3565789*	4494
C 00347	CUB	EXP	0	BRANTLEY GEORGE	ED	C 00347				Shallow	1	1	13	24S	27E		580010	3565479*	4498
C 01836	CUB	IRR	0	GEORGE BRANTLEY	ED	C 01836					1	1	13	24S	27E		580010	3565479*	4498
C 00228 A	CUB	MUN	1246.516	OTIS WATER USERS COOPERATIVE	ED	C 00228	A			Shallow	2	2	4	20	23S	27E	574871	3572782*	4498
					ED	C 00228	AS			Shallow	2	2	4	20	23S	27E	574871	3572782*	4498
C 00005	CUB	IRR	0	W H SWEARINGEN	ED	C 00005					1	1	4	23	23S	27E	579113	3572856*	4565

*UTM location was derived from PLSS - see Help

4/4/20 2:36 PM

Page 3 of 5

ACTIVE & INACTIVE POINTS OF DIVERSION

(R=POD has been replaced and no longer serves this file, C=the file is closed)																			(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest) (NAD83 UTM in meters)																		
(acre ft per annum)																																					
WR File Nbr	Sub basin	Use	Diversion	Owner	County	POD Number	Well Tag	Code	Grant	Source	q	q	q	Sec	Tws	Rng	X	Y																			
SP 01349	CUB	IRR	2967.41	NM INTERSTATE STREAM COMM	ED	SP 01349					1	4	12	24S	27E		580832	3566301*																			
C 03869	C	STK	3	DRAPER BRANTLEY JR	ED	C 03869 POD1			NON		1	3	4	12	24S	27E	580677	3566039																			
C 03032	C	DOL	3	GEORGE BRANTLEY	ED	C 03032					4	1	4	12	24S	27E	580931	3566200*																			
C 03253	C	PRO	0	MEWBOURNE OIL	ED	C 03032					4	1	4	12	24S	27E	580931	3566200*																			
C 01646	CUB	IRR	0	GEORGE BRANTLEY	ED	C 01646 X					1	13	24S	27E			580221	3565275*																			
C 01943	C	STK	3	GARY THOMPSON	ED	C 01943					1	13	24S	27E			580221	3565275*																			
C 01263	CUB	EXP	0	OT'S WATER USERS COOP.	ED	C 01263					1	23	23S	27E			578613	3573346*																			
C 03196	C	DOL	3	DIANE WALTERS	ED	C 03196					3	1	3	24	23S	27E	579916	3572672*																			
C 03055	C	DOL	0	GEORGE BRANTLEY	ED	C 03055					2	3	4	12	24S	27E	580930	3565995*																			
C 00365	CUB	IRR	185.7	CARLETON JOE O	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 00464	CUB	IRR	314.245	HENRY E MCDONALD	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 00513	CUB	IRR	1422	PARDUE LIMITED COMPANY	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 00574	CUB	IRR	55.05	TOMMY JR. OR CARLA DUARTE	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 00738	CUB	IRR	343.5	W.J. BURKHAM	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 00750	CUB	IRR	74.7	BETH ANN BOTROS	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 00764	CUB	IRR	117.9	MIKE M. VASQUEZ	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
C 01082	CUB	IRR	240	DAMON U. BOND	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
SD 01886	CUB	IRR	100	DICK CALDERON	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
SP 01927	CUB	CLS	0	UNITED STATES OF AMERICA	ED	SP 01927			C		4	12	24S	27E			581032	3566097*																			
SP 01927 1	CUB	IRR	2171.91	EDWARD F. JUDKINS	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
SP 01927 2	CUB	IRR	796.367	REYNOLDS JOHNSON	ED	SP 01927					4	12	24S	27E			581032	3566097*																			
SP 01927 3	CUB	IRR	144.794	JULIAN SMITH	ED	SP 01927					4	12	24S	27E			581032	3566097*																			

*UTM location was derived from PLSS - see Help

4/4/20 2:36 PM

Page 4 of 5

ACTIVE & INACTIVE POINTS OF DIVERSION

(R=POD has been replaced
and no longer serves this file,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

WR File Nbr	Sub	basin	Use	Diversion	Owner	County	POD Number	Well	Tag	Code	Grant	Source	q	q	q	Sec	Tws	Rng	X	Y	Distance
SP 01927 4	CUB	MDW		2800	UNITED STATES OF AMERICA	ED	SP 01927						4	12	24S	27E			581032	3566097*	4869
SP 01927 5	CUB	IRR		2413.209	D R. HARKEY	ED	SP 01927						4	12	24S	27E			581032	3566097*	4869
SP 01927 6	CUB	IRR		108.596	DANIEL BEACH	ED	SP 01927						4	12	24S	27E			581032	3566097*	4869
SP 01927 7	CUB	IRR		5067.79	EDWARD F. JUDKIN	ED	SP 01927						4	12	24S	27E			581032	3566097*	4869
C 00231 A	CUB	MDW		201.6	MALAGA WATER USERS CO-OP	ED	C 00231 AS					Shallow	4	1	23	23S	27E		578512	3573447*	4877
C 00498	CUB	IRR		9	YGNACIO LOPEZ	ED	C 00498					Shallow	4	1	23	23S	27E		578512	3573447*	4877
C 00498 ENL	CUB	IRR		0	MALAGA WATER USERS ASSOCIATION	ED	C 00498					Shallow	4	1	23	23S	27E		578512	3573447*	4877
C 01353	CUB	EXP		0	MALAGA W.U.A.	ED	C 01353						2	2	30	23S	27E		573163	3571851*	4886
C 03197	C	DOL		3	TANA MUNOZ	ED	C 03197						4	4	3	24	23S	27E	580520	3572274*	4943
C 01283	C	DOM		3	YGNACIO LOPEZ	ED	C 01283					Shallow	1	1	23	23S	27E		578413	3573548*	4943
C 03037	C	DOL		3	GEORGE BRANTLEY	ED	C 03037						4	3	4	12	24S	27E	580930	3565795*	4963
C 02022	C	PRO		0	AMOCO PRODUCTION COMPANY	ED	C 02022					Shallow	1	4	3	31	23S	28E	581941	3569250*	4970
C 02955	C	PRO		0	MARBOB ENERGY	ED	C 02955						1	4	3	31	23S	28E	581941	3569250*	4970
C 03218	C	PRO		0	NADEL & GUSSMAN	ED	C 02022					Shallow	1	4	3	31	23S	28E	581941	3569250*	4970

Record Count: 96

UTM/NAD83 Radius Search (in meters):

Easting (X): 576990.2

Northing (Y): 3568813.47

Radius: 5000

Sorted by: Distance

*UTM location was derived from PLSS - see Help

The data is furnished by the NM/OS/ISC and is accepted by the recipient with the expressed understanding that the OS/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/4/20 2:36 PM

Page 5 of 5


ACTIVE & INACTIVE POINTS OF DIVERSION



U.S. Fish and Wildlife Service

National Wetlands Inventory

Tony La Russa: Pond 19,921 ft




April 4, 2020

Wetlands

- | | | | | | |
|--|--------------------------------|--|-----------------------------------|--|----------|
| | Estuarine and Marine Deepwater | | Freshwater Emergent Wetland | | Lake |
| | Estuarine and Marine Wetland | | Freshwater Forested/Shrub Wetland | | Other |
| | | | Freshwater Pond | | Riverine |

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Tony La Russa 201H

Nearest Residence: 10,803 ft

Residence

Tony La Russa 201H

Legend



Cavern City Dragway




Feature 1

Google Earth

© 2020 Google

1 km



Soil Map—Eddy Area, New Mexico (Tony La Russa 201H)

MAP LEGEND

Area of Interest (AOI)		Area of Interest (AOI)		Soil Area	
Soils		Soil Map Unit Polygons		Stony Spot	
		Soil Map Unit Lines		Very Stony Spot	
		Soil Map Unit Points		Wet Spot	
		Special Point Features		Other	
		Blowout		Special Line Features	
		Borrow Pit		Water Features	
		Clay Spot		Streams and Canals	
		Closed Depression		Transportation	
		Gravel Pit		Rails	
		Gravelly Spot		Interstate Highways	
		Landfill		US Routes	
		Lava Flow		Major Roads	
		Marsh or swamp		Local Roads	
		Mine or Quarry		Background	
		Miscellaneous Water		Aerial Photography	
		Perennial Water			
		Rock Outcrop			
		Saline Spot			
		Sandy Spot			
		Severely Eroded Spot			
		Sinkhole			
		Slide or Slip			
		Sodic Spot			

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 15, Sep 15, 2019

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 31, 2009—Jun 10, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
RA	Reagan loam, 0 to 3 percent slopes	0.2	100.0%
Totals for Area of Interest		0.2	100.0%



Eddy Area, New Mexico

RA—Reagan loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5c

Elevation: 1,100 to 4,400 feet

Mean annual precipitation: 7 to 14 inches

Mean annual air temperature: 60 to 70 degrees F

Frost-free period: 200 to 240 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Reagan and similar soils: 98 percent

Minor components: 2 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Reagan

Setting

Landform: Alluvial fans, fan remnants

Landform position (three-dimensional): Rise

Down-slope shape: Linear, convex

Across-slope shape: Linear

Parent material: Alluvium and/or eolian deposits

Typical profile

H1 - 0 to 8 inches: loam

H2 - 8 to 60 inches: loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat):

Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum in profile: 40 percent

Salinity, maximum in profile: Very slightly saline to moderately saline (2.0 to 8.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 1.0

Available water storage in profile: Moderate (about 8.2 inches)

Interpretive groups

Land capability classification (irrigated): 2e

Land capability classification (nonirrigated): 6e

Hydrologic Soil Group: B

Ecological site: Loamy (R042XC007NM)



Map Unit Description: Reagan loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Tony La Russa 201H

Hydric soil rating: No

Minor Components

Upton

Percent of map unit: 1 percent

Ecological site: Shallow (R042XC025NM)

Hydric soil rating: No

Atoka

Percent of map unit: 1 percent

Ecological site: Loamy (R042XC007NM)

Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico

Survey Area Data: Version 15, Sep 15, 2019





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

		POD														
		Sub-														
POD Number	Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column	
C 03031		C	ED	1	3	3	35	23S	27E	578315	3569206*🌐	1381	150	67	83	
C 00364	C	CUB	ED		1	2	09	24S	27E	575997	3567043*🌐	2030	2270			
C 00821		C	ED		3	2	09	24S	27E	575996	3566635*🌐	2394	97	50	47	
C 00850		C	ED		2	3	09	24S	27E	575595	3566223*🌐	2942	108	35	73	
C 02453		C	ED	4	4	2	29	23S	27E	574876	3571372*🌐	3319	210	175	35	
C 01366		CUB	ED			4	08	24S	27E	574590	3566003*🌐	3695	60	35	25	
C 02377		C	ED			2	29	23S	27E	574575	3571666*🌐	3737	232	170	62	
C 00518 POD2		CUB	ED	2	4	4	22	23S	27E	578105	3572431*🌐	3785	220	98	122	
C 00516		CUB	ED	1	3	4	08	24S	27E	574288	3565901*🌐	3972	105	36	69	
C 00516 CLW201016	O	CUB	ED	1	3	4	08	24S	27E	574288	3565901*🌐	3972	62			
C 00516 CLW308590	O	CUB	ED	1	3	4	08	24S	27E	574288	3565901*🌐	3972	105	36	69	
C 00516 S		CUB	ED	1	3	4	08	24S	27E	574288	3565901🌐	3972	50	17	33	
C 02567		C	ED	2	1	2	26	23S	27E	579314	3572049*🌐	3983	187	89	98	
C 03489 POD1		CUB	ED	2	4	3	08	24S	27E	574153	3565939🌐	4038	200			
C 03092		C	ED	4	3	1	08	24S	27E	573678	3566501*🌐	4039	54	37	17	
C 02112		C	ED	1	3	4	13	21S	24E	573831	3571337🌐	4043	182	119	63	
C 00631		C	ED	3	3	4	08	24S	27E	574288	3565701*🌐	4121	50	24	26	
C 03260 POD1		C	ED	3	3	3	12	24S	27E	579995	3565935🌐	4160	80	56	24	
C 03260 POD2	O	C	ED	1	3	3	12	24S	27E	580100	3565984🌐	4204	80	56	24	
C 00518		CUB	ED	1	1	3	23	23S	27E	578310	3572840*🌐	4237	178			
C 03147		C	ED	3	3	3	12	24S	27E	579885	3565715🌐	4239	140			
C 01261		CUB	ED				21	23S	27E	575780	3572889*🌐	4251	250			
C 00683		C	ED		4	3	08	24S	27E	573986	3565796*🌐	4257	50	17	33	
C 01187		C	ED		4	3	08	24S	27E	573986	3565796*🌐	4257	108	17	91	
C 00516 POD6		CUB	ED	1	4	3	08	24S	27E	573885	3565895*🌐	4261	78	17	61	
C 00518 CLW197989	O	CUB	ED	2	1	3	23	23S	27E	578510	3572840*🌐	4303	210			

*UTM location was derived from PLSS - see Help

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub- Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 00516 POD10	CUB	ED		3	4	3	08	24S	27E	573875	3565722	4388	160	45	115
C 02976	C	ED		4	2	3	12	24S	27E	580519	3566195*	4394	57	27	30
C 03490 POD1	CUB	ED		3	4	3	08	24S	27E	573812	3565709	4442	140	23	117
C 03488 POD1	C	ED		4	3	1	23	23S	27E	578430	3573023	4449	217	122	95
C 00347	CUB	ED			1	1	13	24S	27E	580010	3565479*	4498	60	30	30
C 01943	C	ED				1	13	24S	27E	580221	3565275*	4791	30	25	5
C 00010 CLW191724	O	CUB	ED	2	3	2	25	23S	27E	580926	3571666*	4860	259		
C 00231 AS	CUB	ED		4	1	1	23	23S	27E	578512	3573447*	4877	230	100	130
C 00498	CUB	ED		4	1	1	23	23S	27E	578512	3573447*	4877	210	120	90
C 00498 CLW194833	O	CUB	ED	4	1	1	23	23S	27E	578512	3573447*	4877	165	80	85
C 03037	C	ED		4	3	4	12	24S	27E	580930	3565795*	4963	116	25	91

Average Depth to Water: **60 feet**

Minimum Depth: **17 feet**

Maximum Depth: **175 feet**

Record Count: 37

UTMNAD83 Radius Search (in meters):

Easting (X): 576990.2

Northing (Y): 3568813.47

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Tony La Russa: Watercourse 4,484 ft



This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

April 4, 2020

Wetlands

- | | | | | | |
|---|--------------------------------|---|-----------------------------------|---|----------|
|  | Estuarine and Marine Deepwater |  | Freshwater Emergent Wetland |  | Lake |
|  | Estuarine and Marine Wetland |  | Freshwater Forested/Shrub Wetland |  | Other |
| | |  | Freshwater Pond |  | Riverine |



New Mexico Office of the State Engineer

Wells with Well Log Information

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(in feet)

POD Number	Sub-Code	basin	County	Source	q q q q				Tw	S	Rng	X	Y	Distance	Start Date	Finish Date	Log File	Depth		Driller	License Number
					6	4	1	6										Well	Water		
C 03031	C	ED	Shallow	1	3	3	3	23S	27E	578315	3569206*		1381	06/10/2004	06/16/2004	06/24/2004	150	67	WAYNE BRAZEAL	685	
C 00364	C	CUB	ED	1	2	09	24S	27E	575997	3567043*		2030		07/01/1958			2270		TEXAS CO. W-W DRLG. CO.		
C 00821	C	ED	Shallow	3	2	09	24S	27E	575996	3566635*		2394	02/28/1958	03/01/1958	03/12/1958	97	50	M. ABBOTT	46		
C 00850	C	ED	Shallow	2	3	09	24S	27E	575595	3566223*		2942	09/06/1958	09/09/1958	09/22/1958	108	35	C. H. DONOWHO	270		
C 02453	C	ED	Shallow	4	4	2	29	23S	27E	574876	3571372*		3319	02/24/1996	02/24/1996	04/02/1996	210	175	FELKINS, MICHAEL	763	
C 01366	CUB	ED	Shallow	4	08	24S	27E	574590	3566003*		3695	11/24/1966	11/26/1966	07/06/1967	60	35	EMMETT BARRON	30			
C 02377	C	ED	Shallow	2	29	23S	27E	574575	3571666*		3737	05/24/1998	05/30/1998	08/24/1998	232	170		1348			
C 00518 POD2	CUB	ED	Shallow	2	4	4	22	23S	27E	578105	3572431*		3785	03/15/2006	06/14/2006	08/31/2008	220	98	BRINNSTOOL, M.D.	24	
C 01473	CUB	ED	Shallow	1	1	3	25	23S	27E	579919	3571254*		3812		06/27/1972						
C 00516	CUB	ED	Shallow	1	3	4	08	24S	27E	574288	3565901*		3972	01/22/1955	01/27/1955	03/02/1955	105	36	BARRON, EMMETT	30	
C 00516 CLW308590	O	CUB	ED	Shallow	1	3	4	08	24S	27E	574288	3565901*		3972	01/22/1955	01/27/1955	03/02/1955	105	36	BARRON, EMMETT	30
C 00516 S	CUB	ED	Shallow	1	3	4	08	24S	27E	574288	3565901		3972	03/10/1956	03/15/1956	04/18/1956	50	17	NM LICENSED DRILLER	30	
C 02567	C	ED	Shallow	2	1	2	26	23S	27E	579314	3572049*		3983	04/01/1998	04/07/1998	05/05/1998	187	89		1348	
C 03489 POD1	CUB	ED	Shallow	2	4	3	08	24S	27E	574153	3565939		4038	06/27/2011	06/28/2011	06/18/2012	200		JASON MALEY (LD)	1690	
C 03092	C	ED	Shallow	4	3	1	08	24S	27E	573678	3566501*		4039	05/17/2004	05/18/2004	07/16/2004	54	37		1348	
C 02112	C	ED	Shallow	1	3	4	13	21S	24E	573831	3571337		4043	07/06/1985	07/15/1985	11/15/1985	182	119	JAMES A. AMOS	1041	

*UTM location was derived from PLSS - see Help

4/3/20 3:57 PM

Page 1 of 3

WELLS WITH WELL LOG INFORMATION

(A CLW#### in the
POD suffix indicates
the POD has been
replaced & no longer
serves a water right
file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(in feet)

POD Number	POD	Sub-Code	basin	County	Source	q	q	q	q	Sec	Tws	Rng	X	Y	Distance	Start Date	Finish Date	Log File	Depth Well	Depth Water	Driller	License Number
C 00631		C	ED	Shallow	6416	3	3	4	08	24S	27E	574288	3565701*		4121	02/09/1955	02/11/1955	03/02/1955	50	24	EMMETT BARRON	30
C 03260 POD1		C	ED	Shallow		3	3	3	12	24S	27E	579995	3565935		4160	11/02/2008	11/02/2008	11/07/2008	80	56		1348
C 03260 POD2		O	C	ED	Shallow	1	3	3	12	24S	27E	580100	3565984		4204	11/02/2008	11/02/2008	11/07/2008	80	56		1348
C 00518		CUB	ED	Shallow	1	1	3	23	23S	27E		578310	3572840*		4237	07/31/1957	09/30/1958		178		NM LICENSED DRILLER	24
C 03147		C	ED			3	3	3	12	24S	27E	579885	3565715		4239	03/10/2005	03/11/2005	03/21/2005	140			1348
C 01261		CUB	ED	Shallow								575780	3572889*		4251	03/01/1964	03/11/1964	08/26/1965	250		BURGETT DRILLING	248
C 00683		C	ED	Shallow		21	23S	27E				573986	3565796*		4257	03/08/1956	03/10/1956	03/27/1956	50	17		30
C 01187		C	ED	Shallow	4	3	08	24S	27E			573986	3565796*		4257	05/24/1964	05/28/1964	06/01/1964	108	17	SPENCER, DAVID A.	138
C 00516 POD6		CUB	ED	Shallow	1	4	3	08	24S	27E		573885	3565895*		4261	05/08/2006	05/09/2006	07/31/2006	78	17	CLINT TAYLOR	1348
C 00516 POD10		CUB	ED	Shallow	3	4	3	08	24S	27E		573875	3565722		4388	08/21/2018	08/22/2018	09/24/2018	160	45	JASON MALEY	1690
C 02976		C	ED	Shallow	4	2	3	12	24S	27E		580519	3566195*		4394	09/26/2003	09/27/2003	09/29/2003	57	27	EXISTING WELL	1348
C 03490 POD1		CUB	ED	Shallow	3	4	3	08	24S	27E		573812	3565709		4442	06/29/2011	06/30/2011	06/18/2012	140	23	JASON MALEY (LD)	1690
C 03488 POD1		C	ED	Shallow	4	3	1	23	23S	27E		578430	3573023		4449	05/08/2011	05/10/2011	05/31/2011	217	122	TAYLOR, CLINTON E.	1348
C 00347		CUB	ED	Shallow	1	1	13	24S	27E			580010	3565479*		4498	07/02/1974	06/25/1976	07/01/1976	60	30	BRININSTOOL, M.D.	24
C 01943		C	ED			1	13	24S	27E			580221	3565275*		4791	09/15/1981	09/25/1981	06/11/1982	30	25	DON THOMPSON	961
C 00010 CLW191724		O	CUB	ED	Shallow	2	3	2	25	23S	27E	580926	3571666*		4860	08/06/1954	08/18/1954	01/31/1955	259		J.R.JOLLEY	
C 00498		CUB	ED	Shallow	4	1	1	23	23S	27E		578512	3573447*		4877	01/27/1954	01/31/1954	03/30/1955	210	120	SAM S. SMITH	108
C 00498 CLW194833		O	CUB	ED	Shallow	4	1	1	23	23S	27E	578512	3573447*		4877	01/27/1954	12/31/1958	03/30/1955	165	80	UNKNOWN	108
C 03037		C	ED	Shallow	4	3	4	12	24S	27E		580930	3565795*		4963	07/30/2004	07/31/2004	09/13/2004	116	25		1348

*UTM location was derived from PLSS - see Help

4/3/20 3:57 PM

Page 2 of 3

WELLS WITH WELL LOG INFORMATION

(A CLW#### in the
POD suffix indicates
the POD has been
replaced & no longer
serves a water right
file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(in feet)

POD Number	POD Sub-Code	basin	County	Source	q	q	q	X	Y	Distance	Start Date	Finish Date	Log File	Depth Well	Depth Water	Driller	License Number
------------	--------------	-------	--------	--------	---	---	---	---	---	----------	------------	-------------	----------	------------	-------------	---------	----------------

Record Count: 35

UTM NAD83 Radius Search (in meters):

Easting (X): 576990.2

Northing (Y): 3568813.47

Radius: 5000

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

4/3/20 3:57 PM

Page 3 of 3

WELLS WITH WELL LOG INFORMATION

Tony La Russa: Wetland 20,074 ft



This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

April 4, 2020

Wetlands

- | | | | |
|---|-----------------------------------|---|----------|
|  | Estuarine and Marine Deepwater |  | Lake |
|  | Estuarine and Marine Wetland |  | Other |
|  | Freshwater Emergent Wetland |  | Riverine |
|  | Freshwater Forested/Shrub Wetland | | |
|  | Freshwater Pond | | |

ATTACHMENT 4



Daily Site Visit Report

Client:	Matador Resources	Inspection Date:	3/19/2020
Site Location Name:	Tony La Russa State Com 201H/202H	Report Run Date:	3/19/2020 11:36 PM
Project Owner:	John Hurt	File (Project) #:	20E-00239
Project Manager:	Natalie Gordon	API #:	30-015-45964
Client Contact Name:	John Hurt	Reference	3/18/2020 - 12 bbls PW Spill
Client Contact Phone #:			

Summary of Times	
Left Office	3/19/2020 11:41 AM
Arrived at Site	3/19/2020 12:27 PM
Departed Site	3/19/2020 4:00 PM
Returned to Office	3/19/2020 5:26 PM

Daily Site Visit Report



Site Sketch

Spill Response and Sampling

Method of 3119
Tony Le Russa

Sample ID	Depth (ft)	Time (hrs)	Temperature (°F)	Color	Odor	pH	Specific Gravity	Viscosity (cP)	Settling Time (min)	Remarks
BH1	0.5									5.6/7.5
BH2	0.5									0.37/18.7
BH3	0.5									0.27/8.8
BH4	0.5									6.2/20.1
SS1	0.5									0.35/16.9
SS2	0.5									0.34/16.6
SS3	0.5									7.4/19.6
SS4	0.5									0.27/17.0
BH4	0.5									0.17/17.7
SS1	0.5									10.1/18.5
SS2	0.5									1.6/17.6
SS3	0.5									0.09/17.8
SS4	0.5									0.37/17.7
BH4	0.5									0.09/18.4
SS1	0.5									0.14/17.1
SS2	0.5									0.14/18.5
SS3	0.5									0.19/16.9
SS4	0.5									0.08/16.2
BH4	0.5									0.31/19.5
SS1	0.5									0.4/17.0
BH4	0.5									0.32/16.8

0.09/19.7
0.38/18.5

Daily Site Visit Report

[illegible]



Daily Site Visit Report

Summary of Daily Operations	Next Steps & Recommendations
12:41 Characterize spill area on pad and off pad. Delineation vertically and horizontally. Part of spill is behind equipment underneath piping 14:08 Area on pad has been driven through and could use possible surface scrape where roadway goes through 16:27 Area off pad on the east side seems to have been deepest spot to clean up, fluid seemed to have puddled up and sat in this area. Soil was very loamy in pasture and under pad about 0.5 inches got loamy under what they used to build the pad. Top 0.5 inches was very rocky and hard packed	1 Wait on lab analysis 2 Get six inch scrape completed to keep chlorides from going any deeper 3 Develop work plan for remediation on off pad area in pasture 4 Possibly scrape roadway on pad for possible tracking of pw via vehicles

Daily Site Visit Report



Site Photos

Viewing Direction: East  DESCRIPTION: Spill Viewing Direction: East Location: North side of point of release Date: 7/19/2020 Time: 11:36 PM UTC	Viewing Direction: East  DESCRIPTION: Spill Viewing Direction: East Location: South side of point of release Date: 7/19/2020 Time: 11:36 PM UTC
Viewing Direction: Northeast  DESCRIPTION: Spill Viewing Direction: Northeast Location: North side of point of release Date: 7/19/2020 Time: 11:36 PM UTC	Viewing Direction: Southeast  DESCRIPTION: Spill Viewing Direction: Southeast Location: South side of point of release Date: 7/19/2020 Time: 11:36 PM UTC



Daily Site Visit Report

Viewing Direction: East		Viewing Direction: Southeast	
Spill area going off pad on east side		Spill area on east side of off pad area	
Viewing Direction: North		Viewing Direction: West	
Spill area on east side of off pad area		Spill area off pad on east side	

Daily Site Visit Report



Daily Site Visit Signature

Inspector: Monica Peppin

Signature:

A handwritten signature in black ink, appearing to be 'MP', written over a light blue horizontal line.



Daily Site Visit Report

Client:	Matador Resources	Inspection Date:	4/20/2020
Site Location Name:	Tony La Russa State Com 201H/202H	Report Run Date:	4/20/2020 11:17 PM
Project Owner:	John Hurt	File (Project) #:	20E-00239
Project Manager:	Natalie Gordon	API #:	30-015-45964
Client Contact Name:	John Hurt	Reference	3/18/2020 - 12 bbls PW Spill
Client Contact Phone #:			

Summary of Times	
Left Office	4/20/2020 6:15 AM
Arrived at Site	4/20/2020 6:50 AM
Departed Site	
Returned to Office	

Summary of Daily Operations

7:58 Begin excavation of pasture area on east side of tank battery and pad area on north side of tank battery.
15:33 Excavation to continue into tomorrow. Pasture area is complete with fencing around deeper excavated spot

Next Steps & Recommendations

- 1 Collect confirmation samples
- 2 Continue guiding excavation with field screens

Daily Site Visit Report



Site Photos

Viewing Direction: South  Disclaimer Photo Viewing Direction: South Date: 4/20/2020 11:17:17 AM Camera: Android 9.0.0 (Pixel 2 XL) Location: Latitude: 34.1111, Longitude: -118.1111	Viewing Direction: South  Disclaimer Photo Viewing Direction: South Date: 4/20/2020 11:17:17 AM Camera: Android 9.0.0 (Pixel 2 XL) Location: Latitude: 34.1111, Longitude: -118.1111
Pasture excavation depth of 2 ft	Hand dig area around equipment on north side of containment
Viewing Direction: East  Disclaimer Photo Viewing Direction: East Date: 4/20/2020 11:17:17 AM Camera: Android 9.0.0 (Pixel 2 XL) Location: Latitude: 34.1111, Longitude: -118.1111	Viewing Direction: Southeast  Disclaimer Photo Viewing Direction: Southeast Date: 4/20/2020 11:17:17 AM Camera: Android 9.0.0 (Pixel 2 XL) Location: Latitude: 34.1111, Longitude: -118.1111
Start of excavation on pad	Excavated area where spill had went into pasture

Daily Site Visit Report



Viewing Direction: West	Excavation Photo Showing Excavation When Cattle Moved to the off pad to pasture (Cattle Subject, Lamp, 10/15/2006)	Fenced in area around spot excavated to 2 ft
Viewing Direction: Northwest	Excavation Photo Showing Excavation When Cattle Moved to the off pad to pasture (Cattle Subject, Lamp, 10/15/2006)	Excavation area coming from off pad to pasture

Daily Site Visit Report



Daily Site Visit Signature

Inspector: Monica Peppin

Signature:



Daily Site Visit Report

Client:	Matador Resources	Inspection Date:	4/21/2020
Site Location Name:	Tony La Russa State Com 201H/202H	Report Run Date:	4/21/2020 8:33 PM
Project Owner:	John Hurt	File (Project) #:	20E-00239
Project Manager:	Natalie Gordon	API #:	30-015-45964
Client Contact Name:	John Hurt	Reference	3/18/2020 - 12 bbls PW Spill
Client Contact Phone #:			

Summary of Times	
Left Office	4/21/2020 6:30 AM
Arrived at Site	4/21/2020 7:00 AM
Departed Site	4/21/2020 1:10 PM
Returned to Office	

Daily Site Visit Report



Site Sketch

Site Address		Site Sketch		Site Collection	
10000 Tony La Russa					
Sample ID	Depth (ft)	Soil Type	Soil Moisture (%)	Soil Temperature (°F)	Soil Moisture (%)
BS1	0.5	11:15	0.77/23.1	0.99/30.6	0.49/23.8
BS2	0.5	11:25	0.31/31.5	0.21/27.0	0.34/26.0
BS3	0.5	11:35	0.24/23.4	0.32/27.5	0.78/23.8
BS4	0.5	11:45	0.80/29.6	0.64/23.0	0.20/26.5
BS5	0.5	11:55	0.34/21.1	0.31/21.3	0.30/28.0
BS6	2	12:05	0.23/26.2	0.35/27.6	1.31/23.9
BS7	2	12:15			
BS8	2	12:25			
WS1	0-0.5	11:06			
WS2	0-0.5	9:30			
WS3	0-0.5	9:40			
WS4	0-0.5	9:50			
WS5	0-0.5	10:00			
WS6	0-2	10:10			
WS7	0-2	10:20			
WS8	0-2	10:30			
WS9	0-0.5	10:40			
WS10	0-0.5	10:50			



Daily Site Visit Report





Daily Site Visit Report

Summary of Daily Operations
9:26 Continue guidance of excavation. Collect confirmation samples throughout excavation of base and side walls, map out excavation area and sample points
Next Steps & Recommendations

- 1 Await lab analysis
- 2 Complete backfill
- 3 Start closure report



Daily Site Visit Report

Site Photos

Viewing Direction: West  Describe Photo Viewing Direction: West Date: Pad area excavated on north side of containment Camera: A115008 13:23:47 PM Location: Long 104.181268	Viewing Direction: South  Describe Photo Viewing Direction: South Date: Hand dig area underneath equipment Camera: A115008 13:23:47 PM Location: Long 104.181268
Viewing Direction: East  Describe Photo Viewing Direction: East Date: Excavated area on pad going towards pasture Camera: A115008 13:23:47 PM Location: Long 104.181268	Viewing Direction: Southeast  Describe Photo Viewing Direction: Southeast Date: Excavated area following road way from pad to pasture excavation Camera: A115008 13:23:47 PM Location: Long 104.181268



Daily Site Visit Report

Viewing Direction: South		2 ft excavation area on east side of pad in pasture
Viewing Direction: North		Pad area excavation towards risers
Viewing Direction: South		Pasture excavation 0.5 inch leading to 2 ft area
Viewing Direction: Northwest		2 ft excavation area going back towards pad area where 0.5 inch excavation occurred



Daily Site Visit Report

Viewing Direction: West



Side wall near containment of excavation

Daily Site Visit Report



Daily Site Visit Signature

Inspector: Monica Peppin

Signature:

TEXAS NON-HAZARDOUS OILFIELD WASTE MANIFEST (PLEASE PRINT) *REQUIRED INFORMATION*		Company Main Contact Information Name: <u>Tommy K. P. 198912</u> Phone No: <u>409-455-964</u>	
GENERATOR		NO. 198912	
Operator No. _____ Operator's Name: <u>Malinda Roseberry</u> Address: _____ City, State, Zip: <u>740-380-1801/972711</u> Phone No: <u>409-455-964</u>		Permit/RRC No. _____ Lease/Well Name & No.: <u>Key 1a Key 5+1m-201-H</u> County: <u>2015-455-964</u> API No. _____ A/R Name & No. _____ AFE/PO No. _____	
EXEMPT E&P Waste/Service Identification and Amount (place volume next to waste type in barrels or cubic yards)			
Oil Based Muds _____ Oil Based Cuttings _____ Water Based Muds _____ Water Based Cuttings _____ Produced Formation Solids _____ Tank Bottoms _____ E&P Contaminated Soil <u>20 yds</u> Gas Plant Waste _____		NON-INJECTABLE WASTE Washout Water (Non-Injectable) _____ Completion Fluid/Flow back (Non-Injectable) _____ Produced Water (Non-Injectable) _____ Gathering Line Water/Waste (Non-Injectable) _____ INTERNAL USE ONLY Truck Washout (exempt waste) _____ OTHER EXEMPT WASTES (use 504 permit codes below as the basis) <u>bulky dump</u>	
WASTE GENERATION PROCESS: ☐ DRILLING ☐ COMPLETION ☐ PRODUCTION ☐ GATHERING LINES			
NON-EXEMPT E&P Waste/Service Identification and Amount			
All non-exempt E&P waste must be properly labeled to include the threshold limits for toxicity (TCLP), ignitability, corrosivity and reactivity. Non-Exempt Other: _____ *please select from Non-Exempt Waste List on back			
QUANTITY: _____ B - BARRELS _____ Y - YARDS _____ E - EACH			
I hereby certify that the above listed material(s), is (are) not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law. That each waste has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulation.			
☐ RCRA EXEMPT: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (R360 Accepts certifications on a per load basis only). ☐ RCRA NON-EXEMPT: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided) ☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☐ Other (Provide Description Below)			
<u>Joshua Rodriguez</u> (PRINT) AUTHORIZED AGENTS SIGNATURE		<u>4-20-20</u> DATE	
TRANSPORTER			
Transporter's Name: <u>OK Trucking</u> Address: <u>Per 2 Trucking E 16+ S 66</u> Phone No: <u>7201 Kancha Rd</u> <u>409-455-964</u>		Driver's Name: <u>Travis D. M.</u> Print Name: _____ Phone No: _____ Truck No: <u>6066/VHP 4089</u>	
I hereby certify that the above named material(s) was/were picked up at the Generator's site listed above and delivered without incident to the disposal facility listed below.			
<u>4-20-20</u> DEPARTURE DATE		<u>4-20</u> DELIVERY DATE	
TRUCK TIME STAMP		DISPOSAL FACILITY	
IN: <u>11:40 AM</u> OUT: _____		RECEIVING AREA Name/No. <u>20151</u>	
Site Name/Permit No.: <u>Red Bluff Facility/ 5TF-065</u> Address: <u>5053 US Highway 285, Oris, TX 79770</u>		Phone No. <u>432-448-4239</u>	
NORM READINGS TAKEN? (Circle One) YES ☐ NO ☒		If YES, was reading > 50 micro roentgens? (circle one) YES ☐ NO ☒	
Chemical Analysis (Mg/l) _____ Chloride _____		Conductivity (mmhos/cm) _____ pH _____	
TANK BOTTOMS			
1st Gauge _____ 2nd Gauge _____ Received _____		Feet _____ Inches _____ BSW/BBLS Received _____ Free Water _____ Total Received _____	
I hereby certify that the above load material has been (circle one): ACCEPTED ☒ DENIED ☐ If denied, why? _____			
<u>Joshua Rodriguez</u> NAME (PRINT)		<u>4/20/20</u> DATE	
<u>Travis D. M.</u> NAME (PRINT)		<u>Travis D. M.</u> SIGNATURE	

White - ORIGINAL Blue - TRANSPORTER Yellow - GENERATOR

Version 1



TEXAS NON-HAZARDOUS OILFIELD WASTE MANIFEST

Company Main Contact Information

(PLEASE PRINT)

REQUIRED INFORMATION

Name

Phone No.

GENERATOR

NO.

198923

Operator No.

Operator's Name

Address

City, State, Zip

Phone No.

Permit/WBC No.

Lease/Well

Name & No.

County

API No.

Rig Name & No.

AFE/PO No.

EXEMPT E&P Waste/Service Identification and Amount (place volume next to waste type in barrels or cubic yards)

Oil Based Fluids	Non-Injectable Waters	OTHER EXEMPT WASTES (describe generation volume and type of waste)
Oil Based Cuttings	Washout Water (Non-Injectable)	
Water Based Muds	Completion Fluid/Flow back (Non-Injectable)	
Water Based Cuttings	Produced Water (Non-Injectable)	
Produced Formation Solids	Gathering Line Water/Waste (Non-Injectable)	
Tank Bottoms	INTERMEDIATE WASTE	
ESP Contaminated Soil	Truck Washout (exempt waste)	
Gas Plant Waste		

WASTE GENERATION PROCESS

☐ DRILLING☐ COMPLETION☐ PRODUCTION☐ GATHERING LINES

NON-EXEMPT E&P Waste/Service Identification and Amount

All Non-exempt E&P waste must be analyzed and certified by the disposal facility for toxicity (TCDF), solubility, corrosivity and reactivity.

Non-Exempt Other

*please select from Non-Exempt Waste List on back

QUANTITY

B - BARRELS

Y - YARDS

E - EACH

I hereby certify that the above listed material(s), is (are) not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law. That each waste has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulation.

☐ RCRA EXEMPT:

Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (R360 Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☐ MSDS information☐ RCRA Hazardous Waste Analysis☐ Other (Provide Description Below)

(PRINT) AUTHORIZED AGENT'S SIGNATURE

DATE

SIGNATURE

TRANSPORTER

Transporter's

Name

Address

Phone No.

Driver's Name

Print Name

Phone No.

Truck No.

I hereby certify that the above named material(s) was/were picked up at the Generator's site listed above and delivered without incident to the disposal facility listed below.

SHIPMENT DATE

DRIVER'S SIGNATURE

DELIVERY DATE

DRIVER'S SIGNATURE

TRUCK TIME STAMP

DISPOSAL FACILITY

RECEIVING AREA

IN:

OUT:

Name/No.

Site Name/

Permit No.

Address

Red Bluff Facility/ STF-065

Phone No.

432-448-4229

NORM READINGS TAKEN? (Circle One)

YES

NO

If YES, was reading > 50 micro roentgens? (circle one)

YES

NO

Chemical Analysis (Mg/l)

Conductivity (microhm/cm)

pH

TANK BOTTOMS

1st Gauge
2nd Gauge
Received

Feet

Inches

R&W/BBLS Received

Free Water

Total Received

R&W (IN)

I hereby certify that the above load material has been (circle one):

ACCEPTED

DENIED

If denied, why?

NAME (PRINT)

DATE

TITLE

SIGNATURE

White - ORIGINAL Blue - TRANSPORTER Yellow - GENERATOR

Version 1



TEXAS NON-HAZARDOUS OILFIELD WASTE MANIFEST

Company Main Contact Information

(PLEASE PRINT)

REQUIRED INFORMATION

Name Tracy L. BrownPhone No. 214-246-7167

GENERATOR

NO.

198934

Operator No.

Operator's Name

Address

City, State, Zip

Phone No.

Permit/ABC No.

Lease/Well

Name & No.

County

API No.

Rig Name & No.

APE/PO No.

EXEMPT E&P Waste/Service Identification and Amount (place volume next to waste type in barrels or cubic yards)

Oil Based Muds	NON-EXEMPT WASTES	OTHER EXEMPT WASTES (Name and generation amount of the waste)
Oil Based Cuttings	Washout Water (Non-Injectable)	
Water Based Muds	Completion Fluid/Flow back (Non-Injectable)	
Water Based Cuttings	Produced Water (Non-Injectable)	
Produced Formation Solids	Gathering Line Water/Waste (Non-Injectable)	
Tank Bottoms	Drilling Mud Only	
E&P Contaminated Soil	Truck Washout (exempt waste)	
Gas Plant Waste		

WASTE GENERATION PROCESS: ☐ DRILLING ☐ COMPLETION ☐ PRODUCTION ☐ GATHERING LINES

NON-EXEMPT E&P Waste/Service Identification and Amount

All non-exempt E&P waste must be analyzed and be below the threshold limits for toxicity (RCRA), leachability, combustibility, and reactivity.

Non-Exempt Other

*Please select from Non-Exempt Waste List on back

QUANTITY

B - BARRELS

70 Y - YARDS

E - EACH

I hereby certify that the above listed material(s), is (are) not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law. That each waste has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulation.

☒ RCRA EXEMPT:

Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (R360 Accepts certifications on a per load basis only)

☐ RCRA NON-EXEMPT:

Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.23-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided)

☒ MSDS information☐ RCRA Hazardous Waste Analysis☐ Other (Provide Description Below)

John Rodriguez

DATE

SIGNATURE

TRANSPORTER

Transporter's Name

Address

Phone No.

Driver's Name

Print Name

Phone No.

Truck No.

I hereby certify that the above named material(s) was/were picked up at the Generator's site listed above and delivered without incident to the disposal facility listed below.

SHIPMENT DATE

DRIVER'S SIGNATURE

DELIVERY DATE

DRIVER'S SIGNATURE

TRUCK TIME STAMP

IN:

OUT:

DISPOSAL FACILITY

RECEIVING AREA

Name/No.

Site Name/

Permit No.

Address

Red Bluff Facility/ STF-065

3053 US Highway 285, Orta, TX 79770

Phone No.

432-448-4239

NORM READINGS TAKEN? (Circle One)

YES

NO

If YES, was reading > 50 micro roentgens? (circle one)

YES

NO

Chemical Analysis (Mg/L)

Chloride

Conductivity (mmhos/cm)

pH

TANK BOTTOMS

Feet

Inches

1st Gauge

2nd Gauge

Received

BS&W/BBL'S Received

Free Water

Total Received

BS&W (%)

I hereby certify that the above load material has been (circle one)

ACCEPTED

DENIED

If denied, why?

WASTE (PRINT)

DATE

TITLE

SIGNATURE

White - ORIGINAL

Blue - TRANSPORTER

Yellow - GENERATOR

Version 1

R360		TEXAS NON-HAZARDOUS OILFIELD WASTE MANIFEST		Company Main Contact Information	
		(PLEASE PRINT) *REQUIRED INFORMATION*		Name: <u>John La Riva</u>	
				Phone No: <u>716 316 1267</u>	
GENERATOR		NO.		198935	
Operator No. _____		Permit/RRC No. _____		Lease/Well Name & No. <u>Trinity La Riva St. Trinity</u>	
Operator's Name <u>Morales Rios</u>		Name & No. _____		County <u>El Paso</u>	
Address _____		County _____		API No. <u>30005-05964</u>	
City, State, Zip _____		Rig Name & No. _____		AFE/PO No. _____	
Phone No. <u>716 316 1267 / 716 316 1267</u>					
EXEMPT E&P Waste/Service Identification and Amount (place volume next to waste type in barrels or cubic yards)					
Oil Based Muds _____ Oil Based Cuttings _____ Water Based Muds _____ Water Based Cuttings _____ Produced Formation Solids _____ Tank Bottoms _____ E&P Contaminated Soil _____ Gas Plant Waste _____		NON INJECTABLE WATERS Washout Water (Non-Injectable) _____ Completion Fluid/Flow back (Non-Injectable) _____ Produced Water (Non-Injectable) _____ Gathering Line Water/Waste (Non-Injectable) _____ INTERNAL USE ONLY Truck Washout (exempt waste) _____		OTHER EXEMPT WASTES (type and generate product of the waste) <u>Rocky Dump</u>	
WASTE GENERATION PROCESS: ☐ DRILLING ☐ COMPLETION ☐ PRODUCTION ☐ GATHERING LINES					
NON-EXEMPT E&P Waste/Service Identification and Amount					
All non-exempt E&P waste must be analyzed and be below the threshold limits for toxicity (TCLP), ignitability, corrosivity and reactivity.					
Non-Exempt Other _____ *please select from Non-Exempt Waste List on back					
QUANTITY		B - BARRELS		E - EACH	
		<u>200</u> - YARDS			
I hereby certify that the above listed material(s), is (are) not a hazardous waste as defined by 40 CFR Part 261 or any applicable state law. That each waste has been properly described, classified and packaged, and is in proper condition for transportation according to applicable regulation.					
☒ RCRA EXEMPT: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste (R360 Accepts certifications on a per load basis only) ☐ RCRA NON-EXEMPT: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined by 40 CFR, part 261, subpart D, as amended. The following documentation demonstrating the waste as non-hazardous is attached. (Check the appropriate items as provided) ☐ MSDS information ☐ RCRA Hazardous Waste Analysis ☐ Other (Provide Description Below)					
Signature <u>John La Riva</u>		DATE <u>4/20/20</u>		SIGNATURE _____	
PRINTED AUTHORIZED AGENT'S SIGNATURE		DATE		SIGNATURE	
TRANSPORTER					
Transporter's Name <u>Red Bluff Facility</u>		Driver's Name <u>Isabel Pons</u>			
Address <u>1201 Rancho</u>		Print Name _____			
Phone No. _____		Phone No. <u>6066 / WHP 4089</u>			
		Truck No. _____			
I hereby certify that the above named material(s) was/were picked up at the Generator's site listed above and delivered without incident to the disposal facility listed below.					
SHIPMENT DATE <u>4-20-20</u>		DRIVER'S SIGNATURE <u>Isabel Pons</u>		DELIVERY DATE _____ DRIVER'S SIGNATURE _____	
TRUCK TIME STAMP		DISPOSAL FACILITY		RECEIVING AREA	
IN: <u>4:54 PM</u> OUT: _____				Name/No. <u>Ed/51 T3</u>	
Site Name/Permit No. <u>Red Bluff Facility/ STF-065</u>		Phone No. <u>432-448-4239</u>			
Address <u>5053 US Highway 285, Orle, TX 79720</u>					
NORM READINGS TAKEN? (Circle One) YES ☒ NO ☐		If YES, was reading > 50 micro roentgens? (circle one) YES ☐ NO ☒			
Chemical Analysis (Mg/l) _____		Conductivity (mmhos/cm) _____		pH _____	
TANK BOTTOMS					
Feet _____		Inches _____			
1st Gauge _____		B&W/BOL Received _____		B&W (%) _____	
2nd Gauge _____		Free Water _____			
Received _____		Total Received _____			
I hereby certify that the above load material has been (circle one) ACCEPTED ☒ DENIED ☐ If denied, why? _____					
Signature <u>John La Riva</u>		DATE <u>4/20/20</u>		Signature <u>Isabel Pons</u>	
NAME (PRINT)		DATE		TITLE	

White - ORIGINAL Blue - TRANSPORTER Yellow - GENERATOR

Version 1

ATTACHMENT 5

Client Name: Matador Production Company
 Site Name: Tony La Russa State Com 201H/202H
 NM OCD Tracking Number: NRM2008758101
 Project #: 20E-00239-006
 Lab Report: 2003982

Table 2. Characterization Sample Field Screening and Laboratory Data - Depth to Groundwater 50 < 100 ft													
Sample Description			Field Screening			Petroleum Hydrocarbons							Inorganic
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (Petro Flag)	Inorganics (Quantab - High/Low)	Volatile		Extractable					Chloride
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	GRO + DRO	Total Petroleum Hydrocarbons (TPH)	
			(ppm)	(ppm)	(+/-)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BH 20-01	0	March 19, 2020	-	-	8,265	-	-	-	-	-	-	-	-
BH 20-01	0.5	March 19, 2020	-	-	535	-	-	-	-	-	-	-	250
BH 20-01	1	March 19, 2020	-	-	419	-	-	-	-	-	-	-	-
BH 20-02	0	March 19, 2020	-	-	9,639	-	-	-	-	-	-	-	-
BH 20-02	0.5	March 19, 2020	-	-	584	-	-	-	-	-	-	-	-
BH 20-02	1	March 19, 2020	-	-	554	-	-	-	-	-	-	-	-
BH 20-03	0	March 19, 2020	-	-	10,801	-	-	-	-	-	-	-	-
BH 20-03	0.5	March 19, 2020	-	-	435	-	-	-	-	-	-	-	-
BH 20-03	1	March 19, 2020	-	-	290	-	-	-	-	-	-	-	-
BH 20-04	0	March 19, 2020	-	-	15,034	-	-	-	-	-	-	-	16,000
BH 20-04	0.5	March 19, 2020	-	-	2,488	-	-	-	-	-	-	-	-
BH 20-04	1	March 19, 2020	-	-	1,195	-	-	-	-	-	-	-	-
BH 20-04	2	March 19, 2020	-	-	724	-	-	-	-	-	-	-	-
BH 20-04	3	March 19, 2020	-	-	545	-	-	-	-	-	-	-	100
SS 20-01	0	March 19, 2020	-	-	1,242	-	-	-	-	-	-	-	-
SS 20-01	0.5	March 19, 2020	-	-	558	-	-	-	-	-	-	-	-
SS 20-02	0	March 19, 2020	-	-	125	-	-	-	-	-	-	-	-
SS 20-02	0.5	March 19, 2020	-	-	186	-	-	-	-	-	-	-	-
SS 20-03	0	March 19, 2020	-	-	212	-	-	-	-	-	-	-	-
SS 20-03	0.5	March 19, 2020	-	-	353	-	-	-	-	-	-	-	-
SS 20-04	0	March 19, 2020	-	-	95	-	-	-	-	-	-	-	-
SS 20-04	0.5	March 19, 2020	-	-	414	-	-	-	-	-	-	-	-

"-" Not assessed/analyzed

Bold and shaded indicates exceedance outside of applied action level

Client Name: Matador Production Company
 Site Name: Tony La Russa State Com 201H/202H
 NM OCD Tracking Number: NRM2008758101
 Project #: 20E-00239-006
 Lab Reports: 2004997 and 2004999

Table 3. Confirmatory Sampling Field Screen and Laboratory Data: Depth-to-Groundwater 50 < 100													
Sample Description			Field Screening			Petroleum Hydrocarbons							
Sample ID	Depth (ft)	Sample Date	Volatile Organic Compounds (PID)	Extractable Organic Compounds (Petro Flag)	Inorganics (Electroconductivity)	Volatile		Extractable					
						Benzene	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	GRO + DRO	Total Petroleum Hydrocarbons (TPH)	Inorganic Chloride
			(ppm)	(ppm)	(ppm)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
BS 20-01	0.5	April 21, 2020	-	-	921	<0.024	<0.219	<4.9	<9.4	<47	<14.3	<61.3	200
BS 20-02	0.5	April 21, 2020	-	-	856	<0.025	<0.221	<4.9	<9.7	<48	<14.6	<62.6	790
BS 20-03	0.5	April 21, 2020	-	-	357	<0.025	<0.221	<4.9	<9.7	<48	<14.6	<62.6	230
BS 20-04	0.5	April 21, 2020	-	-	<0	<0.025	<0.221	<4.9	<9.5	<48	<14.4	<62.4	170
BS 20-05	0.5	April 21, 2020	-	-	<0	<0.024	<0.213	<4.7	<9.6	<48	<14.3	<62.3	<60
BS 20-06	2	April 21, 2020	-	-	175	<0.024	<0.217	<4.8	<9.5	<47	<14.3	<61.3	140
BS 20-07	2	April 21, 2020	-	-	<0	<0.024	<0.213	<4.7	<9.8	<49	<14.5	<63.5	63
BS 20-08	2	April 21, 2020	-	-	52	<0.023	<0.207	<4.6	<9.7	<48	<14.3	<62.3	100
WS20-01	0-0.5	April 21, 2020	-	-	905	<0.025	<0.222	<4.9	<9.5	<47	<14.4	<61.4	380
WS20-02	0-0.5	April 21, 2020	-	-	683	<0.024	<0.215	<4.8	<9.3	<47	<14.1	<61.1	330
WS20-03	0-0.5	April 21, 2020	-	-	969	<0.024	<0.219	<4.9	<9.4	<47	<14.3	<61.3	250
WS20-04	0-0.5	April 21, 2020	-	-	<0	<0.024	<0.216	<4.8	<9.8	<49	<14.6	<63.6	<60
WS20-05	0-0.5	April 21, 2020	-	-	387	<0.024	<0.217	<4.8	<9.6	<48	<14.4	<62.4	260
WS20-06	0-2	April 21, 2020	-	-	335	<0.023	<0.207	<4.6	<9.6	<48	<14.2	<62.2	220
WS20-07	0-2	April 21, 2020	-	-	22	<0.023	<0.208	<4.6	<10	<50	<14.6	<64.6	82
WS20-08	0-2	April 21, 2020	-	-	8	<0.025	<0.224	<5.0	<9.3	<47	<14.3	<61.3	120
WS20-09	0-0.5	April 21, 2020	-	-	<0	<0.025	<0.221	<4.9	<9.9	<50	<14.8	<64.8	250
WS20-10	0-0.5	April 21, 2020	-	-	<0	<0.025	<0.224	<5.0	<9.4	<47	<14.4	<61.4	1,800

"-" - Not assessed/analyzed

Green shading indicates samples collected off-lease

Bold and shaded indicates exceedance outside of, or near, applied action level

ATTACHMENT 6

Natalie Gordon

From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>
Sent: Thursday, April 16, 2020 4:01 PM
To: Natalie Gordon
Subject: Fwd: NRM2008758101: Tony La Russa State Com 201H/202H - 48-hr Notification of Confirmation Sampling

----- Forwarded message -----

From: Dhugal Hanton <vertexresourcegroupusa@gmail.com>
Date: Thu, Apr 16, 2020 at 4:00 PM
Subject: NRM2008758101: Tony La Russa State Com 201H/202H - 48-hr Notification of Confirmation Sampling
To: Bratcher, Mike, EMNRD <Mike.Bratcher@state.nm.us>, Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>, Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>, <rmann@slo.state.nm.us>

All,

Please accept this email as 48-hr notification that Vertex Resource Services has scheduled remediation field activities and confirmatory sampling to be conducted at Tony La Russa for the produced water release that occurred on March 18, 2020, incident tracking # NRM2008758101.

This work will be completed on behalf of Matador Production Company.

On Monday, April 20, 2020 at approximately 8:00 a.m., Monica Peppin of Vertex will be onsite to guide remediation activities. On Tuesday, April 21, 2020 starting at approximately 8:00 a.m. she will begin collecting confirmatory sampling as the remediation activities finish up. Monica can be reached at 575-361-9880. If you need directions to the site, please do not hesitate to contact her. If you have any questions or concerns regarding this notification, please give me a call at 505-506-0040.

Thank you,
Natalie

Natalie Gordon
Project Manager

Vertex Resource Group Ltd.
213 S. Mesa Street
Carlsbad, NM 88220

P 575.725.5001 ext 709
C 505.506.0040
F

www.vertex.ca

Confidentiality Notice: This message and any attachments are solely for the intended recipient and may contain confidential or privileged information. If you are not the intended recipient, any disclosure, copying, use, or distribution of the information included in this message and any attachment is prohibited. If you have received this communication in error, please notify us by reply email and immediately and permanently delete this message and any attachments. Thank you.

ATTACHMENT 7



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

March 30, 2020

Natalie Gordon

Vertex Resource Group Ltd.

213 S. Mesa St

Carlsbad, NM 88220

TEL: (505) 506-0040

FAX:

RE: Tony La Russa State Com 201H

OrderNo.: 2003982

Dear Natalie Gordon:

Hall Environmental Analysis Laboratory received 4 sample(s) on 3/21/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a light blue horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order: 2003982

Date Reported: 3/30/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Lab Order: 2003982

Project: Tony La Russa State Com 201H

Lab ID: 2003982-001

Collection Date: 3/19/2020 12:20:00 PM

Client Sample ID: BH20-01 0.5'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: JMT

Chloride	250	60		mg/Kg	20	3/26/2020 1:57:21 PM	51338
----------	-----	----	--	-------	----	----------------------	-------

Lab ID: 2003982-003

Collection Date: 3/19/2020 1:00:00 PM

Client Sample ID: BH20-04 0'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: JMT

Chloride	16000	600		mg/Kg	200	3/27/2020 4:19:33 PM	51338
----------	-------	-----	--	-------	-----	----------------------	-------

Lab ID: 2003982-004

Collection Date: 3/19/2020 1:20:00 PM

Client Sample ID: BH20-04 3'

Matrix: SOIL

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch ID
----------	--------	----	------	-------	----	---------------	----------

EPA METHOD 300.0: ANIONS

Analyst: JMT

Chloride	100	60		mg/Kg	20	3/26/2020 2:22:03 PM	51338
----------	-----	----	--	-------	----	----------------------	-------

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2003982

30-Mar-20


Client: Vertex Resource Group Ltd.
Project: Tony La Russa State Com 201H

Sample ID: MB-51338	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 51338	RunNo: 67593								
Prep Date: 3/26/2020	Analysis Date: 3/26/2020	SeqNo: 2334120			Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-51338		SampType: lcs		TestCode: EPA Method 300.0: Anions						
Client ID: LCSS		Batch ID: 51338		RunNo: 67593						
Prep Date: 3/26/2020		Analysis Date: 3/26/2020		SeqNo: 2334121		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	92.5	90	110			

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix		



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: VERTEX CARLSBAD

Work Order Number: 2003982

RcptNo: 1

Received By: Yazmine Garduno

3/21/2020 8:06:00 AM

Yazmine Garduno

Completed By: Yazmine Garduno

3/21/2020 10:23:41 AM

Yazmine Garduno

Reviewed By:

IO

3/23/20

Chain of Custody

1. Is Chain of Custody sufficiently complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:
(<2 or >12 unless noted)

Adjusted? _____

Checked by: DAD 3/23/20

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:	_____	Date:	_____
By Whom:	_____	Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:	_____		
Client Instructions:	_____		

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	0.1	Good				
2	0.5	Good				



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

April 29, 2020

Natalie Gordon

Vertex Resource Group Ltd.
213 S. Mesa St
Carlsbad, NM 88220
TEL: (505) 506-0040
FAX

RE: Tony La Russa State Com 201H Pasture

OrderNo.: 2004997

Dear Natalie Gordon:

Hall Environmental Analysis Laboratory received 11 sample(s) on 4/23/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light gray rectangular background.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-04 0.5'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 11:45:00 AM

Lab ID: 2004997-001

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	4/24/2020 5:07:33 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/24/2020 5:07:33 PM
Surr: DNOP	37.4	55.1-146	S	%Rec	1	4/24/2020 5:07:33 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	170	60		mg/Kg	20	4/26/2020 10:46:33 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/27/2020 2:19:13 PM
Toluene	ND	0.049		mg/Kg	1	4/27/2020 2:19:13 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/27/2020 2:19:13 PM
Xylenes, Total	ND	0.098		mg/Kg	1	4/27/2020 2:19:13 PM
Surr: 1,2-Dichloroethane-d4	81.0	70-130		%Rec	1	4/27/2020 2:19:13 PM
Surr: 4-Bromofluorobenzene	99.2	70-130		%Rec	1	4/27/2020 2:19:13 PM
Surr: Dibromofluoromethane	88.4	70-130		%Rec	1	4/27/2020 2:19:13 PM
Surr: Toluene-d8	95.6	70-130		%Rec	1	4/27/2020 2:19:13 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/27/2020 2:19:13 PM
Surr: BFB	98.5	70-130		%Rec	1	4/27/2020 2:19:13 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-05 0.5'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 11:55:00 AM

Lab ID: 2004997-002

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	4/27/2020 3:42:04 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/27/2020 3:42:04 PM
Surr: DNOP	78.5	55.1-146		%Rec	1	4/27/2020 3:42:04 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	4/26/2020 11:23:32 PM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/27/2020 3:44:57 PM
Toluene	ND	0.047		mg/Kg	1	4/27/2020 3:44:57 PM
Ethylbenzene	ND	0.047		mg/Kg	1	4/27/2020 3:44:57 PM
Xylenes, Total	ND	0.095		mg/Kg	1	4/27/2020 3:44:57 PM
Surr: 1,2-Dichloroethane-d4	81.4	70-130		%Rec	1	4/27/2020 3:44:57 PM
Surr: 4-Bromofluorobenzene	100	70-130		%Rec	1	4/27/2020 3:44:57 PM
Surr: Dibromofluoromethane	87.5	70-130		%Rec	1	4/27/2020 3:44:57 PM
Surr: Toluene-d8	94.1	70-130		%Rec	1	4/27/2020 3:44:57 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	4/27/2020 3:44:57 PM
Surr: BFB	97.6	70-130		%Rec	1	4/27/2020 3:44:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL Reporting Limit
	S	% Recovery outside of range due to dilution or matrix	

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-06 2'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 12:05:00 PM

Lab ID: 2004997-003

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	4/24/2020 5:55:43 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 5:55:43 PM
Surr: DNOP	25.4	55.1-146	S	%Rec	1	4/24/2020 5:55:43 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	140	60		mg/Kg	20	4/27/2020 12:14:51 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/27/2020 5:10:26 PM
Toluene	ND	0.048		mg/Kg	1	4/27/2020 5:10:26 PM
Ethylbenzene	ND	0.048		mg/Kg	1	4/27/2020 5:10:26 PM
Xylenes, Total	ND	0.097		mg/Kg	1	4/27/2020 5:10:26 PM
Surr: 1,2-Dichloroethane-d4	78.0	70-130		%Rec	1	4/27/2020 5:10:26 PM
Surr: 4-Bromofluorobenzene	100	70-130		%Rec	1	4/27/2020 5:10:26 PM
Surr: Dibromofluoromethane	88.9	70-130		%Rec	1	4/27/2020 5:10:26 PM
Surr: Toluene-d8	94.2	70-130		%Rec	1	4/27/2020 5:10:26 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	4/27/2020 5:10:26 PM
Surr: BFB	98.6	70-130		%Rec	1	4/27/2020 5:10:26 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-07 2'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 12:15:00 PM

Lab ID: 2004997-004

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	4/28/2020 12:42:45 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	4/28/2020 12:42:45 PM
Surr: DNOP	84.8	55.1-146		%Rec	1	4/28/2020 12:42:45 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	63	60		mg/Kg	20	4/27/2020 12:27:16 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/27/2020 5:38:56 PM
Toluene	ND	0.047		mg/Kg	1	4/27/2020 5:38:56 PM
Ethylbenzene	ND	0.047		mg/Kg	1	4/27/2020 5:38:56 PM
Xylenes, Total	ND	0.095		mg/Kg	1	4/27/2020 5:38:56 PM
Surr: 1,2-Dichloroethane-d4	79.2	70-130		%Rec	1	4/27/2020 5:38:56 PM
Surr: 4-Bromofluorobenzene	103	70-130		%Rec	1	4/27/2020 5:38:56 PM
Surr: Dibromofluoromethane	85.7	70-130		%Rec	1	4/27/2020 5:38:56 PM
Surr: Toluene-d8	94.4	70-130		%Rec	1	4/27/2020 5:38:56 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	4/27/2020 5:38:56 PM
Surr: BFB	101	70-130		%Rec	1	4/27/2020 5:38:56 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-08 2'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 12:25:00 PM

Lab ID: 2004997-005

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	4/24/2020 6:44:00 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/24/2020 6:44:00 PM
Surr: DNOP	20.3	55.1-146	S	%Rec	1	4/24/2020 6:44:00 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	100	60		mg/Kg	20	4/27/2020 1:04:30 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.023		mg/Kg	1	4/27/2020 6:07:27 PM
Toluene	ND	0.046		mg/Kg	1	4/27/2020 6:07:27 PM
Ethylbenzene	ND	0.046		mg/Kg	1	4/27/2020 6:07:27 PM
Xylenes, Total	ND	0.092		mg/Kg	1	4/27/2020 6:07:27 PM
Surr: 1,2-Dichloroethane-d4	80.2	70-130		%Rec	1	4/27/2020 6:07:27 PM
Surr: 4-Bromofluorobenzene	97.6	70-130		%Rec	1	4/27/2020 6:07:27 PM
Surr: Dibromofluoromethane	85.7	70-130		%Rec	1	4/27/2020 6:07:27 PM
Surr: Toluene-d8	93.8	70-130		%Rec	1	4/27/2020 6:07:27 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	4/27/2020 6:07:27 PM
Surr: BFB	94.0	70-130		%Rec	1	4/27/2020 6:07:27 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-04 0-0.5'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 9:50:00 AM

Lab ID: 2004997-006

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	4/27/2020 4:30:04 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	4/27/2020 4:30:04 PM
Surr: DNOP	111	55.1-146		%Rec	1	4/27/2020 4:30:04 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	4/27/2020 1:16:54 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/27/2020 6:36:09 PM
Toluene	ND	0.048		mg/Kg	1	4/27/2020 6:36:09 PM
Ethylbenzene	ND	0.048		mg/Kg	1	4/27/2020 6:36:09 PM
Xylenes, Total	ND	0.096		mg/Kg	1	4/27/2020 6:36:09 PM
Surr: 1,2-Dichloroethane-d4	77.3	70-130		%Rec	1	4/27/2020 6:36:09 PM
Surr: 4-Bromofluorobenzene	99.9	70-130		%Rec	1	4/27/2020 6:36:09 PM
Surr: Dibromofluoromethane	88.2	70-130		%Rec	1	4/27/2020 6:36:09 PM
Surr: Toluene-d8	97.6	70-130		%Rec	1	4/27/2020 6:36:09 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	4/27/2020 6:36:09 PM
Surr: BFB	103	70-130		%Rec	1	4/27/2020 6:36:09 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-05 0-0.5'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 10:00:00 AM

Lab ID: 2004997-007

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	4/24/2020 7:32:32 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/24/2020 7:32:32 PM
Surr: DNOP	25.7	55.1-146	S	%Rec	1	4/24/2020 7:32:32 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	260	60		mg/Kg	20	4/27/2020 1:29:19 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/27/2020 7:04:37 PM
Toluene	ND	0.048		mg/Kg	1	4/27/2020 7:04:37 PM
Ethylbenzene	ND	0.048		mg/Kg	1	4/27/2020 7:04:37 PM
Xylenes, Total	ND	0.097		mg/Kg	1	4/27/2020 7:04:37 PM
Surr: 1,2-Dichloroethane-d4	79.2	70-130		%Rec	1	4/27/2020 7:04:37 PM
Surr: 4-Bromofluorobenzene	99.1	70-130		%Rec	1	4/27/2020 7:04:37 PM
Surr: Dibromofluoromethane	89.3	70-130		%Rec	1	4/27/2020 7:04:37 PM
Surr: Toluene-d8	93.6	70-130		%Rec	1	4/27/2020 7:04:37 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	4/27/2020 7:04:37 PM
Surr: BFB	98.4	70-130		%Rec	1	4/27/2020 7:04:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-06 0-2'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 10:10:00 AM

Lab ID: 2004997-008

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.6		mg/Kg	1	4/24/2020 7:56:37 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/24/2020 7:56:37 PM
Surr: DNOP	29.2	55.1-146	S	%Rec	1	4/24/2020 7:56:37 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	220	60		mg/Kg	20	4/27/2020 1:41:44 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.023		mg/Kg	1	4/27/2020 7:33:05 PM
Toluene	ND	0.046		mg/Kg	1	4/27/2020 7:33:05 PM
Ethylbenzene	ND	0.046		mg/Kg	1	4/27/2020 7:33:05 PM
Xylenes, Total	ND	0.092		mg/Kg	1	4/27/2020 7:33:05 PM
Surr: 1,2-Dichloroethane-d4	79.5	70-130		%Rec	1	4/27/2020 7:33:05 PM
Surr: 4-Bromofluorobenzene	101	70-130		%Rec	1	4/27/2020 7:33:05 PM
Surr: Dibromofluoromethane	88.3	70-130		%Rec	1	4/27/2020 7:33:05 PM
Surr: Toluene-d8	96.4	70-130		%Rec	1	4/27/2020 7:33:05 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	4/27/2020 7:33:05 PM
Surr: BFB	100	70-130		%Rec	1	4/27/2020 7:33:05 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-07 0-2'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 10:20:00 AM

Lab ID: 2004997-009

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	4/27/2020 4:54:04 PM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/27/2020 4:54:04 PM
Surr: DNOP	69.3	55.1-146		%Rec	1	4/27/2020 4:54:04 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	82	61		mg/Kg	20	4/27/2020 1:54:09 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.023		mg/Kg	1	4/27/2020 8:01:37 PM
Toluene	ND	0.046		mg/Kg	1	4/27/2020 8:01:37 PM
Ethylbenzene	ND	0.046		mg/Kg	1	4/27/2020 8:01:37 PM
Xylenes, Total	ND	0.093		mg/Kg	1	4/27/2020 8:01:37 PM
Surr: 1,2-Dichloroethane-d4	79.8	70-130		%Rec	1	4/27/2020 8:01:37 PM
Surr: 4-Bromofluorobenzene	102	70-130		%Rec	1	4/27/2020 8:01:37 PM
Surr: Dibromofluoromethane	87.7	70-130		%Rec	1	4/27/2020 8:01:37 PM
Surr: Toluene-d8	96.3	70-130		%Rec	1	4/27/2020 8:01:37 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.6		mg/Kg	1	4/27/2020 8:01:37 PM
Surr: BFB	99.2	70-130		%Rec	1	4/27/2020 8:01:37 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-08 0-2'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 10:30:00 AM

Lab ID: 2004997-010

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: BRM
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	4/24/2020 8:44:52 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 8:44:52 PM
Surr: DNOP	16.0	55.1-146	S	%Rec	1	4/24/2020 8:44:52 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	120	60		mg/Kg	20	4/27/2020 2:06:34 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/27/2020 8:30:03 PM
Toluene	ND	0.050		mg/Kg	1	4/27/2020 8:30:03 PM
Ethylbenzene	ND	0.050		mg/Kg	1	4/27/2020 8:30:03 PM
Xylenes, Total	ND	0.099		mg/Kg	1	4/27/2020 8:30:03 PM
Surr: 1,2-Dichloroethane-d4	79.2	70-130		%Rec	1	4/27/2020 8:30:03 PM
Surr: 4-Bromofluorobenzene	97.0	70-130		%Rec	1	4/27/2020 8:30:03 PM
Surr: Dibromofluoromethane	85.2	70-130		%Rec	1	4/27/2020 8:30:03 PM
Surr: Toluene-d8	95.5	70-130		%Rec	1	4/27/2020 8:30:03 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/27/2020 8:30:03 PM
Surr: BFB	98.2	70-130		%Rec	1	4/27/2020 8:30:03 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Analytical Report

Lab Order 2004997

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-09 0-0.5'

Project: Tony La Russa State Com 201H Pasture

Collection Date: 4/21/2020 10:40:00 AM

Lab ID: 2004997-011

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	4/24/2020 9:29:16 AM
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	4/24/2020 9:29:16 AM
Surr: DNOP	100	55.1-146		%Rec	1	4/24/2020 9:29:16 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	250	60		mg/Kg	20	4/27/2020 2:18:59 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/27/2020 8:58:30 PM
Toluene	ND	0.049		mg/Kg	1	4/27/2020 8:58:30 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/27/2020 8:58:30 PM
Xylenes, Total	ND	0.098		mg/Kg	1	4/27/2020 8:58:30 PM
Surr: 1,2-Dichloroethane-d4	79.1	70-130		%Rec	1	4/27/2020 8:58:30 PM
Surr: 4-Bromofluorobenzene	97.0	70-130		%Rec	1	4/27/2020 8:58:30 PM
Surr: Dibromofluoromethane	88.4	70-130		%Rec	1	4/27/2020 8:58:30 PM
Surr: Toluene-d8	94.1	70-130		%Rec	1	4/27/2020 8:58:30 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/27/2020 8:58:30 PM
Surr: BFB	97.2	70-130		%Rec	1	4/27/2020 8:58:30 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004997

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pasture

Sample ID: MB-52089	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52089	RunNo: 68426								
Prep Date: 4/26/2020	Analysis Date: 4/26/2020	SeqNo: 2367641 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52089	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52089	RunNo: 68426								
Prep Date: 4/26/2020	Analysis Date: 4/26/2020	SeqNo: 2367642 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.8	90	110			

Sample ID: MB-52092	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52092	RunNo: 68439								
Prep Date: 4/26/2020	Analysis Date: 4/26/2020	SeqNo: 2368151 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52092	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52092	RunNo: 68439								
Prep Date: 4/26/2020	Analysis Date: 4/27/2020	SeqNo: 2368152 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	94.0	90	110			

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Value above quantitation range
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004997

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pasture

Sample ID: MB-52053	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 52053	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366387 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	13		10.00		130	55.1	146			

Sample ID: MB-52057	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 52057	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366388 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	11		10.00		113	55.1	146			

Sample ID: LCS-52053	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 52053	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366389 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	64	10	50.00	0	128	70	130			
Surr: DNOP	6.4		5.000		129	55.1	146			

Sample ID: LCS-52057	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 52057	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366390 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	65	10	50.00	0	129	70	130			
Surr: DNOP	6.5		5.000		129	55.1	146			

Sample ID: 2004997-011AMS	SampType: MS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: WS20-09 0-0.5'	Batch ID: 52057	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366398 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	39	9.6	47.76	0	82.4	47.4	136			
Surr: DNOP	3.0		4.776		63.8	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004997

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pasture

Sample ID: 2004997-011AMSD	SampType: MSD	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: WS20-09 0-0.5'	Batch ID: 52057	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366399 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	41	9.6	48.03	0	86.3	47.4	136	5.22	43.4	
Surr: DNOP	3.2		4.803		67.4	55.1	146	0	0	

Sample ID: LCS-52131	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 52131	RunNo: 68463								
Prep Date: 4/28/2020	Analysis Date: 4/28/2020	SeqNo: 2369456 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.2	70	130			
Surr: DNOP	4.2		5.000		84.2	55.1	146			

Sample ID: MB-52131	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 52131	RunNo: 68463								
Prep Date: 4/28/2020	Analysis Date: 4/28/2020	SeqNo: 2369457 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.0		10.00		90.2	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004997

29-Apr-20

Client: Vertex Resource Group Ltd.

Project: Tony La Russa State Com 201H Pasture

Sample ID: mb-52049	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367765 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.42		0.5000		84.5	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		98.2	70	130			
Surr: Dibromofluoromethane	0.47		0.5000		94.8	70	130			
Surr: Toluene-d8	0.49		0.5000		98.4	70	130			

Sample ID: lcs-52049	SampType: LCS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: LCSS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367765 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.025	1.000	0	85.3	70	130			
Toluene	0.98	0.050	1.000	0	97.9	70	130			
Ethylbenzene	1.0	0.050	1.000	0	104	70	130			
Xylenes, Total	3.1	0.10	3.000	0	103	70	130			
Surr: 1,2-Dichloroethane-d4	0.44		0.5000		88.3	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		97.8	70	130			
Surr: Dibromofluoromethane	0.47		0.5000		94.6	70	130			
Surr: Toluene-d8	0.49		0.5000		97.6	70	130			

Sample ID: 2004997-001ams	SampType: MS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: BS20-04 0.5'	Batch ID: 52049	RunNo: 68461								
Prep Date: 4/23/2020	Analysis Date: 4/27/2020	SeqNo: 2368886 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.80	0.025	0.9872	0	81.1	70	130			
Toluene	0.97	0.049	0.9872	0	98.7	70	130			
Ethylbenzene	1.1	0.049	0.9872	0	107	70	130			
Xylenes, Total	3.1	0.099	2.962	0	105	70	130			
Surr: 1,2-Dichloroethane-d4	0.40		0.4936		80.2	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.4936		101	70	130			
Surr: Dibromofluoromethane	0.44		0.4936		89.4	70	130			
Surr: Toluene-d8	0.48		0.4936		96.3	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level,
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004997

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pasture

Sample ID: 2004997-001amsd		SampType: MSD		TestCode: EPA Method 8260B: Volatiles Short List						
Client ID: BS20-04 0.5'		Batch ID: 52049		RunNo: 68461						
Prep Date: 4/23/2020		Analysis Date: 4/27/2020		SeqNo: 2368887		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.83	0.025	0.9980	0	83.0	70	130	3.42	20	
Toluene	1.0	0.050	0.9980	0	101	70	130	3.68	20	
Ethylbenzene	1.0	0.050	0.9980	0	105	70	130	0.833	0	
Xylenes, Total	3.2	0.10	2.994	0	106	70	130	1.96	0	
Surr: 1,2-Dichloroethane-d4	0.40		0.4990		81.1	70	130	0	0	
Surr: 4-Bromofluorobenzene	0.48		0.4990		97.1	70	130	0	0	
Surr: Dibromofluoromethane	0.44		0.4990		87.4	70	130	0	0	
Surr: Toluene-d8	0.47		0.4990		93.8	70	130	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004997

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pasture

Sample ID: mb-52049	SampType: MBLK	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: PBS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367784 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	490		500.0		98.9	70	130			

Sample ID: lcs-52049	SampType: LCS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: LCSS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367785 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	97.8	70	130			
Surr: BFB	500		500.0		100	70	130			

Sample ID: 2004997-002ams	SampType: MS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: BS20-05 0.5'	Batch ID: 52049	RunNo: 68461								
Prep Date: 4/23/2020	Analysis Date: 4/27/2020	SeqNo: 2368924 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.9	24.46	0	92.5	70	130			
Surr: BFB	490		489.2		99.1	70	130			

Sample ID: 2004997-002amsd	SampType: MSD	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: BS20-05 0.5'	Batch ID: 52049	RunNo: 68461								
Prep Date: 4/23/2020	Analysis Date: 4/27/2020	SeqNo: 2368925 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.9	24.32	0	91.4	70	130	1.85	20	
Surr: BFB	490		486.4		101	70	130	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level
 D Sample Diluted Due to Matrix
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 PQL Practical Quantitative Limit
 S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
 E Value above quantitation range
 J Analyte detected below quantitation limits
 P Sample pH Not In Range
 RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check ListClient Name: **VERTEX CARLSBAD**Work Order Number: **2004997**

RcptNo: 1

Received By: **Juan Rojas**

4/23/2020 9:40:00 AM

Completed By: **Isaiah Ortiz**

4/23/2020 8:49:48 AM

Reviewed By:

3R 4/23/20

Chain of Custody

1. Is Chain of Custody sufficiently complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by:

EM 4/23/20

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	0.2	Good	Not Present			
2	3.3	Good	Not Present			



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

April 29, 2020

Natalie Gordon

Vertex Resource Group Ltd.

213 S. Mesa St

Carlsbad, NM 88220

TEL: (505) 506-0040

FAX

RE: Tony La Russa State Com 201H Pad

OrderNo.: 2004999

Dear Natalie Gordon:

Hall Environmental Analysis Laboratory received 7 sample(s) on 4/23/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-01 0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 11:15:00 AM

Lab ID: 2004999-001

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	4/24/2020 10:41:10 AM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 10:41:10 AM
Surr: DNOP	66.5	55.1-146		%Rec	1	4/24/2020 10:41:10 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	200	60		mg/Kg	20	4/27/2020 2:31:23 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/27/2020 9:27:24 PM
Toluene	ND	0.049		mg/Kg	1	4/27/2020 9:27:24 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/27/2020 9:27:24 PM
Xylenes, Total	ND	0.097		mg/Kg	1	4/27/2020 9:27:24 PM
Surr: 1,2-Dichloroethane-d4	79.1	70-130		%Rec	1	4/27/2020 9:27:24 PM
Surr: 4-Bromofluorobenzene	96.5	70-130		%Rec	1	4/27/2020 9:27:24 PM
Surr: Dibromofluoromethane	88.0	70-130		%Rec	1	4/27/2020 9:27:24 PM
Surr: Toluene-d8	99.0	70-130		%Rec	1	4/27/2020 9:27:24 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/27/2020 9:27:24 PM
Surr: BFB	98.3	70-130		%Rec	1	4/27/2020 9:27:24 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-02 0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 11:25:00 AM

Lab ID: 2004999-002

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	4/24/2020 11:05:09 AM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/24/2020 11:05:09 AM
Surr: DNOP	102	55.1-146		%Rec	1	4/24/2020 11:05:09 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	790	60		mg/Kg	20	4/27/2020 3:33:27 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/27/2020 9:56:01 PM
Toluene	ND	0.049		mg/Kg	1	4/27/2020 9:56:01 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/27/2020 9:56:01 PM
Xylenes, Total	ND	0.098		mg/Kg	1	4/27/2020 9:56:01 PM
Surr: 1,2-Dichloroethane-d4	80.0	70-130		%Rec	1	4/27/2020 9:56:01 PM
Surr: 4-Bromofluorobenzene	95.7	70-130		%Rec	1	4/27/2020 9:56:01 PM
Surr: Dibromofluoromethane	89.3	70-130		%Rec	1	4/27/2020 9:56:01 PM
Surr: Toluene-d8	98.1	70-130		%Rec	1	4/27/2020 9:56:01 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/27/2020 9:56:01 PM
Surr: BFB	99.3	70-130		%Rec	1	4/27/2020 9:56:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: BS20-03 0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 11:35:00 AM

Lab ID: 2004999-003

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	4/24/2020 2:17:23 PM
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	4/24/2020 2:17:23 PM
Surr: DNOP	98.7	55.1-146		%Rec	1	4/24/2020 2:17:23 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	230	60		mg/Kg	20	4/27/2020 3:45:51 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/27/2020 10:24:46 PM
Toluene	ND	0.049		mg/Kg	1	4/27/2020 10:24:46 PM
Ethylbenzene	ND	0.049		mg/Kg	1	4/27/2020 10:24:46 PM
Xylenes, Total	ND	0.098		mg/Kg	1	4/27/2020 10:24:46 PM
Surr: 1,2-Dichloroethane-d4	79.5	70-130		%Rec	1	4/27/2020 10:24:46 PM
Surr: 4-Bromofluorobenzene	98.4	70-130		%Rec	1	4/27/2020 10:24:46 PM
Surr: Dibromofluoromethane	87.5	70-130		%Rec	1	4/27/2020 10:24:46 PM
Surr: Toluene-d8	98.4	70-130		%Rec	1	4/27/2020 10:24:46 PM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/27/2020 10:24:46 PM
Surr: BFB	99.2	70-130		%Rec	1	4/27/2020 10:24:46 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		* Value exceeds Maximum Contaminant Level	B Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL Reporting Limit
	S	% Recovery outside of range due to dilution or matrix	

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-01 0-0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 11:00:00 AM

Lab ID: 2004999-004

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.5		mg/Kg	1	4/24/2020 2:41:35 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 2:41:35 PM
Surr: DNOP	108	55.1-146		%Rec	1	4/24/2020 2:41:35 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	380	60		mg/Kg	20	4/27/2020 3:58:16 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/28/2020 2:14:57 AM
Toluene	ND	0.049		mg/Kg	1	4/28/2020 2:14:57 AM
Ethylbenzene	ND	0.049		mg/Kg	1	4/28/2020 2:14:57 AM
Xylenes, Total	ND	0.099		mg/Kg	1	4/28/2020 2:14:57 AM
Surr: 1,2-Dichloroethane-d4	78.2	70-130		%Rec	1	4/28/2020 2:14:57 AM
Surr: 4-Bromofluorobenzene	97.9	70-130		%Rec	1	4/28/2020 2:14:57 AM
Surr: Dibromofluoromethane	87.7	70-130		%Rec	1	4/28/2020 2:14:57 AM
Surr: Toluene-d8	99.1	70-130		%Rec	1	4/28/2020 2:14:57 AM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/28/2020 2:14:57 AM
Surr: BFB	102	70-130		%Rec	1	4/28/2020 2:14:57 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-02 0-0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 9:30:00 AM

Lab ID: 2004999-005

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.3		mg/Kg	1	4/24/2020 3:05:38 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 3:05:38 PM
Surr: DNOP	114	55.1-146		%Rec	1	4/24/2020 3:05:38 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	330	60		mg/Kg	20	4/27/2020 4:10:40 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/28/2020 2:43:53 AM
Toluene	ND	0.048		mg/Kg	1	4/28/2020 2:43:53 AM
Ethylbenzene	ND	0.048		mg/Kg	1	4/28/2020 2:43:53 AM
Xylenes, Total	ND	0.095		mg/Kg	1	4/28/2020 2:43:53 AM
Surr: 1,2-Dichloroethane-d4	77.7	70-130		%Rec	1	4/28/2020 2:43:53 AM
Surr: 4-Bromofluorobenzene	97.0	70-130		%Rec	1	4/28/2020 2:43:53 AM
Surr: Dibromofluoromethane	88.4	70-130		%Rec	1	4/28/2020 2:43:53 AM
Surr: Toluene-d8	99.4	70-130		%Rec	1	4/28/2020 2:43:53 AM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	4/28/2020 2:43:53 AM
Surr: BFB	98.4	70-130		%Rec	1	4/28/2020 2:43:53 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix		

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-03 0-0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 9:40:00 AM

Lab ID: 2004999-006

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	4/24/2020 3:29:45 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 3:29:45 PM
Surr: DNOP	69.2	55.1-146		%Rec	1	4/24/2020 3:29:45 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	250	60		mg/Kg	20	4/27/2020 4:23:04 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.024		mg/Kg	1	4/28/2020 3:12:47 AM
Toluene	ND	0.049		mg/Kg	1	4/28/2020 3:12:47 AM
Ethylbenzene	ND	0.049		mg/Kg	1	4/28/2020 3:12:47 AM
Xylenes, Total	ND	0.097		mg/Kg	1	4/28/2020 3:12:47 AM
Surr: 1,2-Dichloroethane-d4	78.3	70-130		%Rec	1	4/28/2020 3:12:47 AM
Surr: 4-Bromofluorobenzene	95.7	70-130		%Rec	1	4/28/2020 3:12:47 AM
Surr: Dibromofluoromethane	88.2	70-130		%Rec	1	4/28/2020 3:12:47 AM
Surr: Toluene-d8	98.3	70-130		%Rec	1	4/28/2020 3:12:47 AM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/28/2020 3:12:47 AM
Surr: BFB	97.8	70-130		%Rec	1	4/28/2020 3:12:47 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Analytical Report

Lab Order 2004999

Date Reported: 4/29/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resource Group Ltd.

Client Sample ID: WS20-10 0-0.5'

Project: Tony La Russa State Com 201H Pad

Collection Date: 4/21/2020 10:50:00 AM

Lab ID: 2004999-007

Matrix: SOIL

Received Date: 4/23/2020 9:40:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: JME
Diesel Range Organics (DRO)	ND	9.4		mg/Kg	1	4/24/2020 3:53:55 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	4/24/2020 3:53:55 PM
Surr: DNOP	99.6	55.1-146		%Rec	1	4/24/2020 3:53:55 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	1800	60		mg/Kg	20	4/27/2020 4:35:29 AM
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst: JMR
Benzene	ND	0.025		mg/Kg	1	4/28/2020 3:41:38 AM
Toluene	ND	0.050		mg/Kg	1	4/28/2020 3:41:38 AM
Ethylbenzene	ND	0.050		mg/Kg	1	4/28/2020 3:41:38 AM
Xylenes, Total	ND	0.099		mg/Kg	1	4/28/2020 3:41:38 AM
Surr: 1,2-Dichloroethane-d4	77.5	70-130		%Rec	1	4/28/2020 3:41:38 AM
Surr: 4-Bromofluorobenzene	99.7	70-130		%Rec	1	4/28/2020 3:41:38 AM
Surr: Dibromofluoromethane	87.3	70-130		%Rec	1	4/28/2020 3:41:38 AM
Surr: Toluene-d8	97.3	70-130		%Rec	1	4/28/2020 3:41:38 AM
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst: JMR
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/28/2020 3:41:38 AM
Surr: BFB	99.7	70-130		%Rec	1	4/28/2020 3:41:38 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004999

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pad

Sample ID: MB-52092	SampType: mblk	TestCode: EPA Method 300.0: Anions								
Client ID: PBS	Batch ID: 52092	RunNo: 68439								
Prep Date: 4/26/2020	Analysis Date: 4/26/2020	SeqNo: 2368151 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-52092	SampType: lcs	TestCode: EPA Method 300.0: Anions								
Client ID: LCSS	Batch ID: 52092	RunNo: 68439								
Prep Date: 4/26/2020	Analysis Date: 4/27/2020	SeqNo: 2368152 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	94.0	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004999

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pad

Sample ID: MB-52057	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch ID: 52057	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366388 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	11		10.00		113	55.1	146			

Sample ID: LCS-52057	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: LCSS	Batch ID: 52057	RunNo: 68394								
Prep Date: 4/23/2020	Analysis Date: 4/24/2020	SeqNo: 2366390 Units: mg/Kg								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	65	10	50.00	0	129	70	130			
Surr: DNOP	6.5		5.000		129	55.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level
 D Sample Diluted Due to Matrix
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 PQL Practical Quantitative Limit
 S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
 E Value above quantitation range
 J Analyte detected below quantitation limits
 P Sample pH Not In Range
 RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004999

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pad

Sample ID: mb-52049	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: PBS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367765	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.42		0.5000		84.5	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		98.2	70	130			
Surr: Dibromofluoromethane	0.47		0.5000		94.8	70	130			
Surr: Toluene-d8	0.49		0.5000		98.4	70	130			

Sample ID: lcs-52049	SampType: LCS	TestCode: EPA Method 8260B: Volatiles Short List								
Client ID: LCSS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367766	Units: mg/Kg							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.85	0.025	1.000	0	85.3	70	130			
Toluene	0.98	0.050	1.000	0	97.9	70	130			
Ethylbenzene	1.0	0.050	1.000	0	104	70	130			
Xylenes, Total	3.1	0.10	3.000	0	103	70	130			
Surr: 1,2-Dichloroethane-d4	0.44		0.5000		88.3	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		97.8	70	130			
Surr: Dibromofluoromethane	0.47		0.5000		94.6	70	130			
Surr: Toluene-d8	0.49		0.5000		97.6	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2004999

29-Apr-20

Client: Vertex Resource Group Ltd.**Project:** Tony La Russa State Com 201H Pad

Sample ID: mb-52049	SampType: MBLK	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: PBS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367784		Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	490		500.0		98.9	70	130			

Sample ID: lcs-52049	SampType: LCS	TestCode: EPA Method 8015D Mod: Gasoline Range								
Client ID: LCSS	Batch ID: 52049	RunNo: 68429								
Prep Date: 4/23/2020	Analysis Date: 4/26/2020	SeqNo: 2367785		Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	97.8	70	130			
Surr: BFB	500		500.0		100	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank
E Value above quantitation range
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: VERTEX CARLSBAD

Work Order Number: 2004999

RcptNo: 1

Received By: Juan Rojas

4/23/2020 9:40:00 AM

Completed By: Isalah Ortiz

4/23/2020 10:04:40 AM

Reviewed By:

JR 4/23/20

Chain of Custody

1. Is Chain of Custody sufficiently complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace $<1/4''$ for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by:

JM 4/23/20

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

16. Additional remarks:

17. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	0.2	Good	Not Present			
2	3.3	Good	Not Present			

Chain-of-Custody Record

Client: Vortex

Natalie Gordon

Mailing Address:

on file

Phone #:

email or Fax#:

QA/QC Package:

☐ Standard

☐ Level 4 (Full Validation)


Accreditation: ☐ Az Compliance

☐ NELAC ☐ Other☐ EDD (Type)

--	--

Date	Time	Matrix	Sample Name
4/21	11:15	Soil	B520-01 0.5'
	11:25		B520-02 0.5'
	11:35		B520-03 0.5'
	11:00		W520-01 0-0.5'
	9:30		W520-02 0-0.5'
	9:40		W520-03 0-0.5'
✓ 10:50		✓	W520-10 0-0.5'

Date:	Time:	Relinquished by:
4/22/20	1300	
Date:	Time:	Relinquished by:
4/22/20	1900	



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

[illegible]

Remarks: CC: Natalie Gordon

Matador