

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised May 08, 2003

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-005-63106 |
| 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> |
| 6. State Oil & Gas Lease No. |
| 7. Lease Name or Unit Agreement Name ROOSTER COGBURN FEE |
| 8. Well Number 1 |
| 9. OGRID Number 14049 |
| 10. Pool name or Wildcat CHISUM; WOLFCAMP LIME |

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
 Oil Well Gas Well Other

2. Name of Operator
 MARBOB ENERGY CORPORATION

3. Address of Operator
 PO BOX 227, ARTESIA, NM 88211-0227

4. Well Location
 Unit Letter G : 2085 feet from the NORTH line and 1650 feet from the EAST line
 Section 9 Township 11S Range 28E NMPM County CHAVES

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
 3728' GR

RECEIVED

MAR 23 2004

OCD-ARTESIA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

- PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPLETION
 OTHER:

- REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT
 CASING TEST AND CEMENT JOB
 OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MARBOB ENERGY CORPORATION PROPOSES TO PLUG & ABANDON THIS WELL AS FOLLOWS:

1. SET CIBP + 35' OF CEMENT @ 5875'
 2. SPOT 25 SX OF CLASS "C" CEMENT @ 5070'
 3. SPOT 25 SX CLASS "C" CEMENT @ 2863'
 4. SPOT 25 SX OF CLASS "C" #222CACL2 CEMENT @ 1646' (TAG THIS PLUG)
 5. SPOT 40 SX OF CLASS "C" + 2% CACL2 CEMENT @ 325' (SHOULD CIRC TO SURF)
 6. CUT OFF WELL HEAD & INSTALL DRY HOLE MARKER
- (SEE ATTACHMENTS)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Diana Cannon TITLE PRODUCTION ANALYST DATE 3/22/04

Type or print name DIANA J. CANNON Telephone No. (505) 748-3303

(This space for State use)

APPROVED BY Gerry Guye TITLE Compliance Office DATE 3-23-04

Conditions of approval, if any:

Well: Rooster Coahurn Fee #1

Zero: 13' AGL


Location: 2085' FNL, 1650' FEL
6-9-115-28e
Chaves NM

KB: 3741'
 GL: 3728'

Casing Program:

| Size | Wt. | Grade | Conn. | Depth |
|---------|-----|-------|-------|-------|
| 13 7/8" | 48 | H40 | STC | 275' |
| 8 5/8" | 24 | J55 | STC | 1596' |
| 5 1/2" | 17 | J55 | STC | 7096' |
| 2 7/8" | 6.5 | J55 | ELB | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

42-592 100 RECYCLED WHITE 3 SHAVES
 42-598 100 RECYCLED WHITE 5 SQUARE
 MADE IN U.S.A.



- 10196: PWDP Rod pump
- 12196: 500g 15% HCl + Hydroblast gel + sand.
- 1198: PWDP ESP
- 2198: 44 bbls. 500gpy wtr + 500g .15% HCl
- 9198: 350g .15% HCl
- 1/10: 500g .15% HCl (500ft)

Procedure:

1. CIBP + 35' cont @ 5875'
2. 25 sx Class "C" @ 5070'
3. 25 sx Class "C" @ 2863'
4. 25 sx. Class "C" + 2% CaCl₂ @ 1646' (Tag this plug)
5. 40 sx. Class "C" + 2% CaCl₂ @ 325' (should circulate to surface)

- SA 1576'
- Glor 2863'
- Tubb 4290'
- Abo 5071'
- Str 6563'
- Atoka 6720'
- Miss 6792'
- Dev. 7093'

OCD - Gerry Guye
 748-1283 ext 105

AFTER

- Sketch Not To Scale -

KBCollins/

Well: Rooster Cogburn Fee #1


Zero: 13' AGL

Location: 2085' FNL, 1650' FEL
6-9-115-28e
Chaves NM

KB: 3741'
 GL: 3728'

Casing Program:

| Size | Wt. | Grade | Conn. | Depth |
|---------|-----|-------|-------|-------|
| 13 3/8" | 48 | H40 | STC | 275' |
| 8 5/8" | 24 | J55 | STC | 1596' |
| 5 1/2" | 17 | J55 | STC | 7096' |
| 2 7/8" | 6.5 | J55 | EUE | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



- 10/96: PWDP Rod pump
- 12/96: 500g 15% HCl + Hydroblast gel + sand
- 11/98: PWDP ESP
- 2/98: 44 bbls. 90% wtr + 500g .15% HCl
- 9/98: 350g .15% HCl
- 1/10: 500 g .15% HCl (300ft)

- SA 1576'
- Glor 2863'
- Tubb 4290'
- Abu 5071'
- Str 6563'
- Atoka 6720'
- Miss 6792'
- Dev. 7093'

BEFORE

+35' cut 6400'

IBP+35' cut 6800'

IBP+35' cut 7025'

Phr Shoe

WC

Penn

Miss

Devonian

7076.1 1/2': 150 Super H Circ 18sx
 5 1/2" @ 2nd: 1420 HLC + 50 C Circ 75sx

- Sketch Not To Scale -

KBCollins/

42-392 100 RECYCLED WHITE 5 SQUARE
 42-398 200 RECYCLED WHITE 5 SQUARE
 MADE IN U.S.A.