

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

RECEIVED
APR 06 2004

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

20-15-06192

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

BL-635

7. Lease Name or Unit Agreement Name:

Leonard

8. Well No.

Leonard State #1

9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐

Gas Well ☐

Other ☒

Salt Dome Storage

2. Name of Operator

Long Hills BSE LTD

3. Address of Operator

158 River Creek Drive, Alaska, TN 37008

4. Well Location

Unit Letter L : 2069 feet from the South line and 119.3 feet from the West line

Section 22

Township 12.5

Range 29E

NMPM

County Edwards

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

66

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☒

COMMENCE DRILLING OPNS ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Set C.I.B.P. at 517'; spooled 15 sacks of cement on top of plug. Drilled cement to 514'. Ran 4' F145 to 514'; pumped 25 sacks cement between 514' and 4' circulated to surface - 9 BBL. circulated to pit. Let set 36 hrs. Drilled out to 514'. Ran C.B.L. + MET on casing (510" for 30m) C.B.L. + chart included. Open hole test (Nitrogen) waived by Wayne Price - E-mail March 31, 2004. Drilled out C.I.B.P. Ran 2 3/8" F145 5.55 to 630' Nipped up Well Head March 26, 2004.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

John B. Smith

TITLE

Terminal Operator

DATE

4/6/04

Type or print name

John B. Smith

Telephone No. 505 622-2321

(This space for State use)

APPROVED BY

Record

TITLE

DATE

4-6-04

Conditions of approval, if any:

MIT CASING TEST 300" MIN. 30 MINUTUS
A 3-24-04 5 6 AM

Loco Hills GSP
API# 30-15-06192
Loco Hills #1 Leonard State #1
L-22-175-29E
J.B. Smith
J.B. Smith
O.C.D.
Mike Stubblefield
Mike Stubblefield

GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

CHART NO. MC MP-1000

METER _____
CHART PUT ON _____ M
TAKEN OFF _____ M
LOCATION _____
REMARKS _____

RECEIVED
APR 06 2004
OCD-ARTESIA

PRINTED IN U.S.A.

30-015-06192.

Wildcat Measurement Calibration Certificate Pressure Recorder

Serial Number: 265-WC325

Pressure Range 1000# p.s.i. accuracy +/- 0.2% % Full Scale _____ p.s.i. _____

Increasing Pressure			Decreasing Pressure		
Applied Pressure	Indicated Pressure	Difference	Applied Pressure	Indicated Pressure	Difference
0.0#	0.0#	0.0	800.0#	800.0#	0.0
100.0#	100.0#	0.0	600.0#	600.0#	0.0
300.0#	300.0#	0.0	400.0#	400.0#	0.0
500.0#	500.0#	0.0	200.0#	200.0#	0.0
700.0#	700.0#	0.0	0.0#	0.0#	0.0
1000.0#	1000.0#	0.0			

Calibrated By: Crystal Gauge _____ Deadweight _____

This Is To Certify That This Recorder Has Been Inspected And Tested.

Remarks _____

Date Of Calibration 03/25/2004

Inspector 