

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-24284
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

RECEIVED

2. Name of Operator
Yates Petroleum Corporation

MAY 24 2004

3. Address of Operator
105 S. 4th Street, Artesia, NM 88210

OCD-ARTESIA

7. Lease Name or Unit Agreement Name
DAGGER DRAW 19SW

8. Well Number
#4

9. OGRID Number
025575

10. Pool name or Wildcat
DAGGER DRAW, UPPERN PENN

4. Well Location

Unit Letter I : 1,980 feet from the SOUTH line and 660 feet from the WEST line
Section 19 Township 19S Range 25E NMPM EDDY County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☒ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation respectfully requests permission to Temporarily Abandon this well for possible future use as a Canyon Secondary Recovery well. The estimated date will depend on economic conditions and production in the water flood area.

- MIRU a WSU. RU safety trailer as necessary and TOH w/ rods and pump. ND wellhead, NU BOP. TOH w/ tubing.
- RIH w/ tubing and 5-1/2" CIBP set at 7,652'.
- Circulate hole w/ corrosion inhibited fluid.
- Shut BOP and test casing to 500 psi for 30 min (10% leak off allowed). Chart test and report.
- TOH laying down tubing.
- Call Carlsbad BLM (505-887-6544) 24 hrs prior and conduct MIT. Chart test and report.
- Clean up location & release equipment.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: Su'Ann Rogers TITLE: Regulatory Compliance Tech. DATE: 5/21/04

Type or print name Su'Ann Rogers Telephone No. 505-748-1471
(This space for State use)

APPROVED BY [Signature] Approval withheld pending completion of MIT Test. Notify OCD 24 hrs prior to test so it may be witnessed.
Conditions of approval, if any:

DATE 6-1-04

WELL NAME: Dagger Draw 19SW # 4 **Field:** Dagger Draw
LOCATION: Unit L, Sec 19, T19S-25E 1980' FSL & 660' FWL Eddy County, NM
GL: 3576' **ZERO:** _____ **KB:** 3591'
SPUD DATE: 12/19/82 **COMPLETION DATE:** 3/15/83
COMMENTS: _____

13 3/8" 48# H-40	450'
8 5/8" 32# K-55	1249'
5 1/2" 17# J-55 ST&C	7930'

Before
 TA

17 1/2" hole

13 3/8" @ 450' w/ 417 sx (circ)

12 1/4" hole

8 5/8" @ 1249' w/ 1235 sx (circ)

7 7/8" hole

TOPS

San Andres	540'
Glorieta	1974'
Yeso	2210'
Abo	3900'
Wolfcamp	5355'
Cisco	7515'

5 1/2" CIBP @ 7652'

Cisco Canyon
 Perfs: 7702' - 7872'
 Acidize: 34,200 gal 20% NeFe, 5000# rock salt, 4000 gal xylene

PBTD 7887'

5 1/2" @ 7930' w/ 2066 sx circ to surface


TD 7930'

Not to Scale

WELL NAME: Dagger Draw 19SW # 4 **Field:** Dagger Draw
LOCATION: Unit L, Sec 19, T19S-25E 1980' FSL & 660' FWL Eddy County, NM
GL: 3576' **ZERO:** _____ **KB:** 3591'
SPUD DATE: 12/19/82 **COMPLETION DATE:** 3/15/83
COMMENTS: _____

13 3/8" 48# H-40	450'
8 5/8" 32# K-55	1249'
5 1/2" 17# J-55 ST&C	7930'

**AFTER
TA**



Not to Scale