Form 3160-5 (August 1999)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

3456 18 9 10 11 72 73 74 FORM APPROVED

OME	NO.	1004	-013	35
Expires:	Nove	mber	30,	2000
 			_	

SUNDRY Do not use the abandoned we	NMLC061783A						
SUBMIT IN TRI	ARTESIA	17/ If Unit or CA/Agreement, Name and/or No. NMNM70945X					
1. Type of Well  Gas Well Gas Well Oth	her		Z29Z9Z	47.52.74	8. Well Name and No. EMPIRE ABO L 7		
2. Name of Operator BPAMERICA PRODUCTION	KELLIE D. M E-Mail: murrike			9. API Well No. 30-015-00775-00-S1			
3a. Address EUNICE, NM 88231		3b. Phone No. (include area code) Ph: 505,394,1649 Fx: 505,394,1624			10. Field and Pool, or Exploratory EMPIRE		
4. Location of Well (Footage, Sec., 7 Sec 4 T18S R27E SWSE 330	7)			11. County or Parish, and State EDDY COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE	NATURE OF N	IOTICE, R	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent  Subsequent Report Final Abandonment Notice	☐ Acidize ☐ Alter Casing ☐ Casing Repair ☐ Change Plans ☐ Convert to Injection	☐ Frac ☐ New ☑ Plug	☐ Fracture Treat ☐ Recla ☐ New Construction ☐ Reconstruction ☐ Reconstruction ☐ Temp			□ Water Shut-Off □ Well Integrity □ Other	
13. Describe Proposed or Completed Op If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f TD: 5666' PBD: 5635' CIBP MIRUPU. NDWH. NUBOP UNSET PKR & POH W/TBG & RIH W/TBG. SPOT 25' CMT CIRC 9.5# KCL MUD & PRES PULL TBG UP HOLE TO 298 PULL TBG UP HOLE TO 298 PULL TBG UPHOLE AND SP RECORD TOC. POH W/TBG. RUWL & PERF 4-1/2" CSG @ PULL TBG UPHOLE AND SP	ally or recomplete horizontally, grack will be performed or provide to operations. If the operation resupendonment Notices shall be filed in inspection.)  2: 5458' PERFS: 5285-53  3: PKR.  ON TOP OF CIBP @ 5458  SISTEST CSG TO 300#.  O'. SPOT 25 SX CMT ACR  OT 25 SXS CMT PLUG ACR  ON TOP OF CIBP @ 5458  SISTEST CSG TO 300#.  O'. SPOT 25 SX CMT ACR  O'. SPOT 25 SX CMT PLUG ACR  O'. SSS CMT PLUG ACR  O'. SSS CMT F/865' ACR  True and correct.	ive subsurface he Bond No. or ills in a multipl d only after all ive WOC & T ROSS GLOR CROSS CSC RF BETWEE CROSS YAT	locations and measun file with BLM/BIA le completion or recordequirements, includ  APPR GENE SPEC FAG RIETTA (100' PLU S SHOE @ 1532: EN 8-5/8" AND 4-TES (100' PLUG)	red and true we Required su mpletion in a ing reclamation OVAL SURAL RECLAL STIP  JG). WOC -1432'. (100-1/2" CSG.  WOC & T	ertical depths of all pertir beequent reports shall be new interval, a Form 316 n, have been completed, JBJECT TO QUIREMENTS APULATIONS ATT & TAG. RECORD TO PLUG). WOC & TAG. RECORD TO	ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has  ND ACHED  TOC. FAG.	
	Electronic Submission #3 For BPAMERICA PR mmitted to AFMSS for proc MURRISH	ODUCTION	COMPANY, sent t NDA ASKWIG on (	o the Carlsb 06/22/2004 (0	ad D4LA0495SE)		
Signature (Electronic S	Date 06/18/20		RESENTATIVE				
Signature (Electronic S	THIS SPACE FOI	R FEDERA			SE .	******	
Approved By RES BABYAK  Conditions of approval, if any, are attached. Approval of this notice does not wa			TitlePETROLEUM ENGINEER Date 07/02			Date 07/02/2	
certify that the applicant holds legal or equivalent would entitle the applicant to condu	Office Carlsbac	İ					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #32129 that would not fit on the form

## 32. Additional remarks, continued

SET TBG @ 60'. PMP 10 SXS CMT F/60' TO SURF. WOC 24 HRS & TAG CUT OFF WH. INSTALL DRY HOLE MARKER CUT OFF ANCHORS & CLEAN LOCATION

WILL SEND WELLBORE SCHEMATIC IN USPS.

**WELLBORE SCHEMATIC** 

Iransaction #
32129

