

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 Revised June 10, 2003	
		WELL API NO. 30-015-32873			
		5. Indicate Type of Lease STATE ☒ FEE ☐			
		State Oil & Gas Lease No. V-6733			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
1a. Type of Well: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____				7. Lease Name or Unit Agreement Name	
b. Type of Completion: NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. ☐ WELL OVER BACK RESVR. ☐ OTHER _____				DARTHROW 19 STATE	
2. Name of Operator MARBOB ENERGY CORPORATION				8. Well No. 1	
3. Address of Operator PO BOX 227, ARTESIA, NM 88211-0227				9. Pool name or Wildcat DOG HERMANOS MORROW (GAS)	
4. Well Location Unit Letter <u>D</u> <u>330</u> Feet From The <u>NORTH</u> Line and <u>330</u> Feet From The <u>WEST</u> Line Section <u>19</u> Township <u>20S</u> Range <u>30E</u> NMPM <u>EDDY</u> County					
10. Date Spudded 4/14/04		11. Date T.D. Reached 5/22/04		12. Date Compl. (Ready to Prod.) 7/5/04	
				13. Elevations (DF& RKB, RT, GR, etc.) 3315' GL	
14. Elev. Casinghead					
15. Total Depth 12300'		16. Plug Back T.D. 12228'		17. If Multiple Compl. How Many Zones?	
				18. Intervals Drilled By 0 - 12300'	
				19. Producing Interval(s), of this completion - Top, Bottom, Name 12038' - 12094' MORROW	
				20. Was Directional Survey Made NO	
				21. Type Electric and Other Logs Run DLL, CSNG	
				22. Was Well Cored NO	
23. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT LB./FT.		DEPTH SET	
20"		94#		325'	
13 3/8"		54.5#		1784'	
8 5/8"		32#		3425'	
5 1/2"		17#		12300'	
24. LINER RECORD					
SIZE		TOP		BOTTOM	
25. TUBING RECORD					
SIZE		DEPTH SET		PACKER SET	
2 3/8"		11962'			
26. Perforation record (interval, size, and number) 12038' - 12094' (84 SHOTS)					
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
DEPTH INTERVAL					
AMOUNT AND KIND MATERIAL USED					
12038'-12094' ACDZ W/ 2000 GAL CLAY SAFE H ACID					
12038'-12094' FRAC W/ 60K# SAND					
28. PRODUCTION					
Date First Production 7/9/04		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING		Well Status (Prod. or Shut-in) PROD	
Date of Test 7/12/04		Hours Tested 24		Choke Size	
Prod'n For Test Period		Oil - Bbl 0		Gas - MCF 1128	
				Water - Bbl. 25	
Flow Tubing Press.		Casing Pressure		Calculated 24-Hour Rate	
				Oil - Bbl.	
				Gas - MCF	
				Water - Bbl.	
				Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD					
Test Witnessed By OWEN PUCKETT					
30. List Attachments LOGS, DEVIATION SURVEY					
31. I hereby certify that the information shown on both sides of this form is true and correct to the best of my knowledge and belief					
Signature 		Printed Name DIANA J. CANNON		Title PRODUCTION ANALYST	
E-mail Address PRODUCTION@MARBOB.COM		Date 7/22/04			

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn 10646'	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka 11108'	T. Pictured Cliffs	T. Penn. "D"
T. Yates 1785'	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers 1900'	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinbry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand 3560'	T. Todilto	T.
T. Drinkard	T. Bone Springs 6262'	T. Entrada	T.
T. Abo	T. CAPITAN 2087'	T. Wingate	T.
T. Wolfcamp 9708'	T. MORROW 11742'	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

OPERATOR: Marbob Corp.
WELL/LEASE: Darthrow 19, St. #1
COUNTY: Eddy County, NM

**STATE OF NEW MEXICO
DEVIATION REPORT**

<u>Depth</u>	<u>Deviation</u>
482	1/2
606	3/4
698	1/2
853	1 3/4
915	2
979	1 1/4
1077	2
1170	1 3/4
1262	2
1327	2 1/4
1383	2
1480	2
1577	1 3/4
1630	1
1709	1/2
1787	3/4
1840	1
1910	1
2290	2 1/2
2333	4
2462	3 1/4
2487	2 1/4
2595	3
2680	3
2770	2
2836	3 1/4
2892	1 3/4
2980	1 1/2
3077	1 3/4
3237	1 1/2
3387	2 3/4
3425	2 1/2
3490	2
3578	2
3670	1 3/4

<u>Depth</u>	<u>Deviation</u>
3917	1 3/4
4132	1
4631	1 1/4
5129	1 1/4
6150	1
6648	1
7144	1
8007	1/2
8303	1/2
8601	1/2
9724	1
10870	1 1/2
11242	1
11829	1.5
12299	2

By: M. Leroy Peterson
M. Leroy Peterson

STATE OF TEXAS
COUNTY OF MIDLAND

The foregoing instrument was acknowledged before me on
this 27th day of May 2004 by M. Leroy Peterson on behalf of
Patriot Drilling, LLC.

My Commission Expires: 5/29/2005

Dora H. Duarte
Notary Public for Midland County, Texas

