

UNITED STATES DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
Oil Cons. N.M. Div-Dist. 2  
1301 West Grand Avenue  
Alamosa, NM 88210

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

File

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

BURNETT OIL CO., INC. 817/332-5108

3. ADDRESS OF OPERATOR BURNETT PLAZZA- SUITE 1500

801 CHERRY STREET- UNIT #9 FORT WORTH, TEXAS 76102-6881

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface

UNIT K, 1800' FSL, 2310' FWL

At top prod. interval reported below

SAME AS SURFACE

At total depth

SAME AS SURFACE

14. PERMIT NO.

DATE ISSUED

3160-3

9/13/02

15. DATE SPUDDED

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (DF, RKB, RT, OR, ETC.)\*

19. ELEV. CASINGHEAD

10/11/02

10/22/02

11/11/02

3691' GR

20. TOTAL DEPTH, MD & TVD

21. PLUG, BACK T.D., MD & TVD

22. IF MULTIPLE COMPL., HOW MANY\*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

5100'

5029'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

4586'-4781' CEDAR LAKE YESO

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL MICRO-SFL & SD DSN SPECTRAL GR

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD                          | AMOUNT PULLED |
|-------------|-----------------|----------------|-----------|-------------------------------------------|---------------|
| 8-5/8"      | 24#             | 483'           | 12-1/4"   | 475 SKS. Class "C".                       |               |
| 5-1/2"      | 15.50#          | 5083'          | 7-7/8"    | 1800 sks. CL "C" & 50-50 POZ. In 2 stages |               |

29. LINER RECORD

| SIZE | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) | SIZE   | DEPTH SET (MD) | PACKER SET (MD) |
|------|----------|-------------|---------------|-------------|--------|----------------|-----------------|
|      |          |             |               |             | 2-7/8" | 4884'          |                 |

31. PERFORATION RECORD (Interval, size and number)

4586'-4781' Total 22 holes @ 2SPF.

JAN - 2 2003

ALEXIS C. SWOBODA  
PETROLEUM ENGINEER

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)

AMOUNT AND KIND OF MATERIAL USED

4586'-4781'

2,000 Gals 15% NoFe acid

4586'-4781'

33,000 Gals 20% hot HCL w/56,000 Gals

4586'-4781'

40# gel w/6,000# 100 mesh sand

5,000 Gals 15% HCL

33.\*

PRODUCTION

| DATE FIRST PRODUCTION |                 | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) |                         |          |            | WELL STATUS (Producing or shut-in) |               |
|-----------------------|-----------------|----------------------------------------------------------------------|-------------------------|----------|------------|------------------------------------|---------------|
| 11/11/02              |                 | Pumping 25 x 20 x 20 RWTC                                            |                         |          |            | Producing                          |               |
| DATE OF TEST          | HOURS TESTED    | CHOKE SIZE                                                           | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF.   | WATER—BBL.                         | GAS-OIL RATIO |
| 11/16/02              | 24              |                                                                      | →                       | 42       | 52         | 540                                |               |
| FLOW, TUBING PRESS.   | CASING PRESSURE | CALCULATED 24-HOUR RATE                                              | OIL—BBL.                | GAS—MCF. | WATER—BBL. | OIL GRAVITY-API (CORR.)            |               |
|                       |                 | →                                                                    |                         |          |            |                                    |               |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD TO CONOCO, INC. THROUGH GISSLER A2 BATTERY.

TEST WITNESSED BY

BOBBY CLABORN

35. LIST OF ATTACHMENTS

DLL MICRO-SFL & SD DSN SPECTRAL GR

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

*Stirling Randolph*

TITLE

PETROLEUM ENGINEER

DATE

12/30/2002

\*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

| FORMATION | TOP | BOTTOM | DESCRIPTION, CONTENTS, ETC. | NAME         | TOP         |                  |
|-----------|-----|--------|-----------------------------|--------------|-------------|------------------|
|           |     |        |                             |              | MEAS. DEPTH | TRUE VERT. DEPTH |
|           |     |        |                             | ALLUVIUM     | SURFACE     |                  |
|           |     |        |                             | ANHYDRITE    | 210'        |                  |
|           |     |        |                             | SALT         | 418'        |                  |
|           |     |        |                             | BASE SALT    | 1158'       |                  |
|           |     |        |                             | SEVEN RIVERS | 1604'       |                  |
|           |     |        |                             | QUEEN        | 2222'       |                  |
|           |     |        |                             | GRAYBURG     | 2628'       |                  |
|           |     |        |                             | SAN ANDRES   | 2974'       |                  |
|           |     |        |                             | YESO         | 4460'       |                  |

RECEIVED  
2003 JAN - 2 AM 9:10  
BUREAU OF LAND MGMT  
ROSWELL OFFICE

WELL NAME AND NUMBER Gissler A-17

LOCATION 1750' FSL & 2310' FNL, Section 14, T17S, R30E, Eddy County NM

OPERATOR Burnett Oil Company, Inc.

DRILLING CONTRACTOR United Drilling, Inc..

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

Degrees @ Depth

Degrees @ Depth

Degrees @ Depth

1/2° 1000'

3/4° 1505'

3/4° 2038'


3/4° 2545'

1/2° 3050'

1/2° 3530'

3/4° 4008'

3/4° 4513'



Drilling Contractor United Drilling, Inc.

By: George A. Aho

George A. Aho

Title: Business Manager

Subscribed and sworn to before me this 25<sup>th</sup> day of October,  
2002.

Karna Tankersley  
Notary Public

My Commission Expires: 09-25-03

Chaves NM  
County State