

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.
30-015-05125

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.
96328

7. Lease Name or Unit Agreement Name:
GRAYBURG
JACKSON

8. Well No.
HE WEST B# 19

9. Pool name or Wildcat
Grayburg, Jackson

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3934; KRBUNK.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☐ Other ☒ INJECTION WELL

2. Name of Operator
MERIT ENERGY COMPANY

3. Address of Operator
MERIT ENERGY CO, P.O. BOX 300, WHITEFALL TX. 79379

4. Well Location
C
Unit Letter H-E/WB 660 feet from the FN line and 1980 feet from the FW line
Section 10 Township 17S Range 31E NMPM County EDDY

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐

OTHER: WELL WAS NOT TAKING WATER ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RIG UP ON WELL AFTER BACKFLOWING TO REDUCE PRESSURE ON 2-4-03/INSTALL BOP & UNSEAT PACKER. RAN DRILL BIT & SCRAPER DOWN TO 3644' TO CLEAN OUT PERFS. TRIP BACK OUT & INSTALLED NEW R.B.P. @ 3602' ABOVE 2ND SET OF PERFS & BELOW 1ST SET OF PERFS. TRIP OUT & INSTALL Packer @ 3287' TOP SIDE ABOVE PERFS IN 5 1/2" casing. Circulate P.K.R. fluid & Pump Up ON BACKSIDE TO 450 # ON 2-7-03
RAN MIT TEST ON BACKSIDE ON 2-10-03
ACIDIZE WELL ON 2-11-03 1600 GALS ACID 15% RETURN TO INJECTION

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Chris Flores TITLE Lease Operator DATE 2/14/03


Type or print name CHRIS FLORES Telephone No. (505) 426-5666
(This space for State use) TX. 806 229 6300

APPROVED BY _____ TITLE _____ DATE _____
Conditions of approval if any:

MERT ENERGY COMPANY

WELLBORE SCHEMATIC

WELL NAME: H.E. WEST 'B' #19			FIELD: GRAYBURG-JACKSON			
LOCATION: 680FNL & 1880FNL, SEC 10-T17S-R31E			COUNTY: EDDY			STATE: NM
ELEVATION: GL-3894', KD-LINK			SPUD DATE: 12/21/58		COMP DATE: 02/08/80	
API# 30-015-03125		PREPARED BY: KAREN BYERS			DATE: 10/30/97	
	DEPTH	SIZE	WEIGHT	GRADE	THREAD	HOLE SIZE
CASING	0'-765'	10 3/4"	32.78#	N-40		12 1/2"
CASING	0'-3501'	5 1/2"	15.3#	J-65		7"
CASING	3325'-3955'	4"				4 3/4"
TUBING	0'-3287'	2 3/8"	4.7#	J-65	EUE 8N	
TUBING						



10 3/4" CASING SET @ 765' W/100 SCS, TOC @ 497' (calc).

Maker Set @ 3287'
R.B.P. SET @ 3662'

5" CASING SET @ 3501' W/100 SCS, TOC @ 2887' (calc).

PERFORATIONS: 3373-3559' W/30 HOLES
3800-3782' W/20 HOLES
3821'-3941' W/22 HOLES

PSID @ 3847
4" LINER SET 3325-3955' W/85 SCS
TD @ 3955'



2-11-03

