

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Nearburg Producing Company

3. Address and Telephone No.

3300 North A Street, Building 2, Suite 120, Midland, Texas 79705 (915) 686-8235

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1,924' FNL and 1,647' FEL, Section 12, T21S, R21E

UT. G

5. Lease Designation and Serial No.

NM - 94577

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Little Box Canyon 12 Federal #1

9. API Well No.

30-015-22288

10. Field and Pool, or Exploratory Area

Little Box Canyon - Morrow

11. County or Parish, State

Eddy County, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☐ Subsequent Report
☒ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other Plug and Abandonment
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1.) Set 45 sx cement plug from 5,975' - 5,825'.
- 2.) Set 30 sx cement plug from 4,880' - 4,980'.
- 3.) Set 30 sx cement plug from 3,500' - 3,400'.
- 4.) Set 30 sx cement plug from 1,850' - 1,750'.
- 5.) Set 30 sx cement plug from 350' - 250'.
- 6.) Set 30 sx cement plug from 50' - surface.
- 7.) ND BOPE. Cut off casing and cap well.
- 8.) Clean pits and release rig at 2401 hrs 9/23/98.
- 9.) P&A'd well. Final Report.



14. I hereby certify that the foregoing is true and correct

Signed [Signature]

Title Manager of Drilling and Production

Date 9/30/98

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


*See Instruction on Reverse Side

SCIENTIFIC DRILLING INTERNATIONAL

MIDLAND, TEXAS

NEARBURG PRODUCING COMPANY

Well Name	: LITTLE BOX CANYON ''12'' UNIT #4Y
Field	: LITTLE BOX CANYON MORROW, EDDY COUNTY, NM
Site	: SEC 12, T-21-S, R-21-E
SHL	: 1924' FNL & 1647' FEL
Plan BHL	: 990' FNL & 660 FEL
Date Surveyed	: 8/27/98-9/16/98
Job No.	: 32K0898334/32D0898325
Surveyor	: DESPAIN/WOOLFOLK



This survey is correct to the best of my knowledge
and is supported by actual field data.

Barry Mady
..... COMPANY REPRESENTATIVE

SCIENTIFIC DRILLING INTERNATIONAL

Client : NEARBURG PRODUCING COMPANY Page 1 of 3
 Well Name : LITTLE BOX CANYON ''12'' UNIT #4Y Date 8/27/98-9/16/98
 Field : LITTLE BOX CANYON MORROW, EDDY COUNTY, NM Filename : CANYON#1
 Site : SEC 12, T-21-S, R-21-E
 SHL : 1924' FNL & 1647' FEL
 Plan BHL : 990' FNL & 660 FEL
 Height Of WELLSITE Datum Above Field Datum 0.00 ft No Interpolation

MD ft	INC deg	DIR deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	D'LEG °/100
0.0	0.00	N 0.00°E	0.00	0.00	0.00	0.00	0.0
100.0	0.16	N40.68°W	100.00	0.11	-0.09	0.00	0.2
200.0	0.45	N78.79°W	200.00	0.29	-0.57	-0.21	0.3
300.0	0.51	N85.20°W	299.99	0.40	-1.40	-0.74	0.1
400.0	0.43	S71.35°W	399.99	0.32	-2.19	-1.38	0.2
500.0	0.53	S83.13°W	499.99	0.14	-3.01	-2.09	0.1
600.0	0.21	N78.32°W	599.99	0.13	-3.65	-2.56	0.3
700.0	0.33	N52.25°W	699.98	0.34	-4.06	-2.71	0.2
800.0	0.39	N54.26°W	799.98	0.71	-4.56	-2.82	0.1
900.0	0.58	N10.93°W	899.98	1.41	-4.93	-2.61	0.4
1000.0	0.99	N 7.79°W	999.97	2.76	-5.14	-1.84	0.4
1100.0	0.92	N 1.18°W	1099.96	4.42	-5.28	-0.80	0.1
1200.0	0.49	N10.86°W	1199.95	5.64	-5.38	0.00	0.4
1300.0	0.47	N70.68°W	1299.94	6.20	-5.84	0.00	0.5
1400.0	0.73	S88.68°W	1399.94	6.32	-6.87	-0.64	0.3
1500.0	0.87	N82.70°W	1499.93	6.40	-8.26	-1.60	0.2
1600.0	0.72	S85.24°W	1599.92	6.45	-9.64	-2.57	0.2
1700.0	0.84	N79.26°W	1699.91	6.53	-10.98	-3.49	0.2
1800.0	0.90	N62.77°W	1799.90	7.03	-12.40	-4.18	0.3
1900.0	0.85	N71.70°W	1899.89	7.62	-13.80	-4.79	0.1
2000.0	0.78	N71.30°W	1999.88	8.07	-15.15	-5.46	0.1
2100.0	0.73	N80.44°W	2099.87	8.39	-16.43	-6.16	0.1
2200.0	0.63	N81.26°W	2199.86	8.58	-17.60	-6.88	0.1
2300.0	0.80	N77.91°W	2299.85	8.81	-18.82	-7.61	0.2
2400.0	0.75	N80.16°W	2399.85	9.07	-20.15	-8.40	0.1
2500.0	0.70	S86.35°W	2499.84	9.14	-21.40	-9.26	0.2
2600.0	0.87	N75.43°W	2599.83	9.30	-22.75	-10.13	0.3
2700.0	0.87	N78.09°W	2699.82	9.64	-24.23	-10.97	0.0
2800.0	0.78	N78.65°W	2799.81	9.93	-25.64	-11.79	0.1
2900.0	0.82	N75.58°W	2899.80	10.25	-27.00	-12.57	0.1
3000.0	0.79	N71.44°W	2999.79	10.64	-28.34	-13.27	0.1
3100.0	0.71	N77.90°W	3099.78	10.99	-29.60	-13.95	0.1
3200.0	0.76	N70.67°W	3199.77	11.34	-30.83	-14.60	0.1
3300.0	0.88	N66.85°W	3299.76	11.86	-32.17	-15.21	0.1
3400.0	0.78	N74.96°W	3399.75	12.34	-33.53	-15.87	0.2
3500.0	0.97	N69.54°W	3499.74	12.82	-34.98	-16.60	0.2
3600.0	1.10	N78.60°W	3599.72	13.30	-36.71	-17.52	0.2
3700.0	0.99	N72.41°W	3699.71	13.75	-38.48	-18.50	0.2
3770.0	1.12	N75.00°W	3769.69	14.11	-39.72	-19.15	0.2
3839.0	1.40	N 7.80°W	3838.68	15.12	-40.48	-19.01	2.0

SCIENTIFIC DRILLING INTERNATIONAL

Client : NEARBURG PRODUCING COMPANY Page 2 of 3
 Well Name : LITTLE BOX CANYON '12' UNIT #4Y Date 8/27/98-9/16/98
 Field : LITTLE BOX CANYON MORROW, EDDY COUNTY, NM Filename : CANYON#1
 Site : SEC 12, T-21-S, R-21-E
 BHL : 1924' FNL & 1647' FEL
 Plan BHL : 990' FNL & 660 FEL

No Interpolation

Height Of WELLSITE Datum Above Field Datum 0.00 ft

MD ft	INC deg	DIR deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	D'LEG °/100
3940.0	4.10	N55.00°E	3939.57	18.42	-37.69	-14.72	3.6
3992.0	4.70	N55.60°E	3991.42	20.69	-34.41	-10.78	1.2
4024.0	5.21	N57.50°E	4023.30	22.21	-32.10	-8.05	1.7
4088.0	7.00	N62.80°E	4086.93	25.55	-26.18	-1.46	2.9
4151.0	8.30	N63.80°E	4149.37	29.31	-18.69	6.57	2.1
4213.0	9.50	N63.30°E	4210.62	33.59	-10.10	15.75	1.9
4276.0	11.30	N60.30°E	4272.58	38.98	-0.10	26.73	3.0
4368.0	13.04	N56.50°E	4362.52	49.18	16.39	45.71	2.1
4432.0	14.60	N59.80°E	4424.66	57.22	29.38	60.67	2.7
4525.0	15.90	N61.10°E	4514.39	69.28	50.67	84.42	1.4
4617.0	18.35	N61.77°E	4602.30	82.22	74.46	110.60	2.7
4710.0	20.20	N57.50°E	4690.09	97.77	100.91	140.49	2.5
4804.0	21.20	N57.30°E	4778.02	115.67	128.90	173.13	1.1
4898.0	22.50	N56.70°E	4865.27	134.73	158.23	207.54	1.4
4966.0	21.50	N56.00°E	4928.31	148.84	179.44	232.64	1.5
5079.0	19.25	N53.00°E	5034.24	171.64	211.49	271.59	2.2
5174.0	17.00	N47.00°E	5124.53	190.54	234.16	301.04	3.1
5263.0	15.50	N43.00°E	5209.97	208.11	251.79	325.92	2.1
5325.0	15.10	N43.23°E	5269.77	220.05	262.97	342.25	0.7
5419.0	16.00	N41.30°E	5360.33	238.71	279.90	367.38	1.1
5482.0	15.90	N40.40°E	5420.91	251.80	291.23	384.60	0.4
5545.0	17.10	N43.50°E	5481.31	265.09	303.20	402.43	2.4
5639.0	18.40	N45.05°E	5570.84	285.60	323.21	431.06	1.5
5701.0	18.70	N48.00°E	5629.62	299.16	337.52	450.78	1.6
5795.0	18.80	N50.40°E	5718.63	318.90	360.39	480.96	0.8
5857.0	19.13	N50.62°E	5777.27	331.71	375.94	501.06	0.5
5919.0	20.20	N51.00°E	5835.65	344.90	392.11	521.87	1.7
5983.0	21.10	N54.00°E	5895.54	358.62	410.02	544.31	2.2
6015.0	21.60	N55.00°E	5925.34	365.39	419.51	555.85	1.9
6109.0	23.00	N56.00°E	6012.31	385.58	448.90	591.08	1.5
6232.0	20.25	N56.00°E	6126.64	410.93	486.48	635.79	2.2
6295.0	18.75	N58.00°E	6186.03	422.39	504.11	656.48	2.6
6357.0	18.25	N55.00°E	6244.82	433.24	520.51	675.85	1.7
6419.0	18.00	N54.00°E	6303.75	444.44	536.21	694.95	0.6
6513.0	18.00	N51.00°E	6393.15	462.11	559.25	723.83	1.0
6606.0	17.75	N51.00°E	6481.66	480.08	581.43	752.29	0.3
6699.0	17.50	N52.00°E	6570.29	497.61	603.47	780.35	0.4
6793.0	17.00	N51.00°E	6660.07	514.96	625.29	808.12	0.6
6887.0	17.75	N51.00°E	6749.78	532.62	647.10	836.11	0.8
6978.0	16.75	N52.00°E	6836.68	549.43	668.22	862.99	1.1

SCIENTIFIC DRILLING INTERNATIONAL

Client : NEARBURG PRODUCING COMPANY Page 3 of 3
 Well Name : LITTLE BOX CANYON ''12'' UNIT #4Y Date 8/27/98-9/16/98
 Field : LITTLE BOX CANYON MORROW, EDDY COUNTY, NM Filename : CANYON#1
 Site : SEC 12, T-21-S, R-21-E
 SHL : 1924' FNL & 1647' FEL
 Plan BHL : 990' FNL & 660' FEL
 Height Of WELLSITE Datum Above Field Datum 0.00 ft No Interpolation

MD ft	INC deg	DIR deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	D'LEG °/100
7071.0	16.75	N51.00°E	6925.74	566.11	689.19	889.69	0.3
7164.0	16.75	N49.00°E	7014.79	583.34	709.72	916.44	0.6
7258.0	16.75	N49.00°E	7104.80	601.11	730.16	943.51	0.0
7351.0	17.00	N48.00°E	7193.80	619.00	750.38	970.49	0.4
7477.0	17.00	N41.00°E	7314.31	645.23	776.16	1007.24	1.6
7602.0	16.25	N38.00°E	7434.08	672.80	798.91	1042.72	0.9
7725.0	17.00	N33.00°E	7551.95	701.44	819.30	1077.22	1.3
7850.0	17.75	N30.00°E	7671.24	733.27	838.78	1113.25	0.9
7974.0	18.00	N27.00°E	7789.26	766.71	856.93	1149.41	0.8
8098.0	18.75	N24.00°E	7906.94	801.99	873.74	1185.87	1.0
8286.0	19.00	N23.00°E	8084.83	857.76	897.98	1241.81	0.2
8654.0	19.00	N23.00°E	8432.78	968.05	944.80	1351.62	0.0

Origin of Bottom Hole Closure WELLSITE CENTRE
 Bottom Hole Closure 1353 ft N44.30°E



SCIENTIFIC DRILLING
FOR
NEARBURG PRODUCING COMPANY
LITTLE BOX CANYON "12" UNIT 84Y
SEC. 12 T-21-S, R-21-E
IN
EDDY COUNTY, NEW MEXICO

