District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Santa Fe, NM 87505 office

Pit or Relove Grade Tank Registration or Closure

Fit Of Delow-Cla	tank covered by a "general plan"? Yes W No	<u>Suic</u>
Type of action: Registration of a pit of	or below-grade tank [ Closure of a pit or below-	grade tank
N. C.	* * * * * * * * * * * * * * * * * * * *	
Decrator: OXY Permian Ltd. Telephone: 505-631-4972	e-mail address: nck_kerby@oxy.com	
Address: 4008 N Grimes PMB 269 Hobbs, New Mexico 88240		
'acility or well name: OPL Honolulu St #1API #: 30015-32774U/L or Qtr/QtrSec 23 T 21S R 27E county: Eddy Latitude 32.46737 _ Longitude 104.15766NAD: 1927 [ 1983 [ Surface Owner Federal X [ State [ Private [ Indian [		
Ourny: Eddy Lambide 32.40/3/ Longitude 104.13/00 NAD:	1927 [] 1983 [] Surface Owner rederat X[] Stat	ie 🗀 rrivaie 🗀 indian 🗀
<u>t</u>	Below-grade tank	
<u>∨pe:</u> Drilling X Production Disposal D	Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.	
Workover ☐ Emergency ☐		
ined X Unlined		
iner type: Synthetic X Thickness 12 mil Clay		
it Volume 11,000 bbl		110 11011111111111111111111111111111111
	Less than 50 feet	(20 points)
lepth to ground water (vertical distance from bottom of pit to seasonal high rater elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points)
		( • • • • • • • • • • • • • • • • • • •
Velihead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
rater source, or less than 1000 feet from all other water sources.)	No	( 0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
rigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	20
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks (2) Inc	ticate disposal location: (check the onsite box if
your are burying in place) onsite offsite X If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No X		
Attach soil sample results and a diagram of sample locations and excavations		n. and attach sample resums. (2)
Additional Comments: Plan B will be utilized for this location.		
I hereby certify that the information above is true and complete to the best of	from knowledge and halief. I further certify that	the above described nit or below grade tunk has
been/will be constructed or closed according to NMOCD guidelines		
	Signature Rick Kerby	
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations.		
A _/// A	222	
Approval:	/ '00'	SEP 2 0 2004
Printed Name/Title	Signature	Date:

