

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410


State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

Form C-105
Revised 1-1-89

WELL API NO. 30-015-29138
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG							
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/>			7. Lease Name or Unit Agreement Name South Boyd 27				
b. Type of Completion: NEW WELL <input type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input checked="" type="checkbox"/> DIFF RESVR <input type="checkbox"/> OTHER <input type="checkbox"/>			8. Well No. 8				
2. Name of Operator Nearburg Producing Company			9. Pool name or Wildcat Undesignated Cemetery; Atoka, North				
3. Address of Operator 3300 N A St., Bldg 2, Suite 120, Midland, TX 79705			10. Date Spudded 09/19/1996				
4. Well Location Unit Letter <u>G</u> : <u>1980</u> Feet From The <u>North</u> Line and <u>1980</u> Feet From The <u>East</u> Line Section <u>27</u> Township <u>19S</u> Range <u>25E</u> NMPM <u>Eddy</u> County			11. Date T.D. Reached 10/30/1996				
12. Date Compl. (Ready to Prod.) 08/31/2004			13. Elevations (DF & RKB, RT, GR, etc.) 3449' GR				
14. Elev. Casinghead 3449'			15. Total Depth 9,620'				
16. Plug Back T.D. 9180			17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By Rotary Tools Cable Tools				
19. Producing Interval(s), of this completion - Top, Bottom, Name 8884-8900; 8986-8995			20. Was Directional Survey Made No				
21. Type Electric and Other Logs Run CCL			22. Was Well Cored No				
23. CASING RECORD (Report all strings set in well)							
CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
9-5/8"	36#	1177'	14-3/4"	1200 sxs	Surface		
7-5/8"	29.7# & 33.7#	7516'	8-3/8"	900 sxs	Surface		
5-1/2"	23# & 20#	9620'		270 sxs	7110'		
24. LINER RECORD							
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD		
5-1/2	7311	9620	270 sxs		SIZE	DEPTH SET	PACKER SET
					2-7/8	8803	8803
26. Perforation record (interval, size, and number) 9247-9304 (OA) 4 JSPF (CIPB set @ 9215 w/ 35' cmt on top) 8884-8900 (OA) 4 JSPF 8986-8995 (OA) 4 JSPF			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
			DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED	
			8884-8995			800 gals 15% HCL	
28. PRODUCTION							
Date First Production 08/31/2004		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing			Well Status (Prod. or Shut-in) Producing		
Date of Test	Hours Tested 24	Choke Size 48/48	Prod'n For Test Period	Oil - BbL. 0	Gas - MCF 244	Water - BbL. 0	Gas - Oil Ratio
Flow Tubing Press. 48	Casing Pressure	Calculated 24-Hour Rate	Oil - BbL. 0	Gas - MCF 244	Water - BbL. 0	Oil Gravity - API - (Corr.) NA	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						Test Witnessed By T. Bunch	
30. List Attachments C104 & C103							
31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature 			Printed Name Sarah Jordan		Title Production Analyst		Date 10/13/2004

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all specific tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____ T. Canyon _____ 7698.0
 T. Salt _____ T. Strawn _____ 8415.0
 B. Salt _____ T. Atoka _____ 8849.0
 T. Yates _____ T. Miss _____
 T. 7 Rivers _____ T. Devonian _____
 T. Queen _____ T. Silurian _____
 T. Grayburg _____ T. Montoya _____
 T. San Andres _____ 746.0 T. Simpson _____
 T. Glorieta _____ 2275.0 T. McKee _____
 T. Paddock _____ T. Ellenburger _____
 T. Blinebry _____ T. Gr. Wash _____
 T. Tubb _____ T. Delaware Sand _____
 T. Drinkard _____ T. Bone Springs _____ 3905.0
 T. Abo _____ T. 3rd Bone Spring _____ 6061.0
 T. Wolfcamp _____ 6364.0 T. Morrow _____ 9100.0
 T. Penn _____ T. Chester Lmst _____ 9565.0
 T. Cisco (Bough C) _____ T. _____

Northwestern New Mexico

T. Ojo Alamo _____ T. Penn. "B" _____
 T. Kirtland-Fruitland _____ T. Penn. "C" _____
 T. Pictured Cliffs _____ T. Penn. "D" _____
 T. Cliff House _____ T. Leadville _____
 T. Menefee _____ T. Madison _____
 T. Point Lookout _____ T. Elbert _____
 T. Mancos _____ T. McCracken _____
 T. Gallup _____ T. Ignacio Otzte _____
 Base Greenhorn _____ T. Granite _____
 T. Dakota _____ T. _____
 T. Morrison _____ T. _____
 T. Todilto _____ T. _____
 T. Entrada _____ T. _____
 T. Wingate _____ T. _____
 T. Chinle _____ T. _____
 T. Permian _____ T. _____
 T. Penn. "A" _____ T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____
 No. 2, from _____ to _____ feet _____
 No. 3, from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
746.0	2275.0	1529.0	Dolo, Chert				
2275.0	3905.0	1630.0	Sand, Dolo, S Dolo, Chert				
3905.0	6061.0	2156.0	Lmst Shale, Lmst, Chert				
6061.0	6364.0	303.0	Sand, Dolo, Lmst				
6364.0	7698.0	1334.0	Shale, Siltstone, Lmst, Sand, Chert				
7698.0	8416.0	718.0	Dolo, Lmst, Shale				
8416.0	8849.0	433.0	Lmst, Sand, Shale				
8849.0	9100.0	151.0	Lmst, Sand, Shale				
9100.0	9565.0	465.0	Sand, Shale				