#### OCD-ARTESIA. Lease Serial No. BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS NM-78214 Do not use this form for proposals to drill or reenter an If Indian, Allottee or Tribe Name abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit or CA/Agreement, Name and/o UBMITH TRIBLEATE Other instructions on reverse side Type of Well 8. Well Name and No. X Oil Well Gas Well Name of Operator Anemone "ANE" Federal #6 Yates Petroleum Corporation 9. API Well No. Address Phone No. (include area code) 30-015-33043 105 South Fourth Street, Artesia, NM 88210 10. Field and Pool, or Exploratory Area (505) 748-1471 Location of Well (Footage, Sec., T., R., M., or Survey Description) Indian Basin Upper Penn Assoc. RECEIVED 1232' FNL and 1980' FWL Surface Location 11. County or Parish, State 660' FNL and 1980' FWL Bottom Hole Location OCT 18 2004 Eddy County, New Mexico Section 9, T22S-R24E COD-ADTEQIA 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Well Integrity Reclamation Alter Casing Fracture Treat Other Extend APE Subsequent Report Casing Repair **New Construction** Recomplete Change Plans Temporarily Abandon Plug and Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days Following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3 160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Yates Petroleum Corporation wishes to extend the captioned well's APD for one (1) year to September 30, 2005. The State Engineers Web Site has been accessed for the captioned well. There were no records found of ground water depth, water well, or any indication of any surface water in the area surrounding this well location. APPROVED FOR 12 MONTH PERIOD ENDING 9130105 H2S Contingency Plan Per Rule 118 Attached Any Pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines with approved general permit on file. Thank you. 14. I hereby certify that the foregoing is true and correct Name (Prin Regulatory Agent/Land Department debbiec@ypcnm.com October 6, 2004 PARTIE SEZACIE I PORTE ED EZAROR STRATE IVIST Approved by /s/ Joe G. Lara CARLSBAD FIELD OFF Conditions of approval, if any, are attached. Approval of this notice does not warrant or Office certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United

LANGE WILL WILL JU, LUVU

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

# **Yates Petroleum Corporation**

105 S. Fourth Street Artesia, NM 88210

## Hydrogen Sulfide (H<sub>2</sub>S) Contingency Plan

For

### Anemone ANE Federal #6


1232' FNL and 1980' FWL Surface Location 660' FNL, 1980' FWL Bottom Hole Location Sec-9, T-22S, R-24E Eddy County NM


OCT 1 8 2004

PRINTERIA

### Anemone ANE Federal #6 Location

This is an open drilling site. H<sub>2</sub>S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H<sub>2</sub>S, including warning signs, wind indicators and H<sub>2</sub>S monitor.





 $\hat{A}$ ssummed 1000 pppin 2000.  $\pm$  30000. Fullbagnin H2S corrective and standard region and said in all this idea.

### **Emergency Procedures**

In the case of a release of gas containing H<sub>2</sub>S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of  $H_2S$ , measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with  $H_2S$  monitors and air packs in order to control the release. Use the "buddy system" to ensure no injuries during the response.

#### Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO<sub>2</sub>). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

#### Characteristics of H<sub>2</sub>S and SO<sub>2</sub>

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentr- ation
Hydrogen Sulfide	H <sub>2</sub> S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO <sub>2</sub>	2.21 Air = 1	2 ppm	N/A	1000 ppm

#### Contacting Authorities

YPC personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. YPC Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

## Yates Petroleum Corporation Phone Numbers

YPC Office(505) 748-1471
Pinson McWhorter/Operations Manager(505) 748-4189
Darrel Atkins/Production Manager (505) 748-4204
Dail Ci Akhillo I Toutucilo I Wallager
Ron Beasley/Prod Superintendent
Al Springer/Drilling (505) 748-4225
Paul Hanes/Prod. Foreman/Roswell(505) 624-2805
Jim Krogman/Drilling Superintendent(505) 748-4215
Artesia Answering Service
(During non-office hours)
Agency Call List
Eddy County (505)
Autorio
Artesia
State Police
City Police
Sheriff's Office
Ambulance 911
Fire Department746-2701
LEPC (Local Emergency Planning Committee)
NMOCD748-1283
Carlsbad
State Police
City Police
Sheriff's Office
Ambulance
Fire Department
LEPC (Local Emergency Planning Committee) 887-3798
US Bureau of Land Management887-6544
•
New Mexico Emergency Response Commission (Santa Fe) (505)476-9600
24 HR(505) 827-9126
National Emergency Response Center (Washington, DC)(800) 424-8802
National Emergency Response Center (Washington, DC)(600) 424-6602
Other
Boots & Coots IWC1-800-256-9688 or (281) 931-8884
Cudd Pressure Control(915) 699-0139 or (915) 563-3356
Halliburton(505) 746-2757
B. J. Services(505) 746-3569
Flight For Life -4000 24th St, Lubbock, TX(806) 743-9911
Aerocare -Rr 3 Box 49f, Lubbock, TX(806) 747-8923
Med Flight Air Amb 2301 Yale Blvd SE #D3, Albuq, NM(505) 842-4433
S B Air Med Svc 2505 Clark Carr Loop SE, Albuq, NM(505) 842-4949
D D All Mich Syc 2505 Clark Carl Loop SE, Aloud, 1919(505) 642-4949